



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 01:11 PM UTC

PDB ID : 8HFJ / pdb_00008hfj
Title : Crystal Structure of CbAR mutant (H162F) in complex with NADP⁺ and a bulky 1,3-cyclodiketone
Authors : Hou, X.D.; Yin, D.J.; Rao, Y.J.
Deposited on : 2022-11-10
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1009 (2.76-2.76)
Clashscore	190562	1044 (2.76-2.76)
Ramachandran outliers	187476	1024 (2.76-2.76)
Sidechain outliers	187428	1024 (2.76-2.76)
RSRZ outliers	180081	1009 (2.76-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	279	 2% 70% 20% • 8%
1	B	279	 4% 72% 16% • 10%
1	C	279	 3% 75% 15% • 7%
1	D	279	 2% 67% 20% • 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	L7Z	D	302	-	X	-	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7992 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Versicolorin reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	258	Total	C	N	O	S	0	0	0
			1929	1216	343	366	4			
1	B	252	Total	C	N	O	S	0	0	0
			1881	1183	336	359	3			
1	C	260	Total	C	N	O	S	0	1	0
			1957	1232	351	370	4			
1	D	253	Total	C	N	O	S	0	0	0
			1898	1195	340	359	4			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	initiating methionine	UNP A0A2G5I2X5
A	0	ALA	-	expression tag	UNP A0A2G5I2X5
A	162	PHE	HIS	engineered mutation	UNP A0A2G5I2X5
A	269	ALA	-	expression tag	UNP A0A2G5I2X5
A	270	LEU	-	expression tag	UNP A0A2G5I2X5
A	271	GLU	-	expression tag	UNP A0A2G5I2X5
A	272	HIS	-	expression tag	UNP A0A2G5I2X5
A	273	HIS	-	expression tag	UNP A0A2G5I2X5
A	274	HIS	-	expression tag	UNP A0A2G5I2X5
A	275	HIS	-	expression tag	UNP A0A2G5I2X5
A	276	HIS	-	expression tag	UNP A0A2G5I2X5
A	277	HIS	-	expression tag	UNP A0A2G5I2X5
B	-1	MET	-	initiating methionine	UNP A0A2G5I2X5
B	0	ALA	-	expression tag	UNP A0A2G5I2X5
B	162	PHE	HIS	engineered mutation	UNP A0A2G5I2X5
B	269	ALA	-	expression tag	UNP A0A2G5I2X5
B	270	LEU	-	expression tag	UNP A0A2G5I2X5
B	271	GLU	-	expression tag	UNP A0A2G5I2X5
B	272	HIS	-	expression tag	UNP A0A2G5I2X5
B	273	HIS	-	expression tag	UNP A0A2G5I2X5
B	274	HIS	-	expression tag	UNP A0A2G5I2X5

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	275	HIS	-	expression tag	UNP A0A2G5I2X5
B	276	HIS	-	expression tag	UNP A0A2G5I2X5
B	277	HIS	-	expression tag	UNP A0A2G5I2X5
C	-1	MET	-	initiating methionine	UNP A0A2G5I2X5
C	0	ALA	-	expression tag	UNP A0A2G5I2X5
C	162	PHE	HIS	engineered mutation	UNP A0A2G5I2X5
C	269	ALA	-	expression tag	UNP A0A2G5I2X5
C	270	LEU	-	expression tag	UNP A0A2G5I2X5
C	271	GLU	-	expression tag	UNP A0A2G5I2X5
C	272	HIS	-	expression tag	UNP A0A2G5I2X5
C	273	HIS	-	expression tag	UNP A0A2G5I2X5
C	274	HIS	-	expression tag	UNP A0A2G5I2X5
C	275	HIS	-	expression tag	UNP A0A2G5I2X5
C	276	HIS	-	expression tag	UNP A0A2G5I2X5
C	277	HIS	-	expression tag	UNP A0A2G5I2X5
D	-1	MET	-	initiating methionine	UNP A0A2G5I2X5
D	0	ALA	-	expression tag	UNP A0A2G5I2X5
D	162	PHE	HIS	engineered mutation	UNP A0A2G5I2X5
D	269	ALA	-	expression tag	UNP A0A2G5I2X5
D	270	LEU	-	expression tag	UNP A0A2G5I2X5
D	271	GLU	-	expression tag	UNP A0A2G5I2X5
D	272	HIS	-	expression tag	UNP A0A2G5I2X5
D	273	HIS	-	expression tag	UNP A0A2G5I2X5
D	274	HIS	-	expression tag	UNP A0A2G5I2X5
D	275	HIS	-	expression tag	UNP A0A2G5I2X5
D	276	HIS	-	expression tag	UNP A0A2G5I2X5
D	277	HIS	-	expression tag	UNP A0A2G5I2X5

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is 2-methyl-2-[(4-methylphenyl)methyl]cyclopentane-1,3-dione (CCD ID: L7Z) (formula: C₁₄H₁₆O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	C	O	0	0
			16	14	2		
3	D	1	Total	C	O	0	0
			16	14	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	25	Total	O	0	0
			25	25		
4	B	25	Total	O	0	0
			25	25		
4	C	26	Total	O	0	0
			26	26		
4	D	27	Total	O	0	0
			27	27		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Versicolorin reductase




• Molecule 1: Versicolorin reductase



• Molecule 1: Versicolorin reductase



● Molecule 1: Versicolorin reductase



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	124.92Å 124.92Å 133.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	24.11 – 2.75 24.11 – 2.75	Depositor EDS
% Data completeness (in resolution range)	99.7 (24.11-2.75) 99.7 (24.11-2.75)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.12 (at 2.76Å)	Xtriage
Refinement program	REFMAC 5.5	Depositor
R, R_{free}	0.205 , 0.270 0.218 , 0.276	Depositor DCC
R_{free} test set	1383 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	23.3	Xtriage
Anisotropy	0.018	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 26.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	7992	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, L7Z

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.13	0/1965	1.56	10/2659 (0.4%)
1	B	1.08	0/1916	1.52	4/2593 (0.2%)
1	C	1.11	0/1996	1.52	3/2703 (0.1%)
1	D	1.03	0/1933	1.49	7/2615 (0.3%)
All	All	1.09	0/7810	1.52	24/10570 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	D	0	4
All	All	0	5

There are no bond length outliers.

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	76	ARG	N-CA-C	-6.70	105.10	113.28
1	A	52	THR	CA-CB-OG1	-6.39	100.02	109.60
1	D	205	ASP	CA-CB-CG	5.48	118.08	112.60
1	A	170	GLY	CA-C-N	5.46	127.59	120.28
1	A	170	GLY	C-N-CA	5.46	127.59	120.28
1	A	43	VAL	N-CA-C	5.41	115.68	108.11
1	D	96	ASP	N-CA-C	-5.38	107.27	113.88
1	D	157	PHE	CA-CB-CG	-5.33	108.47	113.80
1	A	42	LYS	CB-CA-C	5.29	118.47	109.84
1	B	31	ALA	O-C-N	5.29	127.52	122.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	116	GLU	CB-CG-CD	5.24	121.50	112.60
1	D	27	GLY	N-CA-C	5.18	120.39	111.47
1	B	91	HIS	CA-CB-CG	-5.14	108.66	113.80
1	A	126	THR	CA-C-N	5.12	127.10	120.44
1	A	126	THR	C-N-CA	5.12	127.10	120.44
1	D	204	HIS	CA-C-N	5.12	127.39	120.38
1	D	204	HIS	C-N-CA	5.12	127.39	120.38
1	C	76	ARG	N-CA-C	-5.08	106.24	112.90
1	A	207	SER	CA-C-N	5.08	127.34	120.38
1	A	207	SER	C-N-CA	5.08	127.34	120.38
1	A	52	THR	CB-CA-C	5.05	118.88	110.90
1	B	267	ALA	CA-C-N	5.04	130.77	121.70
1	B	267	ALA	C-N-CA	5.04	130.77	121.70
1	C	239	GLU	CB-CG-CD	5.01	121.12	112.60

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	234	ARG	Sidechain
1	D	127	ARG	Sidechain
1	D	134	ARG	Sidechain
1	D	243	ARG	Sidechain
1	D	26	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1929	0	1898	45	0
1	B	1881	0	1836	43	0
1	C	1957	0	1918	39	0
1	D	1898	0	1875	48	0
2	A	48	0	25	1	0
2	B	48	0	25	4	0
2	C	48	0	25	2	0
2	D	48	0	25	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	16	0	0	3	0
3	D	16	0	0	3	0
4	A	25	0	0	0	0
4	B	25	0	0	1	0
4	C	26	0	0	1	0
4	D	27	0	0	3	0
All	All	7992	0	7627	149	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (149) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:206:VAL:HG11	3:C:302:L7Z:C11	2.13	0.77
1:D:136:ALA:O	1:D:140:LEU:HB2	1.85	0.75
2:D:301:NAP:H71N	3:D:302:L7Z:C16	2.00	0.74
1:B:143:GLY:HA2	1:B:187:LYS:O	1.89	0.71
1:D:60:GLU:O	1:D:63:GLN:HB3	1.91	0.71
2:D:301:NAP:H4N	3:D:302:L7Z:C16	2.21	0.69
1:A:158:SER:O	1:B:181:LYS:NZ	2.28	0.67
1:C:211:ILE:HD12	1:C:222:ARG:HG2	1.77	0.66
1:A:262:THR:HB	1:D:259:LYS:HE2	1.79	0.64
1:C:136:ALA:O	1:C:140:LEU:HB2	1.98	0.64
1:D:32:VAL:HG22	1:D:242:ALA:HA	1.80	0.62
1:A:182:ASP:HB3	1:B:109:HIS:CE1	2.34	0.62
1:C:176:VAL:HG11	1:C:192:ALA:HB2	1.81	0.62
1:D:218:THR:HB	1:D:221:GLU:HB3	1.82	0.62
1:A:167:GLY:HA2	1:B:174:SER:HB2	1.83	0.61
1:D:35:HIS:CE1	1:D:243:ARG:HG2	2.35	0.61
1:B:255:TRP:HB3	1:C:263:VAL:HG12	1.81	0.61
1:A:177:ARG:HB2	1:A:177:ARG:CZ	2.32	0.60
2:B:301:NAP:O1N	2:B:301:NAP:N7N	2.34	0.59
1:C:175:PHE:CE1	1:D:167:GLY:HA3	2.38	0.59
1:A:212:PRO:C	1:A:214:GLY:HA3	2.28	0.58
1:D:208:GLN:C	1:D:209:HIS:CG	2.81	0.58
1:A:128:GLY:O	1:A:132:VAL:HG23	2.04	0.57
1:A:104:VAL:HG13	1:A:124:LEU:HD23	1.85	0.57
1:C:268:ALA:O	3:C:302:L7Z:C07	2.53	0.57
1:C:28:ILE:HA	1:C:238:PRO:HB3	1.86	0.57
1:D:239:GLU:CG	4:D:408:HOH:O	2.53	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:225:MET:CB	4:B:409:HOH:O	2.54	0.56
1:B:263:VAL:HG12	1:C:255:TRP:HB3	1.87	0.56
1:B:202:MET:HE1	2:B:301:NAP:H2D	1.88	0.56
1:A:176:VAL:HG11	1:A:192:ALA:HB2	1.86	0.56
1:A:177:ARG:HG2	1:B:158:SER:OG	2.05	0.55
1:D:22:THR:HA	1:D:46:ASN:HB3	1.89	0.55
1:C:110:LEU:HD22	1:D:134:ARG:HB2	1.88	0.54
1:A:179:PHE:CE1	1:B:110:LEU:HD13	2.43	0.54
1:C:163:SER:N	1:D:178:ILE:HG21	2.22	0.54
1:A:264:ASP:OD1	1:D:259:LYS:NZ	2.39	0.53
1:D:197:GLY:HA2	3:D:302:L7Z:C16	2.39	0.53
1:C:110:LEU:HG	1:D:179:PHE:CE1	2.44	0.53
1:D:239:GLU:HG3	4:D:408:HOH:O	2.09	0.52
1:B:252:GLU:HA	1:C:243:ARG:HD3	1.91	0.52
1:C:202:MET:HE1	2:C:301:NAP:H2D	1.91	0.52
1:A:22:THR:O	1:A:101:ASN:HB3	2.09	0.52
1:C:179:PHE:CE1	1:D:110:LEU:HD13	2.46	0.51
1:A:75:VAL:HG23	1:A:124:LEU:HD12	1.91	0.51
1:C:47:TYR:CE2	1:C:51:PRO:HB3	2.46	0.51
1:B:143:GLY:CA	1:B:187:LYS:O	2.58	0.51
1:C:20:LEU:C	1:C:20:LEU:HD23	2.36	0.50
3:C:302:L7Z:C05	3:C:302:L7Z:O15	2.59	0.50
1:D:148:MET:O	1:D:192:ALA:HA	2.12	0.50
1:C:217:TYR:CD1	1:C:225:MET:HE1	2.47	0.49
1:D:97:ILE:HG12	1:D:249:VAL:HB	1.94	0.49
1:B:136:ALA:O	1:B:140:LEU:HB2	2.11	0.49
1:D:176:VAL:HG11	1:D:192:ALA:HB2	1.94	0.49
1:D:206:VAL:HG23	1:D:206:VAL:O	2.12	0.49
1:A:78:VAL:HG21	1:B:115:GLU:HG2	1.93	0.49
1:A:43:VAL:O	1:A:68:ALA:HA	2.11	0.49
1:A:175:PHE:CE1	1:B:167:GLY:HA3	2.48	0.49
1:B:78:VAL:N	1:B:79:PRO:CD	2.76	0.49
1:D:207:SER:OG	1:D:222:ARG:NH1	2.46	0.48
1:B:31:ALA:HB2	1:B:238:PRO:HB3	1.94	0.48
1:C:213:ASN:HB3	1:C:216:THR:OG1	2.12	0.48
1:A:150:SER:O	2:A:301:NAP:H6N	2.14	0.48
1:B:218:THR:HG23	1:B:221:GLU:CD	2.39	0.48
1:A:127:ARG:NH2	1:B:115:GLU:HB3	2.28	0.47
1:B:31:ALA:HB2	1:B:238:PRO:CB	2.45	0.47
1:A:158:SER:HB2	1:B:181:LYS:HZ1	1.78	0.47
1:B:28:ILE:O	1:B:32:VAL:HG23	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:101:ASN:O	2:B:301:NAP:O3D	2.32	0.47
1:C:10:ILE:HG22	1:C:10:ILE:O	2.14	0.47
1:D:46:ASN:ND2	1:D:73:ALA:HB3	2.29	0.47
1:B:148:MET:O	1:B:192:ALA:HA	2.15	0.47
1:C:177:ARG:NH2	1:D:155:ARG:HA	2.29	0.47
1:C:218:THR:OG1	1:C:221:GLU:HG3	2.15	0.47
1:C:233[A]:HIS:O	1:C:233[A]:HIS:CD2	2.68	0.47
1:C:110:LEU:HD13	1:D:134:ARG:HA	1.97	0.46
1:D:32:VAL:O	1:D:36:LEU:HG	2.15	0.46
1:C:74:ASP:OD1	2:C:301:NAP:N6A	2.43	0.46
1:D:162:PHE:HA	4:D:403:HOH:O	2.16	0.46
1:B:150:SER:O	2:B:301:NAP:H6N	2.16	0.46
1:B:226:ALA:HB3	1:B:235:ASN:ND2	2.31	0.46
1:D:239:GLU:O	1:D:243:ARG:HG3	2.16	0.46
1:A:117:GLU:HA	1:A:117:GLU:OE1	2.16	0.46
1:B:218:THR:H	1:B:221:GLU:HB2	1.81	0.46
1:D:222:ARG:HA	1:D:225:MET:HG2	1.98	0.46
1:A:178:ILE:HG21	1:B:163:SER:N	2.30	0.45
1:C:139:HIS:CD2	4:C:409:HOH:O	2.69	0.45
1:D:218:THR:N	1:D:219:PRO:CD	2.80	0.45
1:C:178:ILE:CD1	1:D:158:SER:HA	2.46	0.45
1:D:74:ASP:OD1	2:D:301:NAP:N6A	2.45	0.45
1:D:150:SER:O	2:D:301:NAP:H6N	2.16	0.45
1:A:172:ILE:O	1:A:176:VAL:HG13	2.17	0.45
1:A:177:ARG:CZ	1:A:177:ARG:CB	2.94	0.45
1:D:74:ASP:C	1:D:76:ARG:H	2.23	0.45
1:A:142:ASN:HA	1:A:186:LYS:O	2.17	0.45
1:B:252:GLU:OE1	1:B:252:GLU:N	2.47	0.45
1:B:151:SER:C	1:B:153:THR:H	2.24	0.45
1:A:63:GLN:OE1	1:A:63:GLN:HA	2.17	0.44
1:A:66:SER:OG	1:A:67:ASP:N	2.51	0.44
1:D:125:ASN:HB3	1:D:169:LYS:HE2	1.99	0.44
1:D:150:SER:OG	1:D:169:LYS:HB3	2.18	0.44
1:C:105:VAL:HG21	1:C:206:VAL:CG2	2.48	0.44
1:A:113:VAL:O	1:B:134:ARG:NH1	2.49	0.43
1:C:22:THR:O	1:C:101:ASN:HB3	2.19	0.43
1:B:142:ASN:HA	1:B:186:LYS:O	2.18	0.43
1:D:186:LYS:HB2	1:D:188:ILE:HD12	2.01	0.43
2:D:301:NAP:O1N	2:D:301:NAP:H2N	2.18	0.43
1:A:20:LEU:HD11	1:A:84:LEU:HG	2.01	0.43
1:D:119:ASP:O	1:D:123:SER:HB3	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:209:HIS:CD2	1:C:209:HIS:N	2.87	0.43
1:D:46:ASN:HD21	1:D:73:ALA:HB3	1.84	0.43
1:B:121:VAL:HG21	1:B:164:LEU:HD23	2.00	0.43
1:D:50:SER:HB3	1:D:53:HIS:HB2	2.01	0.43
1:D:208:GLN:O	1:D:209:HIS:ND1	2.52	0.43
1:A:243:ARG:HD3	1:D:252:GLU:HA	2.01	0.42
1:B:239:GLU:H	1:B:239:GLU:CD	2.28	0.42
1:A:158:SER:HB2	1:B:181:LYS:NZ	2.34	0.42
1:A:154:SER:O	1:B:177:ARG:NH1	2.45	0.42
1:B:87:GLU:O	1:B:90:ALA:HB3	2.20	0.42
1:A:104:VAL:HG13	1:A:124:LEU:CD2	2.49	0.42
1:B:259:LYS:NZ	1:C:264:ASP:OD1	2.46	0.42
1:D:100:SER:OG	1:D:129:GLN:HG2	2.20	0.42
1:C:211:ILE:O	1:C:212:PRO:C	2.63	0.41
1:A:47:TYR:CZ	1:A:72:LYS:HB2	2.55	0.41
1:A:158:SER:HA	1:B:178:ILE:CD1	2.51	0.41
1:C:109:HIS:O	1:C:110:LEU:C	2.62	0.41
1:A:69:ILE:HD12	1:A:71:ILE:HD11	2.03	0.41
1:A:178:ILE:CD1	1:B:158:SER:HA	2.50	0.41
1:A:212:PRO:C	1:A:214:GLY:CA	2.93	0.41
1:B:22:THR:O	1:B:101:ASN:HB3	2.20	0.41
1:B:177:ARG:HH21	1:B:178:ILE:HD11	1.86	0.41
1:B:218:THR:HG23	1:B:221:GLU:CG	2.51	0.41
1:C:64:LEU:C	1:C:64:LEU:HD12	2.46	0.41
1:C:178:ILE:HD13	1:D:158:SER:HA	2.03	0.41
1:A:28:ILE:HG21	1:A:241:ILE:HG21	2.02	0.41
1:C:228:HIS:CE1	1:C:233[A]:HIS:CE1	3.09	0.41
1:C:233[A]:HIS:O	1:C:233[A]:HIS:HD2	2.02	0.41
1:C:255:TRP:CE3	1:C:255:TRP:HA	2.56	0.41
1:A:152:ASN:HB3	1:A:262:THR:HG23	2.03	0.41
1:A:220:GLU:HG3	1:A:221:GLU:N	2.35	0.41
1:D:134:ARG:O	1:D:138:LYS:HD3	2.21	0.41
1:D:142:ASN:HA	1:D:186:LYS:O	2.21	0.40
1:C:169:LYS:O	1:C:172:ILE:HB	2.21	0.40
1:D:22:THR:O	1:D:101:ASN:HB3	2.21	0.40
1:A:123:SER:O	1:A:128:GLY:N	2.50	0.40
1:A:32:VAL:O	1:A:36:LEU:HG	2.22	0.40
1:A:118:PHE:HA	1:A:164:LEU:HD11	2.03	0.40
1:D:198:THR:O	1:D:203:PHE:HB2	2.21	0.40
1:A:75:VAL:HG23	1:A:124:LEU:CD1	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	254/279 (91%)	243 (96%)	11 (4%)	0	100	100
1	B	248/279 (89%)	234 (94%)	14 (6%)	0	100	100
1	C	259/279 (93%)	241 (93%)	18 (7%)	0	100	100
1	D	249/279 (89%)	236 (95%)	13 (5%)	0	100	100
All	All	1010/1116 (90%)	954 (94%)	56 (6%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	202/225 (90%)	191 (95%)	11 (5%)	20	38
1	B	196/225 (87%)	187 (95%)	9 (5%)	24	45
1	C	205/225 (91%)	190 (93%)	15 (7%)	13	24
1	D	200/225 (89%)	189 (94%)	11 (6%)	19	37
All	All	803/900 (89%)	757 (94%)	46 (6%)	18	35

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	SER
1	A	140	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	162	PHE
1	A	163	SER
1	A	177	ARG
1	A	212	PRO
1	A	218	THR
1	A	220	GLU
1	A	221	GLU
1	A	241	ILE
1	A	263	VAL
1	B	162	PHE
1	B	177	ARG
1	B	185	ASP
1	B	187	LYS
1	B	208	GLN
1	B	218	THR
1	B	234	ARG
1	B	261	LEU
1	B	263	VAL
1	C	10	ILE
1	C	52	THR
1	C	56	LYS
1	C	62	LYS
1	C	66	SER
1	C	110	LEU
1	C	163	SER
1	C	176	VAL
1	C	177	ARG
1	C	206	VAL
1	C	208	GLN
1	C	211	ILE
1	C	212	PRO
1	C	216	THR
1	C	263	VAL
1	D	24	SER
1	D	100	SER
1	D	140	LEU
1	D	154	SER
1	D	162	PHE
1	D	163	SER
1	D	185	ASP
1	D	207	SER
1	D	209	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	222	ARG
1	D	225	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	ASN
1	A	101	ASN
1	A	235	ASN
1	B	235	ASN
1	C	49	ASN
1	C	209	HIS
1	D	53	HIS
1	D	63	GLN
1	D	101	ASN
1	D	208	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAP	B	301	-	50,52,52	2.49	22 (44%)	71,80,80	1.85	15 (21%)
2	NAP	A	301	-	50,52,52	2.46	24 (48%)	71,80,80	1.57	11 (15%)
3	L7Z	C	302	-	17,17,17	8.04	11 (64%)	25,25,25	3.48	8 (32%)
2	NAP	C	301	-	50,52,52	2.54	31 (62%)	71,80,80	2.01	19 (26%)
2	NAP	D	301	-	50,52,52	2.43	24 (48%)	71,80,80	1.96	20 (28%)
3	L7Z	D	302	-	17,17,17	8.71	13 (76%)	25,25,25	2.99	10 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	B	301	-	-	6/35/67/67	0/5/5/5
2	NAP	A	301	-	-	6/35/67/67	0/5/5/5
3	L7Z	C	302	-	-	3/5/22/22	0/2/2/2
2	NAP	C	301	-	-	6/35/67/67	0/5/5/5
2	NAP	D	301	-	-	4/35/67/67	0/5/5/5
3	L7Z	D	302	-	-	5/5/22/22	0/2/2/2

All (125) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	302	L7Z	C09-C10	-23.42	1.30	1.52
3	C	302	L7Z	C09-C13	17.50	1.69	1.52
3	C	302	L7Z	C09-C10	-17.15	1.36	1.52
3	D	302	L7Z	C09-C13	15.88	1.67	1.52
3	D	302	L7Z	C12-C13	-11.08	1.33	1.51
3	C	302	L7Z	C12-C13	-10.10	1.34	1.51
3	C	302	L7Z	C06-C01	9.65	1.54	1.38
3	D	302	L7Z	C06-C01	8.96	1.53	1.38
3	D	302	L7Z	C04-C03	8.07	1.51	1.38
3	C	302	L7Z	C04-C03	7.97	1.51	1.38
3	C	302	L7Z	C04-C05	7.96	1.54	1.38
3	D	302	L7Z	C11-C10	7.18	1.63	1.51
3	C	302	L7Z	C06-C05	7.04	1.52	1.38
3	D	302	L7Z	C04-C05	7.01	1.52	1.38
3	C	302	L7Z	C11-C10	6.35	1.61	1.51
3	D	302	L7Z	C06-C05	6.18	1.51	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	302	L7Z	C03-C02	5.94	1.52	1.38
3	C	302	L7Z	C03-C02	5.87	1.52	1.38
3	C	302	L7Z	C01-C02	5.59	1.52	1.38
2	A	301	NAP	PN-O3	-5.31	1.53	1.59
2	B	301	NAP	O7N-C7N	-5.27	1.14	1.24
2	A	301	NAP	C2N-N1N	-5.26	1.29	1.35
3	D	302	L7Z	C01-C02	5.12	1.51	1.38
2	C	301	NAP	PA-O3	-4.70	1.54	1.59
2	A	301	NAP	PN-O1N	-4.66	1.34	1.50
2	A	301	NAP	C5A-N7A	-4.58	1.30	1.39
2	D	301	NAP	C5A-N7A	-4.54	1.30	1.39
2	C	301	NAP	P2B-O2B	-4.51	1.51	1.59
2	A	301	NAP	C4A-N9A	-4.43	1.28	1.37
2	D	301	NAP	O7N-C7N	-4.35	1.16	1.24
2	D	301	NAP	C2N-N1N	-4.32	1.30	1.35
2	C	301	NAP	C2N-N1N	-4.25	1.30	1.35
2	D	301	NAP	C8A-N9A	-4.24	1.30	1.37
2	A	301	NAP	C8A-N9A	-4.19	1.30	1.37
2	B	301	NAP	P2B-O2B	-4.18	1.52	1.59
2	C	301	NAP	C8A-N9A	-4.18	1.30	1.37
2	B	301	NAP	C2N-N1N	-4.07	1.30	1.35
2	B	301	NAP	P2B-O2X	-4.06	1.39	1.54
2	D	301	NAP	P2B-O3X	-4.04	1.39	1.54
2	D	301	NAP	P2B-O2B	-4.04	1.52	1.59
2	B	301	NAP	PN-O3	-3.96	1.55	1.59
2	A	301	NAP	P2B-O2B	-3.95	1.52	1.59
2	B	301	NAP	C5A-N7A	-3.94	1.31	1.39
2	B	301	NAP	P2B-O1X	-3.91	1.38	1.50
2	B	301	NAP	P2B-O3X	-3.86	1.40	1.54
2	C	301	NAP	P2B-O1X	-3.86	1.38	1.50
2	C	301	NAP	O7N-C7N	-3.81	1.17	1.24
2	D	301	NAP	C4A-N9A	-3.76	1.29	1.37
2	B	301	NAP	C8A-N9A	-3.64	1.31	1.37
2	D	301	NAP	PN-O1N	-3.64	1.38	1.50
2	C	301	NAP	P2B-O3X	-3.63	1.41	1.54
2	B	301	NAP	PA-O2A	-3.60	1.38	1.55
2	D	301	NAP	PN-O2N	-3.53	1.39	1.55
2	C	301	NAP	P2B-O2X	-3.51	1.41	1.54
2	C	301	NAP	C5A-N7A	-3.48	1.32	1.39
2	C	301	NAP	PA-O1A	-3.47	1.38	1.50
2	D	301	NAP	C3N-C7N	-3.43	1.45	1.50
2	D	301	NAP	P2B-O2X	-3.41	1.42	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	301	NAP	PN-O3	-3.36	1.55	1.59
2	B	301	NAP	C7N-N7N	-3.33	1.26	1.33
2	B	301	NAP	PA-O1A	-3.32	1.39	1.50
3	C	302	L7Z	C08-C05	3.32	1.56	1.51
2	C	301	NAP	C3N-C7N	-3.27	1.45	1.50
2	A	301	NAP	P2B-O3X	-3.22	1.42	1.54
2	A	301	NAP	O7N-C7N	-3.22	1.18	1.24
2	C	301	NAP	PN-O1N	-3.19	1.39	1.50
2	B	301	NAP	PN-O1N	-3.18	1.39	1.50
2	A	301	NAP	P2B-O2X	-3.17	1.43	1.54
2	D	301	NAP	PA-O2A	-3.14	1.40	1.55
2	C	301	NAP	C4A-N9A	-3.13	1.31	1.37
2	A	301	NAP	PN-O2N	-3.10	1.41	1.55
2	C	301	NAP	O4D-C4D	-3.04	1.38	1.45
2	A	301	NAP	O4B-C4B	-3.00	1.38	1.45
2	D	301	NAP	P2B-O1X	-2.99	1.41	1.50
2	A	301	NAP	PA-O2A	-2.97	1.41	1.55
2	D	301	NAP	PN-O3	-2.97	1.56	1.59
2	B	301	NAP	O4D-C4D	-2.96	1.38	1.45
2	B	301	NAP	PN-O2N	-2.95	1.41	1.55
2	C	301	NAP	C2A-N3A	-2.92	1.28	1.33
2	D	301	NAP	O4B-C4B	-2.87	1.38	1.45
2	C	301	NAP	PN-O2N	-2.86	1.42	1.55
2	B	301	NAP	C2A-N1A	-2.85	1.28	1.33
3	D	302	L7Z	O15-C13	-2.75	1.17	1.21
2	D	301	NAP	PN-O5D	-2.74	1.48	1.59
2	B	301	NAP	C2A-N3A	-2.73	1.29	1.33
2	B	301	NAP	PN-O5D	-2.71	1.48	1.59
2	C	301	NAP	C7N-N7N	-2.69	1.28	1.33
2	A	301	NAP	P2B-O1X	-2.67	1.42	1.50
2	B	301	NAP	C4A-N9A	-2.67	1.32	1.37
2	C	301	NAP	PN-O5D	-2.65	1.49	1.59
2	B	301	NAP	C5A-C4A	2.65	1.43	1.39
2	C	301	NAP	PA-O2A	-2.63	1.43	1.55
2	B	301	NAP	O4B-C4B	-2.62	1.39	1.45
2	B	301	NAP	C3N-C7N	-2.54	1.46	1.50
2	C	301	NAP	C2A-N1A	-2.47	1.29	1.33
2	A	301	NAP	C3B-C2B	-2.47	1.47	1.53
2	A	301	NAP	O4D-C4D	-2.43	1.39	1.45
2	C	301	NAP	C5A-C4A	2.40	1.43	1.39
2	C	301	NAP	C3B-C2B	-2.40	1.47	1.53
2	D	301	NAP	C5A-C6A	2.37	1.47	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	301	NAP	O4D-C1D	-2.29	1.37	1.40
2	C	301	NAP	O5B-C5B	-2.26	1.36	1.44
2	D	301	NAP	C7N-N7N	-2.26	1.28	1.33
2	D	301	NAP	PA-O3	-2.26	1.57	1.59
2	A	301	NAP	PN-O5D	-2.24	1.50	1.59
2	A	301	NAP	C5N-C4N	-2.23	1.35	1.38
2	C	301	NAP	C5A-C6A	2.22	1.47	1.41
2	C	301	NAP	C5N-C4N	-2.20	1.35	1.38
3	D	302	L7Z	C08-C09	-2.18	1.52	1.56
2	A	301	NAP	C5A-C4A	2.16	1.42	1.39
2	C	301	NAP	PA-O5B	-2.16	1.50	1.59
2	A	301	NAP	PA-O1A	-2.15	1.43	1.50
2	A	301	NAP	C2A-N3A	-2.13	1.30	1.33
2	A	301	NAP	C7N-N7N	-2.12	1.29	1.33
2	D	301	NAP	C5A-C4A	2.11	1.42	1.39
3	D	302	L7Z	O14-C10	-2.11	1.18	1.21
2	C	301	NAP	O4B-C4B	-2.10	1.40	1.45
2	A	301	NAP	PA-O5B	-2.08	1.51	1.59
2	A	301	NAP	C2B-C1B	-2.08	1.48	1.53
2	D	301	NAP	C6N-N1N	-2.08	1.30	1.35
2	C	301	NAP	C2D-C3D	-2.08	1.47	1.53
2	D	301	NAP	O4D-C4D	-2.07	1.40	1.45
2	D	301	NAP	C2D-C3D	-2.03	1.47	1.53
2	C	301	NAP	O4B-C1B	-2.01	1.37	1.42
2	D	301	NAP	C3B-C2B	-2.01	1.48	1.53

All (83) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	302	L7Z	C13-C09-C10	9.39	108.95	101.92
3	C	302	L7Z	O14-C10-C09	9.23	132.49	124.85
3	C	302	L7Z	C13-C09-C10	8.71	108.45	101.92
3	C	302	L7Z	C11-C10-C09	-8.68	102.30	109.74
2	B	301	NAP	C5A-C4A-N3A	-6.75	117.42	126.72
2	D	301	NAP	C5A-C4A-N3A	-6.60	117.62	126.72
2	C	301	NAP	C5A-C4A-N3A	-6.56	117.68	126.72
3	D	302	L7Z	C11-C10-C09	-5.63	104.91	109.74
2	C	301	NAP	C4A-C5A-N7A	-5.40	104.40	110.58
2	A	301	NAP	C5A-C4A-N3A	-5.23	119.52	126.72
2	D	301	NAP	C4A-C5A-N7A	-5.22	104.61	110.58
2	B	301	NAP	N3A-C4A-N9A	4.88	135.47	127.17
3	C	302	L7Z	C08-C09-C13	-4.80	97.74	109.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	NAP	C2A-N3A-C4A	4.68	123.25	111.83
2	C	301	NAP	C2A-N3A-C4A	4.63	123.15	111.83
2	D	301	NAP	C2A-N3A-C4A	4.43	122.65	111.83
2	C	301	NAP	N3A-C4A-N9A	4.42	134.68	127.17
2	B	301	NAP	N3A-C2A-N1A	-4.32	122.05	128.58
2	D	301	NAP	N3A-C4A-N9A	4.19	134.30	127.17
2	C	301	NAP	N3A-C2A-N1A	-4.17	122.27	128.58
3	D	302	L7Z	C16-C09-C08	-4.13	104.63	110.04
2	C	301	NAP	O4B-C1B-C2B	-4.09	99.54	106.59
2	B	301	NAP	O4B-C1B-C2B	-4.04	99.63	106.59
3	D	302	L7Z	C11-C12-C13	-3.98	103.52	106.41
2	D	301	NAP	C4D-O4D-C1D	-3.92	106.34	109.92
2	A	301	NAP	N3A-C2A-N1A	-3.82	122.80	128.58
2	A	301	NAP	C2A-N3A-C4A	3.82	121.15	111.83
3	D	302	L7Z	C08-C09-C10	3.74	118.98	109.68
2	A	301	NAP	C4A-C5A-N7A	-3.72	106.33	110.58
2	C	301	NAP	C6A-C5A-N7A	3.62	139.08	132.09
3	D	302	L7Z	C12-C13-C09	-3.62	106.63	109.74
2	C	301	NAP	O2B-P2B-O1X	-3.62	96.44	109.33
2	B	301	NAP	C4A-C5A-N7A	-3.61	106.45	110.58
2	B	301	NAP	O7N-C7N-N7N	-3.58	117.44	122.62
2	C	301	NAP	C5A-N7A-C8A	3.57	109.06	103.45
2	A	301	NAP	N3A-C4A-N9A	3.54	133.19	127.17
2	D	301	NAP	C5A-N7A-C8A	3.53	109.00	103.45
2	D	301	NAP	C6A-C5A-N7A	3.42	138.68	132.09
2	D	301	NAP	N3A-C2A-N1A	-3.34	123.53	128.58
3	C	302	L7Z	C12-C13-C09	-3.25	106.95	109.74
2	D	301	NAP	O4B-C1B-C2B	-3.14	101.18	106.59
2	C	301	NAP	C2A-N1A-C6A	3.00	123.66	118.73
2	B	301	NAP	C2A-N1A-C6A	2.94	123.56	118.73
2	B	301	NAP	O2B-P2B-O1X	-2.87	99.11	109.33
2	D	301	NAP	C5N-C4N-C3N	-2.87	117.55	120.36
2	B	301	NAP	O3X-P2B-O2X	2.84	118.44	107.80
2	B	301	NAP	C3N-C7N-N7N	2.78	121.16	117.74
2	A	301	NAP	O4B-C1B-C2B	-2.74	101.87	106.59
2	D	301	NAP	O2N-PN-O3	2.72	114.64	107.27
2	C	301	NAP	O3-PA-O1A	-2.71	102.54	110.70
3	D	302	L7Z	O15-C13-C09	2.70	127.08	124.85
2	C	301	NAP	C2B-C1B-N9A	-2.62	109.45	113.75
2	A	301	NAP	C2A-N1A-C6A	2.60	123.01	118.73
2	C	301	NAP	O2B-C2B-C1B	2.57	119.09	110.05
2	D	301	NAP	O4D-C4D-C3D	2.57	110.25	105.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	301	NAP	N9A-C8A-N7A	-2.55	110.31	113.94
2	C	301	NAP	C4A-N9A-C8A	2.54	108.41	105.74
3	D	302	L7Z	O14-C10-C11	2.53	128.84	125.75
2	B	301	NAP	C6A-C5A-N7A	2.52	136.95	132.09
2	B	301	NAP	O4B-C1B-N9A	2.48	112.86	108.09
2	C	301	NAP	O2N-PN-O3	2.48	113.98	107.27
3	D	302	L7Z	C16-C09-C10	-2.46	100.60	110.81
2	C	301	NAP	N9A-C8A-N7A	-2.44	110.47	113.94
2	A	301	NAP	C6A-C5A-N7A	2.41	136.74	132.09
3	D	302	L7Z	C08-C05-C06	-2.38	117.86	121.06
3	C	302	L7Z	C04-C03-C02	-2.37	118.64	121.37
2	D	301	NAP	O5D-PN-O1N	-2.31	99.79	108.94
2	B	301	NAP	C2B-C1B-N9A	-2.22	110.10	113.75
2	A	301	NAP	O4B-C1B-N9A	2.20	112.32	108.09
2	D	301	NAP	C4A-N9A-C8A	2.16	108.00	105.74
2	D	301	NAP	O3X-P2B-O2X	2.15	115.88	107.80
2	B	301	NAP	C5A-N7A-C8A	2.14	106.82	103.45
2	D	301	NAP	O4B-C1B-N9A	2.14	112.19	108.09
2	D	301	NAP	O2N-PN-O1N	2.13	122.36	112.44
3	C	302	L7Z	O15-C13-C09	2.13	126.61	124.85
2	A	301	NAP	C2B-C1B-N9A	-2.12	110.27	113.75
2	D	301	NAP	C6N-N1N-C1D	-2.11	115.58	119.73
2	C	301	NAP	C3N-C7N-N7N	2.09	120.31	117.74
2	D	301	NAP	C5A-C4A-N9A	2.07	108.06	105.81
2	C	301	NAP	O2A-PA-O3	2.06	112.84	107.27
2	A	301	NAP	O2X-P2B-O2B	-2.04	97.91	105.85
2	C	301	NAP	O5D-PN-O1N	-2.02	100.95	108.94
3	C	302	L7Z	C12-C11-C10	-2.01	104.95	106.41

There are no chirality outliers.

All (30) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	NAP	C5D-O5D-PN-O3
2	A	301	NAP	C5D-O5D-PN-O1N
2	A	301	NAP	C5D-O5D-PN-O2N
2	B	301	NAP	C5D-O5D-PN-O3
2	B	301	NAP	C5D-O5D-PN-O1N
2	B	301	NAP	C5D-O5D-PN-O2N
2	C	301	NAP	C5D-O5D-PN-O3
2	C	301	NAP	C5D-O5D-PN-O2N
2	D	301	NAP	C5D-O5D-PN-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	301	NAP	C5D-O5D-PN-O1N
2	D	301	NAP	C5D-O5D-PN-O2N
3	D	302	L7Z	C05-C08-C09-C10
3	D	302	L7Z	C05-C08-C09-C13
3	D	302	L7Z	C05-C08-C09-C16
2	B	301	NAP	C3B-C4B-C5B-O5B
3	C	302	L7Z	C04-C05-C08-C09
3	C	302	L7Z	C06-C05-C08-C09
2	B	301	NAP	O4B-C4B-C5B-O5B
3	D	302	L7Z	C06-C05-C08-C09
3	D	302	L7Z	C04-C05-C08-C09
2	B	301	NAP	C5B-O5B-PA-O1A
2	C	301	NAP	C5D-O5D-PN-O1N
3	C	302	L7Z	C05-C08-C09-C10
2	C	301	NAP	PN-O3-PA-O1A
2	A	301	NAP	C2B-O2B-P2B-O3X
2	D	301	NAP	PA-O3-PN-O2N
2	A	301	NAP	PA-O3-PN-O2N
2	C	301	NAP	PN-O3-PA-O2A
2	C	301	NAP	O4B-C4B-C5B-O5B
2	A	301	NAP	PA-O3-PN-O1N


There are no ring outliers.



6 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	301	NAP	4	0
2	A	301	NAP	1	0
3	C	302	L7Z	3	0
2	C	301	NAP	2	0
2	D	301	NAP	5	0
3	D	302	L7Z	3	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and

any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	258/279 (92%)	0.08	6 (2%) 61 59	13, 20, 44, 62	0
1	B	252/279 (90%)	0.11	12 (4%) 35 35	11, 18, 44, 62	0
1	C	260/279 (93%)	0.08	8 (3%) 51 49	8, 17, 40, 70	1 (0%)
1	D	253/279 (90%)	0.21	6 (2%) 59 57	10, 20, 43, 68	0
All	All	1023/1116 (91%)	0.12	32 (3%) 51 49	8, 19, 43, 70	1 (0%)

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	268	ALA	4.6
1	C	212	PRO	4.6
1	B	184	GLY	4.1
1	C	196	GLY	3.6
1	B	210	TYR	3.5
1	B	206	VAL	3.4
1	D	218	THR	3.3
1	B	209	HIS	3.2
1	B	268	ALA	3.2
1	C	10	ILE	3.2
1	B	11	PRO	3.1
1	A	214	GLY	3.1
1	C	210	TYR	2.9
1	A	215	GLU	2.8
1	B	107	PHE	2.8
1	B	228	HIS	2.7
1	B	185	ASP	2.7
1	D	209	HIS	2.7
1	B	217	TYR	2.6
1	A	210	TYR	2.5
1	C	214	GLY	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	233	HIS	2.3
1	A	268	ALA	2.2
1	D	227	ALA	2.2
1	B	155	ARG	2.2
1	B	235	ASN	2.2
1	C	217	TYR	2.2
1	C	53	HIS	2.2
1	D	107	PHE	2.2
1	A	228	HIS	2.1
1	C	107	PHE	2.1
1	D	157	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	L7Z	C	302	16/16	0.68	0.24	55,63,72,73	0
3	L7Z	D	302	16/16	0.70	0.24	58,61,64,69	0
2	NAP	A	301	48/48	0.95	0.08	12,15,20,22	0
2	NAP	D	301	48/48	0.95	0.08	13,16,20,23	0
2	NAP	C	301	48/48	0.96	0.07	11,13,17,18	0
2	NAP	B	301	48/48	0.97	0.07	10,12,14,15	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around L7Z C 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around L7Z D 302:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.