



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 2, 2026 – 04:16 AM UTC

PDB ID : 6HGE / pdb_00006hge
Title : Crystal structure of Alpha1-antichymotrypsin variant NewBG-I in the un-cleaved S-conformation
Authors : Gardill, B.R.; Schmidt, K.; Muller, Y.A.
Deposited on : 2018-08-23
Resolution : 2.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	409	% 69% 19% 11%
2	B	409	71% 18% • 11%
3	C	409	67% 19% 14%
4	D	409	62% 22% • 15%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11577 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-1-antichymotrypsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	363	Total	C	N	O	S	0	0	0
			2931	1886	483	549	13			

There are 23 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	MET	-	initiating methionine	UNP P01011
A	-7	LYS	-	expression tag	UNP P01011
A	-6	HIS	-	expression tag	UNP P01011
A	-5	HIS	-	expression tag	UNP P01011
A	-4	HIS	-	expression tag	UNP P01011
A	-3	HIS	-	expression tag	UNP P01011
A	-2	HIS	-	expression tag	UNP P01011
A	-1	HIS	-	expression tag	UNP P01011
A	0	MET	-	expression tag	UNP P01011
A	1	LYS	-	expression tag	UNP P01011
A	2	GLN	-	expression tag	UNP P01011
A	24	ARG	LEU	engineered mutation	UNP P01011
A	242	GLN	GLU	engineered mutation	UNP P01011
A	244	ASN	LYS	engineered mutation	UNP P01011
A	269	SER	LEU	engineered mutation	UNP P01011
A	270	ARG	PRO	engineered mutation	UNP P01011
A	274	ASN	LYS	engineered mutation	UNP P01011
A	277	GLY	ARG	engineered mutation	UNP P01011
A	382	ASP	PRO	engineered mutation	UNP P01011
A	383	HIS	THR	engineered mutation	UNP P01011
A	384	PHE	ASP	engineered mutation	UNP P01011
A	386	TRP	GLN	engineered mutation	UNP P01011
A	387	SER	ASN	engineered mutation	UNP P01011

- Molecule 2 is a protein called Alpha-1-antichymotrypsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	364	Total	C	N	O	S	0	0	0
			2941	1894	483	551	13			

There are 23 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-8	MET	-	initiating methionine	UNP P01011
B	-7	LYS	-	expression tag	UNP P01011
B	-6	HIS	-	expression tag	UNP P01011
B	-5	HIS	-	expression tag	UNP P01011
B	-4	HIS	-	expression tag	UNP P01011
B	-3	HIS	-	expression tag	UNP P01011
B	-2	HIS	-	expression tag	UNP P01011
B	-1	HIS	-	expression tag	UNP P01011
B	0	MET	-	expression tag	UNP P01011
B	1	LYS	-	expression tag	UNP P01011
B	2	GLN	-	expression tag	UNP P01011
B	24	ARG	LEU	engineered mutation	UNP P01011
B	242	GLN	GLU	engineered mutation	UNP P01011
B	244	ASN	LYS	engineered mutation	UNP P01011
B	269	SER	LEU	engineered mutation	UNP P01011
B	270	ARG	PRO	engineered mutation	UNP P01011
B	274	ASN	LYS	engineered mutation	UNP P01011
B	277	GLY	ARG	engineered mutation	UNP P01011
B	382	ASP	PRO	engineered mutation	UNP P01011
B	383	HIS	THR	engineered mutation	UNP P01011
B	384	PHE	ASP	engineered mutation	UNP P01011
B	386	TRP	GLN	engineered mutation	UNP P01011
B	387	SER	ASN	engineered mutation	UNP P01011

- Molecule 3 is a protein called Alpha-1-antichymotrypsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	350	Total	C	N	O	S	0	0	0
			2833	1825	465	530	13			

There are 23 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-8	MET	-	initiating methionine	UNP P01011
C	-7	LYS	-	expression tag	UNP P01011
C	-6	HIS	-	expression tag	UNP P01011
C	-5	HIS	-	expression tag	UNP P01011

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-4	HIS	-	expression tag	UNP P01011
C	-3	HIS	-	expression tag	UNP P01011
C	-2	HIS	-	expression tag	UNP P01011
C	-1	HIS	-	expression tag	UNP P01011
C	0	MET	-	expression tag	UNP P01011
C	1	LYS	-	expression tag	UNP P01011
C	2	GLN	-	expression tag	UNP P01011
C	24	ARG	LEU	engineered mutation	UNP P01011
C	242	GLN	GLU	engineered mutation	UNP P01011
C	244	ASN	LYS	engineered mutation	UNP P01011
C	269	SER	LEU	engineered mutation	UNP P01011
C	270	ARG	PRO	engineered mutation	UNP P01011
C	274	ASN	LYS	engineered mutation	UNP P01011
C	277	GLY	ARG	engineered mutation	UNP P01011
C	382	ASP	PRO	engineered mutation	UNP P01011
C	383	HIS	THR	engineered mutation	UNP P01011
C	384	PHE	ASP	engineered mutation	UNP P01011
C	386	TRP	GLN	engineered mutation	UNP P01011
C	387	SER	ASN	engineered mutation	UNP P01011

- Molecule 4 is a protein called Alpha-1-antichymotrypsin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	348	Total	C	N	O	S	0	0	0
			2814	1816	459	526	13			

There are 23 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-8	MET	-	initiating methionine	UNP P01011
D	-7	LYS	-	expression tag	UNP P01011
D	-6	HIS	-	expression tag	UNP P01011
D	-5	HIS	-	expression tag	UNP P01011
D	-4	HIS	-	expression tag	UNP P01011
D	-3	HIS	-	expression tag	UNP P01011
D	-2	HIS	-	expression tag	UNP P01011
D	-1	HIS	-	expression tag	UNP P01011
D	0	MET	-	expression tag	UNP P01011
D	1	LYS	-	expression tag	UNP P01011
D	2	GLN	-	expression tag	UNP P01011
D	24	ARG	LEU	engineered mutation	UNP P01011
D	242	GLN	GLU	engineered mutation	UNP P01011

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	244	ASN	LYS	engineered mutation	UNP P01011
D	269	SER	LEU	engineered mutation	UNP P01011
D	270	ARG	PRO	engineered mutation	UNP P01011
D	274	ASN	LYS	engineered mutation	UNP P01011
D	277	GLY	ARG	engineered mutation	UNP P01011
D	382	ASP	PRO	engineered mutation	UNP P01011
D	383	HIS	THR	engineered mutation	UNP P01011
D	384	PHE	ASP	engineered mutation	UNP P01011
D	386	TRP	GLN	engineered mutation	UNP P01011
D	387	SER	ASN	engineered mutation	UNP P01011


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	21	Total O 21 21	0	0
5	B	21	Total O 21 21	0	0
5	C	12	Total O 12 12	0	0
5	D	4	Total O 4 4	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Alpha-1-antichymotrypsin




• Molecule 2: Alpha-1-antichymotrypsin




• Molecule 3: Alpha-1-antichymotrypsin





● Molecule 4: Alpha-1-antichymotrypsin



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	58.00Å 124.71Å 127.50Å 90.00° 90.91° 90.00°	Depositor
Resolution (Å)	34.54 – 2.80 34.54 – 2.80	Depositor EDS
% Data completeness (in resolution range)	98.1 (34.54-2.80) 98.1 (34.54-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.36 (at 2.81Å)	Xtriage
Refinement program	PHENIX (1.13_2998: ???)	Depositor
R, R_{free}	0.184 , 0.262 0.188 , 0.263	Depositor DCC
R_{free} test set	4388 reflections (10.00%)	wwPDB-VP
Wilson B-factor (Å ²)	49.1	Xtriage
Anisotropy	0.460	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 35.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.002 for -h,l,k 0.014 for -h,-l,-k 0.029 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	11577	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MLY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.45	0/2879	0.61	0/3901
2	B	0.50	1/2868 (0.0%)	0.61	0/3890
3	C	0.38	0/2780	0.55	0/3767
4	D	0.33	0/2728	0.55	0/3701
All	All	0.42	1/11255 (0.0%)	0.58	0/15259

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	229	PRO	C-O	-5.06	1.17	1.23

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2931	0	2931	55	0
2	B	2941	0	2934	57	0
3	C	2833	0	2822	52	0
4	D	2814	0	2797	64	0
5	A	21	0	0	0	0
5	B	21	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	12	0	0	0	0
5	D	4	0	0	0	0
All	All	11577	0	11484	225	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 225 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:198:PHE:CD2	2:B:223:LEU:HD22	2.05	0.91
1:A:26:LEU:HD23	1:A:99:LEU:HD12	1.63	0.80
3:C:127:LEU:HD13	3:C:324:THR:C	2.08	0.78
2:B:51:ILE:HG13	2:B:392:SER:HB2	1.65	0.77
4:D:229:PRO:HB2	4:D:280:LEU:HD23	1.67	0.75

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	349/409 (85%)	328 (94%)	21 (6%)	0	100	100
2	B	348/409 (85%)	332 (95%)	16 (5%)	0	100	100
3	C	334/409 (82%)	317 (95%)	17 (5%)	0	100	100
4	D	329/409 (80%)	313 (95%)	13 (4%)	3 (1%)	14	41
All	All	1360/1636 (83%)	1290 (95%)	67 (5%)	3 (0%)	43	72

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	D	107	SER
4	D	349	ALA
4	D	316	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	313/354 (88%)	311 (99%)	2 (1%)	78	92
2	B	312/352 (89%)	310 (99%)	2 (1%)	78	92
3	C	302/354 (85%)	301 (100%)	1 (0%)	86	95
4	D	296/351 (84%)	296 (100%)	0	100	100
All	All	1223/1411 (87%)	1218 (100%)	5 (0%)	84	94

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	176	LEU
1	A	367	ARG
2	B	223	LEU
2	B	306	LEU
3	C	391	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 14 such sidechains are listed below:

Mol	Chain	Res	Type
2	B	307	GLN
3	C	30	ASN
4	D	300	ASN
4	D	116	ASN
4	D	242	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

45 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	MLY	C	162	3	9,10,11	0.58	0	6,11,13	0.46	0
3	MLY	C	44	3	9,10,11	0.77	0	6,11,13	0.79	0
4	MLY	D	162	4	9,10,11	0.71	0	6,11,13	0.84	0
4	MLY	D	81	4	9,10,11	0.59	0	6,11,13	0.37	0
2	MLY	B	121	2	9,10,11	0.61	0	6,11,13	0.52	0
4	MLY	D	212	4	9,10,11	0.58	0	6,11,13	0.54	0
1	MLY	A	191	1	9,10,11	0.70	0	6,11,13	0.48	0
1	MLY	A	398	1	9,10,11	0.99	0	6,11,13	0.60	0
3	MLY	C	155	3	9,10,11	0.73	0	6,11,13	0.37	0
1	MLY	A	121	1	9,10,11	0.67	0	6,11,13	1.16	1 (16%)
4	MLY	D	317	4	9,10,11	1.01	0	6,11,13	0.51	0
4	MLY	D	213	4	9,10,11	0.77	0	6,11,13	0.54	0
2	MLY	B	337	2	9,10,11	0.53	0	6,11,13	1.12	1 (16%)
4	MLY	D	260	4	9,10,11	0.64	0	6,11,13	0.58	0
3	MLY	C	121	3	9,10,11	0.78	0	6,11,13	0.49	0
1	MLY	A	81	1	9,10,11	0.79	0	6,11,13	0.50	0
4	MLY	D	337	4	9,10,11	1.02	1 (11%)	6,11,13	0.60	0
4	MLY	D	398	4	9,10,11	0.57	0	6,11,13	1.21	1 (16%)
2	MLY	B	154	2	9,10,11	0.50	0	6,11,13	0.55	0
4	MLY	D	292	4	9,10,11	0.51	0	6,11,13	0.57	0
1	MLY	A	212	1	9,10,11	0.55	0	6,11,13	0.42	0
3	MLY	C	81	3	9,10,11	0.73	0	6,11,13	0.75	0
1	MLY	A	39	1	9,10,11	0.74	0	6,11,13	0.27	0
3	MLY	C	260	3	9,10,11	0.76	0	6,11,13	0.85	0
2	MLY	B	81	2	9,10,11	0.65	0	6,11,13	0.38	0
2	MLY	B	162	2	9,10,11	0.57	0	6,11,13	0.56	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	MLY	A	317	1	9,10,11	0.54	0	6,11,13	0.42	0
2	MLY	B	44	2	9,10,11	0.71	0	6,11,13	0.73	0
3	MLY	C	39	3	9,10,11	0.60	0	6,11,13	0.36	0
4	MLY	D	214	4	9,10,11	0.56	0	6,11,13	0.53	0
1	MLY	A	292	1	9,10,11	0.51	0	6,11,13	0.85	0
2	MLY	B	155	2	9,10,11	0.54	0	6,11,13	0.48	0
3	MLY	C	317	3	9,10,11	0.48	0	6,11,13	0.83	0
2	MLY	B	193	2	9,10,11	0.44	0	6,11,13	0.61	0
3	MLY	C	292	3	9,10,11	0.57	0	6,11,13	0.52	0
2	MLY	B	260	2	9,10,11	0.80	0	6,11,13	0.37	0
4	MLY	D	39	4	9,10,11	0.61	0	6,11,13	0.43	0
1	MLY	A	44	1	9,10,11	0.63	0	6,11,13	0.74	0
3	MLY	C	48	3	9,10,11	0.88	0	6,11,13	0.51	0
1	MLY	A	193	1	9,10,11	0.72	0	6,11,13	0.40	0
4	MLY	D	48	4	9,10,11	0.51	0	6,11,13	0.60	0
2	MLY	B	317	2	9,10,11	0.83	0	6,11,13	0.28	0
2	MLY	B	135	2	9,10,11	0.51	0	6,11,13	0.57	0
2	MLY	B	292	2	9,10,11	0.71	0	6,11,13	0.12	0
4	MLY	D	121	4	9,10,11	0.67	0	6,11,13	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MLY	C	162	3	-	0/8/9/11	-
3	MLY	C	44	3	-	0/8/9/11	-
4	MLY	D	162	4	-	2/8/9/11	-
4	MLY	D	81	4	-	1/8/9/11	-
2	MLY	B	121	2	-	6/8/9/11	-
4	MLY	D	212	4	-	4/8/9/11	-
1	MLY	A	191	1	-	7/8/9/11	-
1	MLY	A	398	1	-	4/8/9/11	-
3	MLY	C	155	3	-	0/8/9/11	-
1	MLY	A	121	1	-	1/8/9/11	-
4	MLY	D	317	4	-	4/8/9/11	-
4	MLY	D	213	4	-	4/8/9/11	-
2	MLY	B	337	2	-	5/8/9/11	-
4	MLY	D	260	4	-	2/8/9/11	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MLY	C	121	3	-	4/8/9/11	-
1	MLY	A	81	1	-	5/8/9/11	-
4	MLY	D	337	4	-	3/8/9/11	-
4	MLY	D	398	4	-	3/8/9/11	-
2	MLY	B	154	2	-	1/8/9/11	-
4	MLY	D	292	4	-	1/8/9/11	-
1	MLY	A	212	1	-	2/8/9/11	-
3	MLY	C	81	3	-	3/8/9/11	-
1	MLY	A	39	1	-	2/8/9/11	-
3	MLY	C	260	3	-	4/8/9/11	-
2	MLY	B	81	2	-	3/8/9/11	-
2	MLY	B	162	2	-	6/8/9/11	-
1	MLY	A	317	1	-	2/8/9/11	-
2	MLY	B	44	2	-	0/8/9/11	-
3	MLY	C	39	3	-	1/8/9/11	-
4	MLY	D	214	4	-	1/8/9/11	-
1	MLY	A	292	1	-	5/8/9/11	-
2	MLY	B	155	2	-	3/8/9/11	-
3	MLY	C	317	3	-	3/8/9/11	-
2	MLY	B	193	2	-	1/8/9/11	-
3	MLY	C	292	3	-	1/8/9/11	-
2	MLY	B	260	2	-	5/8/9/11	-
4	MLY	D	39	4	-	4/8/9/11	-
1	MLY	A	44	1	-	1/8/9/11	-
3	MLY	C	48	3	-	5/8/9/11	-
1	MLY	A	193	1	-	2/8/9/11	-
4	MLY	D	48	4	-	4/8/9/11	-
2	MLY	B	317	2	-	3/8/9/11	-
2	MLY	B	135	2	-	0/8/9/11	-
2	MLY	B	292	2	-	4/8/9/11	-
4	MLY	D	121	4	-	2/8/9/11	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	337	MLY	CE-NZ	2.07	1.53	1.46

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	337	MLY	CD-CE-NZ	-2.62	106.95	113.71
4	D	398	MLY	CD-CE-NZ	-2.51	107.22	113.71
1	A	121	MLY	CD-CE-NZ	-2.23	107.94	113.71

There are no chirality outliers.

5 of 124 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	81	MLY	C-CA-CB-CG
1	A	191	MLY	N-CA-CB-CG
1	A	191	MLY	C-CA-CB-CG
1	A	292	MLY	C-CA-CB-CG
1	A	398	MLY	N-CA-CB-CG

There are no ring outliers.

15 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	162	MLY	1	0
2	B	121	MLY	1	0
4	D	212	MLY	1	0
2	B	337	MLY	1	0
4	D	337	MLY	1	0
4	D	398	MLY	1	0
2	B	154	MLY	1	0
2	B	81	MLY	1	0
2	B	162	MLY	3	0
3	C	39	MLY	1	0
2	B	193	MLY	1	0
4	D	39	MLY	1	0
1	A	193	MLY	1	0
4	D	48	MLY	1	0
2	B	317	MLY	1	0

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	353/409 (86%)	-0.36	4 (1%) 78 70	18, 36, 75, 92	0
2	B	352/409 (86%)	-0.51	2 (0%) 85 80	21, 34, 65, 91	0
3	C	340/409 (83%)	-0.42	1 (0%) 90 86	24, 39, 64, 87	0
4	D	335/409 (81%)	0.16	2 (0%) 85 80	43, 59, 90, 106	0
All	All	1380/1636 (84%)	-0.29	9 (0%) 84 77	18, 43, 77, 106	0

The worst 5 of 9 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	23	ASP	2.8
1	A	156	LEU	2.8
4	D	154	LYS	2.3
1	A	22	VAL	2.3
2	B	226	LEU	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MLY	D	162	11/12	0.33	0.22	79,86,97,97	0
4	MLY	D	337	11/12	0.55	0.23	52,62,85,88	0
1	MLY	A	398	11/12	0.68	0.18	46,60,70,70	0
4	MLY	D	260	11/12	0.69	0.17	64,73,78,79	0
3	MLY	C	162	11/12	0.71	0.15	61,68,73,78	0
4	MLY	D	317	11/12	0.77	0.20	49,54,68,76	0
4	MLY	D	213	11/12	0.79	0.17	51,62,74,75	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	MLY	A	317	11/12	0.83	0.18	45,50,82,87	0
4	MLY	D	212	11/12	0.83	0.13	49,61,72,76	0
4	MLY	D	292	11/12	0.84	0.15	51,57,72,74	0
4	MLY	D	39	11/12	0.85	0.15	48,57,61,64	0
1	MLY	A	212	11/12	0.85	0.15	43,57,71,76	0
2	MLY	B	162	11/12	0.86	0.12	49,52,61,64	0
1	MLY	A	191	11/12	0.87	0.14	29,36,57,60	0
2	MLY	B	317	11/12	0.88	0.14	22,28,55,56	0
2	MLY	B	260	11/12	0.88	0.12	38,45,57,58	0
4	MLY	D	48	11/12	0.89	0.12	52,61,65,65	0
4	MLY	D	81	11/12	0.89	0.11	44,53,58,59	0
4	MLY	D	121	11/12	0.89	0.13	56,62,68,71	0
3	MLY	C	317	11/12	0.89	0.13	28,32,57,58	0
3	MLY	C	121	11/12	0.89	0.11	35,38,45,48	0
1	MLY	A	121	11/12	0.90	0.12	50,55,63,68	0
3	MLY	C	48	11/12	0.90	0.12	39,48,67,71	0
4	MLY	D	398	11/12	0.90	0.11	46,49,55,56	0
2	MLY	B	193	11/12	0.91	0.10	29,36,60,63	0
1	MLY	A	81	11/12	0.91	0.09	24,29,36,45	0
3	MLY	C	260	11/12	0.91	0.12	42,46,53,59	0
3	MLY	C	81	11/12	0.91	0.10	27,30,50,53	0
1	MLY	A	193	11/12	0.92	0.12	26,32,59,61	0
3	MLY	C	292	11/12	0.92	0.11	35,38,49,50	0
2	MLY	B	135	11/12	0.92	0.09	35,42,51,52	0
3	MLY	C	39	11/12	0.93	0.09	30,40,49,56	0
2	MLY	B	155	11/12	0.93	0.09	36,41,46,48	0
4	MLY	D	214	11/12	0.93	0.11	47,54,59,61	0
3	MLY	C	155	11/12	0.93	0.10	55,61,68,70	0
2	MLY	B	81	11/12	0.94	0.08	25,31,34,36	0
2	MLY	B	337	11/12	0.94	0.09	23,28,39,40	0
1	MLY	A	39	11/12	0.94	0.08	23,30,37,37	0
3	MLY	C	44	11/12	0.94	0.08	25,32,40,42	0
2	MLY	B	292	11/12	0.94	0.09	29,36,47,51	0
1	MLY	A	292	11/12	0.95	0.08	26,28,38,41	0
2	MLY	B	154	11/12	0.95	0.10	34,38,57,60	0
2	MLY	B	44	11/12	0.95	0.07	22,29,34,38	0
1	MLY	A	44	11/12	0.95	0.07	30,35,40,44	0
2	MLY	B	121	11/12	0.96	0.08	29,33,38,40	0

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.