



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:25 PM UTC

PDB ID : 2HH9 / pdb_00002hh9
Title : Thiamin pyrophosphokinase from *Candida albicans*
Authors : Abergel, C.; Santini, S.; Monchois, V.; Rousselle, T.; Claverie, J.M.; Bacterial targets at IGS-CNRS, France (BIGS)
Deposited on : 2006-06-28
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	339	
1	B	339	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	VIB	A	702	-	X	-	-
3	VIB	B	701	-	X	-	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5486 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thiamin pyrophosphokinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	295	Total	C	N	O	S	0	0	0
			2390	1533	383	464	10			
1	B	296	Total	C	N	O	S	0	0	0
			2396	1536	384	466	10			

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-12	MET	-	expression tag	UNP Q59N99
A	-11	ALA	-	expression tag	UNP Q59N99
A	-10	HIS	-	expression tag	UNP Q59N99
A	-9	HIS	-	expression tag	UNP Q59N99
A	-8	HIS	-	expression tag	UNP Q59N99
A	-7	HIS	-	expression tag	UNP Q59N99
A	-6	HIS	-	expression tag	UNP Q59N99
A	-5	HIS	-	expression tag	UNP Q59N99
A	-4	GLY	-	expression tag	UNP Q59N99
A	-3	HIS	-	expression tag	UNP Q59N99
A	-2	HIS	-	expression tag	UNP Q59N99
A	-1	HIS	-	expression tag	UNP Q59N99
A	0	GLN	-	expression tag	UNP Q59N99
A	1	LEU	-	expression tag	UNP Q59N99
B	-12	MET	-	expression tag	UNP Q59N99
B	-11	ALA	-	expression tag	UNP Q59N99
B	-10	HIS	-	expression tag	UNP Q59N99
B	-9	HIS	-	expression tag	UNP Q59N99
B	-8	HIS	-	expression tag	UNP Q59N99
B	-7	HIS	-	expression tag	UNP Q59N99
B	-6	HIS	-	expression tag	UNP Q59N99
B	-5	HIS	-	expression tag	UNP Q59N99
B	-4	GLY	-	expression tag	UNP Q59N99
B	-3	HIS	-	expression tag	UNP Q59N99
B	-2	HIS	-	expression tag	UNP Q59N99

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-1	HIS	-	expression tag	UNP Q59N99
B	0	GLN	-	expression tag	UNP Q59N99
B	1	LEU	-	expression tag	UNP Q59N99

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mg	0	0
			2	2		
2	B	2	Total	Mg	0	0
			2	2		

- Molecule 3 is 3-(4-AMINO-2-METHYL-PYRIMIDIN-5-YLMETHYL)-5-(2-HYDROXY-ETHYL)-4-METHYL-THIAZOL-3-IUM (CCD ID: VIB) (formula: C₁₂H₁₇N₄OS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			18	12	4	1	1		
3	B	1	Total	C	N	O	S	0	0
			18	12	4	1	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	303	Total	O	0	0
			303	303		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	357	Total	O	0	0
			357	357		

- Molecule 1: Thiamin pyrophosphokinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	51.31Å 60.70Å 64.83Å 65.94° 89.86° 64.87°	Depositor
Resolution (Å)	50.19 – 2.10 50.19 – 2.10	Depositor EDS
% Data completeness (in resolution range)	96.0 (50.19-2.10) 91.5 (50.19-2.10)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.57 (at 2.10Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.183 , 0.256 0.183 , 0.255	Depositor DCC
R_{free} test set	3541 reflections (9.59%)	wwPDB-VP
Wilson B-factor (Å ²)	23.4	Xtriage
Anisotropy	0.083	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 70.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.457 for h,h-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5486	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: VIB, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/2440	0.87	8/3311 (0.2%)
1	B	0.35	0/2446	0.88	5/3319 (0.2%)
All	All	0.35	0/4886	0.87	13/6630 (0.2%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	57	ASN	N-CA-C	7.16	120.54	108.23
1	B	57	ASN	N-CA-C	6.92	121.00	107.98
1	A	302	ASN	N-CA-C	-6.48	102.17	110.53
1	A	180	LEU	N-CA-C	-6.31	105.58	113.28
1	B	302	ASN	N-CA-C	-5.56	102.67	110.35
1	A	110	ILE	N-CA-C	-5.51	99.62	107.77
1	A	157	ASN	N-CA-C	5.48	117.26	111.28
1	B	204	PHE	N-CA-C	5.39	117.15	111.28
1	A	294	MET	N-CA-C	-5.10	102.73	110.28
1	A	37	PHE	N-CA-C	5.06	118.76	112.59
1	B	157	ASN	N-CA-C	5.02	116.44	111.07
1	B	40	LEU	N-CA-C	-5.01	107.33	113.50
1	A	204	PHE	N-CA-C	5.00	116.73	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2390	0	2337	59	0
1	B	2396	0	2342	86	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	18	0	17	3	0
3	B	18	0	17	4	0
4	A	303	0	0	9	0
4	B	357	0	0	15	0
All	All	5486	0	4713	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:277:ILE:HB	4:B:1025:HOH:O	1.61	0.98
1:B:277:ILE:HG22	1:B:315:SER:HB3	1.53	0.90
1:B:37:PHE:HE1	1:B:324:ILE:HD11	1.38	0.89
1:B:267:LEU:HD12	1:B:287:MET:HE1	1.59	0.85
1:B:181:ASN:HA	1:B:186:VAL:HG11	1.60	0.82
1:A:19:ILE:HD11	4:A:1055:HOH:O	1.83	0.79
1:B:276:ILE:HD11	4:B:1088:HOH:O	1.88	0.74
1:B:273:LYS:HB2	4:B:1088:HOH:O	1.88	0.73
1:B:37:PHE:CE1	1:B:324:ILE:HD11	2.23	0.72
1:B:162:ASN:HB2	4:B:1001:HOH:O	1.88	0.72
1:A:203:ARG:HD2	1:A:205:ASP:OD1	1.91	0.71
1:B:248:LYS:H	1:B:252:MET:HE1	1.59	0.68
1:B:58:GLN:HB2	1:B:198:ASN:HB3	1.78	0.65
1:B:180:LEU:HD23	1:B:186:VAL:HG13	1.77	0.65
1:B:277:ILE:HG22	1:B:315:SER:CB	2.27	0.64
1:B:277:ILE:HD11	1:B:289:ASN:HA	1.80	0.64
1:B:5:SER:HA	1:B:291:LYS:NZ	2.13	0.64
1:A:297:GLN:HG2	4:A:911:HOH:O	1.97	0.63
1:A:294:MET:O	1:A:295:LEU:HB2	1.97	0.63
1:A:277:ILE:CD1	1:A:291:LYS:HG2	2.29	0.62
1:A:233:ASP:OD1	1:B:203:ARG:HG3	2.00	0.61
1:B:248:LYS:HB3	1:B:252:MET:CE	2.29	0.61
1:B:138:GLN:O	3:B:701:VIB:C7A	2.49	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:58:GLN:HB2	1:A:198:ASN:HB3	1.83	0.60
1:B:233:ASP:HB3	1:B:322:ILE:O	2.01	0.60
1:B:38:VAL:HG22	4:B:842:HOH:O	2.01	0.60
1:B:245:ILE:HD12	1:B:245:ILE:N	2.17	0.59
1:A:15:PRO:HD2	1:A:18:LEU:HD21	1.84	0.59
1:B:249:ASN:H	1:B:252:MET:HE3	1.68	0.59
1:A:233:ASP:HB3	1:A:322:ILE:O	2.02	0.58
1:B:59:LYS:NZ	4:B:1089:HOH:O	2.28	0.58
1:B:294:MET:O	1:B:295:LEU:HB2	2.01	0.58
1:A:245:ILE:N	1:A:245:ILE:HD12	2.19	0.57
1:B:14:GLN:HB3	1:B:18:LEU:HD11	1.85	0.57
1:A:141:ASN:HB3	4:B:1091:HOH:O	2.04	0.57
1:B:187:VAL:HG23	1:B:187:VAL:O	2.04	0.57
1:B:161:GLU:HB3	4:B:1037:HOH:O	2.04	0.56
1:B:65:ILE:O	1:B:69:LYS:HG2	2.04	0.56
1:B:180:LEU:HD21	4:B:1007:HOH:O	2.05	0.56
1:B:171:ASP:OD1	1:B:175:LYS:HE2	2.06	0.56
1:A:277:ILE:HD13	1:A:291:LYS:HG2	1.87	0.56
1:A:86:GLU:HA	1:A:89:ASN:ND2	2.22	0.55
1:A:252:MET:HE1	4:A:886:HOH:O	2.07	0.55
1:B:218:ASN:OD1	1:B:239:LYS:HE2	2.06	0.55
1:B:248:LYS:H	1:B:252:MET:CE	2.19	0.55
1:A:179:GLY:HA2	1:A:182:ASN:ND2	2.22	0.55
1:B:138:GLN:O	3:B:701:VIB:H7A1	2.06	0.55
1:B:41:GLU:OE2	1:B:252:MET:HE1	2.08	0.54
1:B:182:ASN:O	1:B:183:SER:C	2.52	0.53
1:B:249:ASN:O	1:B:252:MET:HG2	2.07	0.53
1:A:203:ARG:NH1	1:B:264:THR:HG21	2.23	0.53
1:B:267:LEU:HD13	1:B:278:LEU:HD13	1.90	0.52
1:A:57:ASN:O	1:A:58:GLN:HG3	2.10	0.52
1:A:215:TYR:CE1	1:A:271:SER:HB3	2.45	0.52
1:B:277:ILE:CG2	1:B:315:SER:HB3	2.33	0.52
1:A:162:ASN:HB2	1:A:165:GLU:HG3	1.92	0.51
1:B:49:ASN:HA	4:B:1003:HOH:O	2.10	0.51
1:B:297:GLN:HG2	4:B:962:HOH:O	2.10	0.51
1:B:180:LEU:C	1:B:182:ASN:H	2.18	0.51
1:B:325:ASP:O	1:B:325:ASP:CG	2.54	0.51
1:B:86:GLU:HA	1:B:89:ASN:ND2	2.26	0.51
1:B:252:MET:HG3	1:B:253:PHE:HD1	1.76	0.51
1:A:223:LYS:HG3	4:A:1042:HOH:O	2.11	0.50
1:B:58:GLN:HB2	1:B:198:ASN:CB	2.41	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:209:GLN:HG3	4:A:1004:HOH:O	2.11	0.50
1:A:62:ILE:HD13	1:A:197:LEU:HD21	1.94	0.50
1:B:138:GLN:O	3:B:701:VIB:H7A2	2.12	0.50
1:A:159:THR:O	1:A:160:LYS:HD3	2.12	0.49
1:B:10:GLN:HB2	1:B:288:ARG:HB2	1.94	0.49
1:A:233:ASP:HB3	1:A:322:ILE:C	2.38	0.48
1:A:307:GLU:CD	4:A:1055:HOH:O	2.56	0.48
1:B:62:ILE:C	1:B:62:ILE:HD12	2.38	0.48
1:B:101:GLN:HB2	1:B:104:ASP:OD2	2.13	0.48
1:B:180:LEU:HD23	1:B:186:VAL:CG1	2.42	0.48
1:A:14:GLN:HB3	1:A:18:LEU:HD11	1.96	0.47
1:A:190:ILE:O	1:A:190:ILE:HG23	2.13	0.47
1:A:23:PRO:HG3	1:A:311:ILE:HD13	1.97	0.47
1:B:215:TYR:CE1	1:B:271:SER:HB3	2.50	0.47
1:A:272:ASN:HB2	1:B:274:THR:HG21	1.96	0.47
1:B:253:PHE:HB2	1:B:324:ILE:CD1	2.45	0.47
1:A:325:ASP:HB2	4:A:997:HOH:O	2.15	0.46
1:A:74:ILE:HD12	1:A:74:ILE:N	2.31	0.46
1:A:178:ASN:O	1:A:178:ASN:OD1	2.33	0.46
1:B:56:LEU:HD12	1:B:199:ALA:HA	1.97	0.46
1:A:10:GLN:HB2	1:A:288:ARG:HB2	1.97	0.46
1:A:300:SER:O	3:B:701:VIB:H6AC	2.15	0.46
1:B:162:ASN:HB3	1:B:165:GLU:HG3	1.98	0.45
1:B:255:LYS:HG3	1:B:325:ASP:O	2.15	0.45
1:B:263:PRO:HG2	1:B:304:ILE:HB	1.98	0.45
1:A:234:ILE:HB	1:A:324:ILE:HD11	1.99	0.45
1:B:155:GLN:HE22	1:B:187:VAL:CG2	2.28	0.45
1:A:159:THR:HG22	1:A:160:LYS:HE2	1.99	0.45
1:A:58:GLN:HG3	4:A:999:HOH:O	2.16	0.45
1:B:239:LYS:O	1:B:240:LYS:C	2.60	0.45
1:A:274:THR:HG21	1:B:272:ASN:HB2	1.99	0.45
1:B:57:ASN:O	1:B:58:GLN:HG3	2.17	0.45
1:B:253:PHE:HB2	1:B:324:ILE:HD13	1.99	0.45
1:A:239:LYS:O	1:A:240:LYS:C	2.60	0.44
1:A:218:ASN:OD1	1:A:239:LYS:HE2	2.17	0.44
3:A:702:VIB:H6AC	1:B:300:SER:O	2.18	0.44
1:B:64:LEU:HD21	1:B:84:LEU:CD1	2.47	0.44
1:B:204:PHE:HA	4:B:1072:HOH:O	2.18	0.44
1:B:100:LEU:CD1	1:B:101:GLN:HG3	2.49	0.43
1:A:57:ASN:O	1:A:58:GLN:CG	2.67	0.43
1:B:5:SER:N	4:B:934:HOH:O	2.52	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:19:ILE:HD11	1:B:307:GLU:OE1	2.19	0.43
1:B:5:SER:HA	1:B:291:LYS:CE	2.49	0.43
1:A:58:GLN:HB2	1:A:198:ASN:CB	2.49	0.43
1:A:73:ILE:C	1:A:74:ILE:HD12	2.44	0.43
1:A:266:GLY:C	1:A:267:LEU:HD22	2.44	0.43
1:B:190:ILE:HG23	1:B:190:ILE:O	2.18	0.43
1:B:255:LYS:HG3	4:B:1002:HOH:O	2.19	0.43
1:A:267:LEU:HD22	1:A:267:LEU:N	2.35	0.42
1:A:263:PRO:HG2	1:A:304:ILE:HB	2.02	0.42
1:A:107:PRO:HD2	1:A:125:TYR:CD1	2.55	0.42
1:B:58:GLN:HB2	1:B:198:ASN:CG	2.44	0.42
1:A:279:ASN:HA	1:A:287:MET:O	2.20	0.42
1:A:177:TRP:O	1:A:179:GLY:N	2.50	0.42
1:B:137:SER:HB2	1:B:170:VAL:O	2.20	0.42
1:B:277:ILE:HG23	1:B:277:ILE:O	2.18	0.42
1:A:188:VAL:O	1:A:188:VAL:HG22	2.19	0.41
1:B:62:ILE:HD12	1:B:64:LEU:N	2.35	0.41
1:B:229:ILE:HD13	1:B:234:ILE:HG13	2.01	0.41
1:A:272:ASN:OD1	1:B:295:LEU:HD12	2.20	0.41
1:B:180:LEU:C	1:B:182:ASN:N	2.78	0.41
1:A:268:LEU:HD13	1:B:208:VAL:HG21	2.01	0.41
1:B:216:ILE:O	1:B:219:GLU:HG2	2.21	0.41
1:B:86:GLU:HA	1:B:89:ASN:HD21	1.85	0.41
1:A:50:HIS:HB2	1:A:192:ILE:HD13	2.03	0.41
1:A:118:SER:OG	1:A:121:VAL:HG23	2.21	0.41
1:A:138:GLN:O	3:A:702:VIB:C7A	2.68	0.41
1:A:143:PHE:O	1:A:147:ILE:HG12	2.20	0.41
1:B:233:ASP:HB3	1:B:322:ILE:C	2.46	0.41
1:B:140:TYR:O	1:B:145:LYS:HE3	2.21	0.41
1:A:138:GLN:O	3:A:702:VIB:H7A1	2.21	0.40
1:B:100:LEU:HD12	4:B:1039:HOH:O	2.20	0.40
1:A:41:GLU:HB2	4:A:898:HOH:O	2.22	0.40
1:B:264:THR:HG22	1:B:265:CYS:N	2.36	0.40
1:A:134:ARG:HD3	1:A:169:GLU:OE2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	285/339 (84%)	274 (96%)	8 (3%)	3 (1%)	11	8
1	B	286/339 (84%)	273 (96%)	9 (3%)	4 (1%)	9	5
All	All	571/678 (84%)	547 (96%)	17 (3%)	7 (1%)	10	7

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	183	SER
1	A	177	TRP
1	A	179	GLY
1	B	177	TRP
1	A	190	ILE
1	B	184	SER
1	B	190	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	277/317 (87%)	273 (99%)	4 (1%)	59	67
1	B	278/317 (88%)	276 (99%)	2 (1%)	76	83
All	All	555/634 (88%)	549 (99%)	6 (1%)	65	74

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	56	LEU
1	A	61	THR
1	A	67	LEU
1	A	233	ASP
1	B	120	ASP
1	B	233	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	ASN
1	A	178	ASN
1	A	182	ASN
1	A	206	GLN
1	B	32	ASN
1	B	49	ASN
1	B	51	ASN
1	B	89	ASN
1	B	182	ASN
1	B	289	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 4 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	VIB	A	702	2	19,19,19	1.42	4 (21%)	26,26,26	4.03	20 (76%)
3	VIB	B	701	2	19,19,19	1.44	4 (21%)	26,26,26	3.98	18 (69%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	VIB	A	702	2	-	2/7/7/7	0/2/2/2
3	VIB	B	701	2	-	2/7/7/7	0/2/2/2

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	701	VIB	C5A-C4A	-2.67	1.38	1.42
3	B	701	VIB	C6A-C5A	2.66	1.43	1.37
3	A	702	VIB	C5A-C4A	-2.65	1.38	1.42
3	A	702	VIB	C6A-C5A	2.60	1.42	1.37
3	A	702	VIB	C5-S1	2.26	1.78	1.72
3	B	701	VIB	C2-S1	2.26	1.76	1.69
3	A	702	VIB	C2-S1	2.25	1.76	1.69
3	B	701	VIB	C5-S1	2.25	1.78	1.72

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	702	VIB	C7A-N3-C2	-10.28	102.04	123.48
3	B	701	VIB	C7A-N3-C2	-10.02	102.58	123.48
3	B	701	VIB	C2-S1-C5	9.58	97.56	91.22
3	A	702	VIB	C2-S1-C5	9.43	97.46	91.22
3	B	701	VIB	S1-C2-N3	-6.25	104.38	112.30
3	A	702	VIB	S1-C2-N3	-6.14	104.53	112.30
3	B	701	VIB	C4-C5-S1	-6.12	101.02	110.56
3	A	702	VIB	C4-C5-S1	-6.08	101.08	110.56
3	A	702	VIB	C7A-N3-C4	-4.39	110.73	122.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	701	VIB	C7A-N3-C4	-4.30	110.96	122.36
3	B	701	VIB	C2-N3-C4	3.77	119.16	114.06
3	A	702	VIB	C2-N3-C4	3.65	118.99	114.06
3	A	702	VIB	C7A-C5A-C4A	-3.58	115.84	122.36
3	A	702	VIB	C5-C4-N3	3.44	117.94	111.67
3	B	701	VIB	C5-C4-N3	3.41	117.88	111.67
3	B	701	VIB	N4A-C4A-N3A	3.26	121.42	117.03
3	B	701	VIB	C7A-C5A-C4A	-3.19	116.55	122.36
3	A	702	VIB	N4A-C4A-N3A	3.18	121.32	117.03
3	B	701	VIB	C6-C5-S1	3.15	128.28	120.90
3	A	702	VIB	C6-C5-S1	3.13	128.22	120.90
3	A	702	VIB	C7A-C5A-C6A	3.04	126.42	120.69
3	B	701	VIB	CM4-C4-C5	-2.95	120.18	127.75
3	A	702	VIB	C5A-C6A-N1A	-2.95	119.03	123.83
3	B	701	VIB	C7A-C5A-C6A	2.93	126.20	120.69
3	A	702	VIB	CM2-C2A-N1A	2.91	120.30	117.20
3	A	702	VIB	CM4-C4-C5	-2.91	120.30	127.75
3	A	702	VIB	C6A-N1A-C2A	2.74	120.58	116.07
3	B	701	VIB	N1A-C2A-N3A	-2.69	121.05	125.53
3	B	701	VIB	CM2-C2A-N1A	2.68	120.05	117.20
3	B	701	VIB	C6A-N1A-C2A	2.67	120.46	116.07
3	B	701	VIB	C5A-C4A-N4A	-2.67	118.55	122.14
3	B	701	VIB	C5A-C6A-N1A	-2.60	119.60	123.83
3	A	702	VIB	N1A-C2A-N3A	-2.59	121.22	125.53
3	A	702	VIB	C5A-C4A-N4A	-2.49	118.78	122.14
3	A	702	VIB	C5A-C7A-N3	2.36	118.06	112.97
3	B	701	VIB	C2A-N3A-C4A	2.30	121.63	118.10
3	A	702	VIB	C2A-N3A-C4A	2.24	121.54	118.10
3	A	702	VIB	C7-C6-C5	-2.04	107.29	112.82

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	702	VIB	C5A-C7A-N3-C2
3	B	701	VIB	C5A-C7A-N3-C2
3	A	702	VIB	C5A-C7A-N3-C4
3	B	701	VIB	C5A-C7A-N3-C4


There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	702	VIB	3	0
3	B	701	VIB	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	295/339 (87%)	0.24	20 (6%) 23 25	11, 22, 35, 48	94 (31%)
1	B	296/339 (87%)	0.27	14 (4%) 36 38	11, 22, 35, 50	94 (31%)
All	All	591/678 (87%)	0.25	34 (5%) 29 30	11, 22, 35, 50	188 (31%)

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	185	ASP	6.9
1	A	252	MET	4.9
1	A	183	SER	4.6
1	B	184	SER	4.1
1	B	252	MET	4.0
1	A	188	VAL	3.9
1	B	178	ASN	3.7
1	B	166	SER	3.7
1	A	233	ASP	3.5
1	B	188	VAL	3.2
1	A	182	ASN	3.2
1	B	179	GLY	3.1
1	B	233	ASP	2.9
1	A	119	PRO	2.9
1	A	126	GLU	2.8
1	A	166	SER	2.7
1	A	5	SER	2.6
1	A	186	VAL	2.6
1	A	59	LYS	2.6
1	B	5	SER	2.5
1	A	85	TYR	2.5
1	B	186	VAL	2.4
1	A	179	GLY	2.4
1	A	184	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	187	VAL	2.3
1	A	307	GLU	2.3
1	A	260	SER	2.2
1	B	260	SER	2.2
1	B	180	LEU	2.1
1	A	189	ASP	2.1
1	A	190	ILE	2.1
1	B	30	SER	2.1
1	B	41	GLU	2.0
1	A	30	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	VIB	A	702	18/18	0.83	0.17	16,20,26,30	2
3	VIB	B	701	18/18	0.83	0.15	18,19,23,25	3
2	MG	A	802	1/1	0.90	0.11	7,7,7,7	1
2	MG	B	801	1/1	0.92	0.05	14,14,14,14	1
2	MG	A	804	1/1	0.96	0.15	7,7,7,7	1
2	MG	B	803	1/1	0.96	0.19	4,4,4,4	1




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around VIB A 702:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around VIB B 701:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.