



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 09:15 AM UTC

PDB ID : 2HIW / pdb_00002hiw
Title : Crystal Structure of Inactive Conformation Abl Kinase Catalytic Domain
Complexed with Type II Inhibitor
Authors : Lee, C.
Deposited on : 2006-06-29
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	287	 66% 25% 5% • 5%
1	B	287	 64% 25% 6% • 5%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4750 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Proto-oncogene tyrosine-protein kinase ABL1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	274	Total	C	N	O	S	0	0	0
			2230	1435	363	414	18			
1	B	274	Total	C	N	O	S	0	0	0
			2230	1435	363	414	18			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	244	GLY	-	cloning artifact	UNP P00519
A	245	ALA	-	cloning artifact	UNP P00519
A	246	MET	-	cloning artifact	UNP P00519
A	247	ASP	-	cloning artifact	UNP P00519
B	244	GLY	-	cloning artifact	UNP P00519
B	245	ALA	-	cloning artifact	UNP P00519
B	246	MET	-	cloning artifact	UNP P00519
B	247	ASP	-	cloning artifact	UNP P00519

- Molecule 2 is 7-AMINO-1-METHYL-3-(2-METHYL-5-{{[3-(TRIFLUOROMETHYL)BENZOYL]AMINO}PHENYL})-2-OXO-2,3-DIHYDROPYRIMIDO[4,5-D]PYRIMIDIN-1-IUM (CCD ID: 7MP) (formula: C₂₂H₁₈F₃N₆O₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			33	22	3	6	2		
2	B	1	Total	C	F	N	O	0	0
			33	22	3	6	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	118	Total	O	0	0
			118	118		
3	B	106	Total	O	0	0
			106	106		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: Proto-oncogene tyrosine-protein kinase ABL1

Chain A: 



• Molecule 1: Proto-oncogene tyrosine-protein kinase ABL1

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, α , β , γ	41.48 Å 41.48 Å 332.60 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	83.04 – 2.20	Depositor
% Data completeness (in resolution range)	81.5 (83.04-2.20)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.243 , 0.309	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4750	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 7MP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.57	0/2288	0.93	4/3097 (0.1%)
1	B	0.54	0/2288	0.96	6/3097 (0.2%)
All	All	0.56	0/4576	0.94	10/6194 (0.2%)

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	327	PRO	N-CA-C	8.27	120.78	110.70
1	B	327	PRO	CA-C-N	-7.37	110.63	119.84
1	B	327	PRO	C-N-CA	-7.37	110.63	119.84
1	B	325	ARG	N-CA-C	7.17	122.22	112.68
1	B	325	ARG	CA-C-N	6.26	132.96	121.70
1	B	325	ARG	C-N-CA	6.26	132.96	121.70
1	A	296	MET	N-CA-C	-5.77	105.74	112.89
1	A	326	GLU	CA-C-N	5.46	126.01	120.38
1	A	326	GLU	C-N-CA	5.46	126.01	120.38
1	A	327	PRO	N-CA-C	5.09	116.91	110.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2230	0	2176	68	0
1	B	2230	0	2176	65	0
2	A	33	0	17	1	0
2	B	33	0	17	2	0
3	A	118	0	0	1	0
3	B	106	0	0	3	0
All	All	4750	0	4386	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:427:GLU:HB2	1:A:433:LYS:CE	1.69	1.23
1:A:427:GLU:CB	1:A:433:LYS:HE2	1.74	1.17
1:A:294:ASP:HB3	1:A:297:GLU:HB2	1.43	1.00
1:A:345:LEU:HD21	1:A:361:MET:HE1	1.51	0.92
1:A:279:TRP:HE1	1:A:281:LYS:HE3	1.35	0.91
1:B:257:ARG:NH2	1:B:326:GLU:O	2.03	0.91
1:B:406:MET:HG2	1:B:406:MET:O	1.73	0.86
1:B:308:MET:HE1	1:B:331:ILE:HG21	1.59	0.81
1:B:378:ILE:HG22	1:B:380:ARG:HG3	1.64	0.80
1:A:427:GLU:HB2	1:A:433:LYS:HE2	0.84	0.78
1:B:298:VAL:O	1:B:302:LEU:HD13	1.85	0.76
1:B:473:ASP:HA	3:B:17:HOH:O	1.86	0.76
1:B:254:GLU:OE2	1:B:324:THR:OG1	2.03	0.76
1:B:266:LEU:HD21	1:B:335:PHE:HE1	1.53	0.73
1:B:317:VAL:HG22	1:B:333:THR:HG21	1.70	0.73
1:A:270:GLN:O	1:A:405:LEU:HD13	1.88	0.73
1:B:325:ARG:HB2	1:B:326:GLU:HB2	1.71	0.73
1:A:290:THR:HG22	1:A:291:LEU:H	1.52	0.72
1:B:323:CYS:HB2	1:B:330:TYR:HB2	1.72	0.72
1:A:327:PRO:HB2	1:A:328:PRO:HD3	1.72	0.71
1:A:465:GLN:O	1:A:469:LEU:HG	1.92	0.70
1:A:257:ARG:NH2	1:A:326:GLU:O	2.24	0.70
1:A:431:TYR:CD1	1:A:433:LYS:NZ	2.60	0.69
1:A:279:TRP:NE1	1:A:281:LYS:HE3	2.05	0.69
1:B:462:ASP:OD1	1:B:465:GLN:HG3	1.94	0.67
1:B:257:ARG:NH1	1:B:328:PRO:O	2.28	0.67
1:B:294:ASP:O	1:B:296:MET:N	2.28	0.67
1:B:406:MET:HB2	1:B:411:TYR:HB2	1.77	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:436:ILE:O	1:B:440:VAL:HG23	1.96	0.65
1:A:326:GLU:HB3	1:A:327:PRO:HD2	1.78	0.64
1:B:345:LEU:HD21	1:B:361:MET:HE1	1.79	0.64
1:B:336:MET:HA	1:B:336:MET:HE2	1.79	0.64
1:B:317:VAL:HG22	1:B:333:THR:CG2	2.27	0.64
1:B:406:MET:HE3	1:B:418:LYS:HE2	1.80	0.63
2:A:531:7MP:OAW	2:A:531:7MP:HAM	1.99	0.63
1:A:308:MET:HE1	1:A:331:ILE:HG21	1.82	0.61
1:B:354:ASN:H	1:B:354:ASN:HD22	1.49	0.60
1:A:313:HIS:CD2	1:A:315:ASN:H	2.20	0.60
1:A:358:LEU:HA	1:A:361:MET:HE2	1.84	0.59
1:A:273:GLU:HG2	3:A:176:HOH:O	2.02	0.59
1:A:288:VAL:HG13	1:A:332:ILE:HD13	1.84	0.58
1:A:327:PRO:CB	1:A:328:PRO:HD3	2.33	0.58
1:A:308:MET:HE1	1:A:331:ILE:HD13	1.87	0.57
1:A:373:GLU:OE2	1:A:436:ILE:HD11	2.05	0.57
1:A:431:TYR:HB2	1:A:433:LYS:NZ	2.21	0.56
1:B:327:PRO:O	1:B:329:PHE:N	2.38	0.56
1:A:290:THR:HG22	1:A:291:LEU:N	2.21	0.55
1:B:468:GLU:O	1:B:472:LYS:HG2	2.05	0.55
1:A:291:LEU:HD11	1:A:294:ASP:HB2	1.88	0.55
1:B:406:MET:O	1:B:406:MET:CG	2.50	0.55
1:A:409:ASP:OD1	1:A:463:LEU:HD11	2.07	0.55
1:B:344:TYR:O	1:B:348:CYS:HB3	2.07	0.55
1:B:313:HIS:CD2	1:B:315:ASN:H	2.24	0.54
1:A:257:ARG:HH22	1:A:326:GLU:C	2.14	0.54
1:A:257:ARG:HH12	1:A:326:GLU:HB2	1.73	0.54
1:A:443:PHE:CE2	1:A:507:ILE:HG21	2.42	0.54
1:A:506:GLU:HA	1:A:509:GLN:HG3	1.90	0.54
1:A:304:GLU:HG2	1:A:308:MET:HE2	1.90	0.54
1:A:403:SER:HB2	1:A:418:LYS:HB2	1.90	0.53
1:B:365:ILE:HG22	1:B:443:PHE:HE1	1.73	0.53
1:B:477:GLU:HG3	1:B:478:ARG:H	1.73	0.53
1:B:255:MET:HB2	3:B:36:HOH:O	2.09	0.53
1:B:308:MET:HE1	1:B:331:ILE:CG2	2.33	0.53
1:A:324:THR:HA	1:A:329:PHE:CD2	2.43	0.53
1:A:294:ASP:CB	1:A:297:GLU:HB2	2.28	0.53
1:A:369:MET:HE2	1:A:382:LEU:HD22	1.91	0.53
1:B:273:GLU:OE2	1:B:292:LYS:HD2	2.09	0.53
1:A:270:GLN:O	1:A:405:LEU:CD1	2.55	0.53
1:B:323:CYS:O	1:B:329:PHE:HA	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:327:PRO:HB2	1:A:328:PRO:CD	2.37	0.52
1:B:317:VAL:CG2	1:B:333:THR:HG21	2.39	0.52
1:A:297:GLU:O	1:A:298:VAL:C	2.54	0.50
1:A:427:GLU:CG	1:A:433:LYS:HE2	2.39	0.50
1:B:324:THR:HA	1:B:329:PHE:CD2	2.46	0.50
1:B:411:TYR:HB3	1:B:418:LYS:HB3	1.94	0.50
1:B:257:ARG:NH1	1:B:328:PRO:HG2	2.27	0.50
1:B:365:ILE:HG22	1:B:443:PHE:CE1	2.46	0.50
1:A:333:THR:HG22	1:A:334:GLU:O	2.11	0.50
1:A:427:GLU:HB2	1:A:433:LYS:NZ	2.23	0.49
1:B:313:HIS:HD2	1:B:315:ASN:H	1.58	0.49
1:A:354:ASN:ND2	1:A:357:VAL:HG23	2.26	0.49
1:B:316:LEU:HD11	1:B:372:LEU:HD13	1.95	0.49
1:B:257:ARG:HH12	1:B:328:PRO:C	2.19	0.49
1:A:313:HIS:HD2	1:A:315:ASN:H	1.59	0.48
1:A:452:THR:HG22	1:A:479:PRO:HB3	1.95	0.48
1:B:384:ALA:N	1:B:446:LEU:HD13	2.28	0.48
1:A:312:LYS:N	1:A:312:LYS:HD3	2.29	0.48
1:A:354:ASN:HD21	1:A:357:VAL:HG23	1.78	0.48
1:A:497:ASN:ND2	1:A:499:SER:OG	2.47	0.47
1:B:325:ARG:CB	1:B:326:GLU:HB2	2.42	0.47
1:A:308:MET:CE	1:A:331:ILE:HD13	2.44	0.47
1:B:270:GLN:O	1:B:405:LEU:HD13	2.13	0.47
1:B:365:ILE:O	1:B:369:MET:HG2	2.15	0.47
1:A:338:TYR:HB2	1:A:389:VAL:O	2.16	0.46
1:A:354:ASN:C	1:A:354:ASN:HD22	2.23	0.46
1:B:274:VAL:HG13	2:B:531:7MP:HAR2	1.97	0.46
1:A:431:TYR:HD1	1:A:433:LYS:NZ	2.11	0.46
1:B:315:ASN:HA	1:B:396:LYS:HG3	1.98	0.46
1:A:363:THR:OG1	1:A:511:PHE:HB3	2.16	0.45
1:B:336:MET:HA	1:B:336:MET:CE	2.45	0.45
2:B:531:7MP:OAW	2:B:531:7MP:HAM	2.16	0.45
1:B:266:LEU:HD12	1:B:274:VAL:HG12	1.98	0.45
1:B:374:LYS:NZ	3:B:218:HOH:O	2.50	0.45
1:B:257:ARG:CZ	1:B:326:GLU:HB3	2.47	0.45
1:B:315:ASN:C	1:B:396:LYS:HG3	2.41	0.45
1:B:391:GLU:O	1:B:394:LEU:HB2	2.17	0.44
1:B:400:PHE:HB2	1:B:402:LEU:CD2	2.46	0.44
1:A:379:HIS:O	1:A:380:ARG:HB2	2.16	0.44
1:B:388:LEU:HD13	1:B:400:PHE:HZ	1.82	0.44
1:A:297:GLU:O	1:A:300:GLU:N	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:349:ASN:HD22	1:A:350:ARG:N	2.16	0.44
1:B:475:ARG:HE	1:B:494:TRP:HB3	1.83	0.44
1:B:336:MET:HB2	1:B:388:LEU:HG	2.00	0.43
1:A:431:TYR:HB2	1:A:433:LYS:HZ3	1.84	0.43
1:B:497:ASN:HA	1:B:498:PRO:HD2	1.86	0.43
1:A:340:ASN:HA	1:A:387:CYS:O	2.19	0.42
1:B:257:ARG:NE	1:B:326:GLU:HB3	2.33	0.42
1:B:497:ASN:HD22	1:B:498:PRO:HD2	1.84	0.42
1:A:336:MET:HA	1:A:336:MET:HE2	2.00	0.42
1:A:516:GLN:O	1:A:517:GLU:HB2	2.19	0.42
1:A:312:LYS:HG2	1:A:312:LYS:O	2.18	0.42
1:B:289:LYS:HG2	1:B:301:PHE:HE1	1.83	0.42
1:A:497:ASN:C	1:A:497:ASN:HD22	2.27	0.42
1:A:406:MET:HB2	1:A:411:TYR:HD1	1.85	0.41
1:A:431:TYR:HB2	1:A:433:LYS:HZ2	1.85	0.41
1:B:409:ASP:O	1:B:463:LEU:HD11	2.20	0.41
1:A:497:ASN:HA	1:A:498:PRO:HD2	1.92	0.41
1:A:349:ASN:HD22	1:A:349:ASN:C	2.29	0.41
1:A:456:SER:HA	1:A:457:PRO:HD3	1.93	0.41
1:B:379:HIS:O	1:B:380:ARG:HB2	2.20	0.41
1:A:308:MET:CE	1:A:331:ILE:HG21	2.50	0.41
1:B:257:ARG:HH11	1:B:328:PRO:HG2	1.85	0.41
1:B:437:LYS:NZ	1:B:501:ARG:O	2.35	0.41
1:B:385:ARG:HD2	1:B:402:LEU:HD12	2.02	0.40
1:A:354:ASN:ND2	1:A:354:ASN:C	2.79	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	272/287 (95%)	248 (91%)	16 (6%)	8 (3%)	3 2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	272/287 (95%)	247 (91%)	19 (7%)	6 (2%)	5	3
All	All	544/574 (95%)	495 (91%)	35 (6%)	14 (3%)	4	2

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	268	GLY
1	A	270	GLN
1	B	249	ASN
1	B	270	GLN
1	B	295	THR
1	B	406	MET
1	A	263	LYS
1	A	298	VAL
1	A	327	PRO
1	A	406	MET
1	B	326	GLU
1	A	246	MET
1	B	408	GLY
1	A	421	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	238/250 (95%)	217 (91%)	21 (9%)	9	10
1	B	238/250 (95%)	209 (88%)	29 (12%)	5	4
All	All	476/500 (95%)	426 (90%)	50 (10%)	6	6

All (50) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	281	LYS
1	A	284	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	292	LYS
1	A	294	ASP
1	A	296	MET
1	A	312	LYS
1	A	333	THR
1	A	354	ASN
1	A	372	LEU
1	A	388	LEU
1	A	394	LEU
1	A	406	MET
1	A	407	THR
1	A	412	THR
1	A	414	HIS
1	A	436	ILE
1	A	463	LEU
1	A	468	GLU
1	A	509	GLN
1	A	515	PHE
1	A	517	GLU
1	B	256	GLU
1	B	260	ILE
1	B	264	HIS
1	B	266	LEU
1	B	273	GLU
1	B	292	LYS
1	B	294	ASP
1	B	297	GLU
1	B	299	GLU
1	B	303	LYS
1	B	312	LYS
1	B	325	ARG
1	B	336	MET
1	B	354	ASN
1	B	372	LEU
1	B	388	LEU
1	B	391	GLU
1	B	394	LEU
1	B	396	LYS
1	B	406	MET
1	B	407	THR
1	B	412	THR
1	B	436	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	456	SER
1	B	468	GLU
1	B	488	GLU
1	B	489	LEU
1	B	513	THR
1	B	517	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	264	HIS
1	A	313	HIS
1	A	315	ASN
1	A	340	ASN
1	A	349	ASN
1	A	354	ASN
1	A	497	ASN
1	A	508	HIS
1	A	509	GLN
1	B	270	GLN
1	B	313	HIS
1	B	315	ASN
1	B	340	ASN
1	B	349	ASN
1	B	354	ASN
1	B	386	ASN
1	B	432	ASN
1	B	497	ASN
1	B	508	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	7MP	A	531	-	33,36,36	2.15	4 (12%)	45,54,54	4.32	10 (22%)
2	7MP	B	531	-	33,36,36	2.04	3 (9%)	45,54,54	4.37	10 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	7MP	A	531	-	-	0/18/18/18	0/4/4/4
2	7MP	B	531	-	-	0/18/18/18	0/4/4/4

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	531	7MP	CAJ-NAI	-10.87	1.27	1.38
2	B	531	7MP	CAJ-NAI	-10.47	1.27	1.38
2	A	531	7MP	CAH-NAI	-3.25	1.33	1.39
2	A	531	7MP	CAN-NAU	-2.65	1.36	1.41
2	B	531	7MP	CAN-NAU	-2.58	1.36	1.41
2	A	531	7MP	CAL-NAI	-2.31	1.40	1.44
2	B	531	7MP	CAH-NAI	-2.27	1.35	1.39

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	531	7MP	C5-CAJ-NAI	21.39	149.72	120.57
2	B	531	7MP	C5-CAJ-NAI	21.33	149.63	120.57
2	B	531	7MP	CAJ-NAI-CAH	-15.05	107.30	120.83
2	A	531	7MP	CAJ-NAI-CAH	-14.45	107.84	120.83
2	A	531	7MP	CAL-NAI-CAJ	8.22	130.87	118.12
2	B	531	7MP	CAL-NAI-CAJ	7.90	130.38	118.12
2	B	531	7MP	C5-C6-N1	-4.66	116.73	124.25
2	A	531	7MP	C5-C6-N1	-4.53	116.95	124.25
2	A	531	7MP	C5-C4-N3	-4.01	118.13	122.47
2	A	531	7MP	C2-N3-C4	3.81	119.59	115.48
2	B	531	7MP	C2-N3-C4	3.63	119.40	115.48
2	B	531	7MP	N1-C2-N3	-3.59	121.70	125.70
2	B	531	7MP	NAS-C2-N1	3.55	121.07	117.40
2	B	531	7MP	C5-C4-N3	-3.10	119.11	122.47
2	A	531	7MP	N1-C2-N3	-3.01	122.34	125.70
2	B	531	7MP	C6-N1-C2	2.72	121.08	116.29
2	A	531	7MP	OAK-CAH-NAI	-2.61	118.10	123.09
2	A	531	7MP	NAS-C2-N1	2.44	119.93	117.40
2	A	531	7MP	C6-N1-C2	2.38	120.49	116.29
2	B	531	7MP	FBE-CBD-CBB	-2.36	107.84	112.90

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	531	7MP	1	0
2	B	531	7MP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.