



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:23 PM UTC

PDB ID : 4HII / pdb_00004hii
Title : Anti-Streptococcus pneumoniae 23F Fab 023.102 with bound rhamnose-galactose
Authors : Bryson, S.; Risnes, L.; Damgupta, S.; Thomson, C.A.; Schrader, J.W.; Pai, E.F.
Deposited on : 2012-10-11
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	219	5% 65% 25% 6% . .
1	C	219	5% 69% 19% 5% 6%
2	B	231	6% 61% 24% . 12%
2	D	231	2% 56% 27% 5% 12%
3	E	2	50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	2	 100%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6448 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Fab 023.102 light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	212	Total	C	N	O	S	0	0	0
			1635	1021	283	327	4			
1	C	205	Total	C	N	O	S	0	0	0
			1586	994	274	314	4			

- Molecule 2 is a protein called Fab 023.102 heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	203	Total	C	N	O	S	0	0	0
			1536	972	261	297	6			
2	D	203	Total	C	N	O	S	0	0	0
			1536	972	261	297	6			

- Molecule 3 is an oligosaccharide called alpha-L-rhamnopyranose-(1-2)-beta-D-galactopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
3	E	2	Total	C	O	0	0	0
			22	12	10			
3	F	2	Total	C	O	0	0	0
			22	12	10			

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	26	Total	O	0	0
			26	26		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	15	Total	O	0	0
			15	15		
4	C	42	Total	O	0	0
			42	42		
4	D	28	Total	O	0	0
			28	28		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fab 023.102 light chain




- Molecule 1: Fab 023.102 light chain



- Molecule 2: Fab 023.102 heavy chain



- Molecule 2: Fab 023.102 heavy chain



● Molecule 3: alpha-L-rhamnopyranose-(1-2)-beta-D-galactopyranose



● Molecule 3: alpha-L-rhamnopyranose-(1-2)-beta-D-galactopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	144.40Å 66.90Å 119.10Å 90.00° 111.90° 90.00°	Depositor
Resolution (Å)	17.00 – 2.30 17.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	92.7 (17.00-2.30) 90.4 (17.00-2.30)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.83 (at 2.21Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.243 , 0.256 0.232 , 0.248	Depositor DCC
R_{free} test set	4366 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	44.6	Xtriage
Anisotropy	0.216	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 19.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6448	wwPDB-VP
Average B, all atoms (Å ²)	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.43 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.6921e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, RAM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/1672	1.03	10/2274 (0.4%)
1	C	0.36	0/1621	0.96	11/2201 (0.5%)
2	B	0.36	0/1571	0.97	9/2136 (0.4%)
2	D	0.34	0/1571	0.97	9/2136 (0.4%)
All	All	0.35	0/6435	0.98	39/8747 (0.4%)

There are no bond length outliers.

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	182	SER	N-CA-C	-9.26	97.45	110.50
2	B	60	ALA	N-CA-C	-7.71	99.62	110.50
2	B	143	LYS	N-CA-C	7.44	121.67	110.14
2	D	144	ASP	N-CA-C	7.37	120.23	111.02
2	D	120	SER	N-CA-C	-7.04	98.22	109.76
1	A	114	SER	N-CA-C	-6.86	98.06	109.24
1	A	93	ASN	N-CA-C	-6.48	103.49	111.40
2	D	143	LYS	N-CA-C	6.42	120.51	110.17
2	B	96	GLY	N-CA-C	6.38	119.35	112.33
1	A	127	SER	N-CA-C	-6.35	105.69	113.50
1	A	99	GLY	N-CA-C	-6.29	102.88	112.51
1	A	137	ASN	N-CA-C	6.26	119.45	109.24
1	C	114	SER	N-CA-C	-6.21	99.11	109.24
1	A	29	VAL	N-CA-C	6.18	116.76	107.80
1	C	99	GLY	N-CA-C	-6.14	103.12	112.51
1	C	182	SER	N-CA-C	-6.02	102.58	110.53
2	D	32	TYR	N-CA-C	5.97	119.27	109.72
2	D	92	CYS	N-CA-C	-5.96	100.57	110.17
1	C	79	GLU	N-CA-C	-5.95	102.60	110.40
2	B	120	SER	N-CA-C	-5.92	99.60	109.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	191	VAL	N-CA-C	5.90	116.30	107.51
2	B	32	TYR	N-CA-C	5.70	118.84	109.72
2	D	60	ALA	N-CA-C	-5.65	102.53	110.50
2	B	33	GLY	N-CA-C	-5.62	104.50	112.37
1	A	22	SER	N-CA-C	5.58	117.87	109.23
2	B	95	GLU	N-CA-C	-5.54	102.19	110.23
2	D	63	VAL	N-CA-C	5.54	119.47	113.43
1	C	137	ASN	N-CA-C	5.49	118.75	109.76
1	C	115	VAL	N-CA-C	5.42	116.79	108.71
1	C	78	LEU	N-CA-C	5.38	118.11	110.10
1	C	88	CYS	N-CA-C	-5.28	101.95	110.14
1	C	58	ILE	CA-C-N	5.26	125.26	119.89
1	C	58	ILE	C-N-CA	5.26	125.26	119.89
2	B	43	LYS	N-CA-C	5.16	117.12	109.69
2	D	65	GLY	N-CA-C	-5.16	108.51	115.21
2	D	89	VAL	N-CA-C	-5.13	101.20	108.58
1	A	95(A)	PRO	N-CA-C	5.11	121.17	114.27
1	A	31	ASN	N-CA-C	5.09	117.93	107.69
2	B	59	TYR	N-CA-C	5.02	117.31	109.52

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1635	0	1584	38	0
1	C	1586	0	1537	32	0
2	B	1536	0	1499	33	0
2	D	1536	0	1499	45	0
3	E	22	0	21	0	0
3	F	22	0	21	0	0
4	A	26	0	0	3	0
4	B	15	0	0	0	0
4	C	42	0	0	2	0
4	D	28	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	6448	0	6161	144	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:13:GLN:HG3	4:D:324:HOH:O	1.61	0.99
1:C:6:GLN:HG2	1:C:23:CYS:SG	2.02	0.98
1:A:6:GLN:HG2	1:A:23:CYS:SG	2.04	0.97
1:A:142:ARG:HD3	4:A:414:HOH:O	1.65	0.96
1:C:190:LYS:HE2	1:C:210:ASN:HD22	1.36	0.89
2:D:84:ALA:O	2:D:87:THR:HG23	1.73	0.89
1:C:190:LYS:HE2	1:C:210:ASN:ND2	1.98	0.79
2:D:123:PRO:HD3	2:D:209:LYS:HE2	1.65	0.79
1:A:100:GLN:H	1:A:100:GLN:NE2	1.82	0.77
2:D:154:TRP:CH2	2:D:196:CYS:SG	2.78	0.77
2:D:193:THR:HG22	4:D:301:HOH:O	1.85	0.76
1:A:6:GLN:H	1:A:100:GLN:HE22	1.36	0.70
1:C:100:GLN:NE2	1:C:100:GLN:H	1.89	0.69
2:B:84:ALA:O	2:B:87:THR:HG23	1.94	0.68
1:C:6:GLN:CG	1:C:23:CYS:SG	2.80	0.66
2:B:20:LEU:HD13	2:B:82:MET:HE2	1.77	0.65
1:C:4:LEU:HD12	1:C:25:ALA:HA	1.78	0.63
1:C:11:LEU:HG	1:C:13:LEU:HD22	1.80	0.63
2:B:119:PRO:HB3	2:B:145:TYR:HB3	1.80	0.62
1:A:162:SER:OG	2:B:167:PRO:HD2	2.00	0.62
2:B:12:VAL:HG13	2:B:16:ARG:HB2	1.80	0.62
2:B:201:LYS:HB2	2:B:202:PRO:HD3	1.83	0.61
1:A:113:PRO:HB3	1:A:139:PHE:HB3	1.82	0.61
1:C:94:TRP:HA	1:C:95:PRO:C	2.26	0.60
1:A:160:GLN:HE22	2:B:171:GLN:HA	1.66	0.60
2:B:29:PHE:CD2	2:B:76:ASN:HA	2.37	0.60
1:C:11:LEU:HG	1:C:13:LEU:CD2	2.32	0.60
1:C:142:ARG:NE	1:C:142:ARG:O	2.34	0.59
2:D:66:ARG:NH2	2:D:86:ASP:OD2	2.36	0.59
2:B:20:LEU:HD13	2:B:82:MET:CE	2.33	0.59
1:A:75:ILE:HG21	1:A:78:LEU:HD23	1.84	0.58
1:C:21:LEU:N	1:C:21:LEU:HD23	2.20	0.57
1:C:105:GLU:HG2	1:C:106:ILE:N	2.18	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:192:GLN:HG3	2:D:193:THR:N	2.20	0.57
1:A:31:ASN:HD22	1:A:92:ASP:HA	1.70	0.57
2:B:178:LEU:HD12	2:B:178:LEU:C	2.30	0.57
1:A:94:TRP:HA	1:A:95:PRO:C	2.30	0.56
2:B:196:CYS:SG	2:B:209:LYS:HB3	2.45	0.56
1:A:126:LYS:HG2	1:A:126:LYS:O	2.05	0.56
1:A:146:VAL:HG13	1:A:194:CYS:SG	2.45	0.56
1:C:143:GLU:H	1:C:143:GLU:CD	2.14	0.55
1:A:182:SER:OG	1:A:185:ASP:HB2	2.07	0.54
2:D:55:ARG:HG3	2:D:55:ARG:HH11	1.71	0.54
1:A:21:LEU:HD23	1:A:21:LEU:N	2.22	0.54
2:D:154:TRP:CZ2	2:D:196:CYS:SG	3.01	0.54
2:D:12:VAL:HG13	2:D:16:ARG:HB2	1.90	0.53
1:A:183:LYS:O	1:A:187:GLU:HG2	2.08	0.53
1:C:137:ASN:OD1	1:C:138:ASN:ND2	2.41	0.53
1:A:191:VAL:HG22	1:A:210:ASN:OD1	2.09	0.53
1:A:29:VAL:HG22	1:A:68:GLY:O	2.08	0.53
1:C:113:PRO:HB3	1:C:139:PHE:HB3	1.90	0.53
2:D:82:MET:HE1	2:D:109:VAL:HG21	1.89	0.53
2:D:119:PRO:HB3	2:D:145:TYR:HB3	1.91	0.53
2:D:200:HIS:NE2	2:D:202:PRO:HG2	2.23	0.52
2:D:201:LYS:HG2	4:D:319:HOH:O	2.09	0.52
2:D:38:ARG:HG2	2:D:48:VAL:CG2	2.39	0.52
2:D:51:VAL:HG22	2:D:54:GLY:HA2	1.91	0.52
1:A:100:GLN:H	1:A:100:GLN:HE21	1.55	0.51
2:B:27:PHE:CE2	2:B:94:LYS:HD2	2.45	0.51
2:D:72:ASP:OD1	2:D:74:SER:HB2	2.09	0.51
1:A:21:LEU:HB2	4:A:404:HOH:O	2.09	0.51
2:D:1:LEU:HD13	2:D:2:ILE:HG13	1.91	0.51
1:C:202:ARG:HG2	1:C:202:ARG:HH11	1.75	0.51
2:B:50:VAL:HG22	2:B:51:VAL:N	2.26	0.51
2:D:200:HIS:CE1	2:D:202:PRO:HG2	2.46	0.51
2:B:87:THR:HB	2:B:110:THR:HA	1.93	0.50
2:B:87:THR:HA	2:B:109:VAL:O	2.12	0.50
1:C:90:GLN:HG2	1:C:97:THR:OG1	2.12	0.50
1:C:12:SER:O	1:C:13:LEU:HD13	2.12	0.49
2:D:34:MET:HB3	2:D:78:LEU:HD22	1.95	0.49
2:B:52(A):SER:HA	2:B:71:ARG:NH1	2.28	0.48
1:A:175:LEU:C	1:A:175:LEU:HD23	2.39	0.48
2:B:27:PHE:CD2	2:B:94:LYS:HE3	2.49	0.48
1:C:119:PRO:HB3	1:C:209:PHE:CE1	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:12:VAL:CG1	2:B:16:ARG:HB2	2.45	0.47
2:B:140:CYS:SG	2:B:154:TRP:CH2	3.08	0.47
2:D:13:GLN:HE21	2:D:113:SER:HA	1.79	0.47
2:D:178:LEU:C	2:D:178:LEU:HD12	2.40	0.47
2:B:20:LEU:HD22	2:B:82:MET:HE2	1.95	0.47
1:A:143:GLU:CD	1:A:143:GLU:H	2.23	0.47
2:D:82:MET:HE1	2:D:109:VAL:CG2	2.44	0.47
2:D:55:ARG:HG3	2:D:55:ARG:NH1	2.29	0.47
1:C:13:LEU:C	1:C:107:LYS:HB2	2.39	0.47
2:B:24:ALA:HB1	2:B:27:PHE:CE1	2.50	0.46
1:C:138:ASN:HD21	2:D:164:HIS:HE1	1.63	0.46
1:A:154:LEU:C	1:A:154:LEU:HD13	2.40	0.46
2:B:55:ARG:NH1	2:B:55:ARG:HG3	2.31	0.46
2:B:36:TRP:HD1	2:B:69:ILE:HD12	1.80	0.46
1:A:11:LEU:HG	1:A:13:LEU:HD21	1.98	0.46
1:C:184:ALA:O	1:C:188:LYS:HG3	2.16	0.46
2:D:6:GLU:HA	2:D:21:SER:O	2.16	0.45
1:A:14:SER:OG	1:A:107:LYS:HD2	2.16	0.45
1:C:167:ASP:HB3	1:C:170:ASP:OD1	2.17	0.45
2:D:20:LEU:HD13	2:D:82:MET:HE2	1.99	0.45
2:D:29:PHE:CD2	2:D:76:ASN:HA	2.51	0.45
2:D:87:THR:HB	2:D:110:THR:HA	1.98	0.45
2:D:41:PRO:O	2:D:43:LYS:HD3	2.16	0.45
1:A:190:LYS:HB3	1:A:190:LYS:HE2	1.67	0.45
2:D:19:ARG:O	2:D:19:ARG:HG3	2.17	0.45
1:A:108:ARG:HG3	1:A:140:TYR:CD2	2.53	0.45
2:D:159:LEU:HD21	2:D:182:VAL:HG21	1.99	0.45
1:A:126:LYS:NZ	1:A:126:LYS:HB2	2.31	0.44
1:C:137:ASN:CG	1:C:138:ASN:HD22	2.26	0.44
2:D:87:THR:HA	2:D:109:VAL:O	2.17	0.44
1:A:105:GLU:HG2	1:A:166:GLN:OE1	2.17	0.44
1:A:37:GLN:HB2	1:A:47:LEU:HD11	2.00	0.44
2:B:66:ARG:NH2	2:B:86:ASP:OD2	2.48	0.44
2:B:82:MET:HE1	2:B:109:VAL:HG21	2.00	0.43
2:D:50:VAL:HG22	2:D:51:VAL:N	2.33	0.43
1:A:11:LEU:HG	1:A:13:LEU:CD2	2.48	0.43
1:C:147:GLN:HG3	1:C:154:LEU:HD21	2.00	0.43
1:C:199:GLN:NE2	4:C:410:HOH:O	2.50	0.43
2:D:12:VAL:O	2:D:111:VAL:HA	2.18	0.43
2:B:6:GLU:HG2	2:B:92:CYS:SG	2.59	0.43
1:C:32:TYR:N	4:C:416:HOH:O	2.52	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:GLU:HG2	1:A:106:ILE:N	2.33	0.43
1:C:202:ARG:HH11	1:C:202:ARG:CG	2.32	0.43
2:D:18:LEU:HB2	2:D:82:MET:HE3	2.01	0.42
2:D:201:LYS:HG2	2:D:201:LYS:H	1.51	0.42
2:D:66:ARG:HH22	2:D:86:ASP:CG	2.28	0.42
2:B:195:THR:HA	2:B:209:LYS:O	2.19	0.42
1:A:24:ARG:NH1	1:A:70:ASP:OD1	2.50	0.42
2:B:96:GLY:HA2	2:B:101:ASP:CG	2.45	0.42
1:A:186:TYR:CZ	1:A:211:ARG:HG3	2.55	0.42
1:C:50:GLY:O	1:C:51:ALA:HB3	2.20	0.42
2:D:6:GLU:OE1	2:D:104:GLY:HA3	2.20	0.41
2:D:139:GLY:HA2	2:D:154:TRP:CH2	2.55	0.41
1:A:123:GLU:HB2	4:A:406:HOH:O	2.21	0.41
1:C:162:SER:OG	2:D:167:PRO:HD2	2.20	0.41
2:B:55:ARG:HG3	2:B:55:ARG:HH11	1.85	0.41
2:D:201:LYS:O	2:D:203:SER:N	2.53	0.41
1:A:193:ALA:HB2	1:A:208:SER:HB3	2.01	0.41
2:D:24:ALA:HB1	2:D:27:PHE:CE1	2.56	0.41
1:C:119:PRO:HB3	1:C:209:PHE:CZ	2.55	0.41
2:B:20:LEU:HG	2:B:107:THR:HG21	2.02	0.41
1:A:124:GLN:C	1:A:127:SER:HG	2.28	0.41
1:A:137:ASN:CG	1:A:138:ASN:HD22	2.29	0.41
2:B:66:ARG:NH2	2:B:83:ARG:HG2	2.36	0.41
1:C:175:LEU:HD23	1:C:175:LEU:C	2.45	0.40
2:D:6:GLU:HG2	2:D:92:CYS:SG	2.61	0.40
1:A:50:GLY:O	1:A:51:ALA:HB3	2.21	0.40
2:B:50:VAL:CG2	2:B:51:VAL:N	2.84	0.40
2:B:84:ALA:O	2:B:87:THR:CG2	2.67	0.40
2:D:80:LEU:HD12	2:D:80:LEU:HA	1.88	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	210/219 (96%)	201 (96%)	9 (4%)	0	100	100
1	C	199/219 (91%)	194 (98%)	5 (2%)	0	100	100
2	B	197/231 (85%)	188 (95%)	9 (5%)	0	100	100
2	D	197/231 (85%)	192 (98%)	5 (2%)	0	100	100
All	All	803/900 (89%)	775 (96%)	28 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	182/184 (99%)	159 (87%)	23 (13%)	4	5
1	C	175/184 (95%)	157 (90%)	18 (10%)	7	8
2	B	170/196 (87%)	149 (88%)	21 (12%)	4	5
2	D	170/196 (87%)	149 (88%)	21 (12%)	4	5
All	All	697/760 (92%)	614 (88%)	83 (12%)	5	6

All (83) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	GLN
1	A	4	LEU
1	A	13	LEU
1	A	21	LEU
1	A	23	CYS
1	A	26	SER
1	A	30	THR
1	A	45	ARG
1	A	67	SER
1	A	72	THR
1	A	100	GLN
1	A	103	LYS
1	A	105	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	107	LYS
1	A	127	SER
1	A	137	ASN
1	A	142	ARG
1	A	145	LYS
1	A	152	ASN
1	A	185	ASP
1	A	190	LYS
1	A	206	THR
1	A	211	ARG
2	B	1	LEU
2	B	12	VAL
2	B	13	GLN
2	B	30	SER
2	B	43	LYS
2	B	56	THR
2	B	68	THR
2	B	87	THR
2	B	108	LEU
2	B	115	SER
2	B	119	PRO
2	B	141	LEU
2	B	147	PRO
2	B	149	PRO
2	B	160	THR
2	B	169	VAL
2	B	178	LEU
2	B	184	VAL
2	B	196	CYS
2	B	204	ASN
2	B	206	LYS
1	C	4	LEU
1	C	13	LEU
1	C	21	LEU
1	C	23	CYS
1	C	33	LEU
1	C	100	GLN
1	C	105	GLU
1	C	107	LYS
1	C	114	SER
1	C	129	THR
1	C	137	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	142	ARG
1	C	145	LYS
1	C	152	ASN
1	C	154	LEU
1	C	169	LYS
1	C	202	ARG
1	C	206	THR
2	D	1	LEU
2	D	12	VAL
2	D	13	GLN
2	D	19	ARG
2	D	20	LEU
2	D	56	THR
2	D	68	THR
2	D	74	SER
2	D	87	THR
2	D	108	LEU
2	D	141	LEU
2	D	149	PRO
2	D	160	THR
2	D	161	SER
2	D	169	VAL
2	D	178	LEU
2	D	184	VAL
2	D	192	GLN
2	D	193	THR
2	D	201	LYS
2	D	204	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	ASN
1	A	38	GLN
1	A	42	GLN
1	A	93	ASN
1	A	100	GLN
1	A	124	GLN
1	A	138	ASN
1	A	147	GLN
1	A	160	GLN
1	A	199	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	13	GLN
2	B	39	GLN
2	B	76	ASN
1	C	42	GLN
1	C	93	ASN
1	C	100	GLN
1	C	124	GLN
1	C	138	ASN
1	C	160	GLN
1	C	199	GLN
1	C	210	ASN
2	D	3	ASN
2	D	13	GLN
2	D	76	ASN
2	D	204	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	GAL	E	1	3	12,12,12	0.47	0	17,17,17	1.98	6 (35%)
3	RAM	E	2	3	10,10,11	0.34	0	14,14,16	0.92	0
3	GAL	F	1	3	12,12,12	0.46	0	17,17,17	0.73	0
3	RAM	F	2	3	10,10,11	0.43	0	14,14,16	0.70	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GAL	E	1	3	-	0/2/22/22	0/1/1/1
3	RAM	E	2	3	-	-	0/1/1/1
3	GAL	F	1	3	-	0/2/22/22	0/1/1/1
3	RAM	F	2	3	-	-	0/1/1/1

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	1	GAL	C1-O5-C5	-4.30	105.34	113.65
3	E	1	GAL	O5-C5-C4	-3.14	104.04	109.70
3	E	1	GAL	O5-C5-C6	2.93	113.69	106.44
3	E	1	GAL	C6-C5-C4	2.55	119.27	113.02
3	E	1	GAL	C3-C4-C5	-2.49	105.72	110.23
3	E	1	GAL	C1-C2-C3	2.24	114.91	110.36



There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry

There are no ligands in this entry.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	212/219 (96%)	0.36	11 (5%) 33 34	33, 52, 74, 88	0
1	C	205/219 (93%)	0.27	10 (4%) 35 36	32, 48, 65, 74	0
2	B	203/231 (87%)	0.41	13 (6%) 25 27	34, 50, 71, 79	0
2	D	203/231 (87%)	0.30	4 (1%) 65 66	31, 47, 61, 73	0
All	All	823/900 (91%)	0.33	38 (4%) 37 39	31, 49, 70, 88	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	196	CYS	4.9
1	A	194	CYS	3.7
2	D	185	PRO	3.6
1	C	68	GLY	3.6
1	C	32	TYR	3.4
1	C	69	THR	3.4
2	B	185	PRO	3.2
1	A	23	CYS	3.0
1	A	29	VAL	3.0
2	B	157	GLY	2.9
2	B	1	LEU	2.9
1	C	2	GLY	2.8
2	D	97	GLY	2.8
1	C	23	CYS	2.7
1	C	25	ALA	2.7
1	C	70	ASP	2.7
1	C	194	CYS	2.7
1	A	4	LEU	2.6
2	B	31	ARG	2.5
2	B	102	TYR	2.5
2	B	192	GLN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	32	TYR	2.4
1	A	30	THR	2.4
1	A	2	GLY	2.3
1	A	68	GLY	2.3
2	B	98	ASP	2.3
1	A	57	GLY	2.3
1	A	32	TYR	2.3
2	D	184	VAL	2.3
2	B	56	THR	2.2
1	A	67	SER	2.2
2	B	100(A)	PHE	2.1
1	C	50	GLY	2.1
1	A	33	LEU	2.1
2	B	30	SER	2.1
1	C	107	LYS	2.1
2	B	196	CYS	2.0
2	B	140	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GAL	F	1	12/12	0.51	0.17	68,72,76,78	0
3	GAL	E	1	12/12	0.72	0.16	87,91,94,94	0
3	RAM	F	2	10/11	0.87	0.11	59,61,63,65	0
3	RAM	E	2	10/11	0.93	0.10	82,82,83,84	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain F:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.