



Full wwPDB EM Validation Report ⓘ

Mar 8, 2026 – 02:35 PM UTC

PDB ID : 8HIN / pdb_00008hin
EMDB ID : EMD-34823
Title : Structure of human SGLT2-MAP17 complex with Phlorizin
Authors : Hiraizumi, M.; Kishida, H.; Miyaguchi, I.; Nureki, O.
Deposited on : 2022-11-21
Resolution : 3.30 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	15087 (2.80 - 3.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	676	
2	B	114	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4788 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Sodium/glucose cotransporter 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	588	Total	C	N	O	S	0	0
			4512	2967	740	770	35		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP P31639
A	-2	PRO	-	expression tag	UNP P31639
A	-1	GLY	-	expression tag	UNP P31639
A	0	SER	-	expression tag	UNP P31639

- Molecule 2 is a protein called PDZK1-interacting protein 1.


Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	29	Total	C	N	O	S	0	0
			231	159	37	33	2		

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
3	A	1	Total	C	N	O	0
			14	8	1	5	

- Molecule 4 is 1-[2-[(2S,3R,4S,5S,6R)-6-(hydroxymethyl)-3,4,5-tris(oxidanyl)oxan-2-yl]oxy-4,6-bis(oxidanyl)phenyl]-3-(4-hydroxyphenyl)propan-1-one (CCD ID: LN9) (formula: C₂₁H₂₄O₁₀) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total	C	O		0
			31	21	10		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Sodium/glucose cotransporter 2



• Molecule 2: PDZK1-interacting protein 1



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	76485	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	64	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1600	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.424	Depositor
Minimum map value	-0.304	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.014	Depositor
Recommended contour level	0.0422	Depositor
Map size (Å)	156.936, 156.936, 156.936	wwPDB
Map dimensions	120, 120, 120	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.3078, 1.3078, 1.3078	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, LN9

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.25	18/4628 (0.4%)	1.85	85/6305 (1.3%)
2	B	1.13	0/239	1.61	0/328
All	All	1.25	18/4867 (0.4%)	1.84	85/6633 (1.3%)

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	72	PHE	C-O	-8.34	1.14	1.24
1	A	403	THR	C-O	-8.05	1.14	1.24
1	A	276	TRP	C-O	-7.21	1.17	1.24
1	A	66	PRO	C-O	-6.63	1.15	1.24
1	A	68	GLY	C-O	-6.54	1.16	1.23
1	A	286	VAL	C-O	6.29	1.29	1.23
1	A	497	LEU	C-O	-6.09	1.16	1.24
1	A	277	PRO	C-O	-5.94	1.16	1.24
1	A	42	TRP	C-O	-5.76	1.17	1.24
1	A	340	PRO	C-O	-5.61	1.17	1.24
1	A	65	TRP	C-O	-5.57	1.19	1.24
1	A	279	LEU	C-O	-5.54	1.17	1.24
1	A	87	THR	C-O	-5.49	1.17	1.24
1	A	80	HIS	C-O	-5.36	1.17	1.24
1	A	510	SER	CA-CB	-5.34	1.46	1.53
1	A	373	LEU	C-O	5.25	1.30	1.23
1	A	101	ASN	C-O	-5.14	1.17	1.24
1	A	94	ALA	C-O	5.09	1.30	1.24

All (85) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	101	ASN	CB-CA-C	-9.21	92.98	110.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	411	THR	N-CA-C	-9.17	101.26	111.07
1	A	518	PRO	CB-CA-C	-9.11	96.90	110.20
1	A	418	GLY	N-CA-C	-9.08	98.32	111.03
1	A	453	PHE	CB-CA-C	-8.76	96.80	110.81
1	A	284	THR	CA-CB-OG1	-8.49	96.87	109.60
1	A	62	MET	N-CA-C	-8.22	96.88	109.95
1	A	72	PHE	CB-CA-C	-8.09	97.87	110.81
1	A	454	ASP	N-CA-C	-7.88	102.77	111.36
1	A	276	TRP	CA-CB-CG	7.79	128.40	113.60
1	A	410	TYR	N-CA-C	-7.54	102.42	111.69
1	A	277	PRO	N-CA-C	-7.52	96.98	112.47
1	A	98	PHE	CB-CA-C	-7.52	98.78	110.81
1	A	465	PRO	N-CA-C	7.35	119.67	110.70
1	A	166	ILE	CA-C-O	-7.20	113.92	121.41
1	A	456	ILE	N-CA-C	-7.08	103.62	110.42
1	A	230	PHE	CA-CB-CG	-7.01	106.79	113.80
1	A	497	LEU	N-CA-C	-6.81	104.45	112.89
1	A	403	THR	N-CA-C	-6.76	103.84	111.07
1	A	285	ILE	CA-C-O	-6.56	114.23	121.05
1	A	520	PHE	N-CA-C	-6.53	104.41	112.38
1	A	326	PHE	CA-CB-CG	-6.50	107.30	113.80
1	A	506	PHE	N-CA-C	-6.50	105.22	113.02
1	A	231	ASP	CA-CB-CG	6.46	119.06	112.60
1	A	372	LYS	CA-C-O	-6.46	111.50	119.18
1	A	418	GLY	CA-C-O	-6.29	115.07	120.98
1	A	456	ILE	CA-C-O	-6.28	114.52	121.17
1	A	250	ASN	CA-CB-CG	6.21	118.81	112.60
1	A	476	PHE	CA-CB-CG	6.21	120.02	113.80
1	A	574	ASP	CA-CB-CG	6.21	118.81	112.60
1	A	279	LEU	N-CA-C	-6.13	103.54	111.02
1	A	411	THR	CB-CA-C	6.10	120.45	110.88
1	A	170	LEU	CA-C-O	-6.01	112.17	120.52
1	A	544	VAL	N-CA-C	-5.94	104.56	110.62
1	A	283	LEU	N-CA-C	-5.89	104.81	112.23
1	A	101	ASN	N-CA-CB	5.88	119.40	110.28
1	A	366	TYR	N-CA-CB	5.86	117.33	110.42
1	A	417	ALA	N-CA-C	5.83	118.24	108.96
1	A	204	GLN	CB-CA-C	-5.79	101.17	110.79
1	A	150	TYR	N-CA-C	-5.79	106.35	113.41
1	A	205	THR	CA-CB-OG1	-5.74	100.99	109.60
1	A	366	TYR	CB-CA-C	-5.72	103.71	113.04
1	A	343	VAL	CA-C-O	-5.70	115.02	120.95

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	408	ASP	CB-CA-C	5.62	119.85	110.92
1	A	487	TRP	CA-C-O	-5.62	113.16	119.79
1	A	453	PHE	CA-CB-CG	-5.61	108.19	113.80
1	A	74	SER	N-CA-C	-5.57	105.21	111.28
1	A	229	LEU	N-CA-C	-5.51	105.17	111.07
1	A	382	MET	CA-C-O	-5.46	114.63	120.42
1	A	66	PRO	N-CD-CG	-5.45	95.03	103.20
1	A	212	ALA	CA-C-O	-5.43	115.10	120.70
1	A	443	VAL	N-CA-C	-5.43	105.08	111.00
1	A	101	ASN	CA-CB-CG	-5.43	107.17	112.60
1	A	454	ASP	CA-C-O	-5.40	114.70	120.42
1	A	37	ILE	CA-C-N	5.39	125.93	119.94
1	A	37	ILE	C-N-CA	5.39	125.93	119.94
1	A	42	TRP	N-CA-C	-5.35	105.14	110.97
1	A	404	LEU	N-CA-C	-5.31	105.19	110.97
1	A	93	LEU	CA-C-O	-5.30	112.88	119.18
1	A	81	PHE	N-CA-C	-5.29	105.41	111.07
1	A	554	LYS	CA-C-O	-5.27	114.96	120.55
1	A	210	GLY	CA-C-N	5.26	125.92	120.03
1	A	210	GLY	C-N-CA	5.26	125.92	120.03
1	A	24	ALA	CA-C-N	5.26	128.31	120.31
1	A	24	ALA	C-N-CA	5.26	128.31	120.31
1	A	66	PRO	N-CA-C	-5.25	106.23	113.53
1	A	36	VAL	CA-C-O	-5.24	115.29	120.85
1	A	106	VAL	N-CA-C	-5.24	105.43	110.72
1	A	258	PRO	CB-CA-C	-5.23	104.10	110.95
1	A	326	PHE	N-CA-C	-5.20	104.53	111.24
1	A	513	GLN	CB-CA-C	-5.20	105.03	110.33
1	A	340	PRO	CB-CA-C	-5.20	104.53	112.11
1	A	497	LEU	CA-C-O	-5.19	112.87	119.31
1	A	404	LEU	CA-C-O	-5.19	115.55	121.00
1	A	208	ILE	CA-C-O	-5.16	115.70	121.17
1	A	365	ALA	CA-C-O	-5.16	115.39	121.07
1	A	179	ILE	N-CA-C	-5.15	104.95	110.36
1	A	524	VAL	CA-C-O	-5.13	116.31	121.59
1	A	470	VAL	CA-C-O	-5.13	115.41	120.85
1	A	284	THR	OG1-CB-CG2	5.09	119.48	109.30
1	A	370	VAL	O-C-N	5.09	127.19	121.90
1	A	378	LEU	CA-C-N	5.08	127.05	120.44
1	A	378	LEU	C-N-CA	5.08	127.05	120.44
1	A	165	PHE	N-CA-C	-5.07	104.83	111.02
1	A	22	ASN	CB-CA-C	5.01	116.55	109.08

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4512	0	4604	111	0
2	B	231	0	232	0	0
3	A	14	0	13	2	0
4	A	31	0	0	0	0
All	All	4788	0	4849	111	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:250:ASN:HD21	3:A:801:NAG:C1	1.41	1.33
1:A:417:ALA:HB1	1:A:422:LEU:HD13	1.23	1.18
1:A:355:CYS:HB3	1:A:361:CYS:SG	1.89	1.11
1:A:355:CYS:CB	1:A:361:CYS:SG	2.44	1.05
1:A:250:ASN:ND2	3:A:801:NAG:C1	2.24	1.01
1:A:417:ALA:CB	1:A:422:LEU:HD13	1.93	0.97
1:A:102:ALA:HB3	1:A:321:LYS:HD2	1.51	0.92
1:A:246:PRO:O	1:A:247:ALA:CB	2.30	0.79
1:A:43:SER:OG	1:A:196:ALA:HB2	1.84	0.77
1:A:246:PRO:O	1:A:247:ALA:HB3	1.86	0.74
1:A:347:VAL:O	1:A:351:CYS:SG	2.46	0.73
1:A:150:TYR:HD2	1:A:401:SER:HG	1.34	0.73
1:A:96:ALA:HB1	1:A:325:MET:HG2	1.69	0.73
1:A:77:GLY:O	1:A:79:GLY:N	2.23	0.72
1:A:43:SER:CB	1:A:196:ALA:HB2	2.19	0.72
1:A:96:ALA:CB	1:A:325:MET:HG2	2.22	0.69
1:A:60:ARG:O	1:A:61:SER:HB2	1.93	0.67
1:A:77:GLY:O	1:A:80:HIS:N	2.25	0.67
1:A:501:ILE:HB	1:A:502:PRO:HD3	1.76	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:402:SER:O	1:A:406:THR:HG23	1.97	0.65
1:A:354:VAL:HG23	1:A:361:CYS:SG	2.38	0.64
1:A:417:ALA:CB	1:A:422:LEU:CD1	2.75	0.64
1:A:406:THR:CG2	1:A:426:GLY:HA2	2.28	0.64
1:A:60:ARG:HA	1:A:304:GLY:O	1.99	0.63
1:A:96:ALA:HB1	1:A:325:MET:CG	2.29	0.61
1:A:150:TYR:HD2	1:A:401:SER:OG	1.83	0.61
1:A:102:ALA:CB	1:A:321:LYS:HD2	2.28	0.61
1:A:407:MET:O	1:A:408:ASP:C	2.44	0.60
1:A:72:PHE:CE1	1:A:320:LEU:O	2.55	0.60
1:A:279:LEU:HD13	1:A:283:LEU:HD12	1.83	0.59
1:A:276:TRP:O	1:A:277:PRO:C	2.45	0.59
1:A:164:VAL:HG12	1:A:367:PRO:HG3	1.86	0.57
1:A:39:VAL:HG12	1:A:196:ALA:HB1	1.87	0.57
1:A:345:CYS:SG	1:A:351:CYS:HA	2.45	0.57
1:A:374:MET:HE2	1:A:378:LEU:HD23	1.86	0.56
1:A:276:TRP:N	1:A:277:PRO:CD	2.68	0.56
1:A:91:SER:O	1:A:267:ARG:NH2	2.38	0.56
1:A:345:CYS:SG	1:A:351:CYS:CA	2.93	0.56
1:A:77:GLY:O	1:A:78:SER:C	2.48	0.56
1:A:65:TRP:CD1	1:A:66:PRO:HD3	2.40	0.55
1:A:345:CYS:SG	1:A:351:CYS:CB	2.95	0.55
1:A:323:THR:N	1:A:324:PRO:CD	2.69	0.55
1:A:410:TYR:O	1:A:411:THR:C	2.48	0.54
1:A:512:VAL:HG13	1:A:513:GLN:N	2.23	0.53
1:A:284:THR:O	1:A:285:ILE:C	2.51	0.52
1:A:359:VAL:HG11	1:A:446:ALA:HB1	1.92	0.52
1:A:518:PRO:HB2	1:A:520:PHE:HD1	1.75	0.52
1:A:276:TRP:N	1:A:277:PRO:HD3	2.24	0.52
1:A:171:GLY:O	1:A:172:TRP:CD1	2.65	0.50
1:A:63:VAL:O	1:A:66:PRO:HD2	2.12	0.50
1:A:403:THR:OG1	1:A:404:LEU:N	2.44	0.50
1:A:424:LEU:O	1:A:427:ARG:N	2.45	0.49
1:A:129:LEU:HD12	1:A:142:LEU:HD11	1.95	0.49
1:A:100:TRP:HE1	1:A:322:LEU:HA	1.79	0.48
1:A:497:LEU:C	1:A:499:ARG:H	2.21	0.48
1:A:408:ASP:N	1:A:408:ASP:OD1	2.46	0.48
1:A:248:VAL:HG22	1:A:513:GLN:HE21	1.79	0.47
1:A:170:LEU:O	1:A:171:GLY:C	2.57	0.47
1:A:411:THR:O	1:A:412:ARG:C	2.56	0.47
1:A:208:ILE:HG13	1:A:385:VAL:CG1	2.45	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:359:VAL:HG22	1:A:449:GLY:HA2	1.96	0.47
1:A:528:TYR:HA	1:A:531:ILE:HD12	1.97	0.47
1:A:43:SER:HB2	1:A:196:ALA:HB2	1.95	0.47
1:A:409:ILE:O	1:A:413:LEU:HD13	2.14	0.47
1:A:207:VAL:HG23	1:A:385:VAL:HG11	1.99	0.45
1:A:521:LEU:HD23	1:A:522:CYS:SG	2.56	0.45
1:A:116:VAL:HG21	1:A:475:LEU:HD11	1.99	0.44
1:A:107:LEU:HD23	1:A:107:LEU:HA	1.88	0.44
1:A:359:VAL:HG22	1:A:510:SER:HB3	1.98	0.44
1:A:223:VAL:O	1:A:232:LYS:HE3	2.17	0.44
1:A:499:ARG:O	1:A:503:GLU:HB3	2.17	0.44
1:A:323:THR:N	1:A:324:PRO:HD2	2.31	0.44
1:A:278:ALA:O	1:A:279:LEU:C	2.59	0.44
1:A:570:ARG:NE	1:A:572:ASP:OD1	2.48	0.44
1:A:279:LEU:HD13	1:A:283:LEU:CD1	2.48	0.44
1:A:401:SER:HB3	1:A:429:TRP:HE1	1.83	0.44
1:A:501:ILE:CB	1:A:502:PRO:HD3	2.46	0.44
1:A:96:ALA:HB2	1:A:325:MET:HG2	1.99	0.43
1:A:294:ASP:OD1	1:A:295:GLN:N	2.51	0.43
1:A:61:SER:H	1:A:305:LYS:HG2	1.83	0.43
1:A:297:ILE:HD13	1:A:297:ILE:HA	1.89	0.43
1:A:323:THR:HB	1:A:324:PRO:HD3	2.00	0.43
1:A:403:THR:O	1:A:404:LEU:C	2.61	0.43
1:A:165:PHE:CD1	1:A:367:PRO:HB3	2.54	0.43
1:A:197:LEU:HD12	1:A:197:LEU:HA	1.92	0.43
1:A:15:ALA:HB1	1:A:21:ASP:OD2	2.19	0.43
1:A:233:TYR:CE1	1:A:336:ARG:HD3	2.54	0.43
1:A:87:THR:HG23	1:A:451:GLN:HE21	1.84	0.42
1:A:512:VAL:CG1	1:A:513:GLN:N	2.81	0.42
1:A:166:ILE:O	1:A:167:GLN:C	2.60	0.42
1:A:160:PHE:O	1:A:164:VAL:HG23	2.19	0.42
1:A:228:GLY:O	1:A:232:LYS:HB2	2.20	0.42
1:A:157:VAL:HG11	1:A:456:ILE:HD11	2.01	0.42
1:A:270:VAL:HG23	1:A:271:THR:HG23	2.01	0.42
1:A:462:TYR:CE1	1:A:499:ARG:HD3	2.55	0.41
1:A:103:LEU:HA	1:A:106:VAL:HG12	2.02	0.41
1:A:188:TYR:HB2	1:A:391:MET:HE3	2.01	0.41
1:A:214:ILE:HG21	1:A:378:LEU:HD21	2.03	0.41
1:A:147:LEU:HD13	1:A:429:TRP:CZ2	2.56	0.41
1:A:280:LEU:HG	1:A:281:LEU:HG	2.03	0.41
1:A:264:HIS:O	1:A:267:ARG:NH1	2.53	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:276:TRP:CG	1:A:277:PRO:HD3	2.56	0.41
1:A:330:MET:N	1:A:331:PRO:CD	2.83	0.41
1:A:77:GLY:C	1:A:79:GLY:N	2.79	0.41
1:A:125:MET:HE2	1:A:125:MET:HB3	2.01	0.41
1:A:103:LEU:HB3	1:A:321:LYS:HG3	2.02	0.40
1:A:215:LEU:HD22	1:A:370:VAL:HG22	2.02	0.40
1:A:149:LEU:O	1:A:153:THR:HB	2.21	0.40
1:A:500:LEU:HD23	1:A:500:LEU:C	2.46	0.40
1:A:503:GLU:O	1:A:504:PHE:C	2.65	0.40
1:A:269:PRO:HB3	1:A:277:PRO:HG2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	582/676 (86%)	538 (92%)	40 (7%)	4 (1%)	18	49
2	B	27/114 (24%)	26 (96%)	1 (4%)	0	100	100
All	All	609/790 (77%)	564 (93%)	41 (7%)	4 (1%)	20	49

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	78	SER
1	A	247	ALA
1	A	515	SER
1	A	361	CYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	479/544 (88%)	458 (96%)	21 (4%)	25	54
2	B	23/92 (25%)	21 (91%)	2 (9%)	9	32
All	All	502/636 (79%)	479 (95%)	23 (5%)	25	53

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	LEU
1	A	46	ARG
1	A	101	ASN
1	A	279	LEU
1	A	308	THR
1	A	322	LEU
1	A	345	CYS
1	A	361	CYS
1	A	385	VAL
1	A	401	SER
1	A	422	LEU
1	A	434	VAL
1	A	438	VAL
1	A	451	GLN
1	A	472	VAL
1	A	499	ARG
1	A	501	ILE
1	A	506	PHE
1	A	521	LEU
1	A	522	CYS
1	A	655	LEU
2	B	28	GLN
2	B	43	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	167	GLN
1	A	250	ASN
1	A	264	HIS
1	A	451	GLN
1	A	578	GLN
1	A	654	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	A	801	-	14,14,15	0.80	0	17,19,21	1.63	3 (17%)
4	LN9	A	802	-	33,33,33	0.55	0	47,47,47	1.68	11 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	801	-	-	4/6/23/26	0/1/1/1
4	LN9	A	802	-	-	8/15/35/35	0/3/3/3

There are no bond length outliers.

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	802	LN9	O2-C15-C14	-4.62	113.51	123.87
4	A	802	LN9	O2-C16-C17	3.85	112.77	107.16
4	A	802	LN9	C15-O2-C16	3.83	125.13	118.15
3	A	801	NAG	C2-N2-C7	3.53	127.63	122.90
3	A	801	NAG	C1-O5-C5	3.20	116.48	112.19
3	A	801	NAG	C1-C2-N2	3.20	115.48	110.43
4	A	802	LN9	O2-C15-C10	3.10	124.24	117.51
4	A	802	LN9	C16-O3-C20	-3.05	107.77	113.72
4	A	802	LN9	C18-C19-C20	-2.80	105.16	110.23
4	A	802	LN9	C11-C10-C15	-2.80	114.74	117.41
4	A	802	LN9	C7-C8-C9	2.79	118.81	113.30
4	A	802	LN9	O9-C11-C12	-2.62	112.38	119.45
4	A	802	LN9	O1-C9-C8	-2.07	116.73	120.37
4	A	802	LN9	O3-C16-O2	2.03	113.63	108.42

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	A	802	LN9	C17-C16-O2-C15
3	A	801	NAG	O5-C5-C6-O6
3	A	801	NAG	C4-C5-C6-O6
4	A	802	LN9	O3-C16-O2-C15
4	A	802	LN9	C14-C15-O2-C16
3	A	801	NAG	C1-C2-N2-C7
4	A	802	LN9	C7-C8-C9-O1
4	A	802	LN9	C7-C8-C9-C10
4	A	802	LN9	C5-C6-C7-C8
4	A	802	LN9	C1-C6-C7-C8
3	A	801	NAG	C3-C2-N2-C7
4	A	802	LN9	C10-C15-O2-C16

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	801	NAG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-34823. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 60




Y Index: 60




Z Index: 60


6.2.2 Raw map



X Index: 60



Y Index: 60




Z Index: 60

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 60




Y Index: 52




Z Index: 68


6.3.2 Raw map



X Index: 60



Y Index: 52




Z Index: 68


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0422. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_34823_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 38 nm³; this corresponds to an approximate mass of 34 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.303 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.30	-	-
Author-provided FSC curve	3.32	3.72	3.36
Unmasked-calculated*	3.64	4.06	3.70

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.64 differs from the reported value 3.3 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-34823 and PDB model 8HIN. Per-residue inclusion information can be found in section [3](#) on page [5](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0422 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0422).

9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.0422) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.8050	0.5180
A	0.8080	0.5220
B	0.7470	0.4410

