



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 10:45 PM UTC

PDB ID : 1HJX / pdb_00001hix
Title : Ligand-induced signalling and conformational change of the 39 kD glycoprotein from human articular chondrocytes
Authors : Houston, D.R.; Recklies, A.D.; Krupa, J.C.; Van Aalten, D.M.F.
Deposited on : 2003-02-28
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3428 (1.86-1.86)
Clashscore	190562	3579 (1.86-1.86)
Ramachandran outliers	187476	3553 (1.86-1.86)
Sidechain outliers	187428	3553 (1.86-1.86)
RSRZ outliers	180081	3429 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	362	3% 82% 17% .
1	B	362	2% 85% 13% .
1	C	362	3% 80% 17% ..
1	D	362	8% 75% 22% ..
2	E	2	50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	2	 50% 50%
2	G	2	 50% 50%
2	H	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	A	1388	-	-	X	-
4	GOL	A	1390	-	-	X	-
4	GOL	A	1391	-	-	X	-
4	GOL	B	1389	-	-	X	-
4	GOL	B	1390	-	-	X	-
4	GOL	C	1389	-	-	X	-
4	GOL	C	1390	-	-	X	-
4	GOL	C	1392	-	-	X	-
4	GOL	D	1387	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 13127 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CHITINASE-3 LIKE PROTEIN 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	362	Total	C	N	O	S	20	8	1
			2887	1842	498	536	11			
1	B	362	Total	C	N	O	S	10	6	1
			2884	1843	499	531	11			
1	C	359	Total	C	N	O	S	14	2	1
			2845	1817	492	525	11			
1	D	360	Total	C	N	O	S	31	6	1
			2870	1833	497	529	11			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	311	ILE	THR	variant	UNP P36222
B	311	ILE	THR	variant	UNP P36222
C	311	ILE	THR	variant	UNP P36222
D	311	ILE	THR	variant	UNP P36222

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	F	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	G	2	Total	C	N	O	0	0	0
			28	16	2	10			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	H	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	D	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	417	Total	O	0	0
			417	417		
5	B	448	Total	O	0	0
			448	448		
5	C	299	Total	O	0	0
			299	299		
5	D	229	Total	O	0	0
			229	229		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: CHITINASE-3 LIKE PROTEIN 1




• Molecule 1: CHITINASE-3 LIKE PROTEIN 1



• Molecule 1: CHITINASE-3 LIKE PROTEIN 1



- Molecule 1: CHITINASE-3 LIKE PROTEIN 1



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	109.56Å 122.05Å 136.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	14.98 – 1.85 14.98 – 1.85	Depositor EDS
% Data completeness (in resolution range)	98.8 (14.98-1.85) 98.7 (14.98-1.85)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.94 (at 1.86Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.197 , 0.225 0.190 , 0.226	Depositor DCC
R_{free} test set	728 reflections (0.47%)	wwPDB-VP
Wilson B-factor (Å ²)	24.3	Xtriage
Anisotropy	0.542	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 62.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	13127	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 17.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, NAG, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.79	3/2998 (0.1%)	1.06	13/4061 (0.3%)
1	B	0.78	2/2984 (0.1%)	1.02	10/4041 (0.2%)
1	C	0.63	1/2927 (0.0%)	1.02	13/3963 (0.3%)
1	D	0.63	2/2969 (0.1%)	0.98	9/4018 (0.2%)
All	All	0.71	8/11878 (0.1%)	1.02	45/16083 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	79	MET	SD-CE	-10.74	1.52	1.79
1	A	79	MET	SD-CE	-9.64	1.55	1.79
1	A	123	VAL	CA-CB	6.03	1.57	1.54
1	C	382	ALA	C-N	-5.84	1.25	1.33
1	D	382	ALA	C-N	-5.68	1.25	1.33
1	B	382	ALA	C-N	-5.63	1.25	1.33
1	D	240	ALA	CA-CB	5.06	1.61	1.53
1	A	382	ALA	C-N	-5.06	1.26	1.33

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	188	SER	N-CA-C	9.19	124.62	113.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	144	ARG	N-CA-C	-8.51	97.89	110.23
1	D	191	ILE	N-CA-C	8.17	118.94	110.36
1	B	191	ILE	N-CA-C	7.92	118.03	110.42
1	A	123	VAL	N-CA-C	7.80	121.72	112.35
1	A	168	GLY	N-CA-C	7.73	126.12	114.61
1	C	357	ASP	N-CA-C	-7.70	100.59	110.53
1	B	168	GLY	N-CA-C	7.51	125.35	115.36
1	C	312	LEU	N-CA-C	7.15	119.75	111.02
1	A	357	ASP	N-CA-C	-7.11	101.36	110.53
1	D	357	ASP	N-CA-C	-7.00	101.49	110.53
1	D	188	SER	N-CA-C	6.74	124.16	114.39
1	A	227	GLU	N-CA-C	6.70	118.58	111.28
1	C	123	VAL	N-CA-C	6.51	122.95	108.88
1	B	357	ASP	N-CA-C	-6.37	102.32	110.53
1	A	170	LYS	N-CA-C	-6.28	100.35	109.59
1	A	191	ILE	N-CA-C	6.08	116.26	110.42
1	C	227	GLU	N-CA-C	5.96	118.56	111.71
1	C	364	CYS	N-CA-C	5.94	120.23	112.92
1	B	188	SER	N-CA-C	5.84	121.07	113.88
1	C	191	ILE	N-CA-C	5.82	117.25	110.62
1	A	234	PHE	N-CA-C	5.80	121.07	113.30
1	B	208	PHE	N-CA-C	5.65	119.90	112.89
1	C	190	ASP	N-CA-C	-5.65	98.02	108.24
1	B	189	TYR	N-CA-C	5.62	118.56	109.40
1	A	188	SER	N-CA-C	5.59	121.52	114.31
1	D	212	TRP	N-CA-C	-5.57	102.77	110.35
1	C	279	SER	N-CA-C	-5.57	106.48	113.72
1	D	180	ALA	N-CA-C	-5.46	106.21	112.92
1	B	234	PHE	N-CA-C	5.41	120.55	113.30
1	D	235	SER	N-CA-C	5.37	118.14	110.68
1	A	66	ILE	N-CA-C	-5.35	102.68	109.80
1	C	365	GLY	N-CA-C	5.35	123.37	114.48
1	B	227	GLU	N-CA-C	5.35	117.11	111.28
1	C	77	TYR	N-CA-C	-5.32	105.48	111.28
1	B	123	VAL	N-CA-C	5.30	120.32	108.88
1	D	230	SER	CA-C-N	5.25	124.43	118.97
1	D	230	SER	C-N-CA	5.25	124.43	118.97
1	B	170	LYS	N-CA-C	-5.23	101.24	109.25
1	A	312	LEU	N-CA-C	5.20	117.35	111.11
1	C	212	TRP	N-CA-C	-5.15	103.35	110.35
1	C	124	PRO	N-CA-C	5.14	116.97	110.70
1	D	318	TYR	N-CA-C	-5.11	101.61	109.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	289	LYS	N-CA-C	5.03	118.33	111.39
1	A	52	THR	N-CA-C	-5.02	106.32	112.90

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	28	TYR	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2887	0	2798	62	0
1	B	2884	0	2807	49	0
1	C	2845	0	2764	71	0
1	D	2870	0	2785	70	0
2	E	28	0	25	0	0
2	F	28	0	25	4	0
2	G	28	0	25	0	0
2	H	28	0	25	0	0
3	A	5	0	0	0	0
3	B	20	0	0	0	0
3	C	15	0	0	0	0
4	A	36	0	48	23	0
4	B	12	0	16	11	0
4	C	30	0	40	39	0
4	D	18	0	24	10	0
5	A	417	0	0	22	0
5	B	448	0	0	13	0
5	C	299	0	0	10	0
5	D	229	0	0	9	0
All	All	13127	0	11382	266	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (266) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:2409:HOH:O	4:C:1389:GOL:H31	1.50	1.09
1:C:48:ARG:HD2	1:C:86:ARG:HB3	1.47	0.93
1:A:315:GLN:NE2	1:D:313:GLY:H	1.66	0.93
1:A:315:GLN:HE21	1:D:313:GLY:H	0.96	0.93
1:C:183:VAL:H	4:C:1390:GOL:C1	1.85	0.89
1:A:166[A]:GLN:HG2	1:A:167:PRO:HD3	1.55	0.88
1:D:211:ALA:HB3	4:D:1387:GOL:H32	1.55	0.85
1:C:48:ARG:CD	1:C:86:ARG:HB3	2.07	0.84
1:D:211:ALA:CB	4:D:1387:GOL:H32	2.08	0.83
4:A:1388:GOL:O3	1:D:228:ASP:HB3	1.77	0.82
1:C:147:LYS:HB3	4:C:1392:GOL:H2	1.60	0.82
1:D:148[A]:GLN:HG2	5:D:2064:HOH:O	1.81	0.81
1:A:210:GLY:O	1:A:231:PRO:HD2	1.81	0.81
1:C:148:GLN:HG2	4:C:1392:GOL:H11	1.61	0.80
1:A:315:GLN:HE21	1:D:313:GLY:N	1.78	0.80
1:A:366:GLN:HB3	1:A:368:LEU:HD23	1.62	0.80
1:C:148:GLN:HG2	4:C:1392:GOL:C1	2.10	0.80
1:A:213:ARG:HG3	1:A:213:ARG:HH11	1.47	0.80
1:D:159:ALA:HA	1:D:162:ILE:HD12	1.63	0.79
1:C:183:VAL:H	4:C:1390:GOL:H11	1.47	0.79
1:A:210:GLY:O	1:A:231:PRO:CD	2.32	0.78
1:A:231:PRO:HD2	5:A:2264:HOH:O	1.84	0.77
1:C:183:VAL:H	4:C:1390:GOL:H12	1.53	0.74
1:B:63:ASN:H	4:B:1390:GOL:H11	1.53	0.73
1:D:211:ALA:HB3	4:D:1387:GOL:C3	2.18	0.73
1:A:193:LYS:O	1:A:196[A]:GLN:HG2	1.89	0.73
1:A:335[A]:LYS:HE3	5:A:2186:HOH:O	1.89	0.72
1:A:335[B]:LYS:HE3	5:A:2368:HOH:O	1.89	0.72
1:A:246:ARG:NE	4:A:1388:GOL:O1	2.19	0.72
1:C:313:GLY:N	4:C:1389:GOL:O2	2.22	0.71
1:C:271:GLU:HG3	5:C:2195:HOH:O	1.89	0.71
1:D:212:TRP:CE3	1:D:231:PRO:HG3	2.26	0.71
1:C:183:VAL:HB	4:C:1390:GOL:H11	1.72	0.71
1:D:207[B]:ASP:OD2	1:D:263:ARG:NH2	2.24	0.71
4:C:1389:GOL:H11	5:C:2078:HOH:O	1.92	0.70
1:B:166:GLN:HB2	1:B:167:PRO:HD3	1.74	0.70
1:B:207:ASP:OD2	4:B:1389:GOL:H12	1.91	0.69
1:B:335[A]:LYS:HE2	5:B:2426:HOH:O	1.92	0.69
4:B:1390:GOL:H12	2:F:1:NAG:O6	1.93	0.69
1:A:331[B]:GLN:OE1	5:A:2363:HOH:O	2.10	0.69
1:C:209:HIS:NE2	4:C:1391:GOL:H11	2.09	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:61:ILE:HG21	1:D:109:ILE:HD13	1.76	0.68
1:A:233:ARG:NH2	4:A:1390:GOL:H31	2.09	0.67
1:C:183:VAL:CB	4:C:1390:GOL:H11	2.23	0.67
1:C:335:LYS:HD2	5:C:2259:HOH:O	1.95	0.67
1:B:163:LYS:HA	1:B:166:GLN:HG3	1.77	0.67
1:C:148:GLN:HG2	4:C:1392:GOL:O1	1.96	0.66
1:B:44:ASP:H	1:B:79:MET:CE	2.09	0.66
1:D:89:ASN:N	1:D:89:ASN:HD22	1.92	0.66
1:B:144:ARG:NH1	5:B:2201:HOH:O	2.29	0.65
1:C:144:ARG:HG2	1:C:187:SER:HB2	1.77	0.65
1:D:142:PRO:HB2	1:D:188:SER:HB2	1.79	0.64
1:B:44:ASP:H	1:B:79:MET:HE2	1.63	0.64
1:B:331:GLN:O	1:B:335[A]:LYS:HG3	1.97	0.64
1:D:30:SER:O	1:D:33:GLN:HG2	1.98	0.64
1:A:104:GLN:HB2	5:A:2129:HOH:O	1.96	0.63
1:C:312:LEU:HB2	4:C:1389:GOL:H2	1.80	0.63
1:D:148[A]:GLN:HG3	1:D:149:HIS:N	2.11	0.63
1:D:203:ILE:HD11	1:D:240:ALA:HB1	1.79	0.63
1:A:366:GLN:HB3	1:A:368:LEU:CD2	2.29	0.62
1:D:92:THR:C	1:D:93:LEU:HD12	2.24	0.62
1:A:166[A]:GLN:CG	1:A:167:PRO:HD3	2.26	0.62
4:A:1391:GOL:H12	5:A:2416:HOH:O	1.98	0.62
1:B:144:ARG:HH21	1:B:144:ARG:HG3	1.65	0.62
1:C:144:ARG:CG	1:C:187:SER:HB2	2.30	0.62
1:A:315:GLN:NE2	5:A:2349:HOH:O	2.32	0.62
1:A:242:GLY:C	4:A:1388:GOL:H31	2.25	0.61
1:B:44:ASP:N	1:B:79:MET:HE2	2.16	0.60
1:D:158:LYS:O	1:D:162:ILE:HG13	2.02	0.60
1:D:206:TYR:O	4:D:1385:GOL:H11	2.02	0.59
1:C:366:GLN:HB3	1:C:368:LEU:HD23	1.84	0.59
1:A:243:TYR:HD1	4:A:1388:GOL:H12	1.67	0.59
1:C:366:GLN:HB3	1:C:368:LEU:CD2	2.32	0.58
1:C:87:ASN:ND2	1:C:90:LEU:HB2	2.19	0.58
1:C:311:ILE:HG23	4:C:1389:GOL:H12	1.84	0.58
1:D:148[B]:GLN:NE2	5:D:2067:HOH:O	2.35	0.58
4:A:1391:GOL:C1	5:A:2416:HOH:O	2.50	0.58
1:C:312:LEU:HB2	4:C:1389:GOL:C2	2.34	0.58
1:A:213:ARG:HG3	1:A:213:ARG:NH1	2.18	0.58
1:A:221:PRO:HG3	4:A:1391:GOL:H2	1.86	0.58
4:A:1388:GOL:O3	1:D:227[A]:GLU:OE2	2.17	0.58
1:C:100:ASN:ND2	5:C:2054:HOH:O	2.36	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:69:TRP:HB3	5:D:2005:HOH:O	2.04	0.57
1:B:44:ASP:CG	1:B:79:MET:HE3	2.30	0.57
1:B:63:ASN:H	4:B:1390:GOL:C1	2.18	0.57
1:B:207:ASP:CG	4:B:1389:GOL:H12	2.30	0.56
1:D:158:LYS:HG3	1:D:162:ILE:HD11	1.87	0.56
1:D:155:LYS:HG3	1:D:197:HIS:NE2	2.21	0.56
1:C:180:ALA:H	4:C:1388:GOL:C1	2.18	0.56
1:B:261:PHE:CZ	4:B:1389:GOL:H2	2.41	0.56
1:C:141:TYR:CE1	1:C:179:SER:HB2	2.40	0.56
1:D:235:SER:O	4:D:1386:GOL:H11	2.06	0.55
1:A:144:ARG:NH1	5:A:2177:HOH:O	2.39	0.55
1:C:144:ARG:O	4:C:1392:GOL:C3	2.54	0.55
1:C:183:VAL:N	4:C:1390:GOL:H11	2.20	0.55
1:D:209:HIS:HA	4:D:1387:GOL:O3	2.07	0.55
1:C:211:ALA:HB2	1:C:217:GLY:HA3	1.88	0.54
1:C:182:LYS:N	4:C:1390:GOL:H12	2.23	0.54
1:B:36:GLU:HG3	5:B:2031:HOH:O	2.08	0.54
1:D:89:ASN:N	1:D:89:ASN:ND2	2.56	0.54
1:A:243:TYR:HA	4:A:1388:GOL:H12	1.88	0.54
1:B:260:THR:O	1:B:296:TYR:HB2	2.07	0.54
1:B:342:LYS:NZ	1:B:383:THR:N	2.55	0.54
1:B:144:ARG:HH21	1:B:144:ARG:CG	2.21	0.53
1:B:335[B]:LYS:HD2	5:B:2404:HOH:O	2.08	0.53
1:A:233:ARG:CZ	4:A:1390:GOL:C3	2.86	0.53
1:D:87:ASN:ND2	1:D:90:LEU:HB2	2.23	0.53
1:B:44:ASP:CG	1:B:79:MET:CE	2.82	0.53
1:A:155:LYS:NZ	5:A:2189:HOH:O	2.41	0.53
1:C:204:MET:HE3	5:C:2133:HOH:O	2.08	0.53
1:D:211:ALA:HB2	1:D:217:GLY:HA3	1.91	0.52
1:A:144:ARG:NH1	1:A:144:ARG:HG2	2.23	0.52
1:A:246:ARG:HH21	4:A:1388:GOL:H32	1.74	0.52
4:A:1387:GOL:H32	5:A:2411:HOH:O	2.08	0.52
1:D:70:GLU:N	1:D:73:ASP:OD2	2.39	0.52
1:C:44:ASP:HB3	1:C:79:MET:HE2	1.92	0.52
1:D:141:TYR:OH	4:D:1385:GOL:H32	2.10	0.52
1:C:144:ARG:O	4:C:1392:GOL:H32	2.10	0.52
1:C:148:GLN:HE21	4:C:1392:GOL:H11	1.75	0.52
1:D:133:ASP:HB3	5:D:2056:HOH:O	2.09	0.52
1:D:122:SER:O	1:D:125:PRO:HG2	2.10	0.52
1:C:144:ARG:NH1	5:C:2097:HOH:O	2.43	0.51
1:D:71:TRP:CZ3	1:D:72:ASN:HB3	2.46	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:120:ILE:HG12	1:A:157:MET:HE2	1.91	0.51
1:B:366:GLN:HB3	1:B:368:LEU:HD23	1.93	0.51
1:C:147:LYS:HB3	4:C:1392:GOL:C2	2.38	0.51
1:A:206:TYR:O	4:A:1386:GOL:H32	2.11	0.51
1:B:86:ARG:HH11	1:B:86:ARG:HG2	1.74	0.51
4:D:1386:GOL:O1	5:D:2228:HOH:O	2.19	0.51
1:A:48:ARG:CD	1:A:86:ARG:HB3	2.40	0.51
1:C:183:VAL:N	4:C:1390:GOL:C1	2.67	0.51
1:B:44:ASP:HB3	1:B:79:MET:HE3	1.93	0.50
1:D:342:LYS:NZ	1:D:383:THR:N	2.59	0.50
4:B:1390:GOL:H12	2:F:1:NAG:C6	2.41	0.50
1:D:149:HIS:HD2	5:D:2068:HOH:O	1.95	0.50
1:A:44:ASP:CG	1:A:79:MET:HE1	2.37	0.50
1:C:124:PRO:O	1:C:128:ARG:HG2	2.12	0.50
1:D:204:MET:HE3	5:D:2089:HOH:O	2.11	0.50
1:A:233:ARG:CZ	4:A:1390:GOL:H31	2.42	0.50
1:C:311:ILE:CG2	4:C:1389:GOL:H12	2.42	0.50
1:C:312:LEU:HB2	4:C:1389:GOL:C3	2.42	0.50
1:D:48:ARG:CD	1:D:86:ARG:HB3	2.42	0.50
1:B:342:LYS:HZ3	1:B:383:THR:N	2.09	0.49
1:D:255:VAL:HG12	1:D:350:MET:HB2	1.94	0.49
1:B:301[A]:ASP:OD1	1:B:304:ARG:NH1	2.45	0.49
1:B:193:LYS:HA	1:B:196:GLN:HE21	1.76	0.49
1:C:312:LEU:N	4:C:1389:GOL:H2	2.28	0.48
1:A:213:ARG:HD2	1:A:213:ARG:C	2.38	0.48
1:B:48:ARG:NH1	5:B:2058:HOH:O	2.44	0.48
1:D:232:ASP:OD1	1:D:232:ASP:C	2.57	0.48
1:B:230:SER:HA	5:B:2301:HOH:O	2.13	0.48
1:C:357:ASP:OD1	1:C:371:PRO:HD2	2.13	0.48
1:C:312:LEU:HB2	4:C:1389:GOL:H32	1.94	0.48
1:C:203:ILE:HD11	1:C:240:ALA:HB1	1.95	0.47
1:D:209:HIS:HA	4:D:1387:GOL:HO3	1.80	0.47
1:B:48:ARG:NE	5:B:2057:HOH:O	2.47	0.47
1:C:183:VAL:CG2	4:C:1390:GOL:H11	2.44	0.47
1:D:35:ARG:O	1:D:40:SER:HB2	2.14	0.47
4:A:1389:GOL:H11	5:A:2414:HOH:O	2.13	0.47
1:C:184:THR:H	4:C:1390:GOL:C3	2.27	0.47
1:D:86:ARG:HG2	1:D:86:ARG:HH11	1.79	0.47
1:A:144:ARG:HG3	5:A:2176:HOH:O	2.14	0.47
1:D:33:GLN:HG3	1:D:34:TYR:N	2.30	0.47
1:D:124:PRO:O	1:D:128:ARG:HG2	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:207:ASP:HB3	5:A:2282:HOH:O	2.15	0.47
1:B:44:ASP:CB	1:B:79:MET:HE3	2.45	0.46
1:D:211:ALA:H	4:D:1387:GOL:H32	1.80	0.46
4:B:1390:GOL:H32	2:F:1:NAG:H62	1.97	0.46
1:A:260:THR:O	1:A:296:TYR:HB2	2.15	0.46
1:A:166[A]:GLN:CG	1:A:167:PRO:CD	2.93	0.46
1:D:224:ARG:O	1:D:224:ARG:HG2	2.15	0.46
1:B:233:ARG:HB2	5:B:2288:HOH:O	2.15	0.46
1:A:144:ARG:HG2	1:A:144:ARG:HH11	1.80	0.46
1:C:180:ALA:H	4:C:1388:GOL:H12	1.81	0.46
1:C:183:VAL:N	4:C:1390:GOL:H12	2.26	0.46
4:C:1389:GOL:C1	5:C:2291:HOH:O	2.64	0.46
4:B:1390:GOL:H32	2:F:2:NAG:HN2	1.80	0.46
1:D:47:ASP:OD1	1:D:47:ASP:C	2.59	0.46
1:D:62:SER:O	1:D:65[A]:HIS:ND1	2.49	0.46
1:D:223:PHE:HB2	1:D:313:GLY:O	2.16	0.46
1:B:86:ARG:HG2	1:B:86:ARG:NH1	2.31	0.45
1:B:366:GLN:HB3	1:B:368:LEU:CD2	2.45	0.45
1:D:232:ASP:OD1	1:D:234:PHE:N	2.49	0.45
1:A:342:LYS:NZ	1:A:383:THR:N	2.63	0.45
1:B:22:TYR:CZ	1:B:342:LYS:HG2	2.51	0.45
1:D:124:PRO:N	1:D:125:PRO:HD2	2.31	0.45
4:A:1388:GOL:H11	5:A:2412:HOH:O	2.15	0.45
1:D:144:ARG:HG2	5:D:2063:HOH:O	2.15	0.45
4:A:1388:GOL:C1	5:A:2412:HOH:O	2.64	0.45
1:C:342:LYS:NZ	1:C:383:THR:N	2.65	0.45
1:A:243:TYR:HD1	4:A:1388:GOL:C1	2.29	0.45
1:B:42:PHE:HB3	1:B:79:MET:HE1	1.99	0.45
1:C:183:VAL:HG23	4:C:1390:GOL:H11	1.99	0.45
1:A:233:ARG:CZ	4:A:1390:GOL:H32	2.47	0.45
1:B:203:ILE:HD11	1:B:240:ALA:HB1	1.99	0.45
1:C:74:VAL:HG23	5:C:2037:HOH:O	2.17	0.45
1:C:368:LEU:HA	5:C:2278:HOH:O	2.17	0.45
1:A:211:ALA:HB2	1:A:217:GLY:HA3	1.99	0.44
1:D:164:GLU:O	1:D:165:ALA:HB2	2.18	0.44
1:B:207:ASP:OD2	4:B:1389:GOL:H31	2.17	0.44
1:D:57:SER:HA	1:D:58:PHE:HA	1.71	0.44
1:A:79:MET:HB3	1:A:79:MET:HE2	1.56	0.44
1:A:207:ASP:OD1	1:A:263:ARG:NH1	2.50	0.44
1:C:304:ARG:HH11	1:C:304:ARG:HG3	1.82	0.44
1:D:69:TRP:N	1:D:73:ASP:OD2	2.40	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:43:PRO:HB2	1:C:79:MET:HB2	2.00	0.44
1:D:26:CYS:HB3	1:D:354:LEU:HG	1.99	0.44
4:C:1389:GOL:H2	5:C:2246:HOH:O	2.17	0.44
1:D:71:TRP:CE3	1:D:72:ASN:HB3	2.53	0.44
1:D:342:LYS:HZ2	1:D:383:THR:N	2.15	0.44
1:A:344:ARG:HD2	5:A:2375:HOH:O	2.16	0.44
1:B:335[A]:LYS:HD2	5:B:2405:HOH:O	2.17	0.44
1:C:47:ASP:C	1:C:47:ASP:OD1	2.61	0.44
1:D:301:ASP:HA	1:D:304[A]:ARG:NH1	2.33	0.44
1:A:141:TYR:CE1	1:A:179:SER:HB2	2.54	0.43
1:D:61:ILE:CG2	1:D:109:ILE:HD13	2.46	0.43
1:A:277:PRO:HB3	1:C:144:ARG:HD3	1.99	0.43
1:D:301:ASP:HA	1:D:304[B]:ARG:NH1	2.33	0.43
1:B:261:PHE:CE2	4:B:1389:GOL:H2	2.54	0.43
1:C:139:TRP:O	1:C:141:TYR:HA	2.19	0.43
1:C:184:THR:H	4:C:1390:GOL:H31	1.83	0.43
1:D:299:ILE:HD13	1:D:328:TYR:CB	2.49	0.43
1:A:144:ARG:HH11	1:A:144:ARG:CG	2.30	0.42
1:B:242:GLY:O	1:B:246[B]:ARG:HG3	2.19	0.42
1:C:203:ILE:HD12	1:C:244:MET:HG3	2.00	0.42
1:C:209:HIS:CE1	4:C:1391:GOL:H11	2.54	0.42
1:A:212:TRP:CZ2	1:A:231:PRO:HA	2.54	0.42
1:C:123:VAL:HB	1:C:124:PRO:HD3	2.01	0.42
1:A:57:SER:HA	1:A:58:PHE:HA	1.69	0.42
1:C:57:SER:HB3	1:C:58:PHE:CD1	2.54	0.42
1:A:144:ARG:NH2	5:A:2173:HOH:O	2.52	0.42
1:C:144:ARG:HG3	1:C:187:SER:HB2	2.02	0.42
1:D:121:LYS:HA	1:D:160:GLU:OE1	2.20	0.42
1:B:144:ARG:CG	1:B:144:ARG:NH2	2.81	0.42
1:C:181:GLY:HA3	4:C:1390:GOL:H32	2.02	0.42
1:C:25:VAL:O	1:C:350:MET:HA	2.20	0.42
1:C:59:ALA:HB2	1:C:94:LEU:HD21	2.02	0.42
1:A:233:ARG:NH2	4:A:1390:GOL:C3	2.80	0.41
1:C:148:GLN:CG	4:C:1392:GOL:O1	2.67	0.41
1:A:224:ARG:NH2	4:A:1390:GOL:O1	2.53	0.41
1:D:22:TYR:CZ	1:D:342:LYS:HG2	2.55	0.41
1:C:366:GLN:O	1:C:368:LEU:HD23	2.19	0.41
1:B:105:ARG:HD2	5:B:2147:HOH:O	2.20	0.41
1:A:218:HIS:O	4:A:1391:GOL:O1	2.39	0.41
1:B:124:PRO:HD2	1:B:125:PRO:HD2	2.03	0.41
1:B:141:TYR:CE1	1:B:179:SER:HB2	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:84:LYS:NZ	1:C:131:GLY:O	2.49	0.41
1:C:261:PHE:HB3	1:C:356:LEU:HD13	2.02	0.41
1:B:197:HIS:HD2	5:B:2215:HOH:O	2.03	0.41
1:A:335[B]:LYS:HE2	5:A:2402:HOH:O	2.21	0.41
1:D:59:ALA:HA	5:D:2022:HOH:O	2.20	0.41
1:D:61:ILE:HD12	1:D:101:PHE:CZ	2.57	0.40
1:B:91:LYS:HD2	5:B:2128:HOH:O	2.22	0.40
1:D:139:TRP:O	1:D:141:TYR:HA	2.22	0.40
1:A:210:GLY:O	1:A:231:PRO:CG	2.69	0.40
1:B:239:TYR:CD1	1:B:239:TYR:C	2.99	0.40
1:C:225:GLY:HA2	1:C:313:GLY:HA3	2.03	0.40
1:A:22:TYR:CZ	1:A:342:LYS:HG2	2.56	0.40
1:A:283:ILE:HA	1:A:284:PRO:HD3	1.98	0.40
1:D:230:SER:HA	1:D:231:PRO:HD3	1.95	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	368/362 (102%)	358 (97%)	8 (2%)	2 (0%)	24	13
1	B	366/362 (101%)	358 (98%)	7 (2%)	1 (0%)	36	25
1	C	357/362 (99%)	347 (97%)	10 (3%)	0	100	100
1	D	362/362 (100%)	352 (97%)	9 (2%)	1 (0%)	36	25
All	All	1453/1448 (100%)	1415 (97%)	34 (2%)	4 (0%)	36	25

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	365	GLY

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	365	GLY
1	A	145	ARG
1	B	365	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	309/302 (102%)	306 (99%)	3 (1%)	68	60
1	B	307/302 (102%)	303 (99%)	4 (1%)	61	51
1	C	301/302 (100%)	298 (99%)	3 (1%)	68	60
1	D	305/302 (101%)	297 (97%)	8 (3%)	40	25
All	All	1222/1208 (101%)	1204 (98%)	18 (2%)	57	47

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	144	ARG
1	A	170	LYS
1	A	368	LEU
1	B	86	ARG
1	B	105	ARG
1	B	144	ARG
1	B	368	LEU
1	C	62	SER
1	C	244	MET
1	C	317	PRO
1	D	76	LEU
1	D	89	ASN
1	D	144	ARG
1	D	160	GLU
1	D	164	GLU
1	D	169	LYS
1	D	205	THR
1	D	286	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	85	ASN
1	A	89	ASN
1	A	114	GLN
1	A	148	GLN
1	A	171	GLN
1	A	197	HIS
1	A	314	GLN
1	A	315	GLN
1	B	85	ASN
1	B	89	ASN
1	B	114	GLN
1	B	196	GLN
1	B	197	HIS
1	B	314	GLN
1	C	81	ASN
1	C	85	ASN
1	C	87	ASN
1	C	114	GLN
1	C	148	GLN
1	D	63	ASN
1	D	85	ASN
1	D	87	ASN
1	D	89	ASN
1	D	130	HIS
1	D	171	GLN
1	D	345	GLN
1	D	374	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	E	1	2,1	14,14,15	0.67	0	17,19,21	1.02	1 (5%)
2	NAG	E	2	2	14,14,15	0.65	0	17,19,21	0.66	0
2	NAG	F	1	2,1	14,14,15	0.83	1 (7%)	17,19,21	0.89	0
2	NAG	F	2	2	14,14,15	0.60	0	17,19,21	0.68	0
2	NAG	G	1	2,1	14,14,15	0.47	0	17,19,21	0.91	1 (5%)
2	NAG	G	2	2	14,14,15	0.51	0	17,19,21	0.65	0
2	NAG	H	1	2,1	14,14,15	0.60	0	17,19,21	0.70	1 (5%)
2	NAG	H	2	2	14,14,15	0.55	0	17,19,21	0.74	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	E	2	2	-	0/6/23/26	0/1/1/1
2	NAG	F	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1
2	NAG	G	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	G	2	2	-	4/6/23/26	0/1/1/1
2	NAG	H	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	H	2	2	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	1	NAG	C1-C2	2.51	1.55	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	1	NAG	C2-N2-C7	-2.86	119.07	122.90
2	E	1	NAG	C2-N2-C7	-2.38	119.71	122.90
2	H	2	NAG	C2-N2-C7	-2.28	119.84	122.90
2	H	1	NAG	C2-N2-C7	-2.24	119.90	122.90

There are no chirality outliers.

All (20) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	G	2	NAG	C8-C7-N2-C2
2	G	2	NAG	O7-C7-N2-C2
2	H	1	NAG	C8-C7-N2-C2
2	H	1	NAG	O7-C7-N2-C2
2	H	2	NAG	C8-C7-N2-C2
2	H	2	NAG	O7-C7-N2-C2
2	E	1	NAG	O5-C5-C6-O6
2	G	2	NAG	O5-C5-C6-O6
2	E	1	NAG	C4-C5-C6-O6
2	G	2	NAG	C4-C5-C6-O6
2	F	1	NAG	O5-C5-C6-O6
2	F	1	NAG	C4-C5-C6-O6
2	G	1	NAG	C4-C5-C6-O6
2	H	1	NAG	O5-C5-C6-O6
2	H	1	NAG	C4-C5-C6-O6
2	G	1	NAG	O5-C5-C6-O6
2	G	1	NAG	C8-C7-N2-C2
2	F	2	NAG	C4-C5-C6-O6
2	G	1	NAG	O7-C7-N2-C2
2	F	2	NAG	O5-C5-C6-O6


There are no ring outliers.


2 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	2	NAG	1	0
2	F	1	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GOL	A	1386	-	5,5,5	0.27	0	5,5,5	0.32	0
4	GOL	A	1391	-	5,5,5	0.36	0	5,5,5	0.45	0
3	SO4	C	1385	-	4,4,4	0.29	0	6,6,6	0.27	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	B	1386	-	4,4,4	0.41	0	6,6,6	0.49	0
4	GOL	C	1388	-	5,5,5	0.37	0	5,5,5	0.61	0
4	GOL	C	1390	-	5,5,5	0.22	0	5,5,5	0.38	0
3	SO4	B	1387	-	4,4,4	0.40	0	6,6,6	0.24	0
4	GOL	A	1390	-	5,5,5	0.33	0	5,5,5	0.36	0
4	GOL	A	1388	-	5,5,5	0.22	0	5,5,5	0.57	0
4	GOL	B	1390	-	5,5,5	0.29	0	5,5,5	0.31	0
4	GOL	C	1392	-	5,5,5	0.27	0	5,5,5	0.51	0
4	GOL	D	1387	-	5,5,5	0.34	0	5,5,5	0.36	0
4	GOL	A	1387	-	5,5,5	0.44	0	5,5,5	0.20	0
3	SO4	B	1388	-	4,4,4	0.34	0	6,6,6	0.34	0
4	GOL	D	1385	-	5,5,5	0.49	0	5,5,5	0.24	0
4	GOL	D	1386	-	5,5,5	0.35	0	5,5,5	0.39	0
3	SO4	C	1387	-	4,4,4	0.46	0	6,6,6	0.13	0
3	SO4	B	1385	-	4,4,4	0.41	0	6,6,6	0.23	0
3	SO4	C	1386	-	4,4,4	0.29	0	6,6,6	0.25	0
3	SO4	A	1385	-	4,4,4	0.36	0	6,6,6	0.16	0
4	GOL	C	1389	-	5,5,5	0.47	0	5,5,5	0.39	0
4	GOL	C	1391	-	5,5,5	0.43	0	5,5,5	0.20	0
4	GOL	B	1389	-	5,5,5	0.44	0	5,5,5	0.26	0
4	GOL	A	1389	-	5,5,5	0.41	0	5,5,5	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	1387	-	-	0/4/4/4	-
4	GOL	C	1390	-	-	0/4/4/4	-
4	GOL	A	1386	-	-	0/4/4/4	-
4	GOL	A	1390	-	-	0/4/4/4	-
4	GOL	A	1391	-	-	0/4/4/4	-
4	GOL	D	1385	-	-	0/4/4/4	-
4	GOL	C	1389	-	-	0/4/4/4	-
4	GOL	A	1388	-	-	0/4/4/4	-
4	GOL	B	1390	-	-	0/4/4/4	-
4	GOL	D	1386	-	-	0/4/4/4	-
4	GOL	C	1391	-	-	0/4/4/4	-
4	GOL	B	1389	-	-	0/4/4/4	-
4	GOL	C	1392	-	-	0/4/4/4	-
4	GOL	A	1389	-	-	0/4/4/4	-
4	GOL	D	1387	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	C	1388	-	-	0/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

16 monomers are involved in 83 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1386	GOL	1	0
4	A	1391	GOL	4	0
4	C	1388	GOL	2	0
4	C	1390	GOL	14	0
4	A	1390	GOL	6	0
4	A	1388	GOL	10	0
4	B	1390	GOL	6	0
4	C	1392	GOL	9	0
4	D	1387	GOL	6	0
4	A	1387	GOL	1	0
4	D	1385	GOL	2	0
4	D	1386	GOL	2	0
4	C	1389	GOL	12	0
4	C	1391	GOL	2	0
4	B	1389	GOL	5	0
4	A	1389	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	362/362 (100%)	-0.28	12 (3%)	49	53	11, 23, 44, 56	12 (3%)
1	B	362/362 (100%)	-0.35	6 (1%)	69	73	8, 24, 41, 64	8 (2%)
1	C	359/362 (99%)	0.14	12 (3%)	49	53	15, 33, 54, 70	5 (1%)
1	D	360/362 (99%)	0.54	28 (7%)	19	20	14, 36, 62, 76	13 (3%)
All	All	1443/1448 (99%)	0.01	58 (4%)	42	46	8, 27, 56, 76	38 (2%)

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	165	ALA	5.5
1	D	168	GLY	4.3
1	A	167	PRO	3.8
1	C	364	CYS	3.6
1	C	102	GLY	3.4
1	C	99	TRP	3.3
1	B	102	GLY	3.3
1	A	368	LEU	3.3
1	D	162	ILE	3.1
1	D	65[A]	HIS	3.0
1	D	59	ALA	3.0
1	D	99	TRP	3.0
1	D	61	ILE	3.0
1	A	212	TRP	2.9
1	C	103	SER	2.9
1	D	66	ILE	2.9
1	A	210	GLY	2.8
1	B	167	PRO	2.8
1	C	368	LEU	2.8
1	D	127	LEU	2.8
1	D	364	CYS	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	102	GLY	2.7
1	D	102	GLY	2.7
1	D	71	TRP	2.7
1	B	364	CYS	2.7
1	D	34	TYR	2.6
1	D	74	VAL	2.6
1	D	103	SER	2.6
1	D	113	THR	2.5
1	D	88	PRO	2.5
1	D	120	ILE	2.5
1	B	166	GLN	2.4
1	D	368	LEU	2.4
1	D	125	PRO	2.4
1	A	99	TRP	2.4
1	D	63	ASN	2.4
1	A	364	CYS	2.4
1	A	209	HIS	2.4
1	B	103	SER	2.3
1	C	74	VAL	2.3
1	C	104	GLN	2.3
1	C	89	ASN	2.3
1	D	76	LEU	2.3
1	D	77	TYR	2.2
1	D	129	THR	2.2
1	C	76	LEU	2.2
1	C	165	ALA	2.2
1	A	313	GLY	2.2
1	D	75	THR	2.1
1	B	368	LEU	2.1
1	D	123	VAL	2.1
1	D	131	GLY	2.1
1	A	211	ALA	2.1
1	A	89	ASN	2.1
1	A	231	PRO	2.1
1	D	90	LEU	2.1
1	C	365	GLY	2.0
1	C	86	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	H	2	14/15	0.56	0.15	75,76,77,79	0
2	NAG	G	2	14/15	0.66	0.13	68,71,72,73	0
2	NAG	H	1	14/15	0.72	0.14	65,67,71,73	0
2	NAG	F	2	14/15	0.79	0.11	46,48,55,59	0
2	NAG	E	2	14/15	0.80	0.09	56,59,60,61	0
2	NAG	G	1	14/15	0.82	0.12	54,56,62,65	0
2	NAG	E	1	14/15	0.83	0.11	36,44,52,53	0
2	NAG	F	1	14/15	0.87	0.10	29,34,42,50	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain F:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	A	1390	6/6	0.67	0.27	59,63,65,65	0
4	GOL	C	1392	6/6	0.68	0.16	70,70,71,71	0
4	GOL	D	1387	6/6	0.73	0.19	61,62,63,66	0
4	GOL	B	1390	6/6	0.75	0.17	67,69,69,71	0
4	GOL	C	1390	6/6	0.76	0.15	60,62,62,62	0
4	GOL	C	1389	6/6	0.77	0.18	38,55,60,66	0
4	GOL	A	1389	6/6	0.80	0.14	35,41,42,46	0
3	SO4	C	1387	5/5	0.82	0.08	76,77,77,78	0
4	GOL	A	1388	6/6	0.82	0.27	52,54,56,61	0
4	GOL	D	1386	6/6	0.82	0.12	50,51,51,54	0
3	SO4	A	1385	5/5	0.82	0.12	70,71,72,73	0
4	GOL	C	1388	6/6	0.83	0.16	39,49,52,56	0
3	SO4	B	1386	5/5	0.83	0.14	48,51,52,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	A	1387	6/6	0.83	0.14	62,64,64,65	0
4	GOL	A	1391	6/6	0.84	0.18	35,42,45,46	0
4	GOL	D	1385	6/6	0.85	0.15	36,45,46,46	0
4	GOL	A	1386	6/6	0.86	0.14	23,41,43,46	0
3	SO4	B	1387	5/5	0.86	0.10	75,75,76,76	0
4	GOL	B	1389	6/6	0.87	0.11	54,55,55,56	0
4	GOL	C	1391	6/6	0.87	0.09	64,65,65,66	0
3	SO4	B	1385	5/5	0.87	0.11	63,64,65,65	0
3	SO4	C	1385	5/5	0.93	0.10	55,57,58,58	0
3	SO4	C	1386	5/5	0.94	0.08	53,53,54,56	0
3	SO4	B	1388	5/5	0.95	0.08	48,48,50,50	0

6.5 Other polymers [i](#)

There are no such residues in this entry.