



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 09:31 PM UTC

PDB ID : 5HJ2 / pdb_00005hj2
Title : Integrin alpha2beta1 I-domain
Authors : Brown, K.L.; Banerjee, S.
Deposited on : 2016-01-12
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	197	3% 87% 11% ..
1	B	197	4% 91% 8% ..
1	C	197	4% 92% 6% .
1	D	197	4% 85% 13% ..
1	E	197	38% 78% 19% ...

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	197	84% 60% 37% ..

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 9501 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Integrin alpha-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	197	Total	C	N	O	S	0	0	0
			1520	962	256	297	5			
1	A	196	Total	C	N	O	S	0	0	0
			1515	959	255	296	5			
1	B	196	Total	C	N	O	S	0	0	0
			1515	959	255	296	5			
1	D	197	Total	C	N	O	S	0	0	0
			1520	962	256	297	5			
1	E	196	Total	C	N	O	S	0	0	0
			1515	959	255	296	5			
1	F	195	Total	C	N	O	S	0	0	0
			1509	956	254	294	5			

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	C	1	Total	Ca	0	0
			1	1		
2	A	1	Total	Ca	0	0
			1	1		
2	B	1	Total	Ca	0	0
			1	1		
2	D	1	Total	Ca	0	0
			1	1		
2	E	1	Total	Ca	0	0
			1	1		

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Cl	0	0
			2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Cl	0	0
			1	1		
3	D	1	Total	Cl	0	0
			1	1		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	4	3		

- Molecule 5 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		
5	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	D	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	F	1	Total	C	O	0	0
			6	3	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	C	73	Total	O	0	0
			73	73		
7	A	82	Total	O	0	0
			82	82		
7	B	73	Total	O	0	0
			73	73		
7	D	76	Total	O	0	0
			76	76		
7	E	15	Total	O	0	0
			15	15		
7	F	45	Total	O	0	0
			45	45		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Integrin alpha-2





- Molecule 1: Integrin alpha-2





- Molecule 1: Integrin alpha-2




- Molecule 1: Integrin alpha-2





- Molecule 1: Integrin alpha-2





● Molecule 1: Integrin alpha-2



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	144.07Å 144.07Å 130.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	101.87 – 2.15 101.87 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.1 (101.87-2.15) 91.6 (101.87-2.15)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.16 (at 2.16Å)	Xtriage
Refinement program	PHENIX (1.10_2155)	Depositor
R, R_{free}	0.234 , 0.283 0.234 , 0.283	Depositor DCC
R_{free} test set	2000 reflections (2.69%)	wwPDB-VP
Wilson B-factor (Å ²)	21.8	Xtriage
Anisotropy	0.333	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 39.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	9501	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, CL, PEG, SO4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.39	0/1539	0.62	0/2084
1	B	0.42	0/1539	0.69	2/2084 (0.1%)
1	C	0.42	0/1544	0.70	1/2091 (0.0%)
1	D	0.41	0/1544	0.72	5/2091 (0.2%)
1	E	0.57	4/1539 (0.3%)	0.69	5/2084 (0.2%)
1	F	0.44	1/1533 (0.1%)	0.78	6/2076 (0.3%)
All	All	0.45	5/9238 (0.1%)	0.70	19/12510 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	174	ARG	NE-CZ	-9.92	1.22	1.33
1	E	174	ARG	CZ-NH2	-8.72	1.22	1.33
1	E	174	ARG	CD-NE	-8.08	1.34	1.46
1	E	174	ARG	CZ-NH1	-6.61	1.23	1.32
1	F	32	LYS	CD-CE	5.89	1.70	1.52

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	174	ARG	CD-NE-CZ	-7.04	114.54	124.40
1	F	32	LYS	CA-CB-CG	-6.44	101.23	114.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	170	ILE	C-N-CD	-6.43	106.45	120.60
1	D	5	PRO	N-CA-CB	6.37	110.01	103.00
1	D	6	SER	CA-C-N	6.27	132.99	121.70
1	D	6	SER	C-N-CA	6.27	132.99	121.70
1	F	32	LYS	CD-CE-NZ	6.03	131.20	111.90
1	D	5	PRO	CA-C-N	5.95	132.42	121.70
1	D	5	PRO	C-N-CA	5.95	132.42	121.70
1	E	170	ILE	CA-C-N	5.92	141.22	127.00
1	E	170	ILE	C-N-CA	5.92	141.22	127.00
1	F	32	LYS	CG-CD-CE	-5.92	97.69	111.30
1	F	43	LYS	CB-CA-C	5.91	122.17	110.42
1	C	5	PRO	N-CA-CB	5.84	109.42	103.00
1	F	43	LYS	N-CA-CB	-5.47	101.25	110.49
1	F	84	LEU	CB-CG-CD2	-5.39	94.52	110.70
1	B	171	PRO	CA-C-N	5.22	131.51	121.54
1	B	171	PRO	C-N-CA	5.22	131.51	121.54
1	E	159	ASN	OD1-CG-ND2	-5.21	117.39	122.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	159	ASN	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1515	0	1508	24	0
1	B	1515	0	1508	9	0
1	C	1520	0	1510	11	0
1	D	1520	0	1510	25	0
1	E	1515	0	1508	52	1
1	F	1509	0	1504	78	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	1	0	0	0	0
2	E	1	0	0	0	0
3	A	2	0	0	1	0
3	B	1	0	0	0	0
3	D	1	0	0	0	0
4	A	7	0	10	3	0
5	A	5	0	0	0	0
5	D	10	0	0	0	0
6	D	6	0	8	0	0
6	F	6	0	8	0	1
7	A	82	0	0	6	0
7	B	73	0	0	2	0
7	C	73	0	0	4	0
7	D	76	0	0	5	0
7	E	15	0	0	2	1
7	F	45	0	0	18	1
All	All	9501	0	9074	192	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (192) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:174:ARG:HD3	1:E:174:ARG:H	1.25	1.01
1:E:174:ARG:NH1	1:E:175:TYR:H	1.59	1.01
1:C:171:PRO:O	7:C:401:HOH:O	1.80	0.99
1:E:174:ARG:NH1	1:E:175:TYR:N	2.16	0.93
1:F:31:GLU:HG3	1:F:71:ILE:HD11	1.51	0.92
1:A:28:ASN:ND2	3:A:303:CL:CL	2.40	0.91
1:E:174:ARG:NH2	1:E:175:TYR:HD2	1.69	0.90
1:A:171:PRO:O	7:A:401:HOH:O	1.90	0.88
1:D:16:GLU:OE1	7:D:401:HOH:O	1.92	0.87
1:D:128:LYS:NZ	7:D:402:HOH:O	1.95	0.86
1:E:174:ARG:CZ	1:E:175:TYR:HD2	1.88	0.86
1:B:107:ARG:O	7:B:401:HOH:O	1.95	0.85
1:E:170:ILE:C	1:E:174:ARG:HH21	1.83	0.85
1:E:171:PRO:HD2	1:E:174:ARG:HE	1.40	0.85
1:D:124:GLY:O	7:D:402:HOH:O	1.96	0.83
1:F:177:PHE:HB3	1:F:188:LYS:HE2	1.63	0.81
1:B:195:GLN:OE1	1:F:136:HIS:NE2	2.15	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:92:GLN:HE21	1:E:130:VAL:HG22	1.47	0.79
1:E:174:ARG:HD3	1:E:174:ARG:N	1.88	0.79
1:E:174:ARG:HH12	1:E:175:TYR:H	1.28	0.78
1:E:120:GLU:OE2	1:E:159:ASN:HB3	1.83	0.78
1:C:107:ARG:O	7:C:403:HOH:O	2.02	0.78
1:E:171:PRO:CD	1:E:174:ARG:HE	1.98	0.76
1:F:84:LEU:HD22	1:F:122:HIS:CG	2.20	0.76
1:E:84:LEU:HB2	7:E:401:HOH:O	1.87	0.74
1:C:5:PRO:O	7:C:404:HOH:O	2.04	0.74
1:F:23:TRP:HH2	1:F:77:THR:HG23	1.53	0.72
1:D:35:GLN:HA	1:D:67:LYS:HE2	1.72	0.71
1:E:199:ILE:HG23	1:E:200:GLU:H	1.54	0.71
1:E:174:ARG:CZ	1:E:175:TYR:CD2	2.74	0.71
1:A:177:PHE:HD2	1:A:188:LYS:HD2	1.57	0.70
1:F:13:VAL:O	7:F:401:HOH:O	2.09	0.69
1:F:16:GLU:OE1	7:F:403:HOH:O	2.10	0.69
1:F:54:ASN:ND2	7:F:407:HOH:O	2.25	0.69
1:F:77:THR:OG1	7:F:402:HOH:O	2.10	0.69
1:E:19:SER:HB2	1:E:149:TYR:CD2	2.28	0.69
1:F:118:ASP:OD2	7:F:404:HOH:O	2.12	0.68
1:F:91:ILE:HD11	7:F:442:HOH:O	1.95	0.67
1:D:5:PRO:HA	1:D:6:SER:C	2.20	0.67
1:F:144:ILE:HD12	1:F:177:PHE:HB2	1.77	0.67
1:E:42:THR:HG23	1:E:43:LYS:HG3	1.77	0.66
1:D:7:LEU:HD23	1:F:107:ARG:HG2	1.76	0.66
1:F:115:VAL:HG11	7:F:442:HOH:O	1.96	0.65
1:E:68:GLU:N	1:E:68:GLU:OE2	2.30	0.64
1:E:174:ARG:HH11	1:E:175:TYR:N	1.94	0.63
1:E:121:SER:OG	1:E:163:GLU:OE2	2.16	0.62
1:B:8:ILE:HD13	1:B:196:ILE:HG22	1.82	0.62
1:B:127:LEU:HD22	1:D:171:PRO:HG3	1.81	0.62
1:E:182:GLU:OE2	1:E:182:GLU:N	2.28	0.61
1:F:23:TRP:CH2	1:F:77:THR:HG23	2.33	0.61
1:F:10:VAL:HA	1:F:112:VAL:HG13	1.83	0.60
1:E:174:ARG:NH2	1:E:175:TYR:CD2	2.60	0.60
1:E:19:SER:HB2	1:E:149:TYR:HD2	1.67	0.60
1:F:31:GLU:O	1:F:35:GLN:HG2	2.00	0.60
1:A:174:ARG:NH1	7:A:403:HOH:O	2.11	0.60
1:F:144:ILE:N	1:F:164:ILE:HD11	2.17	0.60
1:B:200:GLU:OE2	7:B:404:HOH:O	2.17	0.59
1:F:31:GLU:HG3	1:F:71:ILE:CD1	2.29	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:87:THR:HB	1:F:121:SER:HB3	1.84	0.59
1:D:7:LEU:CD2	1:F:107:ARG:HG2	2.32	0.59
1:F:54:ASN:HB2	7:F:430:HOH:O	2.01	0.59
1:F:16:GLU:OE1	1:F:50:GLN:NE2	2.34	0.59
1:E:84:LEU:HB3	1:E:122:HIS:ND1	2.18	0.58
1:F:182:GLU:OE1	7:F:404:HOH:O	2.17	0.58
1:A:23:TRP:CD2	1:A:79:GLN:HB2	2.39	0.58
1:B:32:LYS:HG2	1:B:189:ALA:HB3	1.84	0.58
1:F:143:GLY:C	1:F:164:ILE:HD11	2.28	0.58
1:F:167:ILE:HD13	7:F:442:HOH:O	2.03	0.58
1:E:174:ARG:N	1:E:174:ARG:HH11	2.02	0.57
1:D:123:ASP:HB2	1:D:126:MET:HE2	1.86	0.57
1:E:53:ASN:O	1:E:86:ASN:ND2	2.35	0.57
1:E:174:ARG:H	1:E:174:ARG:HH11	1.51	0.57
1:F:167:ILE:HG21	7:F:442:HOH:O	2.04	0.57
1:C:128:LYS:HD3	1:A:173:GLU:HB2	1.86	0.56
1:A:177:PHE:CD2	1:A:188:LYS:HD2	2.40	0.56
1:C:174:ARG:O	1:C:195:GLN:NE2	2.39	0.56
1:A:62:ASN:OD1	7:A:404:HOH:O	2.18	0.55
1:C:38:ASP:OD1	1:C:43:LYS:NZ	2.30	0.54
1:B:6:SER:OG	1:B:200:GLU:OE1	2.14	0.54
1:F:31:GLU:CG	1:F:71:ILE:HD11	2.32	0.54
1:E:170:ILE:C	1:E:174:ARG:NH2	2.62	0.54
1:F:160:LEU:O	1:F:164:ILE:HG22	2.08	0.54
1:E:162:LYS:HD2	1:E:163:GLU:N	2.23	0.53
1:E:199:ILE:HG23	1:E:200:GLU:N	2.22	0.53
1:F:35:GLN:O	1:F:67:LYS:NZ	2.25	0.53
1:D:6:SER:HB3	1:D:200:GLU:CD	2.34	0.53
1:A:35:GLN:HG2	1:A:71:ILE:HD11	1.90	0.53
1:F:157:THR:O	1:F:161:ILE:HG22	2.09	0.53
1:E:140:LEU:HD22	1:E:199:ILE:HD11	1.91	0.52
1:E:107:ARG:NH2	1:E:108:SER:HB3	2.24	0.52
1:C:179:VAL:HG22	1:C:188:LYS:HG3	1.91	0.51
1:A:172:THR:N	7:A:402:HOH:O	1.96	0.51
1:F:179:VAL:CG2	1:F:188:LYS:HZ3	2.24	0.51
1:D:6:SER:O	7:D:404:HOH:O	2.19	0.51
1:E:85:THR:O	1:E:85:THR:HG23	2.11	0.51
1:D:50:GLN:NE2	7:D:401:HOH:O	2.44	0.51
1:F:41:PRO:HG3	1:F:65:LYS:HD3	1.93	0.51
1:F:37:LEU:HD23	1:F:44:THR:HG21	1.93	0.50
1:A:35:GLN:HA	1:A:67:LYS:HE2	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:53:ASN:ND2	7:F:413:HOH:O	2.44	0.50
1:E:85:THR:HG23	1:E:121:SER:HA	1.93	0.50
1:F:170:ILE:HG23	1:F:171:PRO:HA	1.94	0.50
1:D:6:SER:HB2	1:D:8:ILE:HG13	1.92	0.50
1:F:185:LEU:HD23	1:F:188:LYS:NZ	2.26	0.50
1:D:171:PRO:O	1:D:172:THR:HB	2.11	0.49
1:E:128:LYS:HD3	1:E:132:ASP:OD2	2.12	0.49
1:F:49:ILE:HG13	7:F:436:HOH:O	2.12	0.49
1:D:176:PHE:C	1:D:177:PHE:HD1	2.20	0.49
1:F:177:PHE:CD1	1:F:188:LYS:HD3	2.48	0.49
1:F:121:SER:OG	1:F:163:GLU:OE2	2.24	0.49
1:F:92:GLN:NE2	7:F:408:HOH:O	2.32	0.49
1:D:108:SER:OG	1:F:107:ARG:HG3	2.12	0.49
1:F:170:ILE:HA	1:F:171:PRO:C	2.38	0.48
1:C:10:VAL:O	1:C:46:VAL:HA	2.14	0.48
1:E:99:TYR:O	1:E:105:GLY:HA3	2.14	0.48
1:F:116:VAL:O	7:F:401:HOH:O	2.20	0.48
1:D:74:THR:O	1:D:77:THR:HG22	2.12	0.48
1:E:156:ASP:OD2	1:E:158:LYS:HD3	2.14	0.48
1:F:145:ALA:HB2	1:F:164:ILE:HG21	1.96	0.48
1:F:23:TRP:CD1	1:F:79:GLN:HB2	2.49	0.47
1:E:107:ARG:CZ	1:E:108:SER:HB3	2.44	0.47
1:D:191:THR:O	1:D:195:GLN:HG3	2.14	0.47
1:E:174:ARG:HH11	1:E:174:ARG:CA	2.27	0.47
1:D:33:PHE:CE1	1:D:196:ILE:HD12	2.50	0.47
1:E:35:GLN:HA	1:E:67:LYS:HE2	1.97	0.47
1:E:123:ASP:O	1:E:126:MET:HG2	2.15	0.47
1:D:5:PRO:HA	1:D:6:SER:O	2.15	0.47
1:F:23:TRP:O	1:F:26:VAL:HG12	2.14	0.46
1:F:23:TRP:CG	1:F:79:GLN:HB2	2.50	0.46
1:E:198:SER:O	1:E:198:SER:OG	2.20	0.46
1:F:174:ARG:HB3	7:F:405:HOH:O	2.15	0.46
1:F:194:GLU:O	1:F:197:PHE:HB3	2.16	0.46
1:A:170:ILE:HA	1:A:171:PRO:C	2.41	0.46
1:F:145:ALA:O	1:F:179:VAL:HG23	2.15	0.46
1:F:14:CYS:HB3	7:F:437:HOH:O	2.15	0.46
1:F:143:GLY:C	1:F:144:ILE:HD13	2.41	0.45
1:A:6:SER:HA	7:A:454:HOH:O	2.16	0.45
1:E:164:ILE:HD13	1:E:164:ILE:HA	1.71	0.45
1:E:164:ILE:HD13	1:E:167:ILE:HD12	1.99	0.45
1:E:174:ARG:HH12	1:E:175:TYR:N	1.95	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:38:ASP:OD2	1:D:43:LYS:HD3	2.16	0.45
1:A:54:ASN:CG	4:A:304:PEG:H11	2.42	0.45
1:F:179:VAL:CG2	1:F:188:LYS:NZ	2.80	0.45
1:F:27:LYS:HD2	1:F:75:SER:HA	2.00	0.44
1:E:53:ASN:HA	7:E:401:HOH:O	2.17	0.44
1:A:159:ASN:O	1:A:162:LYS:HE3	2.18	0.44
1:D:170:ILE:HG23	1:D:171:PRO:HA	1.99	0.44
1:F:179:VAL:HG22	1:F:188:LYS:NZ	2.33	0.44
1:F:174:ARG:HH11	1:F:199:ILE:HD12	1.83	0.43
1:F:144:ILE:HG23	1:F:188:LYS:HZ3	1.84	0.43
1:A:54:ASN:HB3	4:A:304:PEG:H11	2.00	0.43
1:A:162:LYS:HD2	1:A:163:GLU:N	2.34	0.43
1:F:95:ARG:HD3	1:F:137:ASP:OD1	2.19	0.43
1:F:53:ASN:OD1	1:F:53:ASN:N	2.52	0.43
1:D:182:GLU:OE1	1:D:182:GLU:N	2.48	0.43
1:F:145:ALA:HB2	1:F:164:ILE:HD13	2.01	0.42
1:F:70:MET:O	1:F:74:THR:HG23	2.19	0.42
1:A:159:ASN:O	1:A:162:LYS:HG3	2.20	0.42
1:F:48:LEU:HD11	7:F:437:HOH:O	2.19	0.42
1:F:185:LEU:HD23	1:F:188:LYS:HZ1	1.83	0.42
1:A:68:GLU:H	1:A:68:GLU:CD	2.28	0.42
1:D:23:TRP:CD2	1:D:79:GLN:HB2	2.54	0.42
1:E:194:GLU:O	1:E:198:SER:HB3	2.20	0.42
1:C:88:PHE:CE2	1:C:124:GLY:HA2	2.54	0.42
1:E:171:PRO:N	1:E:174:ARG:HH21	2.16	0.42
1:F:7:LEU:HB3	1:F:109:ALA:HA	2.01	0.42
1:E:174:ARG:HH11	1:E:174:ARG:C	2.26	0.42
1:C:128:LYS:CD	1:A:173:GLU:HB2	2.49	0.42
1:F:173:GLU:O	1:F:173:GLU:HG2	2.19	0.42
1:E:16:GLU:OE1	1:E:56:ARG:NH2	2.43	0.42
1:F:194:GLU:HA	1:F:197:PHE:CB	2.50	0.42
1:A:79:GLN:HB3	7:A:466:HOH:O	2.19	0.41
1:B:23:TRP:CD2	1:B:79:GLN:HB2	2.55	0.41
1:F:54:ASN:CG	1:F:55:PRO:HD2	2.45	0.41
1:F:95:ARG:NH1	1:F:96:LYS:HG2	2.35	0.41
1:F:190:GLY:O	1:F:194:GLU:HG3	2.20	0.41
1:F:18:ASN:ND2	1:F:83:ASP:OD1	2.53	0.41
1:A:99:TYR:O	1:A:105:GLY:HA3	2.21	0.41
1:F:161:ILE:HD13	1:F:161:ILE:HG21	1.88	0.41
1:D:6:SER:HA	1:D:7:LEU:HB2	2.01	0.41
1:F:177:PHE:CD1	1:F:192:LEU:HD12	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:172:THR:N	7:C:402:HOH:O	1.92	0.41
1:E:170:ILE:HA	1:E:171:PRO:O	2.21	0.41
1:F:23:TRP:HB2	1:F:79:GLN:OE1	2.21	0.41
1:F:51:TYR:CE2	1:F:85:THR:HG23	2.56	0.41
1:F:176:PHE:CE2	1:F:178:ASN:HB2	2.56	0.41
1:F:116:VAL:HA	1:F:144:ILE:HB	2.03	0.40
1:A:93:TYR:CE2	4:A:304:PEG:H41	2.56	0.40
1:B:10:VAL:O	1:B:46:VAL:HA	2.21	0.40
1:E:174:ARG:HD3	1:E:174:ARG:HH11	1.36	0.40
1:A:120:GLU:CD	1:A:159:ASN:HB3	2.47	0.40
1:F:47:GLY:N	1:F:61:LEU:HD23	2.36	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:159:ASN:CG	1:E:159:ASN:ND2[7_555]	1.35	0.85
6:F:301:GOL:C3	6:F:301:GOL:O3[7_554]	1.41	0.79
7:E:415:HOH:O	7:E:415:HOH:O[7_555]	2.06	0.14
7:F:435:HOH:O	7:F:435:HOH:O[7_554]	2.11	0.09

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	194/197 (98%)	189 (97%)	3 (2%)	2 (1%)	12	8
1	B	194/197 (98%)	189 (97%)	3 (2%)	2 (1%)	12	8
1	C	195/197 (99%)	191 (98%)	2 (1%)	2 (1%)	12	8
1	D	195/197 (99%)	190 (97%)	2 (1%)	3 (2%)	8	4
1	E	194/197 (98%)	189 (97%)	3 (2%)	2 (1%)	12	8

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	193/197 (98%)	188 (97%)	3 (2%)	2 (1%)	12	8
All	All	1165/1182 (99%)	1136 (98%)	16 (1%)	13 (1%)	11	7

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	171	PRO
1	D	6	SER
1	E	171	PRO
1	C	172	THR
1	A	172	THR
1	B	172	THR
1	D	172	THR
1	E	199	ILE
1	F	172	THR
1	B	171	PRO
1	F	171	PRO
1	C	171	PRO
1	D	171	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	164/165 (99%)	163 (99%)	1 (1%)	78	84
1	B	164/165 (99%)	163 (99%)	1 (1%)	78	84
1	C	164/165 (99%)	164 (100%)	0	100	100
1	D	164/165 (99%)	163 (99%)	1 (1%)	78	84
1	E	164/165 (99%)	164 (100%)	0	100	100
1	F	163/165 (99%)	161 (99%)	2 (1%)	63	70
All	All	983/990 (99%)	978 (100%)	5 (0%)	81	87

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	SER
1	B	7	LEU
1	D	172	THR
1	F	85	THR
1	F	188	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	153	ASN
1	A	195	GLN
1	D	50	GLN
1	D	153	ASN
1	D	195	GLN
1	E	54	ASN
1	F	50	GLN
1	F	76	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 9 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	SO4	A	305	-	4,4,4	0.30	0	6,6,6	0.13	0
6	GOL	D	303	-	5,5,5	0.35	0	5,5,5	0.59	0
6	GOL	F	301	-	5,5,5	0.46	0	5,5,5	2.34	1 (20%)
5	SO4	D	304	-	4,4,4	0.20	0	6,6,6	0.47	0
5	SO4	D	305	-	4,4,4	0.24	0	6,6,6	0.13	0
4	PEG	A	304	-	6,6,6	0.50	0	5,5,5	0.37	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	D	303	-	-	0/4/4/4	-
4	PEG	A	304	-	-	2/4/4/4	-
6	GOL	F	301	-	-	2/4/4/4	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	F	301	GOL	O3-C3-C2	5.18	133.69	110.38

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	F	301	GOL	O1-C1-C2-C3
6	F	301	GOL	O1-C1-C2-O2
4	A	304	PEG	O1-C1-C2-O2
4	A	304	PEG	O2-C3-C4-O4

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	F	301	GOL	0	1
4	A	304	PEG	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	196/197 (99%)	0.03	5 (2%) 57 61	14, 23, 33, 42	0
1	B	196/197 (99%)	0.15	7 (3%) 46 50	14, 23, 39, 74	0
1	C	197/197 (100%)	0.03	8 (4%) 41 46	14, 20, 35, 73	0
1	D	197/197 (100%)	0.16	7 (3%) 46 50	14, 23, 38, 48	0
1	E	196/197 (99%)	1.90	74 (37%) 1 1	25, 45, 71, 89	0
1	F	195/197 (98%)	3.28	166 (85%) 0 0	39, 59, 79, 87	0
All	All	1177/1182 (99%)	0.92	267 (22%) 2 2	14, 27, 69, 89	0

All (267) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	150	LEU	7.4
1	E	197	PHE	7.1
1	F	23	TRP	6.4
1	F	59	PHE	6.3
1	F	30	LEU	6.3
1	F	80	TYR	6.3
1	F	82	GLY	6.2
1	E	154	ALA	6.1
1	F	197	PHE	5.9
1	F	196	ILE	5.7
1	F	189	ALA	5.6
1	F	140	LEU	5.5
1	F	161	ILE	5.4
1	F	37	LEU	5.3
1	F	84	LEU	5.3
1	F	192	LEU	5.3
1	F	46	VAL	5.2
1	F	49	ILE	5.2
1	E	149	TYR	5.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	197	PHE	5.1
1	E	174	ARG	5.1
1	E	199	ILE	5.1
1	E	160	LEU	5.0
1	F	26	VAL	5.0
1	F	20	ILE	5.0
1	F	32	LYS	5.0
1	E	171	PRO	5.0
1	F	154	ALA	5.0
1	F	184	ALA	4.9
1	E	172	THR	4.9
1	F	36	GLY	4.9
1	E	155	LEU	4.9
1	F	77	THR	4.9
1	F	57	VAL	4.9
1	F	179	VAL	4.8
1	F	66	THR	4.8
1	E	7	LEU	4.7
1	F	201	GLY	4.7
1	F	58	VAL	4.7
1	F	34	VAL	4.6
1	F	150	LEU	4.6
1	F	21	TYR	4.5
1	F	33	PHE	4.5
1	F	166	ALA	4.5
1	F	147	LEU	4.5
1	F	29	PHE	4.5
1	F	176	PHE	4.4
1	F	12	VAL	4.4
1	E	80	TYR	4.4
1	F	71	ILE	4.3
1	F	91	ILE	4.3
1	F	42	THR	4.3
1	F	72	VAL	4.3
1	F	185	LEU	4.3
1	E	147	LEU	4.2
1	F	167	ILE	4.2
1	F	85	THR	4.2
1	F	10	VAL	4.2
1	F	199	ILE	4.2
1	B	6	SER	4.2
1	F	43	LYS	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	186	LEU	4.1
1	F	39	ILE	4.1
1	F	183	ALA	4.1
1	E	184	ALA	4.1
1	F	116	VAL	4.1
1	F	74	THR	4.1
1	F	8	ILE	4.1
1	F	25	ALA	4.0
1	E	119	GLY	4.0
1	F	191	THR	4.0
1	F	115	VAL	4.0
1	E	18	ASN	4.0
1	E	82	GLY	4.0
1	C	201	GLY	4.0
1	B	201	GLY	4.0
1	E	148	GLY	4.0
1	F	160	LEU	3.9
1	F	131	ILE	3.9
1	E	41	PRO	3.9
1	F	117	THR	3.9
1	F	93	TYR	3.8
1	F	144	ILE	3.8
1	E	84	LEU	3.8
1	F	119	GLY	3.8
1	E	85	THR	3.8
1	F	87	THR	3.8
1	F	130	VAL	3.8
1	F	113	MET	3.8
1	F	138	ASN	3.7
1	F	188	LYS	3.7
1	E	101	ALA	3.7
1	F	27	LYS	3.7
1	F	142	PHE	3.7
1	F	22	PRO	3.7
1	F	41	PRO	3.6
1	E	146	VAL	3.6
1	F	90	ALA	3.6
1	E	52	ALA	3.6
1	F	61	LEU	3.6
1	B	200	GLU	3.6
1	E	152	ARG	3.6
1	E	201	GLY	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	78	SER	3.6
1	F	101	ALA	3.5
1	E	157	THR	3.5
1	E	151	ASN	3.5
1	F	55	PRO	3.5
1	F	98	ALA	3.5
1	E	81	GLY	3.5
1	E	6	SER	3.4
1	F	193	GLY	3.4
1	F	51	TYR	3.4
1	F	175	TYR	3.4
1	F	178	ASN	3.4
1	F	75	SER	3.4
1	F	76	GLN	3.4
1	F	14	CYS	3.4
1	F	62	ASN	3.4
1	F	146	VAL	3.4
1	F	198	SER	3.4
1	F	102	ALA	3.4
1	F	48	LEU	3.4
1	F	38	ASP	3.3
1	F	81	GLY	3.3
1	F	190	GLY	3.3
1	F	136	HIS	3.3
1	F	164	ILE	3.3
1	F	155	LEU	3.3
1	F	70	MET	3.3
1	C	5	PRO	3.2
1	F	139	ILE	3.2
1	E	173	GLU	3.2
1	F	177	PHE	3.2
1	E	17	SER	3.2
1	F	105	GLY	3.2
1	B	171	PRO	3.2
1	E	170	ILE	3.2
1	F	88	PHE	3.1
1	F	28	ASN	3.1
1	F	114	VAL	3.1
1	F	200	GLU	3.1
1	E	153	ASN	3.1
1	E	196	ILE	3.1
1	F	50	GLN	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	40	GLY	3.0
1	E	178	ASN	3.0
1	F	86	ASN	3.0
1	F	40	GLY	3.0
1	F	89	GLY	3.0
1	C	200	GLU	3.0
1	F	73	ALA	3.0
1	E	121	SER	3.0
1	F	17	SER	3.0
1	F	44	THR	3.0
1	F	157	THR	3.0
1	C	197	PHE	3.0
1	F	11	VAL	2.9
1	E	21	TYR	2.9
1	E	54	ASN	2.9
1	F	35	GLN	2.9
1	A	80	TYR	2.9
1	E	19	SER	2.9
1	F	145	ALA	2.9
1	F	181	ASP	2.9
1	F	31	GLU	2.9
1	E	158	LYS	2.9
1	F	67	LYS	2.9
1	A	83	ASP	2.8
1	F	7	LEU	2.8
1	F	56	ARG	2.8
1	F	110	THR	2.8
1	F	99	TYR	2.8
1	E	122	HIS	2.8
1	F	52	ALA	2.8
1	F	94	ALA	2.8
1	F	132	ASP	2.8
1	F	194	GLU	2.8
1	C	199	ILE	2.8
1	E	20	ILE	2.8
1	D	5	PRO	2.8
1	F	13	VAL	2.8
1	E	200	GLU	2.8
1	F	65	LYS	2.8
1	E	179	VAL	2.8
1	E	53	ASN	2.7
1	E	102	ALA	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	66	THR	2.7
1	F	63	THR	2.7
1	F	83	ASP	2.7
1	F	121	SER	2.7
1	F	180	SER	2.7
1	F	64	TYR	2.7
1	D	6	SER	2.7
1	E	161	ILE	2.7
1	F	15	ASP	2.7
1	F	165	LYS	2.7
1	E	55	PRO	2.6
1	B	199	ILE	2.6
1	E	198	SER	2.6
1	F	24	ASP	2.6
1	F	148	GLY	2.6
1	F	18	ASN	2.6
1	A	6	SER	2.6
1	F	69	GLU	2.6
1	F	143	GLY	2.6
1	F	54	ASN	2.6
1	B	31	GLU	2.5
1	F	182	GLU	2.5
1	F	111	LYS	2.5
1	E	38	ASP	2.5
1	E	83	ASP	2.5
1	C	198	SER	2.5
1	F	195	GLN	2.5
1	E	23	TRP	2.5
1	F	149	TYR	2.5
1	D	154	ALA	2.5
1	E	180	SER	2.5
1	F	168	ALA	2.5
1	F	123	ASP	2.5
1	F	127	LEU	2.5
1	F	112	VAL	2.4
1	F	172	THR	2.4
1	F	95	ARG	2.4
1	F	171	PRO	2.4
1	E	62	ASN	2.4
1	E	39	ILE	2.4
1	C	21	TYR	2.4
1	A	171	PRO	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	122	HIS	2.4
1	E	120	GLU	2.3
1	F	153	ASN	2.3
1	C	108	SER	2.3
1	E	110	THR	2.3
1	F	16	GLU	2.3
1	F	79	GLN	2.3
1	F	53	ASN	2.3
1	E	107	ARG	2.3
1	E	177	PHE	2.3
1	F	68	GLU	2.2
1	F	108	SER	2.2
1	E	176	PHE	2.2
1	E	42	THR	2.2
1	F	162	LYS	2.2
1	E	181	ASP	2.2
1	F	19	SER	2.2
1	A	187	GLU	2.2
1	E	109	ALA	2.2
1	D	122	HIS	2.2
1	E	64	TYR	2.2
1	F	97	TYR	2.2
1	D	107	ARG	2.2
1	E	89	GLY	2.1
1	E	56	ARG	2.1
1	E	183	ALA	2.1
1	D	178	ASN	2.1
1	D	171	PRO	2.1
1	F	126	MET	2.1
1	F	137	ASP	2.1
1	E	195	GLN	2.1
1	E	43	LYS	2.1
1	F	174	ARG	2.0
1	E	78	SER	2.0
1	F	100	SER	2.0
1	F	45	GLN	2.0
1	F	9	ASP	2.0
1	E	175	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	SO4	D	305	5/5	0.49	0.15	83,85,95,95	0
5	SO4	A	305	5/5	0.73	0.21	51,52,56,71	0
6	GOL	F	301	6/6	0.78	0.17	51,52,60,60	1
3	CL	D	302	1/1	0.81	0.12	62,62,62,62	0
3	CL	A	303	1/1	0.82	0.12	52,52,52,52	0
6	GOL	D	303	6/6	0.86	0.12	28,32,35,35	0
4	PEG	A	304	7/7	0.91	0.10	24,26,30,31	0
2	CA	E	301	1/1	0.92	0.07	52,52,52,52	0
2	CA	D	301	1/1	0.94	0.05	37,37,37,37	0
3	CL	B	302	1/1	0.94	0.10	40,40,40,40	0
2	CA	A	301	1/1	0.95	0.05	35,35,35,35	0
5	SO4	D	304	5/5	0.97	0.09	22,22,28,36	0
2	CA	C	301	1/1	0.97	0.06	40,40,40,40	0
3	CL	A	302	1/1	0.98	0.06	27,27,27,27	1
2	CA	B	301	1/1	0.99	0.02	28,28,28,28	0

6.5 Other polymers [i](#)

There are no such residues in this entry.