



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:46 PM UTC

PDB ID : 5HJO / pdb_00005hjo
Title : Murine endoplasmic reticulum alpha-glucosidase II with bound substrate analogue
Authors : Caputo, A.T.; Roversi, P.; Alonzi, D.S.; Kiappes, J.L.; Zitzmann, N.
Deposited on : 2016-01-13
Resolution : 2.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	857	4% 97% .
1	C	857	2% 96% .
2	B	83	19% 96% .
2	D	83	12% 94% 5% .
3	E	4	25% 75%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	4	 25%75%
4	G	2	 50%50%
4	H	2	 50%50%

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 30426 atoms, of which 14497 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neutral alpha-glucosidase AB.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	854	Total	C	H	N	O	S	0	2	0
			13547	4419	6645	1195	1260	28			
1	C	854	Total	C	H	N	O	S	0	3	0
			13554	4422	6647	1195	1262	28			

There are 198 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	VAL	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	PHE	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	VAL	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	VAL	deletion	UNP Q8BHN3
A	?	-	TRP	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ILE	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ASN	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	PHE	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	ARG	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ASN	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	PRO	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	ALA	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3
A	?	-	THR	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	PHE	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	LYS	deletion	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	MET	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	ASP	deletion	UNP Q8BHN3
A	?	-	TYR	deletion	UNP Q8BHN3
A	?	-	LEU	deletion	UNP Q8BHN3
A	?	-	GLN	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	SER	deletion	UNP Q8BHN3
A	?	-	GLY	deletion	UNP Q8BHN3
A	?	-	GLU	deletion	UNP Q8BHN3
A	945	THR	-	expression tag	UNP Q8BHN3
A	946	SER	-	expression tag	UNP Q8BHN3
A	947	VAL	-	expression tag	UNP Q8BHN3
A	948	LEU	-	expression tag	UNP Q8BHN3
A	949	ILE	-	expression tag	UNP Q8BHN3
A	950	LEU	-	expression tag	UNP Q8BHN3
A	951	ARG	-	expression tag	UNP Q8BHN3
A	952	LYS	-	expression tag	UNP Q8BHN3
A	953	PRO	-	expression tag	UNP Q8BHN3
A	954	GLY	-	expression tag	UNP Q8BHN3
A	955	VAL	-	expression tag	UNP Q8BHN3
A	956	SER	-	expression tag	UNP Q8BHN3
A	957	VAL	-	expression tag	UNP Q8BHN3
A	958	ALA	-	expression tag	UNP Q8BHN3
A	959	SER	-	expression tag	UNP Q8BHN3
A	960	ASP	-	expression tag	UNP Q8BHN3
A	961	TRP	-	expression tag	UNP Q8BHN3
A	962	SER	-	expression tag	UNP Q8BHN3
A	963	ILE	-	expression tag	UNP Q8BHN3
A	964	HIS	-	expression tag	UNP Q8BHN3
A	965	LEU	-	expression tag	UNP Q8BHN3
A	966	ARG	-	expression tag	UNP Q8BHN3
C	?	-	VAL	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	PHE	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	VAL	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	VAL	deletion	UNP Q8BHN3
C	?	-	TRP	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ILE	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ASN	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	PHE	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	ARG	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ASN	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	PRO	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	ALA	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	THR	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	PHE	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	LYS	deletion	UNP Q8BHN3
C	?	-	MET	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	ASP	deletion	UNP Q8BHN3
C	?	-	TYR	deletion	UNP Q8BHN3
C	?	-	LEU	deletion	UNP Q8BHN3
C	?	-	GLN	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	SER	deletion	UNP Q8BHN3
C	?	-	GLY	deletion	UNP Q8BHN3
C	?	-	GLU	deletion	UNP Q8BHN3
C	945	THR	-	expression tag	UNP Q8BHN3
C	946	SER	-	expression tag	UNP Q8BHN3
C	947	VAL	-	expression tag	UNP Q8BHN3
C	948	LEU	-	expression tag	UNP Q8BHN3
C	949	ILE	-	expression tag	UNP Q8BHN3
C	950	LEU	-	expression tag	UNP Q8BHN3
C	951	ARG	-	expression tag	UNP Q8BHN3
C	952	LYS	-	expression tag	UNP Q8BHN3
C	953	PRO	-	expression tag	UNP Q8BHN3
C	954	GLY	-	expression tag	UNP Q8BHN3
C	955	VAL	-	expression tag	UNP Q8BHN3
C	956	SER	-	expression tag	UNP Q8BHN3
C	957	VAL	-	expression tag	UNP Q8BHN3
C	958	ALA	-	expression tag	UNP Q8BHN3
C	959	SER	-	expression tag	UNP Q8BHN3
C	960	ASP	-	expression tag	UNP Q8BHN3
C	961	TRP	-	expression tag	UNP Q8BHN3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	962	SER	-	expression tag	UNP Q8BHN3
C	963	ILE	-	expression tag	UNP Q8BHN3
C	964	HIS	-	expression tag	UNP Q8BHN3
C	965	LEU	-	expression tag	UNP Q8BHN3
C	966	ARG	-	expression tag	UNP Q8BHN3

- Molecule 2 is a protein called Glucosidase 2 subunit beta.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	83	Total	C	H	N	O	S	0	0	0
			1149	368	533	101	137	10			
2	D	83	Total	C	H	N	O	S	0	0	0
			1149	368	533	101	137	10			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	E	4	Total	C	H	N	O		0	0	0
			93	28	43	2	20				
3	F	4	Total	C	H	N	O		0	0	0
			93	28	43	2	20				

- Molecule 4 is an oligosaccharide called 2-deoxy-alpha-D-arabino-hexopyranose-(1-3)-D-glucal.




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace
4	G	2	Total	C O	0	0	0
			20	12 8			
4	H	2	Total	C O	0	0	0
			20	12 8			

- Molecule 5 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	H	O	0	0
			7	2	3	2		
5	C	1	Total	C	H	O	0	0
			7	2	3	2		

- Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	H	O	0	0
			10	2	6	2		
6	C	1	Total	C	H	O	0	0
			10	2	6	2		

- Molecule 7 is FORMIC ACID (CCD ID: FMT) (formula: CH₂O₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	H	O	0	0
			4	1	1	2		
7	A	1	Total	C	H	O	0	0
			5	1	2	2		
7	A	1	Total	C	H	O	0	0
			5	1	2	2		
7	A	1	Total	C	H	O	0	0
			5	1	2	2		
7	A	1	Total	C	H	O	0	0
			4	1	1	2		
7	A	1	Total	C	H	O	0	0
			4	1	1	2		
7	A	1	Total	C	H	O	0	0
			5	1	2	2		
7	A	1	Total	C	H	O	0	0
			5	1	2	2		
7	C	1	Total	C	H	O	0	0
			4	1	1	2		
7	C	1	Total	C	H	O	0	0
			5	1	2	2		
7	C	1	Total	C	H	O	0	0
			5	1	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	C	1	Total	C	H	O	0	0
			5	1	2	2		
7	C	1	Total	C	H	O	0	0
			5	1	2	2		
7	C	1	Total	C	H	O	0	0
			4	1	1	2		
7	C	1	Total	C	H	O	0	0
			5	1	2	2		
7	C	1	Total	C	H	O	0	0
			5	1	2	2		
7	C	1	Total	C	H	O	0	0
			5	1	2	2		

- Molecule 8 is D-glucal (CCD ID: DGO) (formula: $C_6H_{10}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	B	1	Total	C	O	0	0
			10	6	4		
8	D	1	Total	C	O	0	0
			10	6	4		

- Molecule 9 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	B	2	Total 2	Ca 2	0	0
9	D	2	Total 2	Ca 2	0	0


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	299	Total 299	O 299	0	0
10	B	35	Total 35	O 35	0	0
10	C	288	Total 288	O 288	0	0
10	D	26	Total 26	O 26	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Neutral alpha-glucosidase AB




- Molecule 1: Neutral alpha-glucosidase AB




- Molecule 2: Glucosidase 2 subunit beta



- Molecule 2: Glucosidase 2 subunit beta



- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  25% 75%

MAG1	MAG2	BUA3	MAN4
------	------	------	------

- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  25% 75%

MAG1	MAG2	BUA3	MAN4
------	------	------	------

- Molecule 4: 2-deoxy-alpha-D-arabino-hexopyranose-(1-3)-D-glucal

Chain G:  50% 50%

DC01	Z612
------	------

- Molecule 4: 2-deoxy-alpha-D-arabino-hexopyranose-(1-3)-D-glucal

Chain H:  50% 50%

DC01	Z612
------	------

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	127.05Å 176.44Å 103.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	103.10 – 2.29 103.10 – 2.29	Depositor EDS
% Data completeness (in resolution range)	96.6 (103.10-2.29) 96.6 (103.10-2.29)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.21	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.63 (at 2.29Å)	Xtriage
Refinement program	BUSTER 2.10.2	Depositor
R, R_{free}	0.204 , 0.236 0.219 , 0.215	Depositor DCC
R_{free} test set	5000 reflections (4.75%)	wwPDB-VP
Wilson B-factor (Å ²)	36.3	Xtriage
Anisotropy	0.664	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 39.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	30426	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 18.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: Z61, FMT, MAN, CA, ACT, DGO, BMA, NAG, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.75	1/7118 (0.0%)	1.02	7/9686 (0.1%)
1	C	0.83	1/7126 (0.0%)	1.06	12/9697 (0.1%)
2	B	0.82	0/628	1.02	1/854 (0.1%)
2	D	0.95	0/628	1.14	2/854 (0.2%)
All	All	0.80	2/15500 (0.0%)	1.04	22/21091 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	578	MET	SD-CE	-7.40	1.61	1.79
1	A	578	MET	SD-CE	-6.66	1.62	1.79

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	49	ASP	CA-CB-CG	10.23	122.83	112.60
1	A	885	ARG	CG-CD-NE	9.65	133.23	112.00
1	C	134	ASP	CA-CB-CG	8.64	121.24	112.60
1	C	497	SER	N-CA-C	8.19	122.53	112.54
2	D	101	ASP	CA-CB-CG	7.55	120.15	112.60
1	C	695	PHE	CA-CB-CG	6.58	120.39	113.80
1	C	707	GLU	N-CA-C	-6.53	101.35	109.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	497	SER	CA-C-N	6.37	133.17	121.70
1	C	497	SER	C-N-CA	6.37	133.17	121.70
1	A	695	PHE	CA-CB-CG	6.31	120.11	113.80
1	A	467	ARG	CB-CG-CD	6.27	125.73	111.30
1	C	467	ARG	CB-CG-CD	6.00	125.09	111.30
1	C	620	PHE	CA-CB-CG	-5.94	107.86	113.80
1	A	496	ASP	CA-CB-CG	5.83	118.42	112.60
1	A	620	PHE	CA-CB-CG	-5.75	108.06	113.80
2	B	101	ASP	CA-CB-CG	5.70	118.30	112.60
1	C	772	ASP	CA-CB-CG	5.68	118.28	112.60
1	A	772	ASP	CA-CB-CG	5.65	118.25	112.60
1	C	527	GLY	N-CA-C	-5.36	104.85	111.45
1	A	93	GLY	N-CA-C	-5.35	103.24	111.64
1	C	93	GLY	N-CA-C	-5.28	103.35	111.64
1	C	40	THR	N-CA-C	-5.06	103.26	110.59

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	497	SER	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6902	6645	6651	8	0
1	C	6907	6647	6655	10	0
2	B	616	533	533	1	0
2	D	616	533	533	2	0
3	E	50	43	43	0	0
3	F	50	43	43	0	0
4	G	20	0	0	0	0
4	H	20	0	0	0	0
5	A	4	3	3	0	0
5	C	4	3	3	0	0
6	A	4	6	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	C	4	6	6	0	0
7	A	30	17	19	0	0
7	C	30	18	18	0	0
8	B	10	0	0	0	0
8	D	10	0	0	1	0
9	B	2	0	0	0	0
9	D	2	0	0	0	0
10	A	299	0	0	0	0
10	B	35	0	0	0	0
10	C	288	0	0	0	0
10	D	26	0	0	0	0
All	All	15929	14497	14513	21	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (21) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:182:ARG:NH1	1:A:263:PRO:HG2	2.27	0.49
1:A:682:LEU:HD23	1:A:711:LEU:HD11	1.93	0.49
1:C:182:ARG:NH1	1:C:263:PRO:HG2	2.27	0.49
1:C:493:ILE:HG23	1:C:499:TYR:CE2	2.49	0.48
1:A:320:SER:O	1:A:627:PHE:HA	2.13	0.47
1:C:320:SER:O	1:C:627:PHE:HA	2.14	0.47
2:D:61:GLY:HA2	2:D:70:CYS:SG	2.55	0.47
1:C:672:GLY:O	1:C:706:ARG:NH1	2.40	0.47
1:C:567:GLU:N	1:C:568:PRO:HA	2.30	0.45
1:A:113:TYR:CZ	1:A:593:ILE:HG22	2.51	0.45
1:C:113:TYR:CZ	1:C:593:ILE:HG22	2.51	0.45
1:A:567:GLU:N	1:A:568:PRO:HA	2.32	0.44
1:A:593:ILE:HD12	1:A:593:ILE:C	2.43	0.42
1:C:593:ILE:C	1:C:593:ILE:HD12	2.43	0.42
2:B:61:GLY:HA2	2:B:70:CYS:SG	2.60	0.42
1:C:496:ASP:OD1	1:C:498:GLY:HA3	2.20	0.42
2:D:49:ASP:HB2	8:D:201:DGO:O5	2.20	0.42
1:C:168:LEU:HD22	1:C:388:LEU:HD13	2.02	0.41
1:C:414:PHE:CD1	1:C:414:PHE:C	2.99	0.41
1:A:168:LEU:HD22	1:A:388:LEU:HD13	2.03	0.41
1:A:414:PHE:CD1	1:A:414:PHE:C	2.99	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	850/857 (99%)	827 (97%)	23 (3%)	0	100	100
1	C	851/857 (99%)	824 (97%)	26 (3%)	1 (0%)	48	60
2	B	81/83 (98%)	80 (99%)	1 (1%)	0	100	100
2	D	81/83 (98%)	79 (98%)	2 (2%)	0	100	100
All	All	1863/1880 (99%)	1810 (97%)	52 (3%)	1 (0%)	48	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	576	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	747/748 (100%)	742 (99%)	5 (1%)	76	87
1	C	748/748 (100%)	742 (99%)	6 (1%)	73	86
2	B	72/72 (100%)	72 (100%)	0	100	100
2	D	72/72 (100%)	71 (99%)	1 (1%)	59	76
All	All	1639/1640 (100%)	1627 (99%)	12 (1%)	76	87

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	259	LYS
1	A	424	ASN
1	A	446	ASP
1	A	576	VAL
1	A	637	TRP
1	C	424	ASN
1	C	446	ASP
1	C	576	VAL
1	C	637	TRP
1	C	714	GLN
1	C	776	ILE
2	D	53	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	372	GLN
1	A	563	ASN
1	A	647	HIS
1	A	725	GLN
1	A	859	GLN
2	B	79	ASN
1	C	77	HIS
1	C	372	GLN
1	C	647	HIS
1	C	859	GLN
2	D	50	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

12 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	E	1	3,1	14,14,15	0.27	0	17,19,21	0.79	1 (5%)
3	NAG	E	2	3	14,14,15	0.39	0	17,19,21	0.72	1 (5%)
3	BMA	E	3	3	11,11,12	0.28	0	15,15,17	0.48	0
3	MAN	E	4	3	11,11,12	0.32	0	15,15,17	0.69	1 (6%)
3	NAG	F	1	3,1	14,14,15	0.28	0	17,19,21	0.89	1 (5%)
3	NAG	F	2	3	14,14,15	0.39	0	17,19,21	0.72	1 (5%)
3	BMA	F	3	3	11,11,12	0.29	0	15,15,17	0.49	0
3	MAN	F	4	3	11,11,12	0.32	0	15,15,17	0.72	1 (6%)
4	DGO	G	1	4	10,10,10	1.48	1 (10%)	12,13,13	2.67	2 (16%)
4	Z61	G	2	4	10,10,11	0.23	0	13,13,15	0.77	0
4	DGO	H	1	4	10,10,10	1.40	1 (10%)	12,13,13	2.59	2 (16%)
4	Z61	H	2	4	10,10,11	0.24	0	13,13,15	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	E	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	E	2	3	-	0/6/23/26	0/1/1/1
3	BMA	E	3	3	-	0/2/19/22	0/1/1/1
3	MAN	E	4	3	-	0/2/19/22	0/1/1/1
3	NAG	F	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	0/6/23/26	0/1/1/1
3	BMA	F	3	3	-	0/2/19/22	0/1/1/1
3	MAN	F	4	3	-	0/2/19/22	0/1/1/1
4	DGO	G	1	4	-	2/2/16/16	0/1/1/1
4	Z61	G	2	4	-	0/2/16/18	0/1/1/1
4	DGO	H	1	4	-	2/2/16/16	0/1/1/1
4	Z61	H	2	4	-	0/2/16/18	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	G	1	DGO	C4-C3	4.60	1.60	1.52
4	H	1	DGO	C4-C3	4.34	1.60	1.52

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	1	DGO	C5-O5-C1	6.85	124.30	114.37
4	H	1	DGO	C5-O5-C1	6.49	123.78	114.37
4	G	1	DGO	O5-C5-C6	-5.63	97.83	107.01
4	H	1	DGO	O5-C5-C6	-5.63	97.84	107.01
3	F	1	NAG	C1-C2-N2	-2.52	106.46	110.43
3	F	4	MAN	C1-O5-C5	2.12	115.03	112.19
3	F	2	NAG	C1-C2-N2	-2.11	107.10	110.43
3	E	2	NAG	C1-C2-N2	-2.11	107.11	110.43
3	E	1	NAG	C1-C2-N2	-2.06	107.18	110.43
3	E	4	MAN	C1-O5-C5	2.00	114.87	112.19

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	G	1	DGO	C4-C5-C6-O6
4	H	1	DGO	C4-C5-C6-O6
4	G	1	DGO	O5-C5-C6-O6
4	H	1	DGO	O5-C5-C6-O6

There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

Oligosaccharide Chain E



Oligosaccharide Chain F





5.6 Ligand geometry [i](#)

Of 30 ligands modelled in this entry, 4 are monoatomic - leaving 26 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
7	FMT	A	1010	-	2,2,2	1.57	1 (50%)	1,1,1	0.96	0
7	FMT	A	1015	-	2,2,2	1.83	1 (50%)	1,1,1	0.93	0
5	ACT	C	1006	-	3,3,3	1.79	1 (33%)	3,3,3	0.77	0
6	EDO	A	1006	-	3,3,3	0.80	0	2,2,2	0.29	0
7	FMT	A	1009	-	2,2,2	1.48	1 (50%)	1,1,1	1.01	0
7	FMT	A	1016	-	2,2,2	1.56	1 (50%)	1,1,1	1.05	0
7	FMT	C	1014	-	2,2,2	1.63	1 (50%)	1,1,1	0.77	0
8	DGO	D	201	-	10,10,10	0.29	0	12,13,13	1.60	2 (16%)
7	FMT	A	1011	-	2,2,2	1.21	0	1,1,1	1.27	0
7	FMT	C	1008	-	2,2,2	2.14	1 (50%)	1,1,1	1.06	0
7	FMT	A	1012	-	2,2,2	1.92	1 (50%)	1,1,1	1.21	0
7	FMT	C	1010	-	2,2,2	1.29	0	1,1,1	0.97	0
7	FMT	C	1011	-	2,2,2	1.52	1 (50%)	1,1,1	1.00	0
7	FMT	A	1014	-	2,2,2	1.32	0	1,1,1	1.06	0
6	EDO	C	1007	-	3,3,3	0.81	0	2,2,2	0.30	0
7	FMT	A	1007	-	2,2,2	1.15	0	1,1,1	1.13	0
7	FMT	C	1012	-	2,2,2	1.35	0	1,1,1	1.24	0
7	FMT	C	1016	-	2,2,2	1.34	0	1,1,1	1.03	0
7	FMT	A	1013	-	2,2,2	1.60	1 (50%)	1,1,1	0.75	0
7	FMT	A	1008	-	2,2,2	1.62	1 (50%)	1,1,1	1.07	0
7	FMT	C	1015	-	2,2,2	1.14	0	1,1,1	1.10	0
7	FMT	C	1009	-	2,2,2	1.58	1 (50%)	1,1,1	1.05	0
7	FMT	C	1017	-	2,2,2	1.43	0	1,1,1	0.97	0
7	FMT	C	1013	-	2,2,2	1.14	0	1,1,1	1.13	0
5	ACT	A	1005	-	3,3,3	1.75	2 (66%)	3,3,3	1.09	0
8	DGO	B	201	-	10,10,10	0.34	0	12,13,13	1.66	4 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	C	1007	-	-	0/1/1/1	-
6	EDO	A	1006	-	-	0/1/1/1	-
8	DGO	B	201	-	-	0/2/16/16	0/1/1/1
8	DGO	D	201	-	-	0/2/16/16	0/1/1/1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	C	1008	FMT	O1-C	2.73	1.37	1.22
7	A	1012	FMT	O1-C	2.60	1.36	1.22
5	C	1006	ACT	CH3-C	2.59	1.59	1.49
7	A	1015	FMT	O2-C	2.52	1.41	1.28
7	C	1014	FMT	O2-C	2.23	1.40	1.28
7	A	1008	FMT	O2-C	2.20	1.39	1.28
5	A	1005	ACT	CH3-C	2.18	1.57	1.49
7	C	1009	FMT	O2-C	2.17	1.39	1.28
7	A	1016	FMT	O2-C	2.17	1.39	1.28
7	A	1010	FMT	O2-C	2.14	1.39	1.28
7	A	1013	FMT	O2-C	2.14	1.39	1.28
5	A	1005	ACT	O-C	2.09	1.31	1.22
7	C	1011	FMT	O2-C	2.08	1.39	1.28
7	A	1009	FMT	O2-C	2.08	1.39	1.28

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	B	201	DGO	C5-O5-C1	3.86	119.97	114.37
8	D	201	DGO	C5-O5-C1	3.70	119.73	114.37
8	D	201	DGO	O5-C5-C6	2.67	111.37	107.01
8	B	201	DGO	O5-C5-C6	2.27	110.72	107.01
8	B	201	DGO	O4-C4-C5	-2.17	103.98	109.32
8	B	201	DGO	C5-C4-C3	2.01	114.55	110.45

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	D	201	DGO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	854/857 (99%)	0.31	32 (3%) 45 48	24, 43, 74, 107	2 (0%)
1	C	854/857 (99%)	0.20	20 (2%) 61 63	20, 41, 67, 99	3 (0%)
2	B	83/83 (100%)	0.87	16 (19%) 3 3	31, 48, 90, 114	0
2	D	83/83 (100%)	0.53	10 (12%) 9 9	30, 47, 96, 106	0
All	All	1874/1880 (99%)	0.29	78 (4%) 40 42	20, 42, 73, 114	5 (0%)

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	44	ALA	5.9
2	D	82	TYR	5.1
1	C	814	TYR	4.8
2	B	82	TYR	4.7
2	B	42	GLY	4.6
1	C	183	ALA	4.4
1	A	350	ASN	4.4
2	B	43	THR	4.0
1	C	350	ASN	4.0
2	B	49	ASP	4.0
2	D	81	GLY	3.9
1	C	520	TYR	3.8
2	B	35	LYS	3.7
1	A	183	ALA	3.4
2	B	81	GLY	3.4
1	C	168	LEU	3.2
1	A	134	ASP	3.1
2	D	35	LYS	3.1
1	A	67	LEU	3.1
2	B	78	THR	3.0
2	B	40	LEU	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	117	ARG	2.9
1	A	520	TYR	2.9
1	A	53	ILE	2.8
2	B	117	ARG	2.8
1	A	82	VAL	2.7
1	C	329	PHE	2.7
1	A	927	LEU	2.6
2	B	41	ASP	2.6
1	A	133	ARG	2.6
1	A	966	ARG	2.6
1	C	135	ASP	2.6
2	B	80	THR	2.6
2	D	80	THR	2.6
1	A	150	ILE	2.6
1	A	69	LEU	2.5
1	A	252	PHE	2.5
2	B	38	THR	2.5
2	D	109	GLY	2.5
2	D	85	LEU	2.4
1	C	371	PRO	2.4
1	A	244	GLU	2.4
1	C	33	VAL	2.4
1	C	150	ILE	2.4
1	C	312	ASN	2.4
1	A	70	GLY	2.4
1	C	137	SER	2.4
1	A	137	SER	2.3
1	A	79	ILE	2.3
1	C	966	ARG	2.3
2	B	46	ILE	2.3
1	C	134	ASP	2.3
1	A	138	VAL	2.3
1	A	135	ASP	2.2
1	A	57	LEU	2.2
1	C	161	LEU	2.2
2	B	37	PHE	2.2
2	D	49	ASP	2.2
1	A	375	ILE	2.2
1	C	252	PHE	2.2
1	C	163	ASP	2.2
2	D	84	PRO	2.2
1	A	330	HIS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	45	SER	2.2
1	A	163	ASP	2.1
1	A	294	GLU	2.1
1	A	168	LEU	2.1
1	C	136	ASN	2.1
1	A	468	PHE	2.1
1	A	76	VAL	2.1
1	A	111	PRO	2.1
1	A	371	PRO	2.1
2	D	43	THR	2.0
1	A	56	GLY	2.0
2	B	48	PHE	2.0
1	C	349	SER	2.0
1	A	477[A]	HIS	2.0
1	A	64	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MAN	E	4	11/12	0.52	0.18	101,105,106,107	0
3	MAN	F	4	11/12	0.55	0.16	97,102,103,103	0
3	BMA	E	3	11/12	0.64	0.15	86,96,98,102	0
3	BMA	F	3	11/12	0.70	0.14	80,87,89,93	0
3	NAG	E	2	14/15	0.89	0.10	63,64,72,77	0
3	NAG	F	2	14/15	0.89	0.10	52,56,65,73	0
3	NAG	E	1	14/15	0.92	0.10	43,50,56,58	0
4	DGO	G	1	10/10	0.92	0.10	38,44,47,49	0
4	DGO	H	1	10/10	0.93	0.11	42,44,48,50	0
3	NAG	F	1	14/15	0.94	0.08	37,44,48,49	0
4	Z61	H	2	10/11	0.96	0.09	33,36,39,40	0
4	Z61	G	2	10/11	0.97	0.07	23,33,37,39	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain G:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	FMT	C	1016	3/3	0.72	0.32	69,69,71,73	0
7	FMT	A	1015	3/3	0.77	0.21	48,53,55,56	0
7	FMT	A	1007	3/3	0.77	0.24	55,60,60,63	0
7	FMT	C	1008	3/3	0.78	0.20	52,56,56,61	0
5	ACT	A	1005	4/4	0.79	0.17	42,42,50,51	0
7	FMT	A	1009	3/3	0.80	0.21	63,63,65,65	0
5	ACT	C	1006	4/4	0.80	0.17	38,40,56,56	0
7	FMT	C	1012	3/3	0.81	0.18	56,57,59,59	0
7	FMT	C	1011	3/3	0.81	0.20	59,60,62,64	0
7	FMT	C	1010	3/3	0.83	0.19	54,54,57,59	0
7	FMT	A	1016	3/3	0.86	0.16	53,53,56,57	0
7	FMT	A	1011	3/3	0.86	0.15	49,51,52,55	0
7	FMT	C	1014	3/3	0.87	0.16	55,56,63,65	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	FMT	C	1017	3/3	0.87	0.16	68,68,69,69	0
7	FMT	A	1008	3/3	0.88	0.14	49,51,52,53	0
7	FMT	A	1010	3/3	0.88	0.17	60,60,63,65	0
6	EDO	A	1006	4/4	0.89	0.11	35,43,45,46	0
8	DGO	D	201	10/10	0.89	0.12	40,46,50,53	0
7	FMT	A	1014	3/3	0.90	0.21	62,66,70,70	0
7	FMT	C	1015	3/3	0.91	0.12	49,50,54,54	0
6	EDO	C	1007	4/4	0.91	0.12	39,45,47,47	0
7	FMT	A	1012	3/3	0.93	0.09	50,53,54,57	0
8	DGO	B	201	10/10	0.93	0.09	36,43,46,48	0
7	FMT	A	1013	3/3	0.93	0.10	40,41,44,45	0
7	FMT	C	1009	3/3	0.94	0.10	51,57,61,61	0
7	FMT	C	1013	3/3	0.95	0.10	48,54,54,55	0
9	CA	B	202	1/1	0.99	0.03	39,39,39,39	0
9	CA	D	202	1/1	0.99	0.02	37,37,37,37	0
9	CA	D	203	1/1	0.99	0.02	36,36,36,36	0
9	CA	B	203	1/1	1.00	0.02	36,36,36,36	0

6.5 Other polymers [i](#)

There are no such residues in this entry.