



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 10:02 AM UTC

PDB ID : 5HJY / pdb_00005hgy
Title : Structure function studies of R. palustris RubisCO (I165T mutant; CABP-bound)
Authors : Arbing, M.A.; Shin, A.; Cascio, D.; Satagopan, S.; North, J.A.; Tabita, F.R.
Deposited on : 2016-01-13
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	481	
1	B	481	
1	C	481	
1	D	481	
1	E	481	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	481	% 91% 5%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 42722 atoms, of which 20141 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribulose biphosphate carboxylase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	455	Total	C	H	N	O	S	0	0	0
			6865	2231	3350	609	656	19			
1	B	456	Total	C	H	N	O	S	0	0	0
			6855	2230	3344	609	653	19			
1	C	453	Total	C	H	N	O	S	0	0	0
			6846	2222	3345	606	654	19			
1	D	455	Total	C	H	N	O	S	0	1	0
			6879	2236	3356	612	656	19			
1	E	455	Total	C	H	N	O	S	0	0	0
			6870	2229	3359	609	654	19			
1	F	455	Total	C	H	N	O	S	0	0	0
			6860	2231	3345	609	656	19			

There are 126 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP Q6N0W9
A	-18	GLY	-	expression tag	UNP Q6N0W9
A	-17	SER	-	expression tag	UNP Q6N0W9
A	-16	SER	-	expression tag	UNP Q6N0W9
A	-15	HIS	-	expression tag	UNP Q6N0W9
A	-14	HIS	-	expression tag	UNP Q6N0W9
A	-13	HIS	-	expression tag	UNP Q6N0W9
A	-12	HIS	-	expression tag	UNP Q6N0W9
A	-11	HIS	-	expression tag	UNP Q6N0W9
A	-10	HIS	-	expression tag	UNP Q6N0W9
A	-9	SER	-	expression tag	UNP Q6N0W9
A	-8	SER	-	expression tag	UNP Q6N0W9
A	-7	GLY	-	expression tag	UNP Q6N0W9
A	-6	LEU	-	expression tag	UNP Q6N0W9
A	-5	VAL	-	expression tag	UNP Q6N0W9
A	-4	PRO	-	expression tag	UNP Q6N0W9
A	-3	ARG	-	expression tag	UNP Q6N0W9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP Q6N0W9
A	-1	SER	-	expression tag	UNP Q6N0W9
A	0	HIS	-	expression tag	UNP Q6N0W9
A	165	THR	ILE	engineered mutation	UNP Q6N0W9
B	-19	MET	-	initiating methionine	UNP Q6N0W9
B	-18	GLY	-	expression tag	UNP Q6N0W9
B	-17	SER	-	expression tag	UNP Q6N0W9
B	-16	SER	-	expression tag	UNP Q6N0W9
B	-15	HIS	-	expression tag	UNP Q6N0W9
B	-14	HIS	-	expression tag	UNP Q6N0W9
B	-13	HIS	-	expression tag	UNP Q6N0W9
B	-12	HIS	-	expression tag	UNP Q6N0W9
B	-11	HIS	-	expression tag	UNP Q6N0W9
B	-10	HIS	-	expression tag	UNP Q6N0W9
B	-9	SER	-	expression tag	UNP Q6N0W9
B	-8	SER	-	expression tag	UNP Q6N0W9
B	-7	GLY	-	expression tag	UNP Q6N0W9
B	-6	LEU	-	expression tag	UNP Q6N0W9
B	-5	VAL	-	expression tag	UNP Q6N0W9
B	-4	PRO	-	expression tag	UNP Q6N0W9
B	-3	ARG	-	expression tag	UNP Q6N0W9
B	-2	GLY	-	expression tag	UNP Q6N0W9
B	-1	SER	-	expression tag	UNP Q6N0W9
B	0	HIS	-	expression tag	UNP Q6N0W9
B	165	THR	ILE	engineered mutation	UNP Q6N0W9
C	-19	MET	-	initiating methionine	UNP Q6N0W9
C	-18	GLY	-	expression tag	UNP Q6N0W9
C	-17	SER	-	expression tag	UNP Q6N0W9
C	-16	SER	-	expression tag	UNP Q6N0W9
C	-15	HIS	-	expression tag	UNP Q6N0W9
C	-14	HIS	-	expression tag	UNP Q6N0W9
C	-13	HIS	-	expression tag	UNP Q6N0W9
C	-12	HIS	-	expression tag	UNP Q6N0W9
C	-11	HIS	-	expression tag	UNP Q6N0W9
C	-10	HIS	-	expression tag	UNP Q6N0W9
C	-9	SER	-	expression tag	UNP Q6N0W9
C	-8	SER	-	expression tag	UNP Q6N0W9
C	-7	GLY	-	expression tag	UNP Q6N0W9
C	-6	LEU	-	expression tag	UNP Q6N0W9
C	-5	VAL	-	expression tag	UNP Q6N0W9
C	-4	PRO	-	expression tag	UNP Q6N0W9
C	-3	ARG	-	expression tag	UNP Q6N0W9

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	GLY	-	expression tag	UNP Q6N0W9
C	-1	SER	-	expression tag	UNP Q6N0W9
C	0	HIS	-	expression tag	UNP Q6N0W9
C	165	THR	ILE	engineered mutation	UNP Q6N0W9
D	-19	MET	-	initiating methionine	UNP Q6N0W9
D	-18	GLY	-	expression tag	UNP Q6N0W9
D	-17	SER	-	expression tag	UNP Q6N0W9
D	-16	SER	-	expression tag	UNP Q6N0W9
D	-15	HIS	-	expression tag	UNP Q6N0W9
D	-14	HIS	-	expression tag	UNP Q6N0W9
D	-13	HIS	-	expression tag	UNP Q6N0W9
D	-12	HIS	-	expression tag	UNP Q6N0W9
D	-11	HIS	-	expression tag	UNP Q6N0W9
D	-10	HIS	-	expression tag	UNP Q6N0W9
D	-9	SER	-	expression tag	UNP Q6N0W9
D	-8	SER	-	expression tag	UNP Q6N0W9
D	-7	GLY	-	expression tag	UNP Q6N0W9
D	-6	LEU	-	expression tag	UNP Q6N0W9
D	-5	VAL	-	expression tag	UNP Q6N0W9
D	-4	PRO	-	expression tag	UNP Q6N0W9
D	-3	ARG	-	expression tag	UNP Q6N0W9
D	-2	GLY	-	expression tag	UNP Q6N0W9
D	-1	SER	-	expression tag	UNP Q6N0W9
D	0	HIS	-	expression tag	UNP Q6N0W9
D	165	THR	ILE	engineered mutation	UNP Q6N0W9
E	-19	MET	-	initiating methionine	UNP Q6N0W9
E	-18	GLY	-	expression tag	UNP Q6N0W9
E	-17	SER	-	expression tag	UNP Q6N0W9
E	-16	SER	-	expression tag	UNP Q6N0W9
E	-15	HIS	-	expression tag	UNP Q6N0W9
E	-14	HIS	-	expression tag	UNP Q6N0W9
E	-13	HIS	-	expression tag	UNP Q6N0W9
E	-12	HIS	-	expression tag	UNP Q6N0W9
E	-11	HIS	-	expression tag	UNP Q6N0W9
E	-10	HIS	-	expression tag	UNP Q6N0W9
E	-9	SER	-	expression tag	UNP Q6N0W9
E	-8	SER	-	expression tag	UNP Q6N0W9
E	-7	GLY	-	expression tag	UNP Q6N0W9
E	-6	LEU	-	expression tag	UNP Q6N0W9
E	-5	VAL	-	expression tag	UNP Q6N0W9
E	-4	PRO	-	expression tag	UNP Q6N0W9
E	-3	ARG	-	expression tag	UNP Q6N0W9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-2	GLY	-	expression tag	UNP Q6N0W9
E	-1	SER	-	expression tag	UNP Q6N0W9
E	0	HIS	-	expression tag	UNP Q6N0W9
E	165	THR	ILE	engineered mutation	UNP Q6N0W9
F	-19	MET	-	initiating methionine	UNP Q6N0W9
F	-18	GLY	-	expression tag	UNP Q6N0W9
F	-17	SER	-	expression tag	UNP Q6N0W9
F	-16	SER	-	expression tag	UNP Q6N0W9
F	-15	HIS	-	expression tag	UNP Q6N0W9
F	-14	HIS	-	expression tag	UNP Q6N0W9
F	-13	HIS	-	expression tag	UNP Q6N0W9
F	-12	HIS	-	expression tag	UNP Q6N0W9
F	-11	HIS	-	expression tag	UNP Q6N0W9
F	-10	HIS	-	expression tag	UNP Q6N0W9
F	-9	SER	-	expression tag	UNP Q6N0W9
F	-8	SER	-	expression tag	UNP Q6N0W9
F	-7	GLY	-	expression tag	UNP Q6N0W9
F	-6	LEU	-	expression tag	UNP Q6N0W9
F	-5	VAL	-	expression tag	UNP Q6N0W9
F	-4	PRO	-	expression tag	UNP Q6N0W9
F	-3	ARG	-	expression tag	UNP Q6N0W9
F	-2	GLY	-	expression tag	UNP Q6N0W9
F	-1	SER	-	expression tag	UNP Q6N0W9
F	0	HIS	-	expression tag	UNP Q6N0W9
F	165	THR	ILE	engineered mutation	UNP Q6N0W9

- Molecule 2 is 2-CARBOXYARABINITOL-1,5-DIPHOSPHATE (CCD ID: CAP) (formula: $C_6H_{14}O_{13}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	H	O	P	0	0
			28	6	7	13	2		
2	B	1	Total	C	H	O	P	0	0
			28	6	7	13	2		
2	C	1	Total	C	H	O	P	0	0
			28	6	7	13	2		
2	D	1	Total	C	H	O	P	0	0
			28	6	7	13	2		
2	E	1	Total	C	H	O	P	0	0
			28	6	7	13	2		
2	F	1	Total	C	H	O	P	0	0
			28	6	7	13	2		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		
3	D	1	Total	Mg	0	0
			1	1		
3	E	1	Total	Mg	0	0
			1	1		
3	F	1	Total	Mg	0	0
			1	1		

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	1	Total	Cl	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	252	Total	O	0	0
			252	252		
5	B	247	Total	O	0	0
			247	247		
5	C	223	Total	O	0	0
			223	223		
5	D	235	Total	O	0	0
			235	235		
5	E	199	Total	O	0	0
			199	199		
5	F	216	Total	O	0	0
			216	216		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ribulose biphosphate carboxylase

Chain A:  93% 5%



- Molecule 1: Ribulose biphosphate carboxylase

Chain B:  94% 5%




- Molecule 1: Ribulose biphosphate carboxylase

Chain C:  93% 6%




- Molecule 1: Ribulose biphosphate carboxylase

Chain D:  91% 5%





- Molecule 1: Ribulose biphosphate carboxylase

Chain E:  92% 5%



GLN
ALA
ALA

● Molecule 1: Ribulose bispophate carboxylase



ALA

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	73.86Å 100.02Å 103.56Å 107.84° 113.77° 96.09°	Depositor
Resolution (Å)	91.85 – 2.30 91.84 – 2.30	Depositor EDS
% Data completeness (in resolution range)	93.3 (91.85-2.30) 93.4 (91.84-2.30)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.02 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.183 , 0.225 0.187 , 0.227	Depositor DCC
R_{free} test set	10345 reflections (10.00%)	wwPDB-VP
Wilson B-factor (Å ²)	25.9	Xtriage
Anisotropy	0.351	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 40.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	42722	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, CAP, MG, KCX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.36	0/3591	0.68	0/4860
1	B	0.36	0/3587	0.67	0/4857
1	C	0.35	0/3577	0.67	0/4842
1	D	0.36	0/3602	0.68	0/4874
1	E	0.35	0/3587	0.68	1/4855 (0.0%)
1	F	0.35	0/3591	0.67	0/4860
All	All	0.35	0/21535	0.67	1/29148 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	194	ASP	N-CA-C	-5.00	103.44	110.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3515	3350	3377	4	0
1	B	3511	3344	3369	2	0
1	C	3501	3345	3359	3	0
1	D	3523	3356	3390	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	3511	3359	3373	5	0
1	F	3515	3345	3377	9	0
2	A	21	7	7	0	0
2	B	21	7	7	0	0
2	C	21	7	7	0	0
2	D	21	7	7	0	0
2	E	21	7	7	0	0
2	F	21	7	7	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
4	D	1	0	0	0	0
5	A	252	0	0	0	0
5	B	247	0	0	0	0
5	C	223	0	0	0	0
5	D	235	0	0	0	0
5	E	199	0	0	0	0
5	F	216	0	0	0	0
All	All	22581	20141	20287	28	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (28) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:425:VAL:HG11	1:A:455:LYS:HD3	1.66	0.76
1:D:250:GLU:OE2	1:F:206:LYS:NZ	2.27	0.62
1:D:217[A]:ARG:NH2	1:D:254:ASP:OD1	2.35	0.59
1:E:39:PHE:CG	1:E:77:GLU:HG3	2.44	0.53
1:E:145:LYS:HG3	1:E:155:VAL:HB	1.92	0.50
1:F:452:TRP:C	1:F:454:ALA:H	2.19	0.50
1:D:425:VAL:CG1	1:D:455:LYS:HG3	2.43	0.49
1:F:167:LYS:HA	1:F:168:PRO:C	2.40	0.46
1:D:381:PHE:HB3	1:D:418:TRP:CE2	2.50	0.46
1:C:167:LYS:HA	1:C:168:PRO:C	2.41	0.46
1:D:425:VAL:HG12	1:D:455:LYS:HG3	1.98	0.45
1:C:381:PHE:HB3	1:C:418:TRP:CE2	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:LYS:HA	1:A:168:PRO:C	2.43	0.44
1:F:452:TRP:C	1:F:454:ALA:N	2.75	0.44
1:B:167:LYS:HA	1:B:168:PRO:C	2.42	0.44
1:E:167:LYS:HA	1:E:168:PRO:C	2.43	0.44
1:F:452:TRP:O	1:F:454:ALA:N	2.51	0.43
1:F:175:GLN:HB3	1:F:176:PRO:HD3	2.00	0.43
1:F:287:TYR:C	1:F:287:TYR:CD1	2.97	0.42
1:D:138:ASP:HA	1:E:282:LYS:HE3	2.01	0.42
1:A:425:VAL:HG11	1:A:455:LYS:CD	2.45	0.42
1:C:139:GLY:C	1:C:317:GLY:HA2	2.44	0.42
1:D:167:LYS:HA	1:D:168:PRO:C	2.45	0.42
1:A:139:GLY:C	1:A:317:GLY:HA2	2.45	0.41
1:F:139:GLY:C	1:F:317:GLY:HA2	2.46	0.41
1:E:446:ASP:OD1	1:E:453:ARG:NH1	2.45	0.40
1:B:139:GLY:C	1:B:317:GLY:HA2	2.47	0.40
1:F:51:SER:OG	1:F:52:THR:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	452/481 (94%)	436 (96%)	15 (3%)	1 (0%)	43	55
1	B	453/481 (94%)	437 (96%)	15 (3%)	1 (0%)	43	55
1	C	450/481 (94%)	436 (97%)	13 (3%)	1 (0%)	43	55
1	D	453/481 (94%)	439 (97%)	13 (3%)	1 (0%)	43	55
1	E	452/481 (94%)	437 (97%)	14 (3%)	1 (0%)	43	55
1	F	452/481 (94%)	438 (97%)	12 (3%)	2 (0%)	30	38
All	All	2712/2886 (94%)	2623 (97%)	82 (3%)	7 (0%)	36	46

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	110	ILE
1	D	110	ILE
1	C	110	ILE
1	E	110	ILE
1	F	110	ILE
1	F	453	ARG
1	B	110	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	350/372 (94%)	349 (100%)	1 (0%)	86	93
1	B	348/372 (94%)	347 (100%)	1 (0%)	86	93
1	C	349/372 (94%)	349 (100%)	0	100	100
1	D	351/372 (94%)	348 (99%)	3 (1%)	70	84
1	E	349/372 (94%)	347 (99%)	2 (1%)	78	89
1	F	350/372 (94%)	349 (100%)	1 (0%)	86	93
All	All	2097/2232 (94%)	2089 (100%)	8 (0%)	84	92

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	107	THR
1	B	287	TYR
1	D	107	THR
1	D	282	LYS
1	D	369	SER
1	E	287	TYR
1	E	455	LYS
1	F	287	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	157	ASN
1	A	420	GLN
1	D	157	ASN
1	D	316	GLN
1	D	388	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	KCX	A	192	3,1	10,11,12	2.14	1 (10%)	6,12,14	1.69	1 (16%)
1	KCX	C	192	3,1	10,11,12	0.65	0	6,12,14	0.89	0
1	KCX	E	192	3,1	10,11,12	0.72	0	6,12,14	0.77	0
1	KCX	F	192	3,1	10,11,12	2.20	1 (10%)	6,12,14	1.34	1 (16%)
1	KCX	D	192	3,1	10,11,12	2.13	1 (10%)	6,12,14	1.58	1 (16%)
1	KCX	B	192	3,1	10,11,12	0.66	0	6,12,14	0.98	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	A	192	3,1	-	0/9/10/12	-
1	KCX	C	192	3,1	-	0/9/10/12	-
1	KCX	E	192	3,1	-	0/9/10/12	-
1	KCX	F	192	3,1	-	0/9/10/12	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	D	192	3,1	-	0/9/10/12	-
1	KCX	B	192	3,1	-	1/9/10/12	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	192	KCX	OQ1-CX	6.50	1.33	1.21
1	A	192	KCX	OQ1-CX	6.31	1.33	1.21
1	D	192	KCX	OQ1-CX	6.25	1.33	1.21

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	192	KCX	OQ1-CX-NZ	-3.78	119.18	124.92
1	D	192	KCX	OQ1-CX-NZ	-3.69	119.31	124.92
1	F	192	KCX	OQ1-CX-NZ	-3.01	120.35	124.92

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	B	192	KCX	O-C-CA-CB

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 7 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CAP	C	500	3	18,20,20	0.84	0	23,31,31	1.08	1 (4%)
2	CAP	A	500	3	18,20,20	0.91	0	23,31,31	1.11	1 (4%)
2	CAP	B	500	3	18,20,20	0.93	0	23,31,31	0.96	1 (4%)
2	CAP	D	501	3	18,20,20	0.84	0	23,31,31	1.09	1 (4%)
2	CAP	E	500	3	18,20,20	0.89	0	23,31,31	1.04	1 (4%)
2	CAP	F	500	3	18,20,20	0.85	0	23,31,31	1.18	1 (4%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CAP	C	500	3	-	6/29/29/29	-
2	CAP	A	500	3	-	9/29/29/29	-
2	CAP	B	500	3	-	8/29/29/29	-
2	CAP	D	501	3	-	6/29/29/29	-
2	CAP	E	500	3	-	8/29/29/29	-
2	CAP	F	500	3	-	8/29/29/29	-

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	500	CAP	O7-C-C2	4.34	121.33	114.06
2	A	500	CAP	O7-C-C2	4.09	120.91	114.06
2	D	501	CAP	O7-C-C2	3.81	120.44	114.06
2	C	500	CAP	O7-C-C2	3.80	120.43	114.06
2	E	500	CAP	O7-C-C2	3.49	119.91	114.06
2	B	500	CAP	O7-C-C2	2.95	119.00	114.06

There are no chirality outliers.

All (45) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	500	CAP	O6-C-C2-O2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	500	CAP	O3-C3-C4-O4
2	B	500	CAP	O6-C-C2-C3
2	B	500	CAP	O6-C-C2-O2
2	B	500	CAP	O7-C-C2-O2
2	C	500	CAP	O6-C-C2-C1
2	C	500	CAP	O7-C-C2-C1
2	C	500	CAP	O6-C-C2-O2
2	C	500	CAP	O7-C-C2-O2
2	C	500	CAP	O3-C3-C4-O4
2	D	501	CAP	O6-C-C2-C1
2	D	501	CAP	O7-C-C2-C1
2	D	501	CAP	O6-C-C2-O2
2	D	501	CAP	O7-C-C2-O2
2	D	501	CAP	O3-C3-C4-O4
2	E	500	CAP	O6-C-C2-O2
2	E	500	CAP	O3-C3-C4-O4
2	F	500	CAP	O6-C-C2-O2
2	F	500	CAP	O7-C-C2-O2
2	F	500	CAP	O3-C3-C4-O4
2	A	500	CAP	O7-C-C2-C1
2	B	500	CAP	O6-C-C2-C1
2	E	500	CAP	O7-C-C2-C1
2	F	500	CAP	O7-C-C2-C1
2	A	500	CAP	O7-C-C2-O2
2	E	500	CAP	O7-C-C2-O2
2	B	500	CAP	O7-C-C2-C1
2	B	500	CAP	O3-C3-C4-O4
2	A	500	CAP	O6-C-C2-C3
2	E	500	CAP	O6-C-C2-C3
2	F	500	CAP	O6-C-C2-C1
2	A	500	CAP	O2-C2-C3-C4
2	B	500	CAP	O2-C2-C3-C4
2	C	500	CAP	O2-C2-C3-C4
2	D	501	CAP	O2-C2-C3-C4
2	E	500	CAP	O2-C2-C3-C4
2	F	500	CAP	O2-C2-C3-C4
2	A	500	CAP	O6-C-C2-C1
2	E	500	CAP	O6-C-C2-C1
2	A	500	CAP	O7-C-C2-C3
2	B	500	CAP	O7-C-C2-C3
2	E	500	CAP	O7-C-C2-C3
2	F	500	CAP	O7-C-C2-C3

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	F	500	CAP	O6-C-C2-C3
2	A	500	CAP	C2-C3-C4-O4


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	454/481 (94%)	0.05	3 (0%) 84 85	20, 30, 42, 60	0
1	B	455/481 (94%)	0.05	2 (0%) 88 89	19, 29, 42, 63	0
1	C	452/481 (93%)	0.13	3 (0%) 84 85	19, 32, 50, 76	0
1	D	454/481 (94%)	0.11	5 (1%) 78 79	20, 32, 46, 68	1 (0%)
1	E	454/481 (94%)	0.18	8 (1%) 67 69	22, 34, 56, 78	0
1	F	454/481 (94%)	0.14	7 (1%) 72 73	21, 33, 50, 68	0
All	All	2723/2886 (94%)	0.11	28 (1%) 79 80	19, 32, 48, 78	1 (0%)

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	454	ALA	5.9
1	F	1	MET	3.9
1	E	451	ASN	3.2
1	B	456	LEU	3.1
1	E	77	GLU	2.8
1	E	1	MET	2.8
1	C	419	LYS	2.7
1	E	35	GLY	2.7
1	A	455	LYS	2.6
1	E	10	LEU	2.6
1	B	451	ASN	2.6
1	A	443	GLN	2.5
1	F	450	PRO	2.4
1	D	455	LYS	2.3
1	F	129	VAL	2.3
1	F	455	LYS	2.3
1	E	421	GLY	2.2
1	D	454	ALA	2.2
1	F	221	ASP	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	404	GLY	2.1
1	D	35	GLY	2.1
1	D	145	LYS	2.1
1	C	156	ILE	2.1
1	E	2	ASP	2.1
1	C	453	ARG	2.1
1	A	35	GLY	2.0
1	E	74	GLU	2.0
1	D	451	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	KCX	A	192	12/13	0.90	0.07	16,19,22,22	0
1	KCX	B	192	12/13	0.91	0.08	14,17,20,21	0
1	KCX	C	192	12/13	0.91	0.07	20,24,25,26	0
1	KCX	F	192	12/13	0.91	0.09	20,25,27,27	0
1	KCX	E	192	12/13	0.92	0.08	20,25,25,27	0
1	KCX	D	192	12/13	0.96	0.06	16,19,22,26	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MG	D	502	1/1	0.94	0.04	29,29,29,29	0
4	CL	D	503	1/1	0.94	0.08	50,50,50,50	0
2	CAP	A	500	21/21	0.95	0.08	22,26,31,32	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CAP	D	501	21/21	0.96	0.07	24,27,31,33	0
2	CAP	E	500	21/21	0.96	0.07	23,26,31,32	0
2	CAP	F	500	21/21	0.96	0.07	24,28,34,34	0
2	CAP	B	500	21/21	0.96	0.07	19,22,26,28	0
2	CAP	C	500	21/21	0.96	0.06	23,25,30,31	0
3	MG	B	501	1/1	0.97	0.03	22,22,22,22	0
3	MG	C	501	1/1	0.97	0.04	29,29,29,29	0
3	MG	F	501	1/1	0.98	0.06	29,29,29,29	0
3	MG	E	501	1/1	0.98	0.03	27,27,27,27	0
3	MG	A	501	1/1	0.99	0.02	28,28,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around CAP D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around CAP E 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around CAP F 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around CAP B 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.