



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 04:27 PM UTC

PDB ID : 8HJF / pdb_00008hjf
Title : Crystal structure of glycosyltransferase SgUGT94-289-3 in complex with M5, state 2
Authors : Li, M.; Zhang, S.; Cui, S.
Deposited on : 2022-11-23
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	459	
1	B	459	

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 7723 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called glycosyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	431	Total	C	N	O	S	8	0	0
			3408	2204	577	611	16			
1	B	431	Total	C	N	O	S	5	0	0
			3405	2202	576	611	16			

- Molecule 2 is (2S,3S,4S,5R,6R)-2-(hydroxymethyl)-6-[[[(2R,3S,4S,5R,6R)-6-[[[(3S,8S,9R,10R,11R,13R,14S,17R)-17-[(2S,5R)-5-[(2S,3R,4S,5S,6R)-3-[(2R,3R,4S,5S,6S)-6-(hydroxymethyl)-3,4,5-tris(oxidanyl)oxan-2-yl]oxy-6-[[[(2R,3R,4S,5S,6S)-6-(hydroxymethyl)-3,4,5-tris(oxidanyl)oxan-2-yl]oxymethyl]-4,5-bis(oxidanyl)oxan-2-yl]oxy-6-methyl-6-oxidanyl-heptan-2-yl]-4,4,9,13,14-pentamethyl-11-oxidanyl-2,3,7,8,10,11,12,15,16,17-decahydro-1H-cyclopenta[a]phenanthren-3-yl]oxy]-3,4,5-tris(oxidanyl)oxan-2-yl]methoxy]oxane-3,4,5-triol (CCD ID: M1K) (formula: C₆₀H₁₀₂O₂₉) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	1	0
			89	60	29		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	1	0
			89	60	29		

- Molecule 3 is (2S)-2,5,8,11,14,17-HEXAMETHYL-3,6,9,12,15,18-HEXAOXAHENICOSAN E-1,20-DIOL (CCD ID: POG) (formula: $C_{21}H_{44}O_8$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total 21	C 15	O 6	0	0
3	B	1	Total 13	C 9	O 4	0	0

- Molecule 4 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: TRS) (formula: $C_4H_{12}NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			8	4	1	3		
4	B	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 5 is URIDINE-5'-DIPHOSPHATE (CCD ID: UDP) (formula: C₉H₁₄N₂O₁₂P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

Continued on next page...



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	278	Total	O	0	0
			278	278		
6	B	354	Total	O	0	0
			354	354		

- Molecule 1: glycosyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	77.95Å 76.81Å 81.46Å 90.00° 93.25° 90.00°	Depositor
Resolution (Å)	19.66 – 2.00 19.66 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.6 (19.66-2.00) 99.7 (19.66-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.05 (at 1.56Å)	Xtriage
Refinement program	PHENIX 1.15.2_3472	Depositor
R, R_{free}	0.198 , 0.240 0.197 , 0.240	Depositor DCC
R_{free} test set	5113 reflections (3.79%)	wwPDB-VP
Wilson B-factor (Å ²)	24.0	Xtriage
Anisotropy	0.158	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 45.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.011 for l,-k,h	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7723	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: M1K, TRS, POG, UDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.28	0/3506	0.47	0/4754
1	B	0.29	0/3503	0.53	1/4750 (0.0%)
All	All	0.28	0/7009	0.50	1/9504 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	248	GLU	N-CA-C	-9.38	102.03	112.72

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3408	0	3354	33	1
1	B	3405	0	3351	29	0
2	A	89	0	0	0	0
2	B	89	0	0	0	0
3	A	21	0	31	1	1
3	B	13	0	18	1	0
4	A	8	0	12	0	0
4	B	8	0	12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	25	0	11	0	0
5	B	25	0	11	0	0
6	A	278	0	0	13	0
6	B	354	0	0	11	0
All	All	7723	0	6800	63	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (63) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:282:GLU:OE1	6:A:601:HOH:O	2.02	0.76
1:B:96:HIS:HD2	6:B:617:HOH:O	1.68	0.76
1:B:35:ARG:NH1	6:B:603:HOH:O	2.19	0.73
1:B:280:GLU:OE2	6:B:601:HOH:O	2.05	0.73
1:A:415:LYS:HB3	1:A:421:ARG:NE	2.04	0.71
1:B:436:GLU:OE2	6:B:602:HOH:O	2.08	0.71
1:A:324:GLU:OE2	6:A:602:HOH:O	2.10	0.69
1:A:176:ALA:O	6:A:603:HOH:O	2.13	0.65
1:A:158:TYR:HB3	1:A:161:SER:OG	1.97	0.65
1:B:218:LYS:HE3	6:B:872:HOH:O	1.99	0.62
1:B:172:ASN:HA	1:B:175:LYS:HG3	1.81	0.62
1:A:415:LYS:HB3	1:A:421:ARG:HE	1.64	0.62
1:A:236:PRO:HA	1:A:357:MET:HE2	1.84	0.60
1:A:421:ARG:NH1	6:A:611:HOH:O	2.34	0.59
1:B:164:PRO:HG2	1:B:165:PHE:CE2	2.38	0.59
1:A:410:GLU:OE1	6:A:604:HOH:O	2.17	0.59
1:A:235:GLY:HA3	1:A:438:LYS:HD3	1.84	0.58
1:A:71:LEU:HD12	1:A:102:ALA:HB2	1.89	0.55
1:B:324:GLU:HG2	6:B:700:HOH:O	2.07	0.55
1:B:410:GLU:HB3	1:B:417:ARG:HG2	1.89	0.54
1:A:369:VAL:HG12	1:A:371:MET:HE2	1.90	0.54
1:B:453:GLU:HB3	1:B:457:HIS:CE1	2.43	0.53
1:A:429:GLU:OE1	6:A:606:HOH:O	2.19	0.52
1:A:312:ASP:N	1:A:312:ASP:OD1	2.39	0.52
1:A:213:ARG:NH1	6:A:605:HOH:O	2.18	0.51
1:B:282:GLU:HG3	1:B:315:PRO:HG3	1.93	0.51
1:B:434:LYS:HD2	6:B:901:HOH:O	2.11	0.50
1:A:230:LYS:HE3	6:A:610:HOH:O	2.12	0.50
1:B:55:LYS:HE2	1:B:239:TYR:CD2	2.48	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:439:PHE:O	1:A:443:VAL:HG23	2.14	0.47
1:A:230:LYS:NZ	6:A:621:HOH:O	2.47	0.47
1:A:403:GLU:HG2	6:A:613:HOH:O	2.13	0.47
1:A:55:LYS:HE3	1:A:239:TYR:CD2	2.50	0.47
1:B:320:GLU:HA	1:B:320:GLU:OE1	2.15	0.46
1:A:147:PHE:HB3	6:A:715:HOH:O	2.14	0.46
1:B:230:LYS:NZ	6:B:613:HOH:O	2.32	0.46
1:A:417:ARG:NH1	6:A:604:HOH:O	2.25	0.46
1:A:164:PRO:HG2	1:A:165:PHE:CD1	2.50	0.46
1:A:453:GLU:HB3	1:A:457:HIS:CE1	2.51	0.45
3:A:502:POG:H202	3:A:502:POG:H91	1.61	0.45
1:A:262:PRO:HB3	1:A:342:TRP:CD1	2.52	0.45
1:A:213:ARG:HD3	6:A:605:HOH:O	2.16	0.44
1:B:89:PRO:HD2	6:B:912:HOH:O	2.17	0.44
1:A:268:VAL:HG22	1:A:348:VAL:HB	2.00	0.44
1:B:200:LEU:HD23	1:B:227:LEU:HD11	2.00	0.44
1:A:212:PHE:CZ	1:A:431:LEU:HD21	2.53	0.44
1:B:240:GLU:OE1	1:B:432:ARG:NH1	2.51	0.43
1:B:276:PRO:HG2	1:B:281:MET:SD	2.59	0.43
1:A:230:LYS:NZ	1:A:441:GLU:OE2	2.50	0.43
1:B:276:PRO:O	6:B:605:HOH:O	2.21	0.43
1:B:210:ASN:ND2	6:B:604:HOH:O	2.20	0.43
1:A:316:LYS:HA	1:A:316:LYS:HD2	1.94	0.42
1:A:320:GLU:HG3	1:A:321:ARG:N	2.33	0.42
1:B:49:LEU:HD13	1:B:66:PHE:HB3	2.01	0.42
1:B:78:PRO:HG2	1:B:80:HIS:CE1	2.54	0.42
1:B:212:PHE:CZ	1:B:431:LEU:HD21	2.55	0.42
1:B:229:LYS:HB2	1:B:229:LYS:HE2	1.83	0.42
1:B:67:VAL:HG22	3:B:501:POG:H182	2.02	0.41
1:B:319:LEU:HD23	1:B:319:LEU:HA	1.92	0.41
1:A:350:HIS:HA	1:A:369:VAL:O	2.21	0.41
1:B:212:PHE:CE1	1:B:357:MET:HE1	2.55	0.41
1:B:298:VAL:HA	1:B:329:VAL:O	2.21	0.41
1:A:27:LEU:HD22	1:A:52:ILE:HG13	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:66:PHE:O	3:A:502:POG:C4[2_656]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	423/459 (92%)	410 (97%)	12 (3%)	1 (0%)	43	42
1	B	423/459 (92%)	415 (98%)	7 (2%)	1 (0%)	43	42
All	All	846/918 (92%)	825 (98%)	19 (2%)	2 (0%)	43	42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	373	VAL
1	B	373	VAL

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	372/399 (93%)	372 (100%)	0	100	100
1	B	372/399 (93%)	372 (100%)	0	100	100
All	All	744/798 (93%)	744 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	37	ASN
1	A	111	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	157	HIS
1	A	242	ASN
1	A	286	HIS
1	A	455	HIS
1	B	37	ASN
1	B	157	HIS
1	B	160	HIS
1	B	455	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	UDP	B	504	-	25,26,26	1.10	1 (4%)	38,40,40	0.62	0
3	POG	B	501	-	12,12,28	1.45	4 (33%)	14,14,34	0.95	1 (7%)
4	TRS	B	503	-	7,7,7	0.35	0	9,9,9	0.54	0
3	POG	A	502	-	20,20,28	1.63	8 (40%)	24,24,34	0.91	0
2	M1K	A	501	-	97,97,97	2.76	32 (32%)	147,153,153	1.92	35 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	UDP	A	504	-	25,26,26	0.98	1 (4%)	38,40,40	0.63	0
4	TRS	A	503	-	7,7,7	0.35	0	9,9,9	0.46	0
2	M1K	B	502	-	97,97,97	2.76	32 (32%)	147,153,153	2.21	39 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	UDP	B	504	-	-	2/16/32/32	0/2/2/2
3	POG	B	501	-	-	5/12/12/32	-
4	TRS	B	503	-	-	5/9/9/9	-
3	POG	A	502	-	-	9/22/22/32	-
2	M1K	A	501	-	-	19/43/219/219	0/9/9/9
5	UDP	A	504	-	-	2/16/32/32	0/2/2/2
4	TRS	A	503	-	-	3/9/9/9	-
2	M1K	B	502	-	-	15/43/219/219	0/9/9/9

All (78) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	M1K	O02-C50	9.54	1.58	1.45
2	B	502	M1K	O02-C50	9.52	1.58	1.45
2	A	501	M1K	C48-C44	-8.32	1.42	1.54
2	B	502	M1K	C48-C44	-8.17	1.43	1.54
2	A	501	M1K	C48-C50	-7.79	1.41	1.54
2	B	502	M1K	C48-C50	-7.74	1.41	1.54
2	A	501	M1K	C47-C44	7.34	1.46	1.33
2	B	502	M1K	C47-C44	7.17	1.46	1.33
2	B	502	M1K	C31-C30	-7.01	1.45	1.57
2	B	502	M1K	C60-C59	6.77	1.69	1.52
2	A	501	M1K	C60-C59	6.69	1.69	1.52
2	A	501	M1K	C31-C30	-6.69	1.45	1.57
2	B	502	M1K	O14-C71	6.19	1.54	1.43
2	A	501	M1K	O14-C71	5.77	1.53	1.43
2	B	502	M1K	C58-C56	5.69	1.63	1.53
2	A	501	M1K	C58-C56	5.53	1.63	1.53
2	A	501	M1K	O16-C79	5.42	1.57	1.44
2	B	502	M1K	O16-C79	5.38	1.57	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	M1K	C81-C79	-5.05	1.42	1.53
2	B	502	M1K	C81-C79	-4.90	1.42	1.53
5	B	504	UDP	PA-O3A	4.56	1.64	1.59
2	B	502	M1K	O02-C57	4.44	1.54	1.41
2	A	501	M1K	O02-C57	4.29	1.53	1.41
2	A	501	M1K	O11-C67	4.22	1.51	1.43
2	B	502	M1K	O11-C67	4.05	1.50	1.43
2	B	502	M1K	C41-C30	3.79	1.61	1.54
2	A	501	M1K	C41-C30	3.68	1.61	1.54
5	A	504	UDP	PA-O3A	3.65	1.63	1.59
2	A	501	M1K	O04-C63	3.39	1.52	1.44
2	A	501	M1K	C54-C48	-3.32	1.47	1.54
2	B	502	M1K	O04-C63	3.32	1.52	1.44
2	B	502	M1K	C54-C48	-3.24	1.47	1.54
2	A	501	M1K	C55-C56	3.13	1.59	1.51
2	B	502	M1K	C55-C56	3.12	1.59	1.51
3	A	502	POG	O4-C8	-3.02	1.39	1.44
3	A	502	POG	O5-C10	-2.99	1.39	1.44
2	B	502	M1K	C40-C47	-2.99	1.44	1.50
2	A	501	M1K	C49-C50	-2.92	1.46	1.51
2	B	502	M1K	C49-C50	-2.88	1.46	1.51
2	A	501	M1K	C40-C47	-2.83	1.44	1.50
2	B	502	M1K	O06-C59	2.77	1.49	1.43
2	A	501	M1K	C33-C38	-2.76	1.51	1.56
2	A	501	M1K	O06-C59	2.65	1.49	1.43
2	A	501	M1K	C39-C34	2.64	1.59	1.54
2	A	501	M1K	C85-C79	2.58	1.60	1.51
2	B	502	M1K	C85-C79	2.57	1.60	1.51
2	A	501	M1K	O15-C72	2.55	1.48	1.41
2	B	502	M1K	O25-C84	2.55	1.53	1.42
2	B	502	M1K	O14-C82	2.54	1.44	1.40
2	B	502	M1K	C64-C63	-2.54	1.47	1.53
2	A	501	M1K	O25-C84	2.52	1.53	1.42
3	B	501	POG	O6-C12	-2.46	1.40	1.44
3	B	501	POG	O7-C14	-2.44	1.40	1.44
2	A	501	M1K	C71-C69	2.41	1.58	1.51
2	B	502	M1K	C33-C38	-2.41	1.51	1.56
2	B	502	M1K	C40-C32	2.39	1.57	1.53
2	A	501	M1K	C30-C32	-2.36	1.52	1.56
3	A	502	POG	O5-C11	-2.36	1.39	1.43
2	B	502	M1K	C39-C34	2.36	1.59	1.54
2	B	502	M1K	C71-C69	2.35	1.58	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	502	POG	O4-C9	-2.33	1.39	1.43
3	A	502	POG	O6-C12	-2.32	1.40	1.44
3	B	501	POG	O7-C15	-2.32	1.39	1.43
2	A	501	M1K	C40-C32	2.30	1.57	1.53
2	B	502	M1K	O08-C69	-2.26	1.38	1.44
2	A	501	M1K	C64-C63	-2.24	1.48	1.53
2	B	502	M1K	C30-C32	-2.22	1.53	1.56
3	A	502	POG	O3-C6	-2.20	1.40	1.44
2	A	501	M1K	O14-C82	2.19	1.43	1.40
2	B	502	M1K	O15-C72	2.18	1.47	1.41
2	B	502	M1K	C72-C74	2.12	1.58	1.52
3	A	502	POG	O6-C13	-2.11	1.40	1.43
3	B	501	POG	O6-C13	-2.10	1.40	1.43
2	A	501	M1K	O08-C69	-2.09	1.39	1.44
2	A	501	M1K	C72-C74	2.07	1.58	1.52
2	A	501	M1K	C88-C87	-2.03	1.48	1.53
2	B	502	M1K	C46-C38	-2.01	1.50	1.53
3	A	502	POG	O3-C7	-2.00	1.40	1.43

All (75) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	502	M1K	C48-C44-C38	7.69	122.33	115.90
2	B	502	M1K	O03-C56-C58	6.86	114.75	106.43
2	B	502	M1K	C48-C44-C47	-6.74	118.07	122.07
2	A	501	M1K	C49-C50-C48	-6.12	108.68	113.28
2	B	502	M1K	C40-C32-C30	-6.01	109.34	114.70
2	A	501	M1K	C48-C44-C38	5.97	120.89	115.90
2	B	502	M1K	C55-C56-C58	-5.83	106.82	115.45
2	B	502	M1K	C49-C50-C48	-5.65	109.03	113.28
2	A	501	M1K	C33-C38-C44	5.25	121.92	113.58
2	B	502	M1K	C33-C38-C44	5.23	121.88	113.58
2	A	501	M1K	C55-C56-C58	-5.14	107.84	115.45
2	A	501	M1K	C40-C32-C30	-5.05	110.19	114.70
2	B	502	M1K	C32-C40-C47	4.90	121.97	112.99
2	B	502	M1K	O15-C78-C80	4.84	118.42	109.70
2	B	502	M1K	C41-C30-C32	4.71	117.77	111.49
2	B	502	M1K	C31-C34-C43	4.56	124.65	119.28
2	A	501	M1K	C48-C44-C47	-4.52	119.39	122.07
2	A	501	M1K	C32-C40-C47	4.49	121.23	112.99
2	B	502	M1K	C49-C46-C38	-4.35	101.18	112.06
2	A	501	M1K	O03-C56-C58	4.30	111.64	106.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	502	M1K	C40-C47-C44	-4.21	117.65	125.14
2	B	502	M1K	C52-C43-C34	4.12	119.06	112.88
2	B	502	M1K	C45-C33-C32	-4.02	103.24	112.81
2	A	501	M1K	C40-C47-C44	-3.95	118.11	125.14
2	A	501	M1K	C45-C33-C32	-3.91	103.51	112.81
2	B	502	M1K	O14-C82-C83	3.81	114.06	108.27
2	A	501	M1K	O15-C78-C80	3.66	116.29	109.70
2	A	501	M1K	C49-C46-C38	-3.58	103.09	112.06
2	A	501	M1K	C41-C30-C32	3.51	116.16	111.49
2	B	502	M1K	C72-O15-C78	3.46	120.47	113.72
2	A	501	M1K	C52-C43-C34	3.40	117.98	112.88
2	A	501	M1K	C31-C34-C43	3.28	123.15	119.28
2	B	502	M1K	C88-C86-C83	-3.18	105.25	110.83
2	B	502	M1K	C42-C31-C30	-3.13	107.32	112.36
2	A	501	M1K	C72-O10-C66	-3.11	110.62	117.98
2	B	502	M1K	C57-O02-C50	-3.04	109.51	114.92
2	A	501	M1K	C31-C30-C32	3.04	112.86	109.86
2	B	502	M1K	C41-C30-C31	-3.03	107.47	112.36
2	A	501	M1K	O08-C69-C71	3.02	112.67	106.69
2	A	501	M1K	C45-C33-C38	-2.98	103.32	110.17
2	A	501	M1K	C41-C30-C31	-2.95	107.61	112.36
2	B	502	M1K	C46-C38-C44	-2.94	103.39	111.32
2	A	501	M1K	C46-C38-C44	-2.94	103.40	111.32
2	A	501	M1K	C57-O02-C50	-2.88	109.80	114.92
2	A	501	M1K	O14-C82-C83	2.86	112.61	108.27
2	A	501	M1K	C46-C38-C33	-2.84	109.52	114.64
3	B	501	POG	C15-O7-C14	-2.83	110.86	115.05
2	B	502	M1K	C31-C30-C32	2.83	112.66	109.86
2	B	502	M1K	C67-O11-C73	-2.83	107.74	113.80
2	B	502	M1K	C39-C34-C31	-2.81	100.10	103.70
2	B	502	M1K	C76-C80-C78	2.69	115.11	110.23
2	A	501	M1K	O08-C69-C70	-2.68	104.86	109.70
2	B	502	M1K	O08-C69-C70	-2.68	104.87	109.70
2	B	502	M1K	C55-C51-C43	-2.65	108.57	115.37
2	A	501	M1K	C88-C86-C83	-2.65	106.18	110.83
2	A	501	M1K	O04-C63-C67	2.63	111.91	106.69
2	A	501	M1K	C67-O11-C73	-2.55	108.33	113.80
2	B	502	M1K	C45-C33-C38	-2.46	104.50	110.17
2	A	501	M1K	C39-C34-C31	-2.45	100.56	103.70
2	A	501	M1K	O10-C66-C68	2.41	113.36	107.23
2	A	501	M1K	C55-C51-C43	-2.34	109.36	115.37
2	B	502	M1K	O08-C69-C71	2.33	111.32	106.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	502	M1K	C40-C32-C33	2.33	113.42	110.55
2	A	501	M1K	C42-C31-C30	-2.31	108.64	112.36
2	B	502	M1K	C41-C30-C36	-2.26	103.30	111.63
2	B	502	M1K	O05-C58-C56	2.26	113.23	107.93
2	B	502	M1K	O04-C63-C67	2.25	111.15	106.69
2	A	501	M1K	C72-O15-C78	2.23	118.08	113.72
2	B	502	M1K	O01-C37-C33	2.21	114.75	111.02
2	B	502	M1K	O21-C87-C88	2.19	113.64	109.70
2	A	501	M1K	C57-O04-C63	-2.14	109.54	113.72
2	A	501	M1K	C41-C30-C36	-2.13	103.77	111.63
2	B	502	M1K	C72-O10-C66	-2.13	112.94	117.98
2	B	502	M1K	C46-C38-C33	-2.06	110.93	114.64
2	B	502	M1K	C46-C49-C50	2.05	114.51	110.79

There are no chirality outliers.

All (60) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	M1K	C58-C56-O03-C65
2	B	502	M1K	C31-C34-C43-C51
2	B	502	M1K	C39-C34-C43-C51
2	B	502	M1K	C58-C56-O03-C65
3	A	502	POG	C21-C6-O3-C7
3	A	502	POG	O3-C7-C8-O4
3	A	502	POG	O3-C7-C8-C20
3	A	502	POG	C20-C8-O4-C9
3	A	502	POG	O5-C10-C9-O4
3	B	501	POG	O5-C11-C12-C18
3	B	501	POG	C18-C12-O6-C13
5	A	504	UDP	PB-O3A-PA-O5'
2	B	502	M1K	C39-C34-C43-C52
2	A	501	M1K	C31-C34-C43-C52
2	B	502	M1K	C31-C34-C43-C52
2	A	501	M1K	C39-C34-C43-C51
2	A	501	M1K	O08-C69-C71-O14
2	B	502	M1K	O08-C69-C71-O14
2	A	501	M1K	O16-C79-C85-O26
2	A	501	M1K	C39-C34-C43-C52
2	A	501	M1K	C31-C34-C43-C51
2	B	502	M1K	C70-C69-C71-O14
2	A	501	M1K	C81-C79-C85-O26
2	A	501	M1K	O15-C78-C84-O25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	501	M1K	O21-C82-O14-C71
2	B	502	M1K	O21-C82-O14-C71
2	B	502	M1K	O16-C79-C85-O26
2	B	502	M1K	C81-C79-C85-O26
2	A	501	M1K	C83-C82-O14-C71
2	B	502	M1K	C83-C82-O14-C71
2	A	501	M1K	C70-C69-C71-O14
2	A	501	M1K	C80-C78-C84-O25
2	A	501	M1K	C43-C51-C55-C56
2	B	502	M1K	O21-C87-C89-O29
2	A	501	M1K	O21-C87-C89-O29
2	B	502	M1K	C43-C51-C55-C56
3	A	502	POG	C19-C10-C9-O4
4	A	503	TRS	N-C-C1-O1
4	B	503	TRS	C3-C-C1-O1
4	B	503	TRS	N-C-C2-O2
3	B	501	POG	O6-C13-C14-O7
5	B	504	UDP	PB-O3A-PA-O5'
2	A	501	M1K	C68-C66-O10-C72
3	A	502	POG	O1-C4-C6-C21
4	A	503	TRS	C2-C-C1-O1
4	A	503	TRS	C3-C-C1-O1
4	B	503	TRS	C2-C-C1-O1
2	A	501	M1K	C64-C63-C67-O11
2	A	501	M1K	O04-C63-C67-O11
4	B	503	TRS	N-C-C1-O1
3	A	502	POG	C18-C12-O6-C13
3	B	501	POG	C17-C14-O7-C15
3	A	502	POG	O1-C4-C6-O3
3	B	501	POG	O5-C11-C12-O6
4	B	503	TRS	C1-C-C2-O2
5	A	504	UDP	O4'-C4'-C5'-O5'
5	B	504	UDP	O4'-C4'-C5'-O5'
2	B	502	M1K	O04-C63-C67-O11
2	A	501	M1K	C69-C71-O14-C82
2	B	502	M1K	C64-C63-C67-O11

There are no ring outliers.

2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	501	POG	1	0




Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	POG	1	1

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	431/459 (93%)	-0.28	7 (1%) 70 70	16, 24, 36, 54	138 (32%)
1	B	431/459 (93%)	-0.43	6 (1%) 73 73	15, 23, 34, 60	114 (26%)
All	All	862/918 (93%)	-0.35	13 (1%) 72 71	15, 23, 35, 60	252 (29%)

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	247	ASP	5.2
1	A	247	ASP	4.4
1	A	305	ASP	3.3
1	A	186	THR	3.1
1	A	248	GLU	3.1
1	B	249	GLY	3.0
1	B	186	THR	2.9
1	A	304	GLY	2.8
1	B	185	SER	2.6
1	B	165	PHE	2.5
1	A	235	GLY	2.2
1	A	249	GLY	2.2
1	B	457	HIS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	POG	A	502	21/29	0.81	0.14	24,33,40,43	12
3	POG	B	501	13/29	0.85	0.12	22,25,30,31	9
2	M1K	B	502	89/89	0.87	0.11	19,27,38,42	28
2	M1K	A	501	89/89	0.91	0.09	19,27,38,42	28
4	TRS	B	503	8/8	0.92	0.11	17,25,25,29	0
4	TRS	A	503	8/8	0.94	0.10	22,25,27,28	0
5	UDP	A	504	25/25	0.98	0.05	18,21,26,30	0
5	UDP	B	504	25/25	0.98	0.04	16,19,22,30	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around POG A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around POG B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around M1K B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around M1K A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UDP A 504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around UDP B 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.