



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 26, 2026 – 02:33 PM EDT

PDB ID : 8HJH / pdb_00008hjh
Title : Crystal structure of glycosyltransferase SgUGT94-289-3 in complex with SIA, state 3
Authors : Li, M.; Zhang, S.; Cui, S.
Deposited on : 2022-11-23
Resolution : 1.76 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.76 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3183 (1.76-1.76)
Clashscore	190562	3299 (1.76-1.76)
Ramachandran outliers	187476	3274 (1.76-1.76)
Sidechain outliers	187428	3274 (1.76-1.76)
RSRZ outliers	180081	3183 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	459	5% 88% 7% 5%
1	B	459	5% 87% 8% 5%

2 Entry composition ⓘ


There are 6 unique types of molecules in this entry. The entry contains 7734 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called glycosyltransferase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	435	Total	C	N	O	S	0	1	0
			3435	2222	582	614	17			
1	B	437	Total	C	N	O	S	0	0	0
			3454	2231	582	624	17			

- Molecule 2 is (20S)-2,5,8,11,14,17-HEXAMETHYL-3,6,9,12,15,18-HEXAOXAHENICOSAN E-1,20-DIOL (CCD ID: POG) (formula: C₂₁H₄₄O₈).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			13	9	4		
2	A	1	Total	C	O	0	0
			21	15	6		
2	B	1	Total	C	O	0	0
			13	9	4		
2	B	1	Total	C	O	0	0
			21	15	6		

- Molecule 3 is (2S,3S,4S,5R,6R)-2-(hydroxymethyl)-6-[[[(2S,3S,4S,5R,6S)-5-[(2S,3R,4S,5S,6S)-6-(hydroxymethyl)-3,4,5-tris(oxidanyl)oxan-2-yl]oxy-6-[(3R,6S)-6-[(3S,8S,9R,10R,11S,13R,14S,17R)-3-[(2S,3R,4S,5S,6S)-6-(hydroxymethyl)-3,4,5-tris(oxidanyl)oxan-2-yl]oxy-4,4,9,13,14-pentamethyl-11-oxidanyl-2,3,7,8,10,11,12,15,16,17-decahydro-1H-cyclopenta[a]phenanthren-17-yl]-2-methyl-2-oxidanyl-heptan-3-yl]oxy-3,4-bis(oxidanyl)oxan-2-yl]methoxy]oxane-3,4,5-triol (CCD ID: M0O) (formula: C₅₄H₉₂O₂₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			78	54	24		
3	B	1	Total	C	O	0	0
			78	54	24		

- Molecule 4 is URIDINE-5'-DIPHOSPHATE (CCD ID: UDP) (formula: C₉H₁₄N₂O₁₂P₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 25	C 9	N 2	O 12	P 2	0	0
4	B	1	Total 25	C 9	N 2	O 12	P 2	0	0

- Molecule 5 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (CCD ID: TRS) (formula: $C_4H_{12}NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	N	O	0	0
			8	4	1	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	292	Total 292	O 292	0	0
6	B	271	Total 271	O 271	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: glycosyltransferase



- Molecule 1: glycosyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	78.25Å 76.80Å 82.11Å 90.00° 92.63° 90.00°	Depositor
Resolution (Å)	35.93 – 1.76 35.93 – 1.76	Depositor EDS
% Data completeness (in resolution range)	86.5 (35.93-1.76) 84.3 (35.93-1.76)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.37 (at 1.76Å)	Xtriage
Refinement program	PHENIX 1.18.2_3874	Depositor
R, R_{free}	0.181 , 0.201 0.181 , 0.202	Depositor DCC
R_{free} test set	4674 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	22.2	Xtriage
Anisotropy	0.301	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 40.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.012 for k,h,-l 0.012 for -k,-h,-l 0.067 for h,-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7734	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: POG, M0O, UDP, TRS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	3/3536 (0.1%)	0.94	0/4798
1	B	0.71	0/3555	0.91	0/4824
All	All	0.73	3/7091 (0.0%)	0.93	0/9622

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	170	LEU	C-O	-8.14	1.14	1.24
1	A	169	VAL	C-O	-6.55	1.17	1.24
1	A	169	VAL	C-N	-5.57	1.25	1.33

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3435	0	3362	21	0
1	B	3454	0	3368	22	0
2	A	34	0	50	3	0
2	B	34	0	50	2	0
3	A	78	0	0	0	0
3	B	78	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	25	0	11	0	0
4	B	25	0	11	0	0
5	B	8	0	12	1	0
6	A	292	0	0	2	0
6	B	271	0	0	1	0
All	All	7734	0	6864	46	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (46) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:142[A]:ASN:HB2	1:A:209:ILE:HD12	1.58	0.84
1:A:142[B]:ASN:HB3	1:A:209:ILE:HD12	1.58	0.83
1:A:146:VAL:HG23	1:A:223:LEU:HD22	1.78	0.65
1:A:137:PRO:HG3	1:A:453:GLU:HG3	1.80	0.64
1:B:144:THR:HG22	5:B:502:TRS:H12	1.81	0.63
1:B:20:TYR:HA	1:B:23:LEU:HD12	1.82	0.60
1:B:27:LEU:HD22	1:B:52:ILE:HG13	1.84	0.60
1:A:52:ILE:HD12	1:A:55:LYS:HD3	1.85	0.57
1:A:360:MET:HE2	1:A:387:VAL:HG21	1.87	0.57
1:A:371:MET:HE1	1:A:399:ILE:HD11	1.88	0.54
1:A:170:LEU:HD23	1:A:175:LYS:HG2	1.88	0.54
1:B:236:PRO:HG3	1:B:431:LEU:HD22	1.89	0.54
1:B:146:VAL:HB	1:B:209:ILE:HD13	1.90	0.53
1:A:373:VAL:HG12	1:A:374:ASP:N	2.24	0.52
1:B:78:PRO:HD2	1:B:81:LEU:HD12	1.92	0.52
1:A:89:PRO:O	6:A:601:HOH:O	2.19	0.51
1:B:146:VAL:HG23	1:B:223:LEU:HD22	1.92	0.51
1:B:193:GLY:HA3	2:B:501:POG:H6	1.91	0.51
1:A:357:MET:HA	1:A:357:MET:HE2	1.93	0.51
1:B:409:LYS:HG2	1:B:414:GLU:HG3	1.92	0.50
1:A:174:TRP:HA	1:A:177:MET:HG2	1.94	0.49
1:B:255:ASN:ND2	6:B:604:HOH:O	2.44	0.49
1:B:360:MET:HE2	1:B:387:VAL:HG21	1.95	0.49
1:B:372:HIS:CD2	1:B:373:VAL:HG23	2.50	0.47
1:B:206:VAL:HG12	1:B:230:LYS:HB3	1.97	0.47
1:A:373:VAL:HG12	1:A:374:ASP:H	1.81	0.45
1:B:381:LEU:HA	1:B:384:GLU:HG2	1.98	0.45
1:A:206:VAL:HG12	1:A:230:LYS:HB3	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:410:GLU:HB3	1:B:417:ARG:HG2	1.99	0.45
1:B:154:HIS:N	1:B:155:PRO:HD2	2.32	0.45
1:A:152:SER:HB3	2:A:501:POG:H71	1.99	0.45
2:A:503:POG:H31	2:A:503:POG:H151	1.65	0.44
1:B:73:SER:OG	1:B:79:PRO:HD3	2.18	0.44
1:B:373:VAL:HG12	1:B:374:ASP:N	2.32	0.44
1:A:56:LEU:HD11	1:A:64:ILE:HD12	1.99	0.43
1:A:23:LEU:HD11	1:A:48:ASN:CG	2.43	0.42
2:B:504:POG:H111	2:B:504:POG:H131	1.68	0.42
1:A:213:ARG:HD3	6:A:725:HOH:O	2.20	0.42
1:B:270:PHE:CZ	1:B:284:ILE:HD13	2.55	0.41
1:A:20:TYR:HA	1:A:23:LEU:HD12	2.01	0.41
1:B:357:MET:HA	1:B:357:MET:HE2	2.02	0.41
1:B:158:TYR:HB3	1:B:161:SER:HB3	2.03	0.41
1:B:163:PHE:HA	1:B:164:PRO:HD3	1.88	0.41
2:A:503:POG:H172	2:A:503:POG:H152	1.90	0.40
1:A:91:LEU:HD23	1:A:91:LEU:HA	1.95	0.40
1:A:52:ILE:HD12	1:A:52:ILE:HA	1.99	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	430/459 (94%)	424 (99%)	5 (1%)	1 (0%)	43	27
1	B	431/459 (94%)	426 (99%)	4 (1%)	1 (0%)	43	27
All	All	861/918 (94%)	850 (99%)	9 (1%)	2 (0%)	43	27

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	373	VAL
1	B	373	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	371/400 (93%)	370 (100%)	1 (0%)	86	83
1	B	374/400 (94%)	374 (100%)	0	100	100
All	All	745/800 (93%)	744 (100%)	1 (0%)	88	85

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	123	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	70	HIS
1	A	111	GLN
1	A	173	HIS
1	A	228	ASN
1	A	294	ASN
1	A	303	GLN
1	A	372	HIS
1	A	457	HIS
1	B	160	HIS
1	B	255	ASN
1	B	303	GLN
1	B	372	HIS
1	B	455	HIS
1	B	457	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	M0O	B	503	-	85,85,85	2.03	18 (21%)	129,135,135	3.11	39 (30%)
2	POG	A	503	-	20,20,28	1.25	1 (5%)	24,24,34	1.59	4 (16%)
2	POG	B	504	-	20,20,28	1.35	4 (20%)	24,24,34	1.62	4 (16%)
4	UDP	B	505	-	25,26,26	1.24	4 (16%)	38,40,40	1.53	5 (13%)
4	UDP	A	504	-	25,26,26	0.63	0	38,40,40	1.04	3 (7%)
2	POG	A	501	-	12,12,28	0.36	0	14,14,34	0.57	0
2	POG	B	501	-	12,12,28	1.17	0	14,14,34	0.83	1 (7%)
5	TRS	B	502	-	7,7,7	0.13	0	9,9,9	0.23	0
3	M0O	A	502	-	85,85,85	2.05	19 (22%)	129,135,135	2.84	45 (34%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	M0O	B	503	-	-	17/38/194/194	0/8/8/8
2	POG	A	503	-	-	13/22/22/32	-
2	POG	B	504	-	-	5/22/22/32	-
4	UDP	B	505	-	-	3/16/32/32	0/2/2/2
4	UDP	A	504	-	-	2/16/32/32	0/2/2/2
2	POG	A	501	-	-	0/12/12/32	-
2	POG	B	501	-	-	5/12/12/32	-
5	TRS	B	502	-	-	3/9/9/9	-
3	M0O	A	502	-	-	16/38/194/194	0/8/8/8

All (46) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	503	M0O	C42-C39	10.17	1.51	1.33
3	A	502	M0O	C42-C39	10.13	1.51	1.33
3	B	503	M0O	O01-C32	-6.82	1.32	1.43
3	A	502	M0O	O01-C32	-6.80	1.32	1.43
3	A	502	M0O	C35-C42	4.41	1.59	1.50
3	B	503	M0O	C35-C42	4.35	1.59	1.50
3	B	503	M0O	C38-C29	-4.32	1.47	1.54
3	A	502	M0O	C38-C29	-4.04	1.47	1.54
3	A	502	M0O	C33-C39	3.88	1.59	1.52
3	B	503	M0O	C33-C39	3.64	1.59	1.52
3	A	502	M0O	C35-C27	3.33	1.58	1.53
3	A	502	M0O	C31-C34	3.27	1.64	1.54
3	B	503	M0O	C31-C34	3.24	1.64	1.54
3	B	503	M0O	C35-C27	3.10	1.58	1.53
3	B	503	M0O	C50-C46	2.72	1.60	1.53
3	A	502	M0O	C50-C46	2.71	1.60	1.53
4	B	505	UDP	C4-N3	-2.69	1.34	1.38
3	A	502	M0O	C30-C32	-2.64	1.49	1.53
3	A	502	M0O	C44-C41	-2.62	1.46	1.52
2	B	504	POG	O6-C12	-2.60	1.39	1.44
2	A	503	POG	O6-C13	-2.59	1.39	1.43
3	B	503	M0O	C44-C41	-2.51	1.46	1.52
3	B	503	M0O	O05-C53	-2.43	1.40	1.44
4	B	505	UDP	C2-N3	-2.37	1.33	1.38
3	A	502	M0O	O04-C52	2.28	1.47	1.41
3	A	502	M0O	O08-C60	2.26	1.47	1.41
3	B	503	M0O	C25-C27	-2.24	1.53	1.56
3	A	502	M0O	O05-C53	-2.22	1.40	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	504	POG	O6-C13	-2.22	1.39	1.43
4	B	505	UDP	PA-O3A	2.21	1.61	1.59
3	B	503	M0O	C30-C32	-2.18	1.50	1.53
3	A	502	M0O	C28-C27	2.16	1.60	1.56
3	A	502	M0O	C69-C68	-2.16	1.46	1.52
3	A	502	M0O	C75-C73	-2.13	1.46	1.52
2	B	504	POG	O5-C10	-2.09	1.40	1.44
3	B	503	M0O	C69-C68	-2.08	1.47	1.52
3	B	503	M0O	O04-C52	2.07	1.47	1.41
3	A	502	M0O	O22-C75	2.05	1.48	1.43
3	A	502	M0O	C71-C69	-2.04	1.47	1.52
3	B	503	M0O	C28-C27	2.03	1.60	1.56
4	B	505	UDP	C5-C4	-2.03	1.39	1.43
3	B	503	M0O	C75-C73	-2.03	1.47	1.52
3	B	503	M0O	C71-C69	-2.02	1.47	1.52
2	B	504	POG	O7-C14	-2.02	1.40	1.44
3	B	503	M0O	O18-C72	2.01	1.47	1.41
3	A	502	M0O	C55-C54	-2.00	1.47	1.52

All (101) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	503	M0O	C43-C39-C33	-13.98	104.21	115.90
3	A	502	M0O	C37-C26-C30	-13.01	93.09	111.08
3	B	503	M0O	C37-C26-C25	-12.66	91.96	112.36
3	A	502	M0O	C37-C26-C25	-11.44	93.92	112.36
3	B	503	M0O	C37-C26-C30	-11.39	95.34	111.08
3	B	503	M0O	C43-C39-C42	-10.12	116.07	122.07
3	A	502	M0O	C31-C25-C27	7.57	128.05	113.94
3	B	503	M0O	C31-C25-C27	6.99	126.98	113.94
3	B	503	M0O	C36-C25-C26	-6.87	101.28	112.36
3	A	502	M0O	C36-C25-C26	-6.50	101.88	112.36
3	A	502	M0O	C50-C51-C53	-6.17	106.32	115.45
3	B	503	M0O	C35-C42-C39	-6.06	114.36	125.14
3	A	502	M0O	C26-C29-C38	5.87	126.20	119.28
3	B	503	M0O	C26-C29-C38	5.87	126.19	119.28
3	B	503	M0O	C30-C26-C25	5.83	118.26	108.31
3	A	502	M0O	O03-C51-C53	5.61	113.23	106.43
3	A	502	M0O	C44-C45-C43	-5.26	109.33	113.28
3	B	503	M0O	C37-C26-C29	-5.26	101.56	111.72
3	A	502	M0O	C35-C42-C39	-5.17	115.95	125.14
3	A	502	M0O	C30-C26-C25	5.13	117.06	108.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	503	M00	O03-C51-C53	5.10	112.61	106.43
2	B	504	POG	C3-O2-C5	5.02	122.45	115.05
3	A	502	M00	C30-C26-C29	4.96	134.28	117.43
3	B	503	M00	O18-C76-C77	4.94	118.59	109.70
3	B	503	M00	C30-C26-C29	4.91	134.12	117.43
3	B	503	M00	C47-C38-C29	4.86	120.17	112.88
3	A	502	M00	C37-C26-C29	-4.85	102.34	111.72
3	A	502	M00	O15-C70-C71	4.75	118.26	109.70
4	B	505	UDP	C4-N3-C2	-4.56	120.96	126.61
3	A	502	M00	O18-C76-C77	4.51	117.82	109.70
3	B	503	M00	O15-C70-C71	4.46	117.74	109.70
2	A	503	POG	O4-C9-C10	4.21	122.59	111.77
3	B	503	M00	C35-C27-C25	-4.14	111.00	114.70
3	A	502	M00	C26-C25-C27	4.07	113.89	109.86
3	A	502	M00	C47-C38-C29	4.07	118.99	112.88
3	A	502	M00	C35-C27-C28	4.06	115.56	110.55
3	B	503	M00	O08-C64-C65	4.02	116.95	109.70
3	A	502	M00	C43-C39-C33	-4.01	112.54	115.90
4	B	505	UDP	N3-C2-N1	3.99	120.08	114.89
3	A	502	M00	C36-C25-C31	-3.96	97.06	111.63
3	B	503	M00	C63-C65-C64	3.91	117.33	110.23
3	A	502	M00	C35-C27-C25	-3.89	111.23	114.70
3	B	503	M00	C26-C25-C27	3.82	113.64	109.86
3	B	503	M00	C36-C25-C31	-3.82	97.58	111.63
4	B	505	UDP	C5-C4-N3	3.78	120.09	114.80
3	B	503	M00	C40-C28-C27	-3.62	104.20	112.81
2	A	503	POG	C13-O6-C12	3.61	120.38	115.05
3	B	503	M00	C35-C27-C28	3.57	114.97	110.55
2	A	503	POG	C15-O7-C14	3.55	120.28	115.05
3	A	502	M00	C52-O02-C45	3.52	121.18	114.92
3	A	502	M00	O08-C64-C65	3.47	115.96	109.70
3	B	503	M00	C50-C51-C53	-3.47	110.31	115.45
3	A	502	M00	C27-C28-C32	3.36	113.89	107.52
3	B	503	M00	C27-C28-C32	3.32	113.79	107.52
3	A	502	M00	C40-C28-C27	-3.30	104.94	112.81
2	B	504	POG	C15-O7-C14	3.20	119.76	115.05
3	A	502	M00	O06-C54-C55	-3.19	102.87	110.38
3	A	502	M00	C60-O08-C64	3.15	119.87	113.72
3	A	502	M00	O08-C60-C61	3.11	115.54	109.49
3	A	502	M00	C63-C65-C64	3.10	115.85	110.23
4	B	505	UDP	O4-C4-C5	-2.93	120.11	125.16
3	A	502	M00	C75-C77-C76	2.86	115.42	110.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	503	M00	O04-C58-C59	2.72	114.61	109.70
3	A	502	M00	C36-C25-C27	-2.71	107.87	111.49
3	A	502	M00	C43-C39-C42	-2.70	120.47	122.07
3	A	502	M00	C69-C71-C70	2.68	115.10	110.23
3	B	503	M00	C75-C77-C76	2.64	115.02	110.23
3	B	503	M00	C46-C50-C51	-2.63	106.58	112.77
3	A	502	M00	C27-C35-C42	2.63	117.81	112.99
3	A	502	M00	O02-C52-C54	2.62	114.54	108.09
3	B	503	M00	C34-C29-C26	-2.60	100.36	103.70
3	B	503	M00	C26-C30-C32	2.60	116.94	113.20
3	B	503	M00	C60-O08-C64	2.57	118.74	113.72
3	A	502	M00	C34-C29-C38	-2.54	108.34	112.18
3	B	503	M00	O08-C60-C61	2.47	114.29	109.49
3	B	503	M00	C28-C33-C39	2.47	117.49	113.58
3	B	503	M00	C31-C25-C26	2.44	104.74	101.83
3	B	503	M00	C46-C38-C29	-2.39	105.37	110.33
3	A	502	M00	O12-C63-C65	-2.39	104.74	110.38
4	B	505	UDP	O2-C2-N1	-2.37	119.72	122.80
4	A	504	UDP	O3A-PA-O1A	-2.34	103.67	110.70
3	A	502	M00	C67-O15-C70	2.29	118.20	113.72
3	B	503	M00	C78-C76-C77	-2.26	107.46	113.02
3	A	502	M00	O20-C73-C75	-2.26	105.06	110.38
3	B	503	M00	O12-C63-C65	-2.23	105.11	110.38
3	B	503	M00	C69-C71-C70	2.23	114.28	110.23
3	A	502	M00	C59-C55-C54	2.22	114.72	110.83
3	B	503	M00	C67-O10-C61	-2.19	112.79	117.98
4	A	504	UDP	O3A-PB-O1B	-2.16	99.68	111.04
3	A	502	M00	C52-C54-C55	2.15	114.53	110.01
2	A	503	POG	C3-O2-C5	2.14	118.20	115.05
2	B	504	POG	C17-C14-C13	-2.13	106.69	112.69
3	A	502	M00	C55-C59-C58	2.10	114.03	110.23
3	A	502	M00	C72-O18-C76	2.10	117.81	113.72
2	B	504	POG	C19-C10-C9	-2.09	106.81	112.69
3	B	503	M00	C36-C25-C27	-2.08	108.72	111.49
4	A	504	UDP	O4'-C1'-N1	-2.06	103.70	108.36
3	A	502	M00	O04-C52-C54	2.05	114.58	110.37
3	A	502	M00	C78-C76-C77	-2.04	108.02	113.02
2	B	501	POG	O4-C9-C10	2.02	112.87	108.94
3	A	502	M00	C26-C30-C32	2.01	116.08	113.20

There are no chirality outliers.

All (64) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	503	POG	C15-C5-O2-C3
2	A	503	POG	O5-C10-C9-O4
2	A	503	POG	C19-C10-C9-O4
2	A	503	POG	O5-C11-C12-O6
2	A	503	POG	C11-C12-O6-C13
2	A	503	POG	C17-C14-O7-C15
2	B	501	POG	O3-C7-C8-O4
2	B	501	POG	O3-C7-C8-C20
2	B	501	POG	O5-C10-C9-O4
2	B	501	POG	C19-C10-C9-O4
2	B	504	POG	O5-C10-C9-O4
2	B	504	POG	C19-C10-C9-O4
2	B	504	POG	O5-C11-C12-O6
2	B	504	POG	O5-C11-C12-C18
3	A	502	M0O	C26-C29-C38-C46
3	A	502	M0O	C53-C51-O03-C60
3	A	502	M0O	C54-C52-O02-C45
3	B	503	M0O	C53-C51-O03-C60
3	B	503	M0O	O18-C72-O14-C66
5	B	502	TRS	N-C-C2-O2
3	A	502	M0O	C26-C29-C38-C47
3	A	502	M0O	C34-C29-C38-C46
3	A	502	M0O	O08-C64-C66-O14
3	B	503	M0O	O08-C64-C66-O14
3	A	502	M0O	C34-C29-C38-C47
3	B	503	M0O	C47-C38-C46-C50
3	B	503	M0O	C26-C29-C38-C47
3	A	502	M0O	O15-C70-C74-O21
3	A	502	M0O	O04-C58-C62-O11
3	B	503	M0O	O04-C58-C62-O11
3	B	503	M0O	C77-C76-C78-O24
3	B	503	M0O	O15-C70-C74-O21
3	A	502	M0O	C59-C58-C62-O11
3	B	503	M0O	C59-C58-C62-O11
3	A	502	M0O	C65-C64-C66-O14
3	B	503	M0O	O18-C76-C78-O24
3	B	503	M0O	C34-C29-C38-C47
3	A	502	M0O	O03-C51-C53-C57
3	A	502	M0O	C71-C70-C74-O21
3	A	502	M0O	C38-C46-C50-C51
2	B	501	POG	C8-C7-O3-C6
2	B	504	POG	C12-C11-O5-C10
2	A	503	POG	O7-C15-C5-C16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	503	POG	O5-C11-C12-C18
3	A	502	M00	C50-C51-C53-O05
2	A	503	POG	O7-C15-C5-O2
3	B	503	M00	C71-C70-C74-O21
3	A	502	M00	C50-C51-C53-C57
4	A	504	UDP	PB-O3A-PA-O5'
4	B	505	UDP	PB-O3A-PA-O5'
4	B	505	UDP	C3'-C4'-C5'-O5'
4	B	505	UDP	O4'-C4'-C5'-O5'
3	B	503	M00	C29-C38-C46-C50
3	B	503	M00	C34-C29-C38-C46
2	A	503	POG	C19-C10-O5-C11
2	A	503	POG	OH-C2-C3-O2
3	B	503	M00	C64-C66-O14-C72
3	B	503	M00	C26-C29-C38-C46
5	B	502	TRS	C1-C-C2-O2
5	B	502	TRS	C1-C-C3-O3
4	A	504	UDP	O4'-C4'-C5'-O5'
2	A	503	POG	C1-C2-C3-O2
2	A	503	POG	C18-C12-O6-C13
3	B	503	M00	C65-C64-C66-O14


There are no ring outliers.



5 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	503	POG	2	0
2	B	504	POG	1	0
2	A	501	POG	1	0
2	B	501	POG	1	0
5	B	502	TRS	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	435/459 (94%)	0.29	23 (5%) 32 36	9, 26, 50, 84	1 (0%)
1	B	437/459 (95%)	0.35	25 (5%) 29 33	16, 27, 54, 87	1 (0%)
All	All	872/918 (94%)	0.32	48 (5%) 30 35	9, 27, 52, 87	2 (0%)

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	310	ILE	6.6
1	A	310	ILE	5.4
1	A	307	THR	4.7
1	B	309	GLY	4.7
1	B	307	THR	4.6
1	B	186	THR	4.4
1	A	312	ASP	4.2
1	B	306	ASN	4.0
1	B	457	HIS	3.9
1	A	457	HIS	3.8
1	B	308	SER	3.7
1	B	305	ASP	3.4
1	A	62	ASP	3.3
1	B	142	ASN	3.0
1	A	177	MET	3.0
1	B	304	GLY	3.0
1	B	187	GLU	2.9
1	A	164	PRO	2.9
1	B	312	ASP	2.9
1	B	301	PHE	2.8
1	A	187	GLU	2.7
1	B	174	TRP	2.7
1	B	177	MET	2.7
1	A	305	ASP	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	176	ALA	2.6
1	A	186	THR	2.5
1	B	248	GLU	2.5
1	A	301	PHE	2.4
1	A	158	TYR	2.4
1	A	165	PHE	2.3
1	B	454	HIS	2.3
1	A	309	GLY	2.3
1	B	156	ILE	2.3
1	A	63	SER	2.2
1	A	308	SER	2.2
1	B	172	ASN	2.2
1	A	303	GLN	2.2
1	B	303	GLN	2.1
1	A	304	GLY	2.1
1	A	366	ILE	2.1
1	A	306	ASN	2.1
1	B	190	ARG	2.1
1	B	320	GLU	2.1
1	A	161	SER	2.1
1	A	454	HIS	2.0
1	B	247	ASP	2.0
1	A	185	SER	2.0
1	B	456	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	POG	A	501	13/29	0.71	0.17	45,49,55,56	0
5	TRS	B	502	8/8	0.78	0.15	25,32,36,36	0
2	POG	B	504	21/29	0.80	0.15	34,46,54,59	0
2	POG	A	503	21/29	0.80	0.16	31,42,55,56	0
2	POG	B	501	13/29	0.82	0.12	42,47,53,54	0
3	M0O	A	502	78/78	0.86	0.12	18,29,48,57	0
3	M0O	B	503	78/78	0.89	0.11	19,30,47,51	0
4	UDP	B	505	25/25	0.95	0.09	19,21,24,25	0
4	UDP	A	504	25/25	0.98	0.04	18,21,23,24	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around POG A 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around POG B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around M0O A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around M0O B 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UDP B 505:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around UDP A 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.