



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 04:42 PM UTC

PDB ID : 6HLP / pdb_00006hlp
Title : Crystal structure of the Neurokinin 1 receptor in complex with the small molecule antagonist Netupitant
Authors : Schoppe, J.; Ehrenmann, J.; Klenk, C.; Rucktooa, P.; Schutz, M.; Dore, A.S.; Pluckthun, A.
Deposited on : 2018-09-11
Resolution : 2.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	520	

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 4396 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Substance-P receptor, Substance-P receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	485	Total	C	N	O	S	0	0	0
			3882	2560	630	662	30			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	74	ALA	LEU	engineered mutation	UNP P25103
A	116	ILE	VAL	engineered mutation	UNP P25103
A	144	LEU	ALA	engineered mutation	UNP P25103
A	181	LYS	MET	engineered mutation	UNP P25103
A	215	LEU	ALA	engineered mutation	UNP P25103
A	224	ARG	TRP	engineered mutation	UNP P25103
A	1218	GLY	GLU	conflict	UNP P25103
A	243	ALA	LYS	engineered mutation	UNP P25103

- Molecule 2 is 2-[3,5-bis(trifluoromethyl)phenyl]- {N},2-dimethyl- {N}-[4-(2-methylphenyl)-6-(4-methylpiperazin-1-yl)pyridin-3-yl]propanamide (CCD ID: GAW) (formula: C₃₀H₃₂F₆N₄O).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			41	30	6	4	1		

- Molecule 3 is CITRIC ACID (CCD ID: CIT) (formula: $C_6H_8O_7$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			13	6	7		

- Molecule 4 is OLEIC ACID (CCD ID: OLA) (formula: $C_{18}H_{34}O_2$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 11 9 2	0	0
4	A	1	Total C O 14 12 2	0	0
4	A	1	Total C O 17 15 2	0	0
4	A	1	Total C 7 7	0	0
4	A	1	Total C 11 11	0	0
4	A	1	Total C 10 10	0	0
4	A	1	Total C 6 6	0	0
4	A	1	Total C 13 13	0	0
4	A	1	Total C 10 10	0	0

- Molecule 5 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (CCD ID: OLC) (formula: $C_{21}H_{40}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			20	16	4		
5	A	1	Total	C	O	0	0
			23	19	4		
5	A	1	Total	C	O	0	0
			17	13	4		
5	A	1	Total	C	O	0	0
			17	13	4		
5	A	1	Total	C	O	0	0
			15	11	4		
5	A	1	Total	C	O	0	0
			17	13	4		
5	A	1	Total	C	O	0	0
			10	6	4		

- Molecule 6 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		
6	A	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total C O 7 4 3	0	0
6	A	1	Total C O 7 4 3	0	0
6	A	1	Total C O 7 4 3	0	0
6	A	1	Total C O 7 4 3	0	0
6	A	1	Total C O 7 4 3	0	0
6	A	1	Total C O 7 4 3	0	0
6	A	1	Total C O 7 4 3	0	0
6	A	1	Total C O 7 4 3	0	0
6	A	1	Total C O 7 4 3	0	0
6	A	1	Total C O 7 4 3	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	74	Total O 74 74	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Substance-P receptor, Substance-P receptor



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	61.66Å 76.57Å 166.03Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.24 – 2.20 29.24 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.9 (29.24-2.20) 99.9 (29.24-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.64 (at 2.20Å)	Xtriage
Refinement program	PHENIX (1.13_2998: ???)	Depositor
R, R_{free}	0.203 , 0.225 0.210 , 0.224	Depositor DCC
R_{free} test set	1979 reflections (4.86%)	wwPDB-VP
Wilson B-factor (Å ²)	44.6	Xtriage
Anisotropy	0.577	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 39.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4396	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.61% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OLC, PEG, YCM, CIT, GAW, OLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	2/3962 (0.1%)	0.62	6/5374 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1354	ILE	C-N	11.51	1.48	1.33
1	A	164	PRO	C-O	-5.78	1.17	1.24

The worst 5 of 6 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1354	ILE	CA-C-N	10.55	130.31	119.76
1	A	1354	ILE	C-N-CA	10.55	130.31	119.76
1	A	226	SER	CA-C-N	9.44	131.46	121.45
1	A	226	SER	C-N-CA	9.44	131.46	121.45
1	A	226	SER	O-C-N	-8.08	111.97	122.39

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3882	0	3941	51	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	41	0	0	0	0
3	A	13	0	5	3	0
4	A	99	0	147	1	0
5	A	119	0	154	6	0
6	A	168	0	240	4	0
7	A	74	0	0	3	0
All	All	4396	0	4487	55	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 55 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:187:HIS:HB3	1:A:188:PRO:CD	1.68	1.20
1:A:187:HIS:HB3	1:A:188:PRO:HD2	1.36	1.02
1:A:185:PRO:HB2	1:A:187:HIS:NE2	1.76	1.01
1:A:187:HIS:CB	1:A:188:PRO:HD2	1.94	0.97
1:A:187:HIS:CB	1:A:188:PRO:CD	2.42	0.94

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	479/520 (92%)	468 (98%)	10 (2%)	1 (0%)	43 51

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	187	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	415/450 (92%)	413 (100%)	2 (0%)	81	90

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1407	LYS
1	A	273	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	96	ASN
1	A	139	GLN
1	A	1385	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	YCM	A	322	1	7,9,10	1.06	1 (14%)	5,10,12	1.02	0
1	YCM	A	1221	1	7,9,10	0.99	0	5,10,12	0.83	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	YCM	A	322	1	-	1/6/8/10	-
1	YCM	A	1221	1	-	0/6/8/10	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	322	YCM	CD-SG	-2.10	1.76	1.81

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	322	YCM	CA-CB-SG-CD

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	322	YCM	1	0
1	A	1221	YCM	2	0

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

42 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	OLA	A	1506	-	6,6,19	0.25	0	5,5,19	0.54	0
6	PEG	A	1541	-	6,6,6	0.44	0	5,5,5	0.38	0
6	PEG	A	1523	-	6,6,6	0.41	0	5,5,5	0.41	0
5	OLC	A	1516	-	14,14,24	1.20	1 (7%)	15,15,25	1.09	2 (13%)
6	PEG	A	1532	-	6,6,6	0.45	0	5,5,5	0.26	0
6	PEG	A	1524	-	6,6,6	0.45	0	5,5,5	0.30	0
6	PEG	A	1518	-	6,6,6	0.44	0	5,5,5	0.29	0
5	OLC	A	1513	-	22,22,24	0.97	1 (4%)	23,23,25	0.93	1 (4%)
4	OLA	A	1503	-	10,10,19	0.59	0	10,10,19	1.18	2 (20%)
5	OLC	A	1540	-	9,9,24	1.48	1 (11%)	10,10,25	1.23	1 (10%)
6	PEG	A	1531	-	6,6,6	0.44	0	5,5,5	0.44	0
6	PEG	A	1520	-	6,6,6	0.45	0	5,5,5	0.26	0
6	PEG	A	1521	-	6,6,6	0.44	0	5,5,5	0.30	0
6	PEG	A	1526	-	6,6,6	0.44	0	5,5,5	0.29	0
6	PEG	A	1528	-	6,6,6	0.47	0	5,5,5	0.28	0
4	OLA	A	1504	-	13,13,19	0.60	0	13,13,19	0.97	0
6	PEG	A	1522	-	6,6,6	0.45	0	5,5,5	0.34	0
6	PEG	A	1530	-	6,6,6	0.44	0	5,5,5	0.26	0
6	PEG	A	1534	-	6,6,6	0.45	0	5,5,5	0.28	0
5	OLC	A	1512	-	19,19,24	1.03	1 (5%)	20,20,25	0.98	1 (5%)
6	PEG	A	1529	-	6,6,6	0.44	0	5,5,5	0.26	0
5	OLC	A	1539	-	16,16,24	1.15	1 (6%)	17,17,25	1.14	1 (5%)
3	CIT	A	1502	-	12,12,12	1.20	0	17,17,17	1.37	2 (11%)
6	PEG	A	1525	-	6,6,6	0.43	0	5,5,5	0.36	0
4	OLA	A	1509	-	5,5,19	0.24	0	4,4,19	0.43	0
6	PEG	A	1533	-	6,6,6	0.45	0	5,5,5	0.32	0
6	PEG	A	1537	-	6,6,6	0.49	0	5,5,5	0.19	0
4	OLA	A	1507	-	10,10,19	0.29	0	9,9,19	0.69	0
4	OLA	A	1505	-	16,16,19	0.55	0	16,16,19	0.84	1 (6%)
6	PEG	A	1517	-	6,6,6	0.43	0	5,5,5	0.47	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	PEG	A	1538	-	6,6,6	0.38	0	5,5,5	0.37	0
6	PEG	A	1542	-	6,6,6	0.43	0	5,5,5	0.34	0
6	PEG	A	1535	-	6,6,6	0.44	0	5,5,5	0.29	0
5	OLC	A	1515	-	16,16,24	1.14	1 (6%)	17,17,25	1.04	2 (11%)
6	PEG	A	1536	-	6,6,6	0.43	0	5,5,5	0.44	0
2	GAW	A	1501	-	43,44,44	2.75	13 (30%)	64,68,68	1.87	17 (26%)
4	OLA	A	1510	-	12,12,19	0.25	0	11,11,19	0.48	0
5	OLC	A	1514	-	16,16,24	1.16	1 (6%)	17,17,25	0.98	1 (5%)
4	OLA	A	1508	-	9,9,19	0.30	0	8,8,19	0.76	0
4	OLA	A	1511	-	9,9,19	0.32	0	8,8,19	0.54	0
6	PEG	A	1527	-	6,6,6	0.42	0	5,5,5	0.40	0
6	PEG	A	1519	-	6,6,6	0.46	0	5,5,5	0.29	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	OLA	A	1506	-	-	0/4/4/17	-
6	PEG	A	1541	-	-	0/4/4/4	-
6	PEG	A	1523	-	-	0/4/4/4	-
5	OLC	A	1516	-	-	5/14/14/24	-
6	PEG	A	1532	-	-	0/4/4/4	-
6	PEG	A	1524	-	-	0/4/4/4	-
6	PEG	A	1518	-	-	2/4/4/4	-
5	OLC	A	1513	-	-	4/22/22/24	-
4	OLA	A	1503	-	-	2/8/8/17	-
5	OLC	A	1540	-	-	4/9/9/24	-
6	PEG	A	1531	-	-	2/4/4/4	-
6	PEG	A	1520	-	-	1/4/4/4	-
6	PEG	A	1521	-	-	0/4/4/4	-
6	PEG	A	1526	-	-	0/4/4/4	-
6	PEG	A	1528	-	-	2/4/4/4	-
4	OLA	A	1504	-	-	2/11/11/17	-
6	PEG	A	1522	-	-	1/4/4/4	-
6	PEG	A	1530	-	-	2/4/4/4	-
6	PEG	A	1534	-	-	1/4/4/4	-
5	OLC	A	1512	-	-	5/19/19/24	-
6	PEG	A	1529	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	OLC	A	1539	-	-	5/16/16/24	-
3	CIT	A	1502	-	-	9/16/16/16	-
6	PEG	A	1525	-	-	0/4/4/4	-
4	OLA	A	1509	-	-	0/3/3/17	-
6	PEG	A	1533	-	-	0/4/4/4	-
6	PEG	A	1537	-	-	1/4/4/4	-
4	OLA	A	1507	-	-	3/8/8/17	-
4	OLA	A	1505	-	-	5/14/14/17	-
6	PEG	A	1517	-	-	1/4/4/4	-
6	PEG	A	1538	-	-	1/4/4/4	-
6	PEG	A	1542	-	-	1/4/4/4	-
6	PEG	A	1535	-	-	0/4/4/4	-
5	OLC	A	1515	-	-	1/16/16/24	-
6	PEG	A	1536	-	-	1/4/4/4	-
2	GAW	A	1501	-	-	0/40/50/50	0/4/4/4
4	OLA	A	1510	-	-	2/10/10/17	-
5	OLC	A	1514	-	-	3/16/16/24	-
4	OLA	A	1508	-	-	1/7/7/17	-
4	OLA	A	1511	-	-	3/7/7/17	-
6	PEG	A	1527	-	-	0/4/4/4	-
6	PEG	A	1519	-	-	1/4/4/4	-

The worst 5 of 20 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1501	GAW	C16-N14	11.16	1.47	1.36
2	A	1501	GAW	C10-N35	5.82	1.50	1.37
2	A	1501	GAW	C13-N14	4.64	1.49	1.44
2	A	1501	GAW	C27-C25	4.49	1.59	1.49
5	A	1514	OLC	O20-C1	4.39	1.46	1.33

The worst 5 of 31 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1501	GAW	C09-C10-N11	-4.94	114.60	122.82
2	A	1501	GAW	C08-C13-N14	4.74	127.42	121.40
2	A	1501	GAW	C08-C09-C10	4.51	125.29	118.89
2	A	1501	GAW	C13-C12-N11	3.95	127.61	121.44
2	A	1501	GAW	C39-C40-N35	3.42	117.98	110.78

There are no chirality outliers.

5 of 71 torsion outliers are listed below:




Mol	Chain	Res	Type	Atoms
3	A	1502	CIT	O7-C3-C6-O5
3	A	1502	CIT	O7-C3-C6-O6
5	A	1516	OLC	C21-C22-C24-O25
5	A	1539	OLC	C21-C22-C24-O25
5	A	1512	OLC	C2-C1-O20-C21




There are no ring outliers.





9 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1516	OLC	1	0
6	A	1518	PEG	1	0
5	A	1513	OLC	2	0
6	A	1522	PEG	2	0
5	A	1512	OLC	2	0
3	A	1502	CIT	3	0
6	A	1517	PEG	1	0
5	A	1514	OLC	1	0
4	A	1508	OLA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	483/520 (92%)	0.25	22 (4%) 37 34	37, 49, 89, 147	0

The worst 5 of 22 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	326	ILE	4.3
1	A	187	HIS	3.6
1	A	324	PRO	3.3
1	A	27	GLN	3.3
1	A	189	ASN	3.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	YCM	A	322	10/11	0.62	0.16	121,138,140,141	0
1	YCM	A	1221	10/11	0.92	0.12	53,60,65,69	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	PEG	A	1536	7/7	0.51	0.21	122,123,123,124	0
6	PEG	A	1517	7/7	0.61	0.29	67,72,82,82	0
6	PEG	A	1532	7/7	0.67	0.20	99,99,100,100	0
5	OLC	A	1516	15/25	0.68	0.26	75,90,106,107	0
4	OLA	A	1511	10/20	0.72	0.26	79,84,87,87	0
6	PEG	A	1542	7/7	0.72	0.15	106,107,108,108	0
5	OLC	A	1540	10/25	0.73	0.19	84,92,100,101	0
6	PEG	A	1527	7/7	0.74	0.18	96,99,101,101	0
5	OLC	A	1515	17/25	0.75	0.19	75,83,106,108	0
5	OLC	A	1514	17/25	0.75	0.23	68,88,97,98	0
6	PEG	A	1531	7/7	0.77	0.20	91,91,92,93	0
6	PEG	A	1525	7/7	0.77	0.31	92,97,98,98	0
6	PEG	A	1519	7/7	0.78	0.22	83,84,87,88	0
4	OLA	A	1508	10/20	0.79	0.18	71,80,82,83	0
6	PEG	A	1538	7/7	0.79	0.23	105,112,119,121	0
6	PEG	A	1524	7/7	0.79	0.19	88,90,92,93	0
6	PEG	A	1522	7/7	0.80	0.22	79,88,96,96	0
6	PEG	A	1534	7/7	0.80	0.17	93,94,98,99	0
6	PEG	A	1523	7/7	0.80	0.23	78,79,84,87	0
6	PEG	A	1528	7/7	0.80	0.17	79,80,90,91	0
6	PEG	A	1520	7/7	0.80	0.23	93,95,96,96	0
4	OLA	A	1510	13/20	0.81	0.26	71,74,81,81	0
5	OLC	A	1539	17/25	0.81	0.21	74,85,98,100	0
5	OLC	A	1513	23/25	0.82	0.18	80,85,115,117	0
6	PEG	A	1526	7/7	0.82	0.19	95,97,100,101	0
3	CIT	A	1502	13/13	0.82	0.14	49,64,67,68	0
6	PEG	A	1533	7/7	0.82	0.20	92,94,96,98	0
6	PEG	A	1541	7/7	0.83	0.16	84,87,91,93	0
6	PEG	A	1518	7/7	0.84	0.18	88,89,90,92	0
4	OLA	A	1503	11/20	0.84	0.15	45,64,74,74	0
6	PEG	A	1521	7/7	0.85	0.18	81,81,83,85	0
4	OLA	A	1504	14/20	0.86	0.17	69,71,74,77	0
5	OLC	A	1512	20/25	0.86	0.18	64,76,87,89	0
6	PEG	A	1535	7/7	0.87	0.16	96,97,98,101	0
4	OLA	A	1506	7/20	0.87	0.19	63,68,76,78	0
6	PEG	A	1537	7/7	0.87	0.19	80,81,82,82	0
4	OLA	A	1505	17/20	0.88	0.21	80,86,95,97	0
6	PEG	A	1529	7/7	0.89	0.13	75,75,80,82	0
4	OLA	A	1509	6/20	0.90	0.18	65,71,74,76	0
6	PEG	A	1530	7/7	0.90	0.16	80,81,83,83	0
4	OLA	A	1507	11/20	0.91	0.20	76,79,83,84	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GAW	A	1501	41/41	0.91	0.11	38,50,65,68	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around OLA A 1511:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 1540:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 1515:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 1514:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around OLA A 1508:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 1510:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 1539:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 1513:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA A 1503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 1504:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC A 1512:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLA A 1505:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLA A 1507:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GAW A 1501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.