



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 06:34 AM UTC

PDB ID : 5HME / pdb_00005hme
Title : Crystal structure of Triazine Hydrolase variant (P214T/Y215H)
Authors : Sugrue, E.; Carr, P.D.; Jackson, C.J.
Deposited on : 2016-01-16
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2057 (2.16-2.16)
Clashscore	190562	2159 (2.16-2.16)
Ramachandran outliers	187476	2134 (2.16-2.16)
Sidechain outliers	187428	2133 (2.16-2.16)
RSRZ outliers	180081	2059 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	458	6% 84% 14% .
1	B	458	6% 84% 13% ...

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 14329 atoms, of which 6866 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Triazine hydrolase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	456	Total	C	H	N	O	S	0	5	0
			6948	2212	3441	622	656	17			
1	B	455	Total	C	H	N	O	S	0	3	0
			6918	2202	3425	618	655	18			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	38	ASN	ASP	conflict	UNP Q6SJY7
A	131	PRO	LEU	conflict	UNP Q6SJY7
A	159	VAL	ALA	conflict	UNP Q6SJY7
A	214	THR	PRO	engineered mutation	UNP Q6SJY7
A	215	HIS	TYR	engineered mutation	UNP Q6SJY7
A	303	LEU	MET	conflict	UNP Q6SJY7
B	38	ASN	ASP	conflict	UNP Q6SJY7
B	131	PRO	LEU	conflict	UNP Q6SJY7
B	159	VAL	ALA	conflict	UNP Q6SJY7
B	214	THR	PRO	engineered mutation	UNP Q6SJY7
B	215	HIS	TYR	engineered mutation	UNP Q6SJY7
B	303	LEU	MET	conflict	UNP Q6SJY7

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Zn	0	0
			1	1		
2	B	1	Total	Zn	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	276	Total 276	O 276	0	0
3	B	185	Total 185	O 185	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Triazine hydrolase



• Molecule 1: Triazine hydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	56.55Å 100.72Å 78.85Å 90.00° 102.30° 90.00°	Depositor
Resolution (Å)	35.98 – 2.15 35.98 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.5 (35.98-2.15) 90.5 (35.98-2.15)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.33 (at 2.16Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.203 , 0.227 0.205 , 0.227	Depositor DCC
R_{free} test set	2332 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	20.9	Xtriage
Anisotropy	0.256	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 39.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	14329	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 20.10 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.3593e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.95	9/3597 (0.3%)	1.01	7/4896 (0.1%)
1	B	0.93	11/3570 (0.3%)	1.03	10/4861 (0.2%)
All	All	0.94	20/7167 (0.3%)	1.02	17/9757 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	334	ASN	C-O	-8.08	1.14	1.23
1	A	336	LEU	C-O	-7.37	1.15	1.24
1	B	425	VAL	C-O	-6.92	1.16	1.24
1	B	283	ILE	CA-CB	6.76	1.62	1.54
1	A	183	ARG	C-O	-6.72	1.16	1.24
1	A	335	LEU	C-O	-6.32	1.16	1.24
1	B	21	GLU	C-O	-6.20	1.16	1.24
1	A	303	LEU	C-O	-5.80	1.16	1.24
1	B	81	THR	C-O	-5.79	1.16	1.23
1	A	238	HIS	ND1-CE1	5.59	1.38	1.32
1	B	311	ARG	C-O	-5.58	1.17	1.24
1	B	238	HIS	ND1-CE1	5.54	1.38	1.32
1	B	391	ILE	C-O	-5.41	1.18	1.24
1	A	337	GLY	C-O	-5.40	1.17	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	75	PRO	N-CD	5.38	1.55	1.47
1	A	238	HIS	CD2-NE2	-5.35	1.31	1.37
1	B	392	ALA	C-O	-5.11	1.18	1.24
1	B	63	HIS	ND1-CE1	5.09	1.37	1.32
1	A	426	ASN	CG-OD1	5.08	1.33	1.23
1	B	129	GLN	C-O	-5.05	1.18	1.24

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	42	ARG	N-CA-C	9.17	121.21	111.03
1	B	63	HIS	CB-CG-CD2	-6.92	122.20	131.20
1	A	43	SER	N-CA-C	-6.73	101.45	111.81
1	A	238	HIS	CB-CG-CD2	-6.71	122.48	131.20
1	A	137	THR	N-CA-C	-6.39	99.30	109.59
1	B	238	HIS	CB-CG-CD2	-6.01	123.38	131.20
1	A	238	HIS	CB-CG-ND1	5.98	131.68	122.70
1	B	63	HIS	CB-CG-ND1	5.61	131.12	122.70
1	B	131	PRO	CA-N-CD	-5.54	104.24	112.00
1	B	238	HIS	CB-CG-ND1	5.54	131.01	122.70
1	A	164	THR	N-CA-C	5.47	119.57	113.01
1	B	74	ILE	CA-C-N	-5.39	113.11	119.84
1	B	74	ILE	C-N-CA	-5.39	113.11	119.84
1	A	42	ARG	CB-CA-C	-5.12	103.01	110.95
1	B	56	LEU	CA-C-N	-5.12	114.50	119.78
1	B	56	LEU	C-N-CA	-5.12	114.50	119.78
1	B	424	VAL	N-CA-C	5.08	115.22	108.11

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	136	ALA	Peptide
1	B	131	PRO	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3507	3441	3425	53	0
1	B	3493	3425	3422	58	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	276	0	0	15	2
3	B	185	0	0	17	2
All	All	7463	6866	6847	109	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:139:ASP:OD2	1:B:143:ASP:OD1	1.56	1.22
1:B:137:THR:HG22	1:B:138:ALA:H	1.07	1.14
1:A:174:ASP:O	1:A:178:VAL:HG23	1.50	1.11
1:A:136:ALA:HA	1:A:183:ARG:HH12	1.14	1.09
1:A:136:ALA:CA	1:A:183:ARG:HH12	1.73	1.02
1:A:136:ALA:HA	1:A:183:ARG:NH1	1.76	0.99
1:B:139:ASP:HB3	1:B:140:SER:HA	1.46	0.97
1:B:137:THR:HG22	1:B:138:ALA:N	1.80	0.97
1:A:247:MET:HE1	3:A:863:HOH:O	1.66	0.95
1:B:137:THR:CG2	1:B:138:ALA:H	1.84	0.90
1:B:353:GLU:OE1	3:B:601:HOH:O	1.94	0.85
1:B:132:PHE:HD2	3:B:713:HOH:O	1.59	0.84
1:A:174:ASP:OD1	1:A:177:PHE:HB2	1.76	0.84
1:B:139:ASP:CB	1:B:140:SER:HA	2.09	0.83
1:B:132:PHE:CD2	3:B:713:HOH:O	2.33	0.82
1:B:395:ARG:NH2	3:B:602:HOH:O	2.13	0.81
1:B:51:ARG:O	3:B:602:HOH:O	1.97	0.81
1:B:132:PHE:C	1:B:134:PRO:HD3	2.06	0.80
1:B:105[A]:ASP:OD1	1:B:108:ARG:NH2	2.14	0.80
1:B:133:PHE:CE1	1:B:139:ASP:HA	2.22	0.74
1:A:28:ASP:OD2	3:A:603:HOH:O	2.06	0.73
1:A:177:PHE:O	3:A:604:HOH:O	2.07	0.71
1:A:132:PHE:HD1	1:A:177:PHE:CE1	2.10	0.70
1:A:346:HIS:ND1	3:A:611:HOH:O	2.25	0.69
1:A:197:GLU:OE2	3:A:605:HOH:O	2.11	0.68
1:B:139:ASP:HB3	1:B:140:SER:CA	2.23	0.67
1:B:108:ARG:NH1	3:B:613:HOH:O	2.29	0.66
1:B:133:PHE:HE1	1:B:139:ASP:HA	1.58	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:39:LEU:O	3:A:606:HOH:O	2.14	0.65
1:B:350:ASP:OD2	3:B:604:HOH:O	2.15	0.65
1:B:132:PHE:O	1:B:134:PRO:HD3	1.97	0.64
1:A:222:GLU:OE2	3:A:607:HOH:O	2.15	0.64
1:B:133:PHE:N	1:B:134:PRO:HD3	2.10	0.64
1:B:133:PHE:CE1	1:B:139:ASP:OD1	2.51	0.62
1:A:134:PRO:HG3	1:A:177:PHE:HE1	1.65	0.61
1:A:132:PHE:CD1	1:A:177:PHE:CE1	2.89	0.59
1:B:108:ARG:NH1	3:B:616:HOH:O	2.35	0.59
1:B:173:CYS:SG	1:B:174:ASP:N	2.71	0.58
1:A:433:ASN:ND2	3:A:621:HOH:O	2.36	0.57
1:A:135:GLY:O	1:A:136:ALA:HB3	2.04	0.57
1:A:136:ALA:CA	1:A:183:ARG:NH1	2.49	0.57
1:A:297:ILE:N	3:A:623:HOH:O	2.37	0.57
1:B:177:PHE:O	1:B:179:GLU:HG3	2.04	0.57
1:A:174:ASP:O	1:A:178:VAL:CG2	2.41	0.57
1:B:133:PHE:HZ	1:B:142:ILE:HG13	1.71	0.55
1:B:397:ASP:OD2	3:B:605:HOH:O	2.18	0.55
1:B:137:THR:CG2	1:B:138:ALA:N	2.51	0.54
1:A:22:ASP:OD1	3:A:609:HOH:O	2.18	0.54
1:B:302:ARG:CD	1:B:329:SER:HA	2.39	0.53
1:A:269:ARG:NE	3:A:628:HOH:O	2.41	0.52
1:B:104:PRO:HB3	3:B:615:HOH:O	2.10	0.51
1:B:139:ASP:CB	1:B:140:SER:CA	2.84	0.51
1:B:139:ASP:CG	1:B:140:SER:HA	2.36	0.51
1:B:242:PRO:O	1:B:243:LEU:HB2	2.11	0.51
1:A:312:GLU:N	1:A:312:GLU:OE1	2.43	0.50
1:A:434:GLU:OE2	3:A:608:HOH:O	2.18	0.49
1:B:109:GLU:OE1	3:B:606:HOH:O	2.19	0.49
1:A:132:PHE:CD1	1:A:177:PHE:CZ	3.00	0.49
1:A:302:ARG:NE	1:A:329:SER:HA	2.28	0.48
1:A:17:GLU:OE2	1:A:365[B]:ARG:NH2	2.47	0.48
1:A:302:ARG:NH1	3:A:637:HOH:O	2.45	0.48
1:A:136:ALA:N	1:A:183:ARG:HH12	2.12	0.47
1:B:133:PHE:HE1	1:B:139:ASP:OD1	1.94	0.47
1:B:419:ARG:HD3	3:B:636:HOH:O	2.14	0.47
1:A:82:MET:HB2	1:A:303:LEU:HD23	1.96	0.47
1:B:108:ARG:CZ	3:B:616:HOH:O	2.62	0.46
1:B:176:LEU:HD23	1:B:176:LEU:HA	1.75	0.46
1:A:20:LEU:HD12	1:A:20:LEU:N	2.31	0.46
1:A:330:ASN:H	1:A:331:ASP:HA	1.81	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:65:HIS:CE1	1:B:129:GLN:CG	2.98	0.46
1:B:182:ASP:OD1	3:B:607:HOH:O	2.21	0.46
1:A:445:VAL:HG22	1:B:399:VAL:HA	1.98	0.46
1:A:400:ASP:OD1	1:A:400:ASP:N	2.47	0.45
1:B:161:SER:HA	1:B:209:GLY:O	2.16	0.45
1:A:209:GLY:HA2	1:A:236:HIS:O	2.17	0.45
1:A:132:PHE:HD1	1:A:177:PHE:CZ	2.35	0.45
1:B:65:HIS:HE1	1:B:129:GLN:CG	2.30	0.44
1:B:65:HIS:CE1	1:B:129:GLN:HG3	2.51	0.44
1:A:302:ARG:CD	1:A:329:SER:HA	2.48	0.44
1:B:176:LEU:C	1:B:178:VAL:N	2.73	0.44
1:A:352:ASN:ND2	3:A:615:HOH:O	2.30	0.43
1:B:140:SER:N	3:B:615:HOH:O	2.32	0.43
1:B:214:THR:HB	3:B:639:HOH:O	2.19	0.43
1:B:214:THR:HG22	1:B:215:HIS:ND1	2.33	0.43
1:A:354:PRO:HA	1:A:357:TRP:CD2	2.54	0.43
1:B:21:GLU:O	1:B:22:ASP:C	2.60	0.43
1:A:136:ALA:C	1:A:183:ARG:HH12	2.26	0.42
1:A:441:LEU:HD11	1:B:399:VAL:HB	2.01	0.42
1:B:302:ARG:HD2	1:B:329:SER:C	2.44	0.42
1:A:134:PRO:HG3	1:A:177:PHE:CE1	2.50	0.42
1:A:136:ALA:C	1:A:183:ARG:NH1	2.77	0.42
1:A:82:MET:HE2	1:A:303:LEU:CD2	2.49	0.42
1:A:82:MET:HE2	1:A:305:TRP:CZ2	2.54	0.42
1:A:436:PRO:HG2	3:A:734:HOH:O	2.20	0.42
1:B:78:GLU:OE1	3:B:608:HOH:O	2.21	0.42
1:B:347:ARG:N	1:B:348:PRO:CD	2.84	0.41
1:A:98:ARG:NH1	1:A:99:ASP:OD1	2.53	0.41
1:A:53:MET:HE2	1:A:421:SER:HB3	2.02	0.41
1:A:53:MET:HE2	1:A:421:SER:CB	2.50	0.41
1:A:140:SER:HB2	1:A:143:ASP:HB2	2.03	0.41
1:B:65:HIS:HE1	1:B:129:GLN:HG3	1.86	0.41
1:A:21:GLU:O	1:A:22:ASP:C	2.64	0.40
1:A:19:GLU:C	1:A:20:LEU:HD12	2.46	0.40
1:B:68:GLU:OE1	1:B:328:ALA:HB3	2.21	0.40
1:B:283:ILE:N	1:B:284:PRO:CD	2.84	0.40
1:A:390:ASP:C	1:A:391:ILE:HG13	2.46	0.40
1:B:76:GLN:OE1	1:B:92:ARG:NH1	2.53	0.40
1:B:131:PRO:HB3	1:B:161:SER:HB3	2.04	0.40
1:B:295:HIS:CD2	1:B:310:ILE:HG13	2.57	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:613:HOH:O	3:B:754:HOH:O[1_454]	1.96	0.24
3:A:845:HOH:O	3:B:754:HOH:O[1_454]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	459/458 (100%)	436 (95%)	21 (5%)	2 (0%)	30	26
1	B	456/458 (100%)	425 (93%)	27 (6%)	4 (1%)	14	9
All	All	915/916 (100%)	861 (94%)	48 (5%)	6 (1%)	18	13

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	173	CYS
1	B	174	ASP
1	A	174	ASP
1	B	139	ASP
1	A	173	CYS
1	B	172	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	363/366 (99%)	352 (97%)	11 (3%)	36	38
1	B	361/366 (99%)	351 (97%)	10 (3%)	38	40
All	All	724/732 (99%)	703 (97%)	21 (3%)	37	39

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	81	THR
1	A	137	THR
1	A	150	THR
1	A	169	GLU
1	A	172	PHE
1	A	174	ASP
1	A	213	VAL
1	A	261	GLU
1	A	281	GLU
1	A	325	THR
1	A	384	GLU
1	B	38	ASN
1	B	102	PHE
1	B	129	GLN
1	B	139	ASP
1	B	140	SER
1	B	175	ASP
1	B	176	LEU
1	B	214	THR
1	B	258	ARG
1	B	262	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	63	HIS
1	B	65	HIS
1	B	428	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	456/458 (99%)	0.51	26 (5%)	29 33	10, 22, 61, 132	3 (0%)
1	B	455/458 (99%)	0.62	29 (6%)	25 28	12, 27, 62, 113	3 (0%)
All	All	911/916 (99%)	0.56	55 (6%)	27 31	10, 25, 62, 132	6 (0%)

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	177	PHE	8.8
1	A	177	PHE	7.9
1	A	174	ASP	7.5
1	A	172	PHE	7.5
1	B	176	LEU	7.2
1	B	136	ALA	5.4
1	B	172	PHE	5.3
1	A	173	CYS	5.1
1	B	247[A]	MET	5.0
1	A	-1	GLU	4.9
1	B	138	ALA	4.9
1	A	176	LEU	4.9
1	B	170	GLY	4.7
1	A	132	PHE	4.5
1	B	139	ASP	4.5
1	B	134	PRO	3.9
1	B	173	CYS	3.9
1	B	178	VAL	3.8
1	B	135	GLY	3.7
1	B	133	PHE	3.7
1	B	167	LYS	3.7
1	A	175	ASP	3.7
1	B	137	THR	3.5
1	A	136	ALA	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	132	PHE	3.4
1	A	171	GLY	3.4
1	A	135	GLY	3.2
1	B	171	GLY	3.2
1	A	43	SER	3.1
1	A	38	ASN	3.1
1	B	169	GLU	3.0
1	A	170	GLY	3.0
1	B	131	PRO	2.9
1	B	42	ARG	2.9
1	B	175	ASP	2.9
1	A	40	SER	2.9
1	B	168	SER	2.8
1	B	0	ARG	2.7
1	B	174	ASP	2.7
1	A	169	GLU	2.6
1	A	137	THR	2.6
1	A	168	SER	2.6
1	A	167	LYS	2.6
1	A	139	ASP	2.5
1	B	141	TYR	2.4
1	A	0	ARG	2.4
1	B	165	LEU	2.4
1	B	166	GLY	2.4
1	A	98	ARG	2.3
1	A	178	VAL	2.2
1	A	454	LYS	2.1
1	B	16	GLN	2.1
1	B	214	THR	2.1
1	A	134	PRO	2.0
1	A	42	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ZN	B	501	1/1	0.95	0.05	30,30,30,30	1
2	ZN	A	501	1/1	0.99	0.02	30,30,30,30	0

6.5 Other polymers [i](#)

There are no such residues in this entry.