



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 11:23 PM UTC

PDB ID : 8HMR / pdb_00008hmr
Title : Crystal Structure of PKM2 mutant L144P
Authors : Upadhyay, S.; Kumar, A.; Patel, A.K.
Deposited on : 2022-12-05
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	551	
1	B	551	
1	C	551	
1	D	551	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	OXL	A	601	-	X	-	-
2	OXL	B	602	-	X	-	-
2	OXL	C	601	-	X	-	-
2	OXL	D	602	-	X	-	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 15546 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyruvate kinase PKM.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	513	Total	C	N	O	S	0	0	0
			3911	2459	693	734	25			
1	B	512	Total	C	N	O	S	0	0	0
			3871	2435	684	727	25			
1	C	512	Total	C	N	O	S	0	0	0
			3888	2444	686	733	25			
1	D	497	Total	C	N	O	S	0	0	0
			3741	2350	662	705	24			

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP P14618
A	-18	GLY	-	expression tag	UNP P14618
A	-17	SER	-	expression tag	UNP P14618
A	-16	SER	-	expression tag	UNP P14618
A	-15	HIS	-	expression tag	UNP P14618
A	-14	HIS	-	expression tag	UNP P14618
A	-13	HIS	-	expression tag	UNP P14618
A	-12	HIS	-	expression tag	UNP P14618
A	-11	HIS	-	expression tag	UNP P14618
A	-10	HIS	-	expression tag	UNP P14618
A	-9	SER	-	expression tag	UNP P14618
A	-8	SER	-	expression tag	UNP P14618
A	-7	GLY	-	expression tag	UNP P14618
A	-6	LEU	-	expression tag	UNP P14618
A	-5	VAL	-	expression tag	UNP P14618
A	-4	PRO	-	expression tag	UNP P14618
A	-3	ARG	-	expression tag	UNP P14618
A	-2	GLY	-	expression tag	UNP P14618
A	-1	SER	-	expression tag	UNP P14618
A	0	HIS	-	expression tag	UNP P14618
A	144	PRO	LEU	engineered mutation	UNP P14618

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-19	MET	-	initiating methionine	UNP P14618
B	-18	GLY	-	expression tag	UNP P14618
B	-17	SER	-	expression tag	UNP P14618
B	-16	SER	-	expression tag	UNP P14618
B	-15	HIS	-	expression tag	UNP P14618
B	-14	HIS	-	expression tag	UNP P14618
B	-13	HIS	-	expression tag	UNP P14618
B	-12	HIS	-	expression tag	UNP P14618
B	-11	HIS	-	expression tag	UNP P14618
B	-10	HIS	-	expression tag	UNP P14618
B	-9	SER	-	expression tag	UNP P14618
B	-8	SER	-	expression tag	UNP P14618
B	-7	GLY	-	expression tag	UNP P14618
B	-6	LEU	-	expression tag	UNP P14618
B	-5	VAL	-	expression tag	UNP P14618
B	-4	PRO	-	expression tag	UNP P14618
B	-3	ARG	-	expression tag	UNP P14618
B	-2	GLY	-	expression tag	UNP P14618
B	-1	SER	-	expression tag	UNP P14618
B	0	HIS	-	expression tag	UNP P14618
B	144	PRO	LEU	engineered mutation	UNP P14618
C	-19	MET	-	initiating methionine	UNP P14618
C	-18	GLY	-	expression tag	UNP P14618
C	-17	SER	-	expression tag	UNP P14618
C	-16	SER	-	expression tag	UNP P14618
C	-15	HIS	-	expression tag	UNP P14618
C	-14	HIS	-	expression tag	UNP P14618
C	-13	HIS	-	expression tag	UNP P14618
C	-12	HIS	-	expression tag	UNP P14618
C	-11	HIS	-	expression tag	UNP P14618
C	-10	HIS	-	expression tag	UNP P14618
C	-9	SER	-	expression tag	UNP P14618
C	-8	SER	-	expression tag	UNP P14618
C	-7	GLY	-	expression tag	UNP P14618
C	-6	LEU	-	expression tag	UNP P14618
C	-5	VAL	-	expression tag	UNP P14618
C	-4	PRO	-	expression tag	UNP P14618
C	-3	ARG	-	expression tag	UNP P14618
C	-2	GLY	-	expression tag	UNP P14618
C	-1	SER	-	expression tag	UNP P14618
C	0	HIS	-	expression tag	UNP P14618
C	144	PRO	LEU	engineered mutation	UNP P14618

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-19	MET	-	initiating methionine	UNP P14618
D	-18	GLY	-	expression tag	UNP P14618
D	-17	SER	-	expression tag	UNP P14618
D	-16	SER	-	expression tag	UNP P14618
D	-15	HIS	-	expression tag	UNP P14618
D	-14	HIS	-	expression tag	UNP P14618
D	-13	HIS	-	expression tag	UNP P14618
D	-12	HIS	-	expression tag	UNP P14618
D	-11	HIS	-	expression tag	UNP P14618
D	-10	HIS	-	expression tag	UNP P14618
D	-9	SER	-	expression tag	UNP P14618
D	-8	SER	-	expression tag	UNP P14618
D	-7	GLY	-	expression tag	UNP P14618
D	-6	LEU	-	expression tag	UNP P14618
D	-5	VAL	-	expression tag	UNP P14618
D	-4	PRO	-	expression tag	UNP P14618
D	-3	ARG	-	expression tag	UNP P14618
D	-2	GLY	-	expression tag	UNP P14618
D	-1	SER	-	expression tag	UNP P14618
D	0	HIS	-	expression tag	UNP P14618
D	144	PRO	LEU	engineered mutation	UNP P14618

- Molecule 2 is OXALATE ION (CCD ID: OXL) (formula: C_2O_4).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	2	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			6	2	4		
2	C	1	Total	C	O	0	0
			6	2	4		
2	D	1	Total	C	O	0	0
			6	2	4		

- Molecule 3 is 1,6-di-O-phosphono-beta-D-fructofuranose (CCD ID: FBP) (formula: $C_6H_{14}O_{12}P_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	P	0	0
			20	6	12	2		
3	B	1	Total	C	O	P	0	0
			20	6	12	2		
3	C	1	Total	C	O	P	0	0
			20	6	12	2		
3	D	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		
4	B	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	1	Total	Mg	0	0
			1	1		
4	D	1	Total	Mg	0	0
			1	1		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	11	Total	O	0	0
			11	11		
6	B	1	Total	O	0	0
			1	1		
6	C	4	Total	O	0	0
			4	4		
6	D	3	Total	O	0	0
			3	3		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Pyruvate kinase PKM




• Molecule 1: Pyruvate kinase PKM





• Molecule 1: Pyruvate kinase PKM





● Molecule 1: Pyruvate kinase PKM



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	80.40Å 151.77Å 89.85Å 90.00° 100.59° 90.00°	Depositor
Resolution (Å)	42.01 – 2.60 42.01 – 2.60	Depositor EDS
% Data completeness (in resolution range)	97.6 (42.01-2.60) 97.6 (42.01-2.60)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.82 (at 2.61Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.263 , 0.295 (Not available) , 0.290	Depositor DCC
R_{free} test set	3204 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	56.3	Xtriage
Anisotropy	0.325	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 57.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	15546	wwPDB-VP
Average B, all atoms (Å ²)	68.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, OXL, MG, FBP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.63	0/3974	1.11	6/5371 (0.1%)
1	B	0.63	0/3932	1.12	7/5319 (0.1%)
1	C	0.60	0/3952	1.07	3/5349 (0.1%)
1	D	0.61	0/3800	1.11	2/5146 (0.0%)
All	All	0.62	0/15658	1.10	18/21185 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	4
1	C	0	3
1	D	0	2
All	All	0	13

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	131	GLU	CB-CG-CD	8.69	127.38	112.60
1	B	215	ALA	CA-C-N	7.62	130.71	120.50
1	B	215	ALA	C-N-CA	7.62	130.71	120.50
1	C	396	GLU	CB-CG-CD	7.50	125.36	112.60
1	C	285	GLU	CB-CG-CD	7.21	124.86	112.60
1	D	445	ARG	CB-CA-C	6.51	116.66	111.00
1	A	399	ARG	CG-CD-NE	6.20	125.64	112.00
1	B	260	GLU	CB-CG-CD	6.12	123.00	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	445	ARG	CB-CA-C	5.82	116.07	111.00
1	D	467	ARG	CG-CD-NE	-5.79	99.25	112.00
1	A	445	ARG	CB-CA-C	5.60	115.87	111.00
1	B	436	ARG	CB-CG-CD	5.58	124.13	111.30
1	C	445	ARG	CB-CA-C	5.41	115.70	111.00
1	A	285	GLU	CB-CG-CD	5.29	121.59	112.60
1	B	396	GLU	CB-CG-CD	5.27	121.55	112.60
1	A	399	ARG	N-CA-CB	-5.26	102.44	110.07
1	B	418	GLU	CB-CG-CD	5.13	121.32	112.60
1	A	504	LYS	CB-CG-CD	5.08	122.99	111.30

There are no chirality outliers.

All (13) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	120	ARG	Sidechain
1	A	278	ARG	Sidechain
1	A	467	ARG	Sidechain
1	A	516	ARG	Sidechain
1	B	120	ARG	Sidechain
1	B	246	ARG	Sidechain
1	B	436	ARG	Sidechain
1	B	526	ARG	Sidechain
1	C	120	ARG	Sidechain
1	C	342	ARG	Sidechain
1	C	436	ARG	Sidechain
1	D	436	ARG	Sidechain
1	D	467	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3911	0	3966	39	0
1	B	3871	0	3895	43	0
1	C	3888	0	3915	42	0
1	D	3741	0	3739	52	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	6	0	0	0	0
2	B	6	0	0	1	0
2	C	6	0	0	1	0
2	D	6	0	0	0	0
3	A	20	0	10	5	0
3	B	20	0	10	4	0
3	C	20	0	10	3	0
3	D	20	0	10	2	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	C	8	0	12	0	0
6	A	11	0	0	0	0
6	B	1	0	0	0	0
6	C	4	0	0	0	0
6	D	3	0	0	0	0
All	All	15546	0	15567	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:120:ARG:HG2	1:B:120:ARG:HH21	0.90	1.06
1:B:120:ARG:HG2	1:B:120:ARG:NH2	1.64	1.00
1:D:131:GLU:HG2	1:D:204:GLY:HA2	1.51	0.93
1:C:342:ARG:HE	1:D:298:GLY:HA3	1.39	0.85
1:A:400:ARG:NH2	1:C:392:LEU:HD21	1.94	0.83
1:B:399:ARG:HH22	1:D:399:ARG:HH22	1.27	0.82
1:D:355:GLY:HA2	1:D:467:ARG:NH2	2.00	0.77
1:D:355:GLY:HA2	1:D:467:ARG:HH22	1.52	0.74
1:B:399:ARG:HH22	1:D:399:ARG:NH2	1.88	0.72
1:B:120:ARG:HH21	1:B:120:ARG:CG	1.85	0.70
1:A:514:GLY:HA3	3:A:602:FBP:O4	1.92	0.69
1:B:396:GLU:OE2	1:B:400:ARG:HD2	1.92	0.69
1:B:189:GLY:O	1:B:192:PHE:O	2.12	0.68
1:A:352:VAL:HG13	1:A:467:ARG:HH12	1.58	0.68
1:D:131:GLU:HG2	1:D:204:GLY:CA	2.23	0.66
1:C:120:ARG:HH21	1:C:120:ARG:HG2	1.61	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:327:ALA:HB1	1:C:360:MET:HE2	1.78	0.65
1:D:514:GLY:HA3	3:D:601:FBP:O3	1.98	0.64
1:C:27:LEU:HD23	1:D:401:LEU:HD12	1.78	0.64
1:D:327:ALA:HB1	1:D:360:MET:HE2	1.78	0.64
1:A:146:ASN:OD1	1:A:149:MET:HE2	1.97	0.64
1:D:513:THR:HG21	1:D:526:ARG:HH12	1.64	0.63
1:B:327:ALA:HB1	1:B:360:MET:HE2	1.81	0.62
1:C:120:ARG:HG2	1:C:120:ARG:NH2	2.14	0.62
1:B:422:LYS:NZ	1:D:403:PRO:O	2.32	0.61
1:C:401:LEU:HD12	1:D:27:LEU:HD23	1.83	0.61
1:A:327:ALA:HB1	1:A:360:MET:HE2	1.83	0.60
1:B:120:ARG:NH2	1:B:120:ARG:CG	2.53	0.59
1:D:154:GLU:O	1:D:155:ASN:CB	2.51	0.59
1:B:523:ASN:O	1:D:526:ARG:HA	2.03	0.58
1:D:140:LEU:HD12	1:D:155:ASN:H	1.68	0.58
1:A:526:ARG:HA	1:C:523:ASN:O	2.03	0.58
1:C:514:GLY:HA3	3:C:604:FBP:H3	1.86	0.58
1:C:463:ALA:HB1	1:C:469:ILE:HG21	1.86	0.57
1:D:174:ILE:HD13	1:D:211:LEU:HD22	1.86	0.57
1:A:399:ARG:NE	1:C:418:GLU:OE1	2.36	0.57
1:A:519:SER:OG	3:A:602:FBP:O3P	2.24	0.56
1:B:356:ALA:O	1:B:467:ARG:NH1	2.36	0.56
1:D:517:PRO:HA	3:D:601:FBP:O1P	2.06	0.55
1:A:355:GLY:HA2	1:A:467:ARG:NH2	2.21	0.55
1:C:146:ASN:HB3	1:C:149:MET:HE3	1.86	0.55
1:B:497:GLY:HA3	1:B:503:PHE:CZ	2.42	0.55
1:A:18:LEU:O	1:A:22:MET:HG2	2.08	0.54
1:C:432:THR:HA	3:C:604:FBP:H61	1.90	0.54
1:D:174:ILE:HD13	1:D:211:LEU:CD2	2.38	0.54
1:D:482:TRP:CD2	1:D:517:PRO:HG3	2.43	0.54
1:B:145:ASP:O	1:B:146:ASN:HB2	2.07	0.53
1:C:298:GLY:HA3	1:D:342:ARG:HE	1.73	0.53
1:C:497:GLY:HA3	1:C:503:PHE:CZ	2.43	0.53
1:A:118:GLU:OE1	1:A:120:ARG:HD3	2.09	0.53
1:C:120:ARG:HH21	1:C:120:ARG:CG	2.20	0.53
1:D:140:LEU:CD1	1:D:155:ASN:H	2.21	0.53
1:D:497:GLY:HA3	1:D:503:PHE:CZ	2.44	0.53
1:A:497:GLY:HA3	1:A:503:PHE:CZ	2.44	0.53
1:B:296:ASP:N	2:B:602:OXL:O2	2.26	0.53
1:A:466:TYR:HB2	1:A:469:ILE:HD12	1.90	0.52
1:D:355:GLY:CA	1:D:467:ARG:NH2	2.72	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:397:GLU:O	1:C:401:LEU:HG	2.10	0.52
1:D:466:TYR:HB2	1:D:469:ILE:HD12	1.92	0.51
1:D:397:GLU:O	1:D:401:LEU:HG	2.10	0.51
1:B:192:PHE:HE1	1:B:194:VAL:HG23	1.74	0.51
1:C:466:TYR:HB2	1:C:469:ILE:HD12	1.93	0.51
1:D:355:GLY:C	1:D:467:ARG:HH21	2.19	0.51
1:A:342:ARG:HE	1:B:298:GLY:HA3	1.76	0.51
1:A:397:GLU:O	1:A:401:LEU:HG	2.11	0.50
1:B:526:ARG:HA	1:D:523:ASN:O	2.10	0.50
1:A:518:GLY:O	3:A:602:FBP:O2	2.24	0.50
1:A:395:PHE:O	1:A:399:ARG:HB2	2.11	0.50
1:D:134:LEU:HD11	1:D:203:LEU:HD23	1.95	0.49
1:D:513:THR:HG21	1:D:526:ARG:NH1	2.28	0.49
1:B:423:CYS:HA	1:D:405:THR:O	2.12	0.49
1:C:66:LYS:HA	1:C:106:ARG:HH22	1.77	0.49
1:B:422:LYS:O	1:D:404:ILE:HG23	2.13	0.48
1:A:417:VAL:HG21	1:A:444:TYR:HB2	1.95	0.48
1:B:132:VAL:HG11	1:B:153:ASP:HA	1.96	0.48
1:A:472:VAL:HG11	1:A:496:VAL:HG11	1.95	0.48
1:C:298:GLY:HA3	1:D:342:ARG:NE	2.29	0.48
1:A:66:LYS:HA	1:A:106:ARG:HH22	1.78	0.48
1:A:400:ARG:HH22	1:C:392:LEU:HD21	1.78	0.48
1:A:27:LEU:HD23	1:B:401:LEU:HD12	1.94	0.48
1:A:191:ASP:OD1	1:A:192:PHE:HD2	1.96	0.48
1:B:66:LYS:HA	1:B:106:ARG:HH22	1.78	0.47
1:B:272:GLU:HB2	1:B:296:ASP:HB2	1.95	0.47
1:D:241:PHE:CD2	1:D:291:MET:HE1	2.49	0.47
1:A:401:LEU:HD12	1:B:27:LEU:HD23	1.95	0.47
1:D:66:LYS:HA	1:D:106:ARG:HH22	1.79	0.47
1:D:175:TYR:HB2	1:D:210:ASN:HB2	1.95	0.47
1:A:482:TRP:CD1	1:A:517:PRO:HG3	2.50	0.46
1:B:466:TYR:HB2	1:B:469:ILE:HD12	1.97	0.46
1:B:432:THR:HA	3:B:601:FBP:H61	1.98	0.46
1:B:489:ARG:HH12	3:B:601:FBP:H11	1.79	0.46
1:B:119:ILE:HG12	1:B:161:TYR:HB2	1.97	0.46
1:B:489:ARG:NH1	3:B:601:FBP:O3P	2.48	0.46
1:B:434:SER:OG	3:B:601:FBP:O4P	2.31	0.46
1:D:132:VAL:HG22	1:D:203:LEU:HB3	1.97	0.46
1:A:104:LEU:HD22	1:A:500:ARG:NH1	2.31	0.46
1:A:116:GLY:O	1:A:118:GLU:N	2.48	0.45
1:A:221:VAL:HG12	1:A:226:ILE:HG13	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:191:ASP:OD1	1:A:192:PHE:CD2	2.70	0.45
1:A:404:ILE:HD13	1:C:424:CYS:SG	2.56	0.45
1:B:146:ASN:H	1:B:158:TRP:CD1	2.34	0.45
1:C:16:GLN:HG3	1:C:18:LEU:HG	1.98	0.45
1:C:120:ARG:NH2	1:C:120:ARG:CG	2.80	0.45
1:D:352:VAL:HG13	1:D:467:ARG:NH1	2.31	0.45
1:C:241:PHE:CD2	1:C:291:MET:HE1	2.51	0.45
1:C:433:LYS:HD3	1:C:519:SER:HB2	1.99	0.45
1:B:157:LEU:HD13	1:B:203:LEU:HD21	1.99	0.44
1:B:104:LEU:HD22	1:B:500:ARG:NH1	2.32	0.44
1:C:175:TYR:HB3	1:C:179:GLY:HA2	1.99	0.44
1:D:104:LEU:HD22	1:D:500:ARG:NH1	2.32	0.44
1:D:395:PHE:CZ	1:D:399:ARG:HD3	2.52	0.44
1:A:241:PHE:CD2	1:A:291:MET:HE1	2.53	0.44
1:B:241:PHE:CD2	1:B:291:MET:HE1	2.53	0.44
1:C:104:LEU:HD22	1:C:500:ARG:NH1	2.33	0.44
1:C:157:LEU:HD13	1:C:203:LEU:HD21	1.99	0.44
1:A:272:GLU:HB3	1:A:293:ALA:HB3	1.99	0.44
1:D:121:THR:O	1:D:206:LYS:HA	2.17	0.44
1:D:355:GLY:C	1:D:467:ARG:NH2	2.76	0.44
1:C:395:PHE:CZ	1:C:399:ARG:HD3	2.53	0.44
1:D:218:LEU:HD23	1:D:219:PRO:HD2	2.00	0.44
1:A:463:ALA:HB1	1:A:469:ILE:HG21	2.00	0.43
1:C:272:GLU:HB2	1:C:296:ASP:HB2	2.00	0.43
1:B:336:LYS:HD3	1:B:336:LYS:HA	1.85	0.43
1:B:453:VAL:CG2	1:B:493:ALA:HB2	2.48	0.43
1:C:293:ALA:HB1	2:C:601:OXL:C2	2.48	0.43
1:D:174:ILE:CD1	1:D:211:LEU:CD2	2.96	0.43
1:C:272:GLU:HB3	1:C:293:ALA:HB3	2.00	0.43
1:D:120:ARG:HA	1:D:207:LYS:O	2.19	0.43
1:C:514:GLY:CA	3:C:604:FBP:H3	2.48	0.42
1:A:519:SER:OG	3:A:602:FBP:P1	2.78	0.42
1:C:142:ILE:HD13	1:C:195:THR:HG21	2.01	0.42
1:C:146:ASN:HB3	1:C:149:MET:CE	2.49	0.42
1:C:504:LYS:HD2	1:C:507:ASP:CG	2.45	0.42
1:D:453:VAL:CG2	1:D:493:ALA:HB2	2.49	0.42
1:B:18:LEU:O	1:B:22:MET:HG2	2.20	0.42
1:A:523:ASN:O	1:C:526:ARG:HA	2.20	0.42
1:C:121:THR:O	1:C:206:LYS:HA	2.20	0.41
1:C:397:GLU:CD	1:D:25:THR:HB	2.45	0.41
1:B:395:PHE:CZ	1:B:399:ARG:HD3	2.55	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:121:THR:O	1:B:206:LYS:HA	2.21	0.41
1:A:397:GLU:CD	1:B:25:THR:HB	2.45	0.41
1:B:165:CYS:O	1:B:166:LYS:CB	2.69	0.41
1:D:336:LYS:HD3	1:D:336:LYS:HA	1.84	0.41
1:C:184:GLN:HB2	1:C:198:GLU:OE2	2.21	0.41
1:A:121:THR:O	1:A:206:LYS:HA	2.21	0.41
1:D:463:ALA:HB1	1:D:469:ILE:HG21	2.03	0.40
1:B:272:GLU:HB3	1:B:293:ALA:HB3	2.02	0.40
1:C:482:TRP:CD1	1:C:517:PRO:HG3	2.56	0.40
1:A:514:GLY:CA	3:A:602:FBP:O4	2.67	0.40
1:D:482:TRP:CG	1:D:517:PRO:HG3	2.56	0.40
1:A:453:VAL:CG2	1:A:493:ALA:HB2	2.51	0.40
1:D:272:GLU:HB3	1:D:293:ALA:HB3	2.02	0.40
1:D:515:TRP:CE3	1:D:516:ARG:HB2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	507/551 (92%)	496 (98%)	10 (2%)	1 (0%)	43	66
1	B	506/551 (92%)	489 (97%)	14 (3%)	3 (1%)	21	42
1	C	508/551 (92%)	499 (98%)	8 (2%)	1 (0%)	43	66
1	D	489/551 (89%)	476 (97%)	10 (2%)	3 (1%)	21	42
All	All	2010/2204 (91%)	1960 (98%)	42 (2%)	8 (0%)	30	51

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	166	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	214	ALA
1	D	155	ASN
1	A	328	THR
1	B	328	THR
1	C	328	THR
1	D	328	THR
1	D	212	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	418/453 (92%)	412 (99%)	6 (1%)	59	81
1	B	408/453 (90%)	401 (98%)	7 (2%)	53	78
1	C	413/453 (91%)	407 (98%)	6 (2%)	57	80
1	D	393/453 (87%)	387 (98%)	6 (2%)	57	80
All	All	1632/1812 (90%)	1607 (98%)	25 (2%)	57	80

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	82	GLU
1	A	131	GLU
1	A	142	ILE
1	A	217	ASP
1	A	256	LYS
1	A	399	ARG
1	B	82	GLU
1	B	120	ARG
1	B	133	GLU
1	B	164	ILE
1	B	192	PHE
1	B	194	VAL
1	B	480	GLU
1	C	120	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	129	THR
1	C	139	THR
1	C	142	ILE
1	C	480	GLU
1	C	504	LYS
1	D	24	ASP
1	D	193	LEU
1	D	196	GLU
1	D	218	LEU
1	D	279	ARG
1	D	346	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	78	HIS
1	A	163	ASN
1	A	379	HIS
1	A	391	HIS
1	A	458	GLN
1	B	379	HIS
1	B	391	HIS
1	B	458	GLN
1	C	391	HIS
1	C	393	GLN
1	C	458	GLN
1	D	163	ASN
1	D	391	HIS
1	D	393	GLN
1	D	458	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 4 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FBP	D	601	-	18,20,20	0.53	0	21,32,32	0.72	0
3	FBP	B	601	-	18,20,20	0.58	0	21,32,32	0.72	0
2	OXL	B	602	4	5,5,5	1.92	2 (40%)	6,6,6	1.59	2 (33%)
5	EDO	C	603	-	3,3,3	0.29	0	2,2,2	0.93	0
2	OXL	C	601	4	5,5,5	1.23	0	6,6,6	1.99	4 (66%)
3	FBP	C	604	-	18,20,20	0.63	0	21,32,32	0.59	0
3	FBP	A	602	-	18,20,20	0.59	0	21,32,32	0.76	1 (4%)
5	EDO	C	602	-	3,3,3	0.44	0	2,2,2	0.40	0
2	OXL	A	601	4	5,5,5	1.55	0	6,6,6	2.01	3 (50%)
2	OXL	D	602	4	5,5,5	1.28	1 (20%)	6,6,6	2.29	4 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FBP	D	601	-	-	8/13/32/32	0/1/1/1
3	FBP	B	601	-	-	2/13/32/32	0/1/1/1
2	OXL	B	602	4	-	4/4/4/4	-
5	EDO	C	603	-	-	1/1/1/1	-
2	OXL	C	601	4	-	4/4/4/4	-
3	FBP	C	604	-	-	11/13/32/32	0/1/1/1
3	FBP	A	602	-	-	8/13/32/32	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	C	602	-	-	0/1/1/1	-
2	OXL	A	601	4	-	4/4/4/4	-
2	OXL	D	602	4	-	4/4/4/4	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	602	OXL	O3-C1	-3.08	1.22	1.30
2	B	602	OXL	O4-C2	-2.72	1.23	1.30
2	D	602	OXL	O3-C1	-2.12	1.24	1.30

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	602	OXL	O3-C1-C2	3.19	119.02	112.83
2	D	602	OXL	O1-C1-C2	-2.63	115.16	120.63
2	D	602	OXL	O2-C2-C1	-2.59	115.24	120.63
2	C	601	OXL	O3-C1-C2	2.57	117.82	112.83
2	A	601	OXL	O1-C1-C2	-2.47	115.48	120.63
2	A	601	OXL	O3-C1-C2	2.37	117.43	112.83
2	C	601	OXL	O1-C1-C2	-2.33	115.77	120.63
2	D	602	OXL	O4-C2-C1	2.30	117.30	112.83
2	A	601	OXL	O2-C2-C1	-2.22	116.01	120.63
2	C	601	OXL	O4-C2-C1	2.20	117.10	112.83
3	A	602	FBP	O2-C2-O5	2.13	113.41	109.33
2	B	602	OXL	O3-C1-C2	2.10	116.90	112.83
2	C	601	OXL	O2-C2-C1	-2.09	116.27	120.63
2	B	602	OXL	O4-C2-C1	2.09	116.88	112.83

There are no chirality outliers.

All (46) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	602	OXL	O1-C1-C2-O2
2	D	602	OXL	O1-C1-C2-O4
2	D	602	OXL	O3-C1-C2-O4
3	A	602	FBP	O1-C1-C2-O2
3	A	602	FBP	O1-C1-C2-C3
3	A	602	FBP	O1-C1-C2-O5
3	A	602	FBP	C6-O6-P2-O4P
3	A	602	FBP	C6-O6-P2-O5P

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	602	FBP	C6-O6-P2-O6P
3	B	601	FBP	O5-C5-C6-O6
3	C	604	FBP	C1-O1-P1-O1P
3	C	604	FBP	C1-O1-P1-O2P
3	C	604	FBP	C1-O1-P1-O3P
3	C	604	FBP	O1-C1-C2-O2
3	C	604	FBP	O1-C1-C2-C3
3	C	604	FBP	O1-C1-C2-O5
3	C	604	FBP	C6-O6-P2-O4P
3	C	604	FBP	C6-O6-P2-O5P
3	C	604	FBP	C6-O6-P2-O6P
3	D	601	FBP	C1-O1-P1-O1P
3	D	601	FBP	C1-O1-P1-O2P
3	D	601	FBP	C1-O1-P1-O3P
3	D	601	FBP	O1-C1-C2-O2
3	D	601	FBP	O1-C1-C2-O5
3	B	601	FBP	C4-C5-C6-O6
3	D	601	FBP	C4-C5-C6-O6
2	D	602	OXL	O3-C1-C2-O2
3	A	602	FBP	C4-C5-C6-O6
3	A	602	FBP	O5-C5-C6-O6
3	C	604	FBP	O5-C5-C6-O6
3	C	604	FBP	C4-C5-C6-O6
2	B	602	OXL	O1-C1-C2-O2
3	D	601	FBP	O5-C5-C6-O6
2	B	602	OXL	O3-C1-C2-O4
2	A	601	OXL	O3-C1-C2-O4
2	C	601	OXL	O3-C1-C2-O4
2	B	602	OXL	O3-C1-C2-O2
2	A	601	OXL	O1-C1-C2-O2
2	C	601	OXL	O1-C1-C2-O2
2	B	602	OXL	O1-C1-C2-O4
5	C	603	EDO	O1-C1-C2-O2
3	D	601	FBP	O1-C1-C2-C3
2	A	601	OXL	O3-C1-C2-O2
2	C	601	OXL	O1-C1-C2-O4
2	A	601	OXL	O1-C1-C2-O4
2	C	601	OXL	O3-C1-C2-O2


There are no ring outliers.


6 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	601	FBP	2	0
3	B	601	FBP	4	0
2	B	602	OXL	1	0
2	C	601	OXL	1	0
3	C	604	FBP	3	0
3	A	602	FBP	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	513/551 (93%)	0.43	12 (2%) 61 55	32, 61, 104, 158	0
1	B	512/551 (92%)	0.34	8 (1%) 70 66	30, 60, 107, 135	0
1	C	512/551 (92%)	0.33	9 (1%) 67 63	38, 63, 103, 130	0
1	D	497/551 (90%)	0.57	25 (5%) 34 28	40, 69, 133, 152	0
All	All	2034/2204 (92%)	0.42	54 (2%) 56 50	30, 64, 112, 158	0

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	21	ALA	4.5
1	D	192	PHE	3.8
1	D	170	VAL	3.6
1	B	148	TYR	3.5
1	A	21	ALA	3.2
1	A	482	TRP	3.2
1	B	482	TRP	3.2
1	D	518	GLY	3.2
1	B	20	ALA	3.2
1	C	259	GLY	3.0
1	B	128	GLY	2.8
1	A	18	LEU	2.8
1	A	17	GLN	2.6
1	D	181	ILE	2.6
1	C	20	ALA	2.5
1	D	134	LEU	2.5
1	D	488	LEU	2.5
1	B	147	ALA	2.5
1	D	16	GLN	2.5
1	D	129	THR	2.4
1	C	106	ARG	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	488	LEU	2.4
1	D	166	LYS	2.4
1	D	20	ALA	2.4
1	D	159	LEU	2.4
1	C	188	LYS	2.4
1	B	16	GLN	2.4
1	D	183	LEU	2.3
1	B	106	ARG	2.3
1	C	56	ARG	2.3
1	D	528	VAL	2.3
1	A	521	PHE	2.3
1	D	18	LEU	2.3
1	A	508	VAL	2.3
1	D	156	ILE	2.2
1	D	229	LEU	2.2
1	A	425	SER	2.2
1	B	214	ALA	2.2
1	A	140	LEU	2.2
1	D	122	GLY	2.2
1	D	152	CYS	2.2
1	D	355	GLY	2.2
1	D	506	GLY	2.1
1	C	147	ALA	2.1
1	C	190	ALA	2.1
1	C	162	LYS	2.1
1	A	178	ASP	2.0
1	A	220	ALA	2.0
1	D	406	SER	2.0
1	D	162	LYS	2.0
1	D	328	THR	2.0
1	A	168	VAL	2.0
1	C	161	TYR	2.0
1	D	516	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	EDO	C	602	4/4	0.80	0.17	59,64,64,70	0
5	EDO	C	603	4/4	0.80	0.14	58,59,61,73	0
3	FBP	C	604	20/20	0.83	0.12	77,123,159,159	0
4	MG	B	603	1/1	0.84	0.18	74,74,74,74	0
2	OXL	D	602	6/6	0.86	0.13	53,55,56,59	0
4	MG	D	603	1/1	0.86	0.20	66,66,66,66	0
2	OXL	C	601	6/6	0.87	0.12	47,49,50,53	0
2	OXL	A	601	6/6	0.90	0.08	32,33,35,35	0
4	MG	C	605	1/1	0.91	0.15	62,62,62,62	0
3	FBP	A	602	20/20	0.91	0.10	60,81,100,101	0
3	FBP	D	601	20/20	0.93	0.07	50,65,84,86	0
3	FBP	B	601	20/20	0.94	0.07	49,59,68,71	0
2	OXL	B	602	6/6	0.95	0.05	45,47,48,54	0
4	MG	A	603	1/1	0.96	0.17	75,75,75,75	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around FBP C 604:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FBP A 602:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FBP D 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FBP B 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.