



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 09:43 AM UTC

PDB ID : 3HNC / pdb_00003hnc
Title : Crystal structure of human ribonucleotide reductase 1 bound to the effector TTP
Authors : Fairman, J.W.; Wijerathna, S.R.; Xu, H.; Dealwis, C.G.
Deposited on : 2009-05-31
Resolution : 2.41 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6062 (2.44-2.40)
Clashscore	190562	6562 (2.44-2.40)
Ramachandran outliers	187476	6481 (2.44-2.40)
Sidechain outliers	187428	6482 (2.44-2.40)
RSRZ outliers	180081	6066 (2.44-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	792	 2% 73% 14% • 10%
1	B	792	 % 76% 15% • 7%

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 11778 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Ribonucleoside-diphosphate reductase large subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	714	Total 5577	C 3567	N 926	O 1052	S 32	6	0	0
1	B	738	Total 5751	C 3669	N 968	O 1080	S 34	0	0	0

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Mg 1 1	0	0
2	B	1	Total Mg 1 1	0	0

- Molecule 3 is THYMIDINE-5'-TRIPHOSPHATE (CCD ID: TTP) (formula: $C_{10}H_{17}N_2O_{14}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			29	10	2	14	3		
3	B	1	Total	C	N	O	P	0	0
			29	10	2	14	3		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	187	Total	O	0	0
			187	187		
5	B	173	Total	O	0	0
			173	173		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ribonucleoside-diphosphate reductase large subunit



- Molecule 1: Ribonucleoside-diphosphate reductase large subunit





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	68.98Å 114.10Å 219.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.53 – 2.41 39.53 – 2.41	Depositor EDS
% Data completeness (in resolution range)	97.0 (39.53-2.41) 97.0 (39.53-2.41)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.52 (at 2.42Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.186 , 0.236 0.187 , 0.237	Depositor DCC
R_{free} test set	3306 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	42.5	Xtriage
Anisotropy	0.075	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 47.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11778	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, MG, TTP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.67	3/5700 (0.1%)	0.91	7/7754 (0.1%)
1	B	0.58	0/5877	0.88	2/7989 (0.0%)
All	All	0.63	3/11577 (0.0%)	0.89	9/15743 (0.1%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	443	VAL	C-O	-6.47	1.17	1.24
1	A	286	VAL	CA-CB	5.34	1.60	1.53
1	A	442	ALA	CA-CB	-5.02	1.45	1.53

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	334	ILE	N-CA-C	6.49	115.04	107.77
1	A	334	ILE	N-CA-C	6.36	114.89	107.77
1	B	446	LEU	N-CA-C	6.06	119.08	109.50
1	A	443	VAL	CA-C-N	-5.93	112.84	122.81
1	A	443	VAL	C-N-CA	-5.93	112.84	122.81
1	A	444	CYS	N-CA-C	5.56	118.64	109.85
1	A	455	VAL	N-CA-CB	5.36	116.56	110.72
1	A	499	ARG	CA-C-N	-5.06	114.78	120.14
1	A	499	ARG	C-N-CA	-5.06	114.78	120.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5577	0	5418	69	0
1	B	5751	0	5586	77	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	29	0	13	0	0
3	B	29	0	13	6	0
4	A	15	0	0	0	0
4	B	15	0	0	0	0
5	A	187	0	0	3	0
5	B	173	0	0	3	0
All	All	11778	0	11030	144	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:123:ILE:CD1	1:B:180:LYS:HG2	1.86	1.06
1:B:223:MET:HG2	1:B:255:ILE:HD11	1.69	0.75
1:B:448:SER:HB3	1:B:602:MET:CE	2.17	0.75
1:B:123:ILE:HD13	1:B:180:LYS:HG2	1.70	0.73
1:B:413:ARG:HD2	5:B:827:HOH:O	1.87	0.73
1:A:655:MET:HE1	1:A:672:ILE:HD11	1.69	0.72
1:B:196:ARG:HG2	1:B:611:LEU:HD22	1.71	0.72
1:B:275:MET:HE2	1:B:276:LEU:HD13	1.74	0.69
1:B:123:ILE:CD1	1:B:180:LYS:CG	2.70	0.68
1:B:402:THR:HB	1:B:403:PRO:HA	1.74	0.68
1:A:275:MET:HE2	1:A:276:LEU:HD13	1.75	0.68
1:B:256:ARG:HD3	3:B:802:TTP:H4'	1.76	0.67
1:A:416:ASN:OD1	1:A:561:VAL:HG13	1.95	0.67
1:A:478:ASN:HD22	1:A:499:ARG:HH11	1.44	0.66
1:B:80:ARG:HD3	1:B:141:PHE:HB3	1.76	0.66
1:A:223:MET:HE2	1:A:252:VAL:HG22	1.76	0.66
1:A:223:MET:HG2	1:A:255:ILE:HD11	1.79	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:90:THR:HG21	1:B:166:ARG:HG3	1.77	0.65
1:B:123:ILE:HD13	1:B:180:LYS:CG	2.26	0.64
1:B:270:ASN:HB3	1:B:274:PRO:HG2	1.80	0.64
1:A:498:HIS:ND1	1:A:555:THR:HG21	2.13	0.63
1:B:180:LYS:HG3	5:B:935:HOH:O	2.00	0.62
1:B:220:LEU:HG	1:B:442:ALA:HB3	1.82	0.62
1:B:226:ASP:OD1	1:B:256:ARG:HD2	2.00	0.62
1:B:256:ARG:CD	3:B:802:TTP:H4'	2.28	0.62
1:B:218:CYS:HB3	1:B:444:CYS:SG	2.40	0.62
1:B:223:MET:HE3	1:B:231:ILE:HA	1.83	0.61
1:B:123:ILE:HD11	1:B:180:LYS:HG2	1.80	0.61
1:A:283:ALA:HB1	1:A:295:GLY:O	2.00	0.61
1:B:645:LEU:HD21	1:B:672:ILE:HD12	1.83	0.60
1:B:415:SER:O	1:B:418:GLN:HB2	2.02	0.60
1:B:221:LEU:HD13	1:B:248:ILE:HG21	1.84	0.60
1:B:245:ALA:HB2	1:B:288:GLN:OE1	2.03	0.59
1:A:456:THR:HG23	1:A:458:GLU:H	1.68	0.59
1:A:153:ARG:HB2	1:A:153:ARG:HH11	1.66	0.58
1:A:482:ASP:OD2	1:A:499:ARG:NH2	2.32	0.58
1:B:535:ILE:HG22	1:B:599:ILE:HD12	1.86	0.58
1:B:448:SER:HB3	1:B:602:MET:HE1	1.83	0.57
1:A:456:THR:CG2	1:A:458:GLU:H	2.17	0.57
1:A:446:LEU:HB3	1:A:602:MET:HE2	1.86	0.57
1:B:448:SER:HB3	1:B:602:MET:HE3	1.85	0.56
1:A:248:ILE:HD12	1:A:297:PHE:CE2	2.40	0.56
1:B:324:ARG:HG3	1:B:326:ARG:NH2	2.20	0.56
1:A:362:VAL:HG22	1:A:366:GLU:HB3	1.87	0.56
1:B:3:VAL:HG22	1:B:13:VAL:HG22	1.87	0.56
1:B:1:MET:HE3	1:B:47:LEU:HD12	1.88	0.56
1:A:478:ASN:ND2	1:A:499:ARG:HH11	2.04	0.55
1:A:637:VAL:HG22	1:A:642:LEU:HB2	1.88	0.55
1:A:281:ASN:ND2	1:B:281:ASN:OD1	2.31	0.55
1:A:27:TYR:O	1:A:80:ARG:NH2	2.39	0.54
1:B:221:LEU:HD13	1:B:248:ILE:CG2	2.38	0.54
1:A:153:ARG:HB2	1:A:153:ARG:NH1	2.23	0.54
1:A:402:THR:HB	1:A:403:PRO:HA	1.90	0.53
1:A:275:MET:CE	1:A:276:LEU:HD13	2.38	0.53
1:A:637:VAL:HG13	1:A:642:LEU:HD22	1.89	0.53
1:A:416:ASN:CG	1:A:561:VAL:HG13	2.34	0.52
1:B:362:VAL:CG1	1:B:367:PHE:HA	2.40	0.51
1:B:130:ARG:CG	1:B:130:ARG:HH11	2.22	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:482:ASP:OD2	1:B:499:ARG:NH2	2.44	0.51
1:A:121:LEU:HD22	1:A:125:LEU:HG	1.93	0.51
1:A:478:ASN:HD22	1:A:499:ARG:NH1	2.06	0.50
1:B:441:VAL:O	1:B:491:ALA:HA	2.11	0.50
1:A:140:ASP:OD2	1:A:168:GLN:HG2	2.10	0.50
1:A:243:LYS:HG3	3:B:802:TTP:C5M	2.41	0.50
1:A:260:SER:OG	1:A:381:ARG:NH2	2.44	0.50
1:B:416:ASN:CG	1:B:561:VAL:HG13	2.36	0.50
1:B:444:CYS:HA	5:B:863:HOH:O	2.12	0.50
1:A:645:LEU:HD13	1:A:655:MET:HE3	1.93	0.50
1:A:553:TYR:CE1	1:A:555:THR:HG22	2.47	0.50
1:A:652:HIS:O	1:A:655:MET:HB3	2.12	0.49
1:A:655:MET:CE	1:A:672:ILE:HD11	2.41	0.49
1:B:256:ARG:NH2	3:B:802:TTP:O2G	2.45	0.49
1:A:221:LEU:CD1	1:A:248:ILE:HG23	2.42	0.49
1:B:27:TYR:O	1:B:80:ARG:NH2	2.46	0.49
1:B:482:ASP:CG	1:B:499:ARG:HH22	2.20	0.49
1:B:287:ASP:HB3	1:B:294:PRO:HA	1.94	0.48
1:A:535:ILE:HG22	1:A:599:ILE:HD12	1.95	0.48
1:A:18:ILE:O	1:A:22:ILE:HG12	2.14	0.48
1:B:356:CYS:HB3	1:B:374:TYR:CD1	2.49	0.48
1:A:359:LEU:HB2	5:A:800:HOH:O	2.14	0.48
1:A:35:ASP:HB3	1:A:38:GLN:HG3	1.96	0.47
1:A:364:GLY:O	1:A:368:GLU:HG3	2.14	0.47
1:B:80:ARG:CD	1:B:141:PHE:HB3	2.42	0.47
1:A:621:THR:HA	1:A:683:VAL:HG12	1.96	0.47
1:B:627:ARG:HB2	1:B:636:ILE:HD12	1.95	0.47
1:B:123:ILE:HD12	1:B:180:LYS:HG2	1.86	0.46
1:B:341:ARG:HD2	1:B:347:ASP:O	2.16	0.46
1:A:362:VAL:HG13	1:A:367:PHE:HA	1.98	0.46
1:B:627:ARG:HB2	1:B:636:ILE:CD1	2.46	0.45
1:B:715:PRO:HG3	1:B:741:THR:HG21	1.98	0.45
1:B:556:TYR:HE2	1:B:561:VAL:CG2	2.29	0.45
1:A:285:TYR:O	1:B:270:ASN:ND2	2.50	0.45
1:B:406:LEU:HD22	1:B:426:SER:HB2	1.99	0.45
1:A:300:TYR:HE2	1:A:406:LEU:HD13	1.81	0.45
1:B:221:LEU:CD1	1:B:248:ILE:CG2	2.95	0.45
1:B:454:TYR:HB2	1:B:461:TYR:CZ	2.52	0.45
1:B:603:PRO:HD3	1:B:707:SER:OG	2.16	0.45
1:B:83:VAL:HG11	1:B:140:ASP:HB3	1.99	0.44
1:B:319:GLY:HA3	1:B:324:ARG:NH1	2.32	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:474:VAL:HG21	1:A:539:ALA:HA	1.99	0.44
1:B:284:ARG:HD2	1:B:327:ASP:OD2	2.16	0.44
1:A:76:ILE:O	1:A:80:ARG:HG3	2.18	0.44
1:B:405:MET:HG3	1:B:724:HIS:CE1	2.53	0.44
1:B:256:ARG:HG3	1:B:354:ASN:HB2	1.99	0.43
1:A:427:ASN:HB2	5:A:920:HOH:O	2.18	0.43
1:B:140:ASP:OD2	1:B:168:GLN:HG2	2.18	0.43
1:B:432:ILE:HG13	1:B:444:CYS:SG	2.58	0.43
1:B:251:ALA:HB2	1:B:425:CYS:HB3	1.99	0.43
1:A:362:VAL:CG1	1:A:367:PHE:HA	2.49	0.43
1:A:270:ASN:HB3	1:A:274:PRO:HG3	2.01	0.43
1:A:441:VAL:HG22	1:A:491:ALA:HB2	2.01	0.42
1:A:243:LYS:HG3	3:B:802:TTP:HM51	2.01	0.42
1:A:199:THR:HG21	1:A:607:THR:HB	2.00	0.42
1:B:90:THR:HG22	1:B:91:LYS:N	2.34	0.42
1:B:441:VAL:HG13	1:B:490:GLU:HB2	2.01	0.42
1:A:306:LEU:HD22	1:A:381:ARG:HG2	2.02	0.42
1:A:192:LEU:HD23	1:A:472:VAL:HG11	2.02	0.42
1:A:220:LEU:HG	1:A:442:ALA:HB3	2.02	0.42
1:A:593:ILE:HD12	1:A:595:ASN:O	2.20	0.42
1:A:379:ARG:H	1:A:379:ARG:HG2	1.64	0.41
1:A:423:ILE:HA	5:A:926:HOH:O	2.18	0.41
1:A:405:MET:HG3	1:A:724:HIS:CE1	2.55	0.41
1:B:35:ASP:O	1:B:38:GLN:HB2	2.21	0.41
1:B:223:MET:HE2	1:B:231:ILE:HG12	2.02	0.41
1:A:362:VAL:HG13	1:A:367:PHE:CA	2.50	0.41
1:A:553:TYR:HE1	1:A:555:THR:HG22	1.85	0.41
1:B:275:MET:CE	1:B:276:LEU:HD13	2.47	0.41
1:B:300:TYR:HE2	1:B:406:LEU:HD13	1.84	0.41
1:A:373:SER:O	1:A:377:GLN:HG3	2.21	0.41
1:A:482:ASP:CG	1:A:499:ARG:HH22	2.28	0.41
1:A:669:ILE:HA	1:A:670:PRO:HD3	1.96	0.41
1:B:221:LEU:CD1	1:B:248:ILE:HG23	2.51	0.41
1:B:560:PRO:HG2	1:B:570:MET:HE1	2.03	0.41
1:A:529:LYS:O	1:A:533:GLU:HG3	2.21	0.41
1:A:79:ALA:O	1:A:83:VAL:HG23	2.21	0.40
1:B:79:ALA:HB2	1:B:144:ASN:C	2.45	0.40
1:A:144:ASN:OD1	1:A:144:ASN:C	2.64	0.40
1:A:710:ILE:HG12	1:A:736:MET:HG3	2.04	0.40
1:B:130:ARG:CG	1:B:130:ARG:NH1	2.82	0.40
1:B:264:GLY:HA3	3:B:802:TTP:O1B	2.20	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:723:MET:HE3	1:B:724:HIS:CE1	2.56	0.40
1:A:216:SER:OG	1:A:484:ASN:ND2	2.54	0.40
1:A:556:TYR:HE2	1:A:561:VAL:HG22	1.87	0.40
1:B:196:ARG:HG2	1:B:611:LEU:CD2	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	708/792 (89%)	685 (97%)	21 (3%)	2 (0%)	36	49
1	B	732/792 (92%)	702 (96%)	28 (4%)	2 (0%)	36	49
All	All	1440/1584 (91%)	1387 (96%)	49 (3%)	4 (0%)	36	49

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	224	LYS
1	B	224	LYS
1	A	737	TYR
1	B	601	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	592/693 (85%)	539 (91%)	53 (9%)	9	14
1	B	607/693 (88%)	551 (91%)	56 (9%)	8	13
All	All	1199/1386 (86%)	1090 (91%)	109 (9%)	9	13

All (109) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	21	ARG
1	A	44	ILE
1	A	59	LEU
1	A	67	LEU
1	A	80	ARG
1	A	93	VAL
1	A	121	LEU
1	A	149	LYS
1	A	153	ARG
1	A	171	LEU
1	A	192	LEU
1	A	214	GLN
1	A	220	LEU
1	A	252	VAL
1	A	276	LEU
1	A	286	VAL
1	A	287	ASP
1	A	301	LEU
1	A	312	LEU
1	A	337	LEU
1	A	359	LEU
1	A	362	VAL
1	A	379	ARG
1	A	383	VAL
1	A	389	LEU
1	A	441	VAL
1	A	443	VAL
1	A	444	CYS
1	A	449	LEU
1	A	455	VAL
1	A	456	THR
1	A	458	GLU
1	A	478	ASN
1	A	493	LEU
1	A	508	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	555	THR
1	A	561	VAL
1	A	606	SER
1	A	615	GLU
1	A	617	ILE
1	A	637	VAL
1	A	647	GLU
1	A	653	GLU
1	A	679	LEU
1	A	692	LEU
1	A	693	LYS
1	A	703	ASP
1	A	708	LEU
1	A	716	ASN
1	A	720	LEU
1	A	739	LEU
1	A	741	THR
1	A	742	ARG
1	B	3	VAL
1	B	10	GLN
1	B	12	ARG
1	B	47	LEU
1	B	54	VAL
1	B	56	LEU
1	B	59	LEU
1	B	67	LEU
1	B	80	ARG
1	B	93	VAL
1	B	121	LEU
1	B	130	ARG
1	B	149	LYS
1	B	171	LEU
1	B	180	LYS
1	B	192	LEU
1	B	218	CYS
1	B	220	LEU
1	B	225	ASP
1	B	252	VAL
1	B	256	ARG
1	B	276	LEU
1	B	286	VAL
1	B	301	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	312	LEU
1	B	316	LYS
1	B	318	THR
1	B	324	ARG
1	B	337	LEU
1	B	359	LEU
1	B	361	GLU
1	B	362	VAL
1	B	365	GLU
1	B	380	VAL
1	B	381	ARG
1	B	383	VAL
1	B	389	LEU
1	B	441	VAL
1	B	444	CYS
1	B	449	LEU
1	B	455	VAL
1	B	493	LEU
1	B	508	LEU
1	B	543	SER
1	B	561	VAL
1	B	602	MET
1	B	615	GLU
1	B	627	ARG
1	B	648	ARG
1	B	671	GLU
1	B	678	GLN
1	B	679	LEU
1	B	692	LEU
1	B	708	LEU
1	B	723	MET
1	B	739	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	GLN
1	A	127	ASN
1	A	160	ASN
1	A	281	ASN
1	A	418	GLN
1	A	667	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	207	ASN
1	B	211	ASN
1	B	268	ASN
1	B	281	ASN
1	B	346	GLN
1	B	525	GLN
1	B	711	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	TTP	B	802	2	29,30,30	1.40	7 (24%)	43,47,47	1.94	7 (16%)
4	SO4	A	809	-	4,4,4	0.85	0	6,6,6	0.22	0
4	SO4	B	806	-	4,4,4	0.84	0	6,6,6	0.07	0
3	TTP	A	802	2	29,30,30	1.47	6 (20%)	43,47,47	1.75	5 (11%)
4	SO4	A	805	-	4,4,4	0.88	0	6,6,6	0.26	0
4	SO4	B	807	-	4,4,4	0.89	0	6,6,6	0.22	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	A	804	-	4,4,4	0.26	0	6,6,6	0.19	0
4	SO4	B	803	-	4,4,4	0.28	0	6,6,6	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TTP	B	802	2	-	4/22/34/34	0/2/2/2
3	TTP	A	802	2	-	4/22/34/34	0/2/2/2

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	802	TTP	PB-O3A	3.33	1.63	1.59
3	A	802	TTP	PB-O3A	3.25	1.63	1.59
3	A	802	TTP	C6-C5	2.97	1.39	1.34
3	A	802	TTP	C2-N1	2.78	1.42	1.38
3	A	802	TTP	PB-O3B	2.68	1.62	1.59
3	B	802	TTP	C6-C5	2.49	1.38	1.34
3	B	802	TTP	C2-N1	2.47	1.42	1.38
3	A	802	TTP	C4-N3	-2.39	1.34	1.38
3	A	802	TTP	C4-C5	2.36	1.48	1.44
3	B	802	TTP	C4-C5	2.36	1.48	1.44
3	B	802	TTP	PA-O3A	2.26	1.61	1.59
3	B	802	TTP	PB-O3B	2.20	1.61	1.59
3	B	802	TTP	C6-N1	-2.13	1.34	1.38

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	802	TTP	C4-N3-C2	-5.83	119.69	127.34
3	B	802	TTP	C5-C4-N3	5.10	119.76	115.32
3	A	802	TTP	C4-N3-C2	-5.05	120.72	127.34
3	B	802	TTP	O4-C4-C5	-5.02	119.17	124.92
3	A	802	TTP	C5-C4-N3	4.93	119.61	115.32
3	B	802	TTP	N3-C2-N1	4.79	121.13	114.89
3	A	802	TTP	N3-C2-N1	4.78	121.11	114.89
3	A	802	TTP	O4-C4-C5	-3.74	120.64	124.92
3	B	802	TTP	C5-C6-N1	-3.67	119.33	123.31
3	A	802	TTP	C5-C6-N1	-3.52	119.49	123.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	802	TTP	O2-C2-N1	-2.97	118.93	122.80
3	B	802	TTP	O2B-PB-O3A	2.20	113.22	107.27

There are no chirality outliers.

All (8) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	802	TTP	PA-O3A-PB-O1B
3	A	802	TTP	PG-O3B-PB-O2B
3	B	802	TTP	PA-O3A-PB-O2B
3	B	802	TTP	PG-O3B-PB-O2B
3	A	802	TTP	PA-O3A-PB-O2B
3	B	802	TTP	PG-O3B-PB-O1B
3	B	802	TTP	PA-O3A-PB-O1B
3	A	802	TTP	PG-O3B-PB-O1B

There are no ring outliers.

1 monomer is involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	802	TTP	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	714/792 (90%)	-0.15	12 (1%) 69 66	8, 44, 63, 87	2 (0%)
1	B	738/792 (93%)	-0.10	11 (1%) 72 69	31, 46, 74, 88	0
All	All	1452/1584 (91%)	-0.12	23 (1%) 70 67	8, 44, 71, 88	2 (0%)

All (23) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	444	CYS	11.0
1	A	218	CYS	10.6
1	B	109	ASN	5.0
1	A	53	THR	4.7
1	B	106	ASN	4.1
1	A	295	GLY	4.0
1	B	48	TYR	3.4
1	A	245	ALA	3.2
1	A	14	MET	3.2
1	B	180	LYS	3.0
1	B	632	GLY	2.7
1	B	290	GLY	2.6
1	A	314	LEU	2.5
1	B	108	HIS	2.5
1	A	108	HIS	2.4
1	B	264	GLY	2.3
1	A	57	ASP	2.3
1	B	629	VAL	2.3
1	A	49	SER	2.2
1	A	327	ASP	2.2
1	A	550	GLN	2.0
1	B	318	THR	2.0
1	B	49	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	SO4	A	805	5/5	0.82	0.17	71,72,72,73	0
4	SO4	B	807	5/5	0.85	0.12	75,75,76,77	0
2	MG	A	801	1/1	0.88	0.14	52,52,52,52	0
2	MG	B	801	1/1	0.90	0.14	50,50,50,50	0
4	SO4	A	809	5/5	0.91	0.11	83,83,84,85	0
4	SO4	B	806	5/5	0.93	0.07	82,82,83,83	0
3	TTP	B	802	29/29	0.95	0.07	39,41,54,55	0
3	TTP	A	802	29/29	0.96	0.07	37,40,49,49	0
4	SO4	A	804	5/5	0.97	0.09	48,48,49,50	0
4	SO4	B	803	5/5	0.97	0.05	49,50,50,51	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around TTP B 802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.