



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:54 PM UTC

PDB ID : 4HN1 / pdb_00004hn1
Title : Crystal Structure of H60N/Y130F double mutant of ChmJ, a 3'-monoepimerase from *Streptomyces bikiniensis* in complex with dTDP
Authors : Holden, H.M.; Kubiak, R.L.
Deposited on : 2012-10-18
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4673 (1.60-1.60)
Clashscore	190562	4931 (1.60-1.60)
Ramachandran outliers	187476	4831 (1.60-1.60)
Sidechain outliers	187428	4830 (1.60-1.60)
RSRZ outliers	180081	4672 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	201	 87% 11% ..
1	B	201	 91% 7% .
1	C	201	 83% 14% .
1	D	201	 87% 12%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	TDR	D	303	-	X	-	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6909 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Putative 3-epimerase in D-allose pathway.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	199	Total	C	N	O	S	0	4	0
			1568	986	281	297	4			
1	B	199	Total	C	N	O	S	0	5	0
			1576	991	284	297	4			
1	C	201	Total	C	N	O	S	0	2	0
			1585	996	287	298	4			
1	D	200	Total	C	N	O	S	0	1	0
			1565	984	284	293	4			

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	60	ASN	HIS	engineered mutation	UNP Q5SFD1
A	130	PHE	TYR	engineered mutation	UNP Q5SFD1
A	197	LEU	-	expression tag	UNP Q5SFD1
A	198	GLU	-	expression tag	UNP Q5SFD1
A	199	HIS	-	expression tag	UNP Q5SFD1
A	200	HIS	-	expression tag	UNP Q5SFD1
A	201	HIS	-	expression tag	UNP Q5SFD1
B	60	ASN	HIS	engineered mutation	UNP Q5SFD1
B	130	PHE	TYR	engineered mutation	UNP Q5SFD1
B	197	LEU	-	expression tag	UNP Q5SFD1
B	198	GLU	-	expression tag	UNP Q5SFD1
B	199	HIS	-	expression tag	UNP Q5SFD1
B	200	HIS	-	expression tag	UNP Q5SFD1
B	201	HIS	-	expression tag	UNP Q5SFD1
C	60	ASN	HIS	engineered mutation	UNP Q5SFD1
C	130	PHE	TYR	engineered mutation	UNP Q5SFD1
C	197	LEU	-	expression tag	UNP Q5SFD1
C	198	GLU	-	expression tag	UNP Q5SFD1
C	199	HIS	-	expression tag	UNP Q5SFD1
C	200	HIS	-	expression tag	UNP Q5SFD1
C	201	HIS	-	expression tag	UNP Q5SFD1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	60	ASN	HIS	engineered mutation	UNP Q5SFD1
D	130	PHE	TYR	engineered mutation	UNP Q5SFD1
D	197	LEU	-	expression tag	UNP Q5SFD1
D	198	GLU	-	expression tag	UNP Q5SFD1
D	199	HIS	-	expression tag	UNP Q5SFD1
D	200	HIS	-	expression tag	UNP Q5SFD1
D	201	HIS	-	expression tag	UNP Q5SFD1

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	A	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	B	1	Total C O 4 2 2	0	0
2	C	1	Total C O 4 2 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is THYMIDINE-5'-DIPHOSPHATE (CCD ID: TYD) (formula: $C_{10}H_{16}N_2O_{11}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
3	B	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
3	C	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
3	C	1	Total	C	N	O	P	0	0
			25	10	2	11	2		

- Molecule 4 is THYMIDINE (CCD ID: THM) (formula: $C_{10}H_{14}N_2O_5$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			17	10	2	5		
4	B	1	Total	C	N	O	0	0
			17	10	2	5		

- Molecule 5 is THYMINE (CCD ID: TDR) (formula: $C_5H_6N_2O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	C	1	Total	C	N	O	0	0
			9	5	2	2		
5	D	1	Total	C	N	O	0	0
			9	5	2	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	143	Total 143	O 143	0	0
6	B	112	Total 112	O 112	0	0
6	C	77	Total 77	O 77	0	0
6	D	87	Total 87	O 87	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Putative 3-epimerase in D-allose pathway

Chain A:  87% 11% ..



- Molecule 1: Putative 3-epimerase in D-allose pathway

Chain B:  91% 7% .



- Molecule 1: Putative 3-epimerase in D-allose pathway

Chain C:  83% 14% .



- Molecule 1: Putative 3-epimerase in D-allose pathway

Chain D:  87% 12%



4 Data and refinement statistics

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, α , β , γ	141.02Å 141.02Å 116.43Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.60 30.00 – 1.60	Depositor EDS
% Data completeness (in resolution range)	96.1 (30.00-1.60) 96.1 (30.00-1.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.07 (at 1.60Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.212 , 0.254 0.212 , 0.253	Depositor DCC
R_{free} test set	7515 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	21.9	Xtriage
Anisotropy	0.090	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 31.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.479 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6909	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, THM, TYD, TDR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.64	0/1623	1.35	5/2215 (0.2%)
1	B	0.64	0/1634	1.32	2/2229 (0.1%)
1	C	0.56	0/1636	1.31	6/2233 (0.3%)
1	D	0.57	0/1612	1.34	6/2201 (0.3%)
All	All	0.60	0/6505	1.33	19/8878 (0.2%)

There are no bond length outliers.

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	64	ILE	N-CA-C	7.20	115.83	107.84
1	B	130	PHE	CB-CA-C	-7.13	98.73	110.14
1	D	130	PHE	CB-CA-C	-7.05	97.31	109.65
1	D	186	GLN	N-CA-C	6.71	119.17	111.11
1	A	50	VAL	CB-CA-C	-6.09	103.48	110.73
1	C	130	PHE	CB-CA-C	-6.04	98.77	109.70
1	A	99	VAL	CA-C-N	-5.76	114.03	119.85
1	A	99	VAL	C-N-CA	-5.76	114.03	119.85
1	A	51	SER	CA-CB-OG	5.73	122.55	111.10
1	A	130	PHE	CB-CA-C	-5.68	101.05	110.14
1	C	35	GLN	N-CA-C	5.66	117.45	111.28
1	D	164	SER	N-CA-C	-5.57	103.03	110.55
1	C	21	ARG	NE-CZ-NH2	-5.55	114.21	119.20
1	C	200	HIS	N-CA-C	5.49	119.15	112.23
1	D	1	MET	CG-SD-CE	-5.39	89.04	100.90
1	D	35	GLN	N-CA-C	5.28	117.04	111.28
1	C	105	ARG	N-CA-C	5.26	119.69	113.28
1	C	1	MET	CG-SD-CE	-5.14	89.58	100.90
1	B	150	ASP	N-CA-C	5.08	116.63	111.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1568	0	1507	17	0
1	B	1576	0	1520	11	0
1	C	1585	0	1512	21	0
1	D	1565	0	1495	18	0
2	A	16	0	24	3	0
2	B	12	0	18	2	0
2	C	8	0	12	0	0
2	D	8	0	12	2	0
3	A	25	0	13	3	0
3	B	25	0	13	1	0
3	C	50	0	26	3	0
4	A	17	0	14	0	0
4	B	17	0	14	0	0
5	C	9	0	6	0	0
5	D	9	0	6	0	0
6	A	143	0	0	4	0
6	B	112	0	0	4	0
6	C	77	0	0	1	0
6	D	87	0	0	1	0
All	All	6909	0	6192	70	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (70) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:105:ARG:HD3	6:C:477:HOH:O	1.52	1.06
1:A:117:ARG:HG3	1:A:117:ARG:HH11	1.23	1.00
3:C:303:TYD:O1B	1:D:57:ARG:NH1	2.10	0.84
1:A:117:ARG:HH11	1:A:117:ARG:CG	1.90	0.84

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:26[A]:GLU:OE1	1:C:29:ARG:NE	2.10	0.84
1:C:57:ARG:NH1	3:C:304:TYD:O2B	2.13	0.79
1:D:66:PRO:HA	1:D:191:GLN:HE22	1.48	0.78
1:A:10:TRP:CZ3	2:A:304:EDO:H22	2.18	0.78
1:C:70:LYS:NZ	1:C:132:CYS:SG	2.62	0.73
3:A:305:TYD:O3'	6:A:487:HOH:O	2.06	0.72
1:A:52:HIS:HD2	6:A:471:HOH:O	1.73	0.71
1:C:193:GLN:NE2	1:C:196:ARG:HH21	1.87	0.71
1:A:117:ARG:HG3	1:A:117:ARG:NH1	2.00	0.69
1:D:66:PRO:HA	1:D:191:GLN:NE2	2.08	0.69
1:C:26[A]:GLU:OE1	1:C:29:ARG:CD	2.43	0.67
1:D:71:TYR:OH	2:D:301:EDO:H21	1.94	0.67
1:B:52:HIS:ND1	6:B:508:HOH:O	2.28	0.66
1:C:66:PRO:HA	1:C:191:GLN:HE22	1.61	0.66
1:D:23:ARG:HH21	1:D:106:ASN:HD21	1.47	0.61
2:A:302:EDO:O1	3:B:304:TYD:H5'1	2.01	0.61
1:B:92:THR:HB	1:B:95:ARG:HG3	1.83	0.60
1:C:193:GLN:HE21	1:C:196:ARG:HH21	1.51	0.58
1:C:66:PRO:HA	1:C:191:GLN:NE2	2.18	0.58
1:C:21:ARG:NH1	3:C:303:TYD:O3B	2.27	0.57
1:D:23:ARG:HH21	1:D:106:ASN:ND2	2.03	0.57
3:A:305:TYD:H5'1	2:B:301:EDO:O1	2.05	0.56
1:D:79:GLY:HA2	1:D:122:LEU:HG	1.90	0.53
1:D:168:GLU:OE1	6:D:464:HOH:O	2.18	0.53
1:A:117:ARG:CG	1:A:117:ARG:NH1	2.59	0.52
1:C:70:LYS:HD2	1:C:117:ARG:NH1	2.25	0.52
1:D:71:TYR:OH	2:D:301:EDO:C2	2.58	0.52
1:D:179:LEU:O	1:D:179:LEU:HD12	2.10	0.52
1:A:117:ARG:HD3	6:A:541:HOH:O	2.09	0.51
1:D:179:LEU:HD23	1:D:181:LEU:HD11	1.92	0.51
1:C:26[A]:GLU:OE1	1:C:29:ARG:CG	2.59	0.50
1:D:23:ARG:NH2	1:D:106:ASN:ND2	2.59	0.50
1:C:188:TRP:O	1:C:192:GLN:HG2	2.10	0.49
1:A:55:ALA:HA	1:A:162:LEU:HB2	1.94	0.49
1:C:64:ILE:HG22	1:C:67:GLY:HA3	1.95	0.49
1:A:96:TRP:HD1	1:A:151:LEU:HD22	1.78	0.48
1:A:68:GLN:OE1	1:A:70:LYS:HE3	2.14	0.48
1:A:196:ARG:NH1	6:A:500:HOH:O	2.45	0.48
1:B:59:ILE:O	1:B:143[B]:SER:HA	2.14	0.47
1:B:51:SER:HB2	1:B:121[B]:SER:OG	2.13	0.47
1:B:52:HIS:HA	6:B:508:HOH:O	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:160:GLU:OE2	1:B:160:GLU:HA	2.13	0.47
3:A:305:TYD:C5'	2:B:301:EDO:O1	2.63	0.47
1:C:76:ARG:HD2	1:D:76:ARG:HD2	1.98	0.45
1:C:158:ASP:OD1	1:C:158:ASP:N	2.47	0.45
1:B:51:SER:HB3	1:B:55:ALA:HB3	1.97	0.45
1:B:59:ILE:O	1:B:143[A]:SER:HA	2.17	0.45
1:A:1:MET:HG2	1:A:12:GLN:HE21	1.81	0.45
1:C:59:ILE:O	1:C:143:SER:HA	2.17	0.45
1:A:59:ILE:O	1:A:143[A]:SER:HA	2.17	0.44
1:D:66:PRO:CA	1:D:191:GLN:HE22	2.26	0.44
1:C:63:GLU:HB2	1:C:140:ARG:HG3	2.00	0.43
1:D:179:LEU:HG	1:D:181:LEU:HG	2.00	0.43
1:A:127:THR:C	1:A:128:LEU:HD12	2.44	0.42
1:C:83:VAL:O	1:C:96:TRP:HA	2.18	0.42
1:D:158:ASP:OD1	1:D:158:ASP:N	2.46	0.42
1:A:51:SER:HB3	1:A:55:ALA:HB3	2.02	0.41
1:D:102:ASP:C	1:D:102:ASP:OD1	2.63	0.41
1:A:59:ILE:O	1:A:143[B]:SER:HA	2.21	0.41
1:B:55:ALA:HA	1:B:162:LEU:HB2	2.03	0.41
1:B:119:PHE:HD1	6:B:463:HOH:O	2.03	0.41
1:B:140:ARG:NH1	6:B:509:HOH:O	2.46	0.41
1:C:66:PRO:CA	1:C:191:GLN:HE22	2.32	0.41
1:C:92:THR:HB	1:C:95:ARG:HG3	2.03	0.41
1:D:64:ILE:HG22	1:D:67:GLY:HA3	2.03	0.40
1:A:23:ARG:HA	2:A:302:EDO:H22	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	201/201 (100%)	200 (100%)	1 (0%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	202/201 (100%)	201 (100%)	1 (0%)	0	100	100
1	C	201/201 (100%)	197 (98%)	4 (2%)	0	100	100
1	D	199/201 (99%)	196 (98%)	3 (2%)	0	100	100
All	All	803/804 (100%)	794 (99%)	9 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	167/165 (101%)	161 (96%)	6 (4%)	31	10
1	B	168/165 (102%)	165 (98%)	3 (2%)	51	28
1	C	167/165 (101%)	159 (95%)	8 (5%)	23	6
1	D	164/165 (99%)	159 (97%)	5 (3%)	36	13
All	All	666/660 (101%)	644 (97%)	22 (3%)	32	12

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	ARG
1	A	117	ARG
1	A	120	LEU
1	A	151	LEU
1	A	165	ASP
1	A	198	GLU
1	B	31	GLU
1	B	95	ARG
1	B	157	ASP
1	C	13	GLU
1	C	95	ARG
1	C	117	ARG
1	C	140	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	151	LEU
1	C	193	GLN
1	C	197	LEU
1	C	201	HIS
1	D	12	GLN
1	D	13	GLU
1	D	117	ARG
1	D	151	LEU
1	D	166	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	GLN
1	A	191	GLN
1	A	195	GLN
1	B	2	HIS
1	B	12	GLN
1	B	35	GLN
1	B	192	GLN
1	B	199	HIS
1	C	191	GLN
1	C	193	GLN
1	D	12	GLN
1	D	106	ASN
1	D	186	GLN
1	D	191	GLN
1	D	193	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

19 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EDO	B	303	-	3,3,3	0.46	0	2,2,2	0.32	0
2	EDO	D	302	-	3,3,3	0.60	0	2,2,2	0.41	0
2	EDO	D	301	-	3,3,3	0.40	0	2,2,2	0.72	0
3	TYD	A	305	-	25,26,26	1.47	5 (20%)	38,40,40	2.60	15 (39%)
2	EDO	C	301	-	3,3,3	0.61	0	2,2,2	0.39	0
2	EDO	B	301	-	3,3,3	0.42	0	2,2,2	0.17	0
3	TYD	C	303	-	25,26,26	1.37	4 (16%)	38,40,40	2.03	7 (18%)
2	EDO	C	302	-	3,3,3	0.52	0	2,2,2	0.23	0
2	EDO	B	302	-	3,3,3	0.49	0	2,2,2	0.27	0
3	TYD	C	304	-	25,26,26	1.38	4 (16%)	38,40,40	2.11	10 (26%)
3	TYD	B	304	-	25,26,26	1.48	5 (20%)	38,40,40	2.48	11 (28%)
4	THM	B	305	-	18,18,18	1.56	3 (16%)	26,26,26	1.38	4 (15%)
2	EDO	A	302	-	3,3,3	0.40	0	2,2,2	1.26	0
5	TDR	D	303	-	9,9,9	2.06	2 (22%)	12,12,12	3.63	7 (58%)
2	EDO	A	301	-	3,3,3	0.49	0	2,2,2	0.70	0
2	EDO	A	304	-	3,3,3	0.42	0	2,2,2	0.53	0
5	TDR	C	305	-	9,9,9	2.12	2 (22%)	12,12,12	2.71	5 (41%)
2	EDO	A	303	-	3,3,3	0.46	0	2,2,2	0.37	0
4	THM	A	306	-	18,18,18	1.54	3 (16%)	26,26,26	1.43	4 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	B	303	-	-	0/1/1/1	-
2	EDO	D	302	-	-	0/1/1/1	-
2	EDO	D	301	-	-	0/1/1/1	-
3	TYD	A	305	-	-	2/16/28/28	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	C	301	-	-	0/1/1/1	-
2	EDO	B	301	-	-	1/1/1/1	-
3	TYD	C	303	-	-	2/16/28/28	0/2/2/2
2	EDO	C	302	-	-	0/1/1/1	-
2	EDO	B	302	-	-	1/1/1/1	-
3	TYD	C	304	-	-	3/16/28/28	0/2/2/2
3	TYD	B	304	-	-	8/16/28/28	0/2/2/2
4	THM	B	305	-	-	2/6/18/18	0/2/2/2
2	EDO	A	302	-	-	1/1/1/1	-
5	TDR	D	303	-	-	-	0/1/1/1
2	EDO	A	301	-	-	0/1/1/1	-
2	EDO	A	304	-	-	0/1/1/1	-
5	TDR	C	305	-	-	-	0/1/1/1
2	EDO	A	303	-	-	0/1/1/1	-
4	THM	A	306	-	-	2/6/18/18	0/2/2/2

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	305	TDR	C6-C5	4.74	1.40	1.34
5	D	303	TDR	C6-C5	4.62	1.40	1.34
3	A	305	TYD	PA-O3A	3.58	1.63	1.59
3	B	304	TYD	C6-C5	3.54	1.40	1.34
4	B	305	THM	C4-C5	-3.51	1.39	1.44
4	A	306	THM	C6-C5	3.48	1.40	1.34
3	C	303	TYD	C6-C5	3.38	1.40	1.34
4	B	305	THM	C6-C5	3.31	1.40	1.34
5	D	303	TDR	C4-C5	-3.29	1.39	1.44
4	A	306	THM	C4-C5	-3.29	1.39	1.44
5	C	305	TDR	C4-C5	-3.28	1.39	1.44
3	B	304	TYD	PA-O3A	3.26	1.63	1.59
3	C	304	TYD	C6-C5	3.26	1.39	1.34
3	A	305	TYD	C6-C5	3.24	1.39	1.34
3	A	305	TYD	C4-C5	-3.13	1.39	1.44
3	C	304	TYD	C4-C5	-3.08	1.39	1.44
3	B	304	TYD	C4-C5	-2.99	1.40	1.44
3	C	303	TYD	C4-C5	-2.91	1.40	1.44
3	C	303	TYD	PA-O3A	2.78	1.62	1.59
3	C	304	TYD	C2-N1	-2.65	1.34	1.38
4	B	305	THM	C2-N1	-2.59	1.34	1.38
4	A	306	THM	C2-N1	-2.52	1.34	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	304	TYD	C2-N1	-2.47	1.34	1.38
3	C	304	TYD	PA-O3A	2.42	1.62	1.59
3	A	305	TYD	C2-N1	-2.28	1.34	1.38
3	C	303	TYD	C2-N1	-2.26	1.34	1.38
3	A	305	TYD	C6-N1	-2.17	1.34	1.38
3	B	304	TYD	C6-N1	-2.09	1.34	1.38

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	D	303	TDR	O2-C2-N1	-7.76	114.79	122.79
3	B	304	TYD	C5M-C5-C4	6.84	126.08	118.78
3	A	305	TYD	C4-N3-C2	-6.80	118.43	127.34
3	A	305	TYD	C5-C4-N3	6.70	121.14	115.32
3	B	304	TYD	C5-C4-N3	6.63	121.09	115.32
5	C	305	TDR	C6-N1-C2	-5.84	117.27	122.69
5	D	303	TDR	N1-C2-N3	5.84	121.33	115.17
5	C	305	TDR	N1-C2-N3	5.70	121.18	115.17
3	B	304	TYD	C4-N3-C2	-5.60	120.00	127.34
3	C	303	TYD	C5M-C5-C4	5.36	124.51	118.78
3	A	305	TYD	C5M-C5-C4	5.35	124.49	118.78
3	C	303	TYD	C5-C4-N3	5.34	119.97	115.32
5	D	303	TDR	C6-N1-C2	-5.27	117.80	122.69
3	A	305	TYD	N3-C2-N1	5.08	121.51	114.89
3	C	304	TYD	C4-N3-C2	-4.99	120.80	127.34
3	C	304	TYD	O2-C2-N1	-4.84	116.50	122.80
3	C	303	TYD	C4-N3-C2	-4.81	121.04	127.34
3	C	304	TYD	N3-C2-N1	4.79	121.12	114.89
3	C	303	TYD	N3-C2-N1	4.63	120.92	114.89
3	C	304	TYD	C5-C4-N3	4.50	119.24	115.32
3	B	304	TYD	O2A-PA-O3A	4.29	118.86	107.27
3	B	304	TYD	C5M-C5-C6	-4.18	117.19	122.85
3	A	305	TYD	C5M-C5-C6	-4.14	117.25	122.85
3	B	304	TYD	N3-C2-N1	3.91	119.98	114.89
3	C	304	TYD	C5M-C5-C4	3.86	122.90	118.78
3	A	305	TYD	C5-C6-N1	-3.85	119.13	123.31
3	C	304	TYD	O4-C4-C5	-3.28	121.16	124.92
3	A	305	TYD	O4'-C1'-N1	-3.24	102.11	107.86
3	C	304	TYD	O3B-PB-O3A	3.18	115.31	104.64
5	D	303	TDR	O4-C4-C5	-3.15	121.31	124.92
3	A	305	TYD	C1'-N1-C6	-3.08	115.58	120.74
5	D	303	TDR	C4-N3-C2	-3.07	122.14	126.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	306	THM	N3-C2-N1	3.05	118.86	114.89
3	B	304	TYD	O4-C4-N3	-2.94	114.58	120.11
3	C	303	TYD	O2-C2-N1	-2.91	119.01	122.80
3	B	304	TYD	O5'-C5'-C4'	2.85	118.70	108.99
3	C	303	TYD	C5M-C5-C6	-2.78	119.08	122.85
3	C	304	TYD	C5M-C5-C6	-2.73	119.15	122.85
4	B	305	THM	O4-C4-C5	-2.71	121.82	124.92
3	A	305	TYD	O3A-PA-O1A	2.69	118.80	110.70
3	B	304	TYD	C5-C6-N1	-2.65	120.43	123.31
3	A	305	TYD	C1'-N1-C2	2.65	122.84	117.66
3	A	305	TYD	O3B-PB-O2B	2.62	117.64	107.80
3	B	304	TYD	O3B-PB-O3A	2.62	113.41	104.64
3	B	304	TYD	O3A-PA-O1A	-2.61	102.84	110.70
4	B	305	THM	N3-C2-N1	2.58	118.25	114.89
3	A	305	TYD	O2-C2-N3	-2.56	116.77	121.49
5	D	303	TDR	CM5-C5-C6	-2.52	120.64	123.23
5	D	303	TDR	C5-C4-N3	2.45	117.45	115.32
5	C	305	TDR	C4-N3-C2	-2.41	123.05	126.37
3	C	304	TYD	O5'-PA-O1A	-2.39	99.44	108.94
4	A	306	THM	C6-N1-C2	-2.36	118.95	121.30
3	C	303	TYD	C6-N1-C2	-2.26	119.05	121.30
4	B	305	THM	O3'-C3'-C2'	-2.26	103.03	110.88
4	A	306	THM	O3'-C3'-C2'	-2.24	103.11	110.88
5	C	305	TDR	O2-C2-N3	-2.23	117.90	121.86
3	A	305	TYD	O4-C4-N3	-2.18	116.02	120.11
3	A	305	TYD	O2B-PB-O1B	-2.14	102.50	110.83
4	B	305	THM	O4'-C1'-N1	2.12	111.63	107.86
5	C	305	TDR	C5-C4-N3	2.12	117.17	115.32
3	A	305	TYD	O2B-PB-O3A	2.12	111.75	104.64
4	A	306	THM	C2'-C3'-C4'	2.08	107.03	102.80
3	C	304	TYD	C5-C6-N1	-2.01	121.13	123.31

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	304	TYD	C5'-O5'-PA-O1A
3	B	304	TYD	C5'-O5'-PA-O2A
3	B	304	TYD	C5'-O5'-PA-O3A
3	C	303	TYD	PA-O3A-PB-O3B
3	C	304	TYD	PA-O3A-PB-O3B
4	A	306	THM	O4'-C4'-C5'-O5'

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	A	306	THM	C3'-C4'-C5'-O5'
4	B	305	THM	O4'-C4'-C5'-O5'
4	B	305	THM	C3'-C4'-C5'-O5'
3	B	304	TYD	O4'-C4'-C5'-O5'
3	B	304	TYD	C3'-C4'-C5'-O5'
3	A	305	TYD	C5'-O5'-PA-O3A
3	B	304	TYD	PB-O3A-PA-O2A
3	B	304	TYD	PA-O3A-PB-O1B
3	A	305	TYD	PB-O3A-PA-O1A
3	C	303	TYD	PA-O3A-PB-O2B
3	C	304	TYD	PA-O3A-PB-O2B
2	B	301	EDO	O1-C1-C2-O2
2	B	302	EDO	O1-C1-C2-O2
3	C	304	TYD	PA-O3A-PB-O1B
2	A	302	EDO	O1-C1-C2-O2
3	B	304	TYD	PB-O3A-PA-O1A


There are no ring outliers.

8 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	301	EDO	2	0
3	A	305	TYD	3	0
2	B	301	EDO	2	0
3	C	303	TYD	2	0
3	C	304	TYD	1	0
3	B	304	TYD	1	0
2	A	302	EDO	2	0
2	A	304	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	199/201 (99%)	-0.86	0 100 100	12, 24, 42, 65	4 (2%)
1	B	199/201 (99%)	-0.81	0 100 100	12, 24, 41, 67	5 (2%)
1	C	201/201 (100%)	-0.65	0 100 100	14, 30, 48, 67	2 (0%)
1	D	200/201 (99%)	-0.62	0 100 100	17, 30, 46, 56	1 (0%)
All	All	799/804 (99%)	-0.73	0 100 100	12, 26, 46, 67	12 (1%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	TDR	C	305	9/9	0.94	0.09	30,35,40,48	0
4	THM	A	306	17/17	0.96	0.07	29,40,55,56	0
4	THM	B	305	17/17	0.97	0.06	27,42,55,61	0
5	TDR	D	303	9/9	0.97	0.06	30,35,41,42	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDO	C	302	4/4	0.98	0.05	32,33,33,34	0
2	EDO	D	301	4/4	0.98	0.05	35,37,37,39	0
2	EDO	D	302	4/4	0.98	0.05	21,21,23,30	0
3	TYD	A	305	25/25	0.98	0.05	31,40,53,59	0
3	TYD	B	304	25/25	0.98	0.06	28,40,54,61	0
3	TYD	C	303	25/25	0.98	0.06	37,41,66,69	0
3	TYD	C	304	25/25	0.98	0.06	35,42,63,68	0
2	EDO	A	301	4/4	0.98	0.09	30,32,33,35	0
2	EDO	A	302	4/4	0.98	0.08	25,27,34,50	0
2	EDO	A	304	4/4	0.98	0.08	34,44,44,48	0
2	EDO	B	303	4/4	0.98	0.07	32,32,33,37	0
2	EDO	C	301	4/4	0.99	0.03	20,21,23,28	0
2	EDO	B	301	4/4	0.99	0.06	25,25,34,45	0
2	EDO	B	302	4/4	0.99	0.04	24,27,28,34	0
2	EDO	A	303	4/4	0.99	0.04	25,28,30,38	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around TYD A 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TYD B 304:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around TYD C 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.