



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 01:40 PM UTC

PDB ID : 5HNI / pdb_00005hni
Title : CRYSTAL STRUCTURE OF CMET WT with compound 3
Authors : Vallee, F.; Houtmann, J.
Deposited on : 2016-01-18
Resolution : 1.71 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1039 (1.72-1.72)
Clashscore	190562	1049 (1.72-1.72)
Ramachandran outliers	187476	1041 (1.72-1.72)
Sidechain outliers	187428	1041 (1.72-1.72)
RSRZ outliers	180081	1039 (1.72-1.72)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	X	312	27% 60% 18% • 21%
1	Y	312	27% 60% 17% • 21%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4345 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Hepatocyte growth factor receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	X	245	Total	C	N	O	S	0	0	0
			1952	1265	332	340	15			
1	Y	245	Total	C	N	O	S	0	0	0
			1952	1265	332	340	15			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
X	1194	PHE	TYR	conflict	UNP P08581
X	1234	PHE	TYR	conflict	UNP P08581
X	1235	ASP	TYR	conflict	UNP P08581
Y	1194	PHE	TYR	conflict	UNP P08581
Y	1234	PHE	TYR	conflict	UNP P08581
Y	1235	ASP	TYR	conflict	UNP P08581

- Molecule 2 is methyl (6-{[6-(4-fluorophenyl)[1,2,4]triazolo[4,3-b]pyridazin-3-yl]sulfanyl}-1H-benzimidazol-2-yl)carbamate (CCD ID: 63B) (formula: C₂₀H₁₄FN₇O₂S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	X	1	Total	C	F	N	O	S	0	0
			31	20	1	7	2	1		
2	Y	1	Total	C	F	N	O	S	0	0
			31	20	1	7	2	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	X	194	Total	O	0	0
			194	194		
3	Y	185	Total	O	0	0
			185	185		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Hepatocyte growth factor receptor



• Molecule 1: Hepatocyte growth factor receptor



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	42.85Å 47.06Å 81.98Å 76.96° 76.96° 90.00°	Depositor
Resolution (Å)	77.70 – 1.71 77.70 – 1.71	Depositor EDS
% Data completeness (in resolution range)	77.1 (77.70-1.71) 76.5 (77.70-1.71)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.61 (at 1.60Å)	Xtriage
Refinement program	CNX	Depositor
R, R_{free}	0.227 , 0.245 0.241 , 0.235	Depositor DCC
R_{free} test set	2633 reflections (3.29%)	wwPDB-VP
Wilson B-factor (Å ²)	13.3	Xtriage
Anisotropy	0.319	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 59.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.147 for h,-k,h-l	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	4345	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 63B

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	X	0.37	0/2000	0.70	1/2705 (0.0%)
1	Y	0.36	0/2000	0.71	1/2705 (0.0%)
All	All	0.36	0/4000	0.70	2/5410 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	Y	1123	GLN	N-CA-C	-7.80	103.91	113.50
1	X	1186	LEU	N-CA-C	-7.04	104.68	113.55

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	X	1952	0	1962	48	0
1	Y	1952	0	1962	52	0
2	X	31	0	0	0	0
2	Y	31	0	0	1	0
3	X	194	0	0	7	0
3	Y	185	0	0	5	0
All	All	4345	0	3924	100	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Y:1127:GLU:HA	1:Y:1130:ILE:HB	1.48	0.93
1:Y:1152:SER:H	1:Y:1153:PRO:HA	1.33	0.92
1:X:1069:VAL:HG21	1:X:1129:ILE:HA	1.61	0.82
1:Y:1144:GLY:O	1:Y:1156:VAL:HG22	1.85	0.76
1:Y:1063:VAL:HG23	1:Y:1064:GLN:HG3	1.69	0.74
1:Y:1143:LEU:HB2	1:Y:1156:VAL:HG23	1.71	0.73
1:Y:1258:GLN:HE21	1:Y:1258:GLN:HA	1.55	0.71
1:X:1064:GLN:HA	1:X:1067:GLN:HE21	1.57	0.70
1:X:1144:GLY:O	1:X:1156:VAL:HG22	1.92	0.70
1:X:1152:SER:N	1:X:1153:PRO:HA	2.08	0.69
1:X:1063:VAL:HG23	1:X:1064:GLN:HG3	1.75	0.68
1:X:1066:VAL:HG21	1:X:1125:LEU:HD22	1.75	0.68
1:X:1066:VAL:HG11	1:X:1125:LEU:HD13	1.75	0.67
1:Y:1152:SER:N	1:Y:1153:PRO:HA	2.10	0.64
1:Y:1198:LYS:NZ	1:Y:1198:LYS:HA	2.13	0.64
1:Y:1146:CYS:HB3	1:Y:1154:LEU:HB2	1.79	0.63
1:X:1202:HIS:O	1:X:1203:ARG:HB3	1.99	0.63
1:X:1258:GLN:HE21	1:X:1258:GLN:HA	1.64	0.62
1:Y:1152:SER:H	1:Y:1153:PRO:CA	2.11	0.62
1:Y:1165:LEU:HD21	1:Y:1276:LEU:HD21	1.81	0.60
1:Y:1066:VAL:HG11	1:Y:1125:LEU:HD13	1.83	0.60
1:Y:1152:SER:HB3	1:Y:1153:PRO:O	2.02	0.60
1:Y:1148:ARG:HB2	1:Y:1149:SER:HB3	1.86	0.58
1:Y:1071:ILE:HG13	1:Y:1145:ILE:O	2.04	0.57
1:X:1325:GLU:H	1:X:1325:GLU:CD	2.12	0.57
1:Y:1143:LEU:HG	1:Y:1158:PRO:HD3	1.87	0.56
1:X:1146:CYS:HB3	1:X:1154:LEU:HB2	1.88	0.56
1:X:1333:LEU:HA	3:X:1606:HOH:O	2.07	0.55
1:X:1066:VAL:HG22	1:X:1070:VAL:HG23	1.89	0.55
1:Y:1092:VAL:HG22	1:Y:1110:LYS:HD3	1.88	0.55
1:Y:1071:ILE:HD11	1:Y:1146:CYS:SG	2.47	0.55
1:X:1092:VAL:HG22	1:X:1110:LYS:HD3	1.87	0.55
1:Y:1325:GLU:H	1:Y:1325:GLU:CD	2.15	0.54
1:X:1110:LYS:HB3	1:X:1155:VAL:HB	1.90	0.54
1:Y:1126:THR:O	1:Y:1130:ILE:HG13	2.09	0.53
1:X:1198:LYS:C	1:X:1199:LYS:HE3	2.33	0.53
1:X:1162:HIS:HD2	3:X:1656:HOH:O	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:1148:ARG:HB2	1:X:1149:SER:HB3	1.90	0.52
1:X:1064:GLN:O	1:X:1067:GLN:HG2	2.09	0.52
1:Y:1198:LYS:HD2	1:Y:1198:LYS:N	2.25	0.51
1:Y:1318:LYS:HE2	3:Y:1640:HOH:O	2.11	0.51
1:X:1152:SER:N	1:X:1153:PRO:CA	2.74	0.51
1:Y:1147:LEU:HA	1:Y:1153:PRO:HB3	1.93	0.51
1:X:1071:ILE:HD11	1:X:1156:VAL:HG21	1.91	0.50
1:Y:1310:ASP:N	1:Y:1311:PRO:HD2	2.27	0.50
1:Y:1203:ARG:HG3	1:Y:1260:PHE:CG	2.46	0.50
1:X:1226:ALA:HB3	3:X:1626:HOH:O	2.12	0.50
1:X:1070:VAL:HG22	1:X:1145:ILE:HD11	1.94	0.50
1:X:1336:ARG:HB2	3:X:1606:HOH:O	2.11	0.50
1:Y:1066:VAL:HG22	1:Y:1066:VAL:O	2.12	0.49
1:Y:1181:LEU:HD12	1:Y:1350:VAL:HG21	1.93	0.49
1:Y:1131:MET:HG2	1:Y:1142:LEU:HB2	1.95	0.49
1:Y:1162:HIS:HE1	3:Y:1537:HOH:O	1.96	0.49
1:Y:1147:LEU:HD23	1:Y:1153:PRO:CG	2.43	0.49
1:Y:1164:ASP:HB3	1:Y:1211:MET:HE1	1.94	0.48
1:Y:1198:LYS:HA	1:Y:1198:LYS:HZ2	1.78	0.48
1:X:1064:GLN:HA	1:X:1067:GLN:NE2	2.26	0.48
1:Y:1162:HIS:HD2	3:Y:1655:HOH:O	1.96	0.48
1:Y:1152:SER:N	1:Y:1153:PRO:CA	2.75	0.47
1:Y:1293:THR:HG23	1:Y:1294:VAL:N	2.29	0.47
1:X:1124:PHE:CZ	1:X:1153:PRO:HB2	2.49	0.47
1:X:1293:THR:HG23	1:X:1294:VAL:N	2.29	0.47
1:X:1143:LEU:HG	1:X:1158:PRO:HD3	1.97	0.47
1:X:1300:ARG:HD3	3:X:1546:HOH:O	2.14	0.47
1:Y:1064:GLN:HA	1:Y:1067:GLN:HE21	1.80	0.46
1:Y:1226:ALA:HB3	3:Y:1604:HOH:O	2.15	0.46
1:Y:1212:LEU:CD1	1:Y:1218:VAL:HG22	2.47	0.45
1:Y:1294:VAL:O	1:Y:1298:GLN:HG3	2.17	0.45
1:X:1066:VAL:HG22	1:X:1066:VAL:O	2.17	0.45
1:X:1095:GLY:HA3	1:X:1109:VAL:HG23	1.98	0.45
1:X:1164:ASP:HA	1:X:1211:MET:HE3	1.97	0.45
1:Y:1300:ARG:HD3	3:Y:1513:HOH:O	2.17	0.45
1:Y:1148:ARG:HA	1:Y:1149:SER:HA	1.71	0.44
1:X:1152:SER:HB3	1:X:1153:PRO:O	2.18	0.44
1:Y:1064:GLN:O	1:Y:1067:GLN:HG2	2.19	0.43
1:Y:1257:THR:O	1:Y:1258:GLN:HB2	2.18	0.43
1:X:1148:ARG:HA	1:X:1149:SER:HA	1.69	0.43
1:Y:1222:ASP:OD1	1:Y:1227:ARG:HA	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Y:1202:HIS:O	1:Y:1203:ARG:CB	2.66	0.43
1:X:1272:LEU:C	1:X:1272:LEU:HD23	2.44	0.43
1:Y:1272:LEU:C	1:Y:1272:LEU:HD23	2.44	0.43
1:Y:1092:VAL:HG21	2:Y:1401:63B:S1	2.59	0.42
1:X:1253:GLU:HA	1:X:1256:GLN:HE21	1.82	0.42
1:X:1215:LYS:HE2	1:X:1215:LYS:HB3	1.83	0.42
1:Y:1071:ILE:HD12	1:Y:1071:ILE:C	2.45	0.42
1:X:1071:ILE:HG13	1:X:1071:ILE:O	2.20	0.42
1:X:1144:GLY:C	1:X:1156:VAL:HG22	2.45	0.41
1:Y:1213:ASP:OD1	1:Y:1213:ASP:C	2.62	0.41
1:X:1310:ASP:N	1:X:1311:PRO:HD2	2.35	0.41
1:Y:1104:LYS:HD2	1:Y:1104:LYS:O	2.21	0.41
1:X:1152:SER:HB3	1:X:1153:PRO:C	2.44	0.41
1:Y:1149:SER:N	1:Y:1150:GLU:HA	2.34	0.41
1:Y:1125:LEU:O	1:Y:1129:ILE:HG13	2.21	0.41
1:X:1134:PHE:HE1	1:X:1198:LYS:HG3	1.85	0.41
1:X:1161:LYS:HB2	3:X:1625:HOH:O	2.20	0.41
1:X:1090:GLY:O	1:X:1110:LYS:HE3	2.21	0.41
1:X:1159:TYR:O	1:X:1160:MET:HE2	2.21	0.41
1:X:1199:LYS:HA	3:X:1539:HOH:O	2.20	0.41
1:X:1123:GLN:O	1:X:1126:THR:HB	2.22	0.40
1:X:1228:ASP:HB3	1:X:1230:TYR:CZ	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	X	235/312 (75%)	225 (96%)	10 (4%)	0	100	100
1	Y	235/312 (75%)	226 (96%)	8 (3%)	1 (0%)	30	16
All	All	470/624 (75%)	451 (96%)	18 (4%)	1 (0%)	43	31

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	Y	1152	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	X	216/277 (78%)	211 (98%)	5 (2%)	44	21
1	Y	216/277 (78%)	211 (98%)	5 (2%)	44	21
All	All	432/554 (78%)	422 (98%)	10 (2%)	44	21

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	X	1097	LEU
1	X	1199	LYS
1	X	1211	MET
1	X	1225	LEU
1	X	1325	GLU
1	Y	1132	LYS
1	Y	1198	LYS
1	Y	1227	ARG
1	Y	1258	GLN
1	Y	1325	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	X	1067	GLN
1	X	1162	HIS
1	X	1167	ASN
1	X	1256	GLN
1	X	1258	GLN
1	X	1304	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	Y	1067	GLN
1	Y	1162	HIS
1	Y	1167	ASN
1	Y	1256	GLN
1	Y	1258	GLN
1	Y	1304	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	63B	X	1401	-	35,35,35	2.62	18 (51%)	47,50,50	2.88	14 (29%)
2	63B	Y	1401	-	35,35,35	2.65	17 (48%)	47,50,50	2.89	14 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	63B	X	1401	-	-	8/14/14/14	0/5/5/5
2	63B	Y	1401	-	-	8/14/14/14	0/5/5/5

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	Y	1401	63B	N4-N3	-6.42	1.26	1.39
2	Y	1401	63B	C6-C4	6.40	1.52	1.44
2	X	1401	63B	N4-N3	-6.36	1.26	1.39
2	X	1401	63B	C6-C4	6.35	1.52	1.44
2	X	1401	63B	C18-N7	5.75	1.49	1.37
2	Y	1401	63B	C18-N7	5.75	1.49	1.37
2	X	1401	63B	C3-C2	4.01	1.49	1.41
2	Y	1401	63B	C3-C2	3.96	1.49	1.41
2	Y	1401	63B	N1-N2	-3.95	1.28	1.38
2	Y	1401	63B	C4-N2	3.91	1.37	1.31
2	X	1401	63B	N1-N2	-3.88	1.28	1.38
2	X	1401	63B	C4-N2	3.86	1.37	1.31
2	Y	1401	63B	C12-C16	3.14	1.44	1.40
2	X	1401	63B	C12-C16	3.03	1.44	1.40
2	Y	1401	63B	C2-N1	-2.76	1.35	1.39
2	Y	1401	63B	C14-C10	2.71	1.43	1.38
2	Y	1401	63B	C9-C13	2.69	1.43	1.38
2	X	1401	63B	C1-N1	-2.66	1.33	1.37
2	Y	1401	63B	C10-C7	2.61	1.43	1.39
2	X	1401	63B	C2-N1	-2.61	1.35	1.39
2	X	1401	63B	C14-C10	2.60	1.43	1.38
2	X	1401	63B	C10-C7	2.47	1.43	1.39
2	X	1401	63B	C9-C13	2.45	1.42	1.38
2	Y	1401	63B	C15-C17	2.43	1.41	1.37
2	Y	1401	63B	C11-C7	2.39	1.43	1.39
2	X	1401	63B	C14-C17	2.37	1.41	1.37
2	Y	1401	63B	C14-C17	2.35	1.41	1.37
2	Y	1401	63B	C1-N1	-2.25	1.34	1.37
2	X	1401	63B	C15-C17	2.19	1.41	1.37
2	Y	1401	63B	C1-N3	2.10	1.35	1.31
2	X	1401	63B	C11-C7	2.06	1.42	1.39
2	X	1401	63B	C1-N3	2.05	1.35	1.31
2	X	1401	63B	C11-C15	2.02	1.42	1.38
2	Y	1401	63B	C11-C15	2.01	1.42	1.38
2	X	1401	63B	C8-C5	2.00	1.43	1.39

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	Y	1401	63B	O1-C19-N7	11.22	122.06	109.15
2	X	1401	63B	O1-C19-N7	11.18	122.02	109.15
2	Y	1401	63B	C4-N2-N1	8.13	121.22	114.89
2	X	1401	63B	C4-N2-N1	8.00	121.12	114.89
2	Y	1401	63B	C20-O1-C19	5.97	122.55	115.63
2	X	1401	63B	C20-O1-C19	5.83	122.38	115.63
2	X	1401	63B	O1-C19-O2	-5.62	116.43	124.62
2	Y	1401	63B	O1-C19-O2	-5.55	116.53	124.62
2	X	1401	63B	C5-S1-C1	5.07	110.25	101.87
2	Y	1401	63B	C5-S1-C1	4.57	109.44	101.87
2	X	1401	63B	C18-N7-C19	-4.44	115.38	125.29
2	Y	1401	63B	C18-N7-C19	-4.30	115.68	125.29
2	Y	1401	63B	C1-N1-C2	-4.25	103.09	105.69
2	X	1401	63B	C1-N1-C2	-4.00	103.24	105.69
2	Y	1401	63B	C7-C4-N2	3.67	120.60	115.33
2	X	1401	63B	C7-C4-N2	3.60	120.51	115.33
2	Y	1401	63B	C16-N6-C18	3.05	107.79	104.21
2	Y	1401	63B	O2-C19-N7	-2.94	121.41	125.47
2	X	1401	63B	C6-C4-N2	-2.87	117.42	122.18
2	Y	1401	63B	C6-C4-N2	-2.86	117.44	122.18
2	X	1401	63B	O2-C19-N7	-2.84	121.55	125.47
2	X	1401	63B	C16-N6-C18	2.84	107.55	104.21
2	Y	1401	63B	C12-C8-C5	2.61	120.45	117.13
2	X	1401	63B	C12-C8-C5	2.56	120.38	117.13
2	Y	1401	63B	C12-C16-N6	-2.24	106.36	109.42
2	Y	1401	63B	N5-C18-N7	2.13	128.11	123.05
2	X	1401	63B	N5-C18-N7	2.11	128.06	123.05
2	X	1401	63B	C12-C16-N6	-2.00	106.68	109.42

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	X	1401	63B	C6-C4-C7-C10
2	X	1401	63B	C6-C4-C7-C11
2	X	1401	63B	N2-C4-C7-C10
2	X	1401	63B	N2-C4-C7-C11
2	X	1401	63B	O1-C19-N7-C18
2	X	1401	63B	O2-C19-N7-C18
2	X	1401	63B	N7-C19-O1-C20
2	X	1401	63B	O2-C19-O1-C20
2	Y	1401	63B	C6-C4-C7-C10
2	Y	1401	63B	C6-C4-C7-C11

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	Y	1401	63B	N2-C4-C7-C10
2	Y	1401	63B	N2-C4-C7-C11
2	Y	1401	63B	O1-C19-N7-C18
2	Y	1401	63B	O2-C19-N7-C18
2	Y	1401	63B	N7-C19-O1-C20
2	Y	1401	63B	O2-C19-O1-C20


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	Y	1401	63B	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	X	245/312 (78%)	2.01	83 (33%)  	4, 16, 66, 102	0
1	Y	245/312 (78%)	2.17	83 (33%)  	5, 16, 72, 98	0
All	All	490/624 (78%)	2.09	166 (33%)  	4, 16, 70, 102	0

All (166) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	Y	1065	ALA	16.6
1	Y	1071	ILE	13.0
1	X	1063	VAL	12.7
1	Y	1129	ILE	12.6
1	Y	1121	VAL	12.4
1	Y	1063	VAL	12.1
1	X	1065	ALA	11.8
1	X	1071	ILE	11.8
1	Y	1072	GLY	10.8
1	Y	1069	VAL	10.8
1	Y	1126	THR	10.7
1	Y	1066	VAL	10.7
1	Y	1070	VAL	10.7
1	Y	1130	ILE	10.5
1	X	1073	PRO	10.4
1	X	1070	VAL	10.3
1	X	1149	SER	10.2
1	X	1069	VAL	9.8
1	X	1066	VAL	9.5
1	Y	1122	SER	9.4
1	Y	1124	PHE	9.4
1	Y	1125	LEU	9.3
1	X	1126	THR	9.3
1	X	1121	VAL	8.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	X	1072	GLY	8.6
1	X	1290	PHE	8.5
1	Y	1151	GLY	8.5
1	X	1151	GLY	8.2
1	X	1067	GLN	8.0
1	Y	1289	THR	7.4
1	Y	1073	PRO	7.4
1	X	1092	VAL	7.3
1	Y	1127	GLU	7.3
1	X	1125	LEU	7.3
1	Y	1147	LEU	7.2
1	X	1124	PHE	7.2
1	Y	1097	LEU	7.0
1	Y	1225	LEU	7.0
1	Y	1123	GLN	6.8
1	X	1356	TYR	6.8
1	X	1095	GLY	6.8
1	X	1287	VAL	6.7
1	X	1068	HIS	6.7
1	Y	1149	SER	6.7
1	Y	1287	VAL	6.6
1	Y	1105	ILE	6.5
1	X	1107	CYS	6.5
1	Y	1092	VAL	6.4
1	Y	1064	GLN	6.4
1	Y	1145	ILE	6.3
1	X	1148	ARG	6.3
1	X	1064	GLN	6.3
1	Y	1230	TYR	6.1
1	Y	1067	GLN	6.1
1	Y	1356	TYR	6.1
1	X	1130	ILE	5.9
1	X	1291	ASP	5.9
1	Y	1148	ARG	5.8
1	Y	1107	CYS	5.8
1	Y	1154	LEU	5.8
1	X	1152	SER	5.8
1	X	1147	LEU	5.7
1	Y	1128	GLY	5.6
1	Y	1152	SER	5.5
1	Y	1288	ASN	5.5
1	Y	1291	ASP	5.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	Y	1290	PHE	5.4
1	X	1122	SER	5.4
1	Y	1153	PRO	5.4
1	X	1230	TYR	5.3
1	Y	1068	HIS	5.3
1	Y	1146	CYS	5.3
1	X	1289	THR	5.3
1	X	1145	ILE	5.2
1	X	1154	LEU	5.2
1	Y	1094	HIS	5.2
1	Y	1091	CYS	5.1
1	X	1288	ASN	5.0
1	X	1091	CYS	5.0
1	X	1096	THR	5.0
1	X	1105	ILE	5.0
1	Y	1286	ASP	5.0
1	X	1229	MET	4.9
1	X	1097	LEU	4.9
1	X	1150	GLU	4.8
1	Y	1150	GLU	4.8
1	X	1225	LEU	4.7
1	X	1094	HIS	4.7
1	X	1185	GLY	4.7
1	X	1123	GLN	4.7
1	X	1128	GLY	4.7
1	Y	1229	MET	4.7
1	Y	1109	VAL	4.6
1	X	1129	ILE	4.6
1	Y	1093	TYR	4.5
1	Y	1090	GLY	4.4
1	Y	1144	GLY	4.4
1	X	1109	VAL	4.4
1	Y	1096	THR	4.4
1	X	1104	LYS	4.3
1	X	1146	CYS	4.3
1	X	1134	PHE	4.2
1	Y	1155	VAL	4.2
1	X	1106	HIS	4.1
1	X	1285	PRO	4.1
1	Y	1104	LYS	4.1
1	X	1143	LEU	3.9
1	Y	1095	GLY	3.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	X	1153	PRO	3.9
1	Y	1292	ILE	3.8
1	X	1093	TYR	3.8
1	Y	1132	LYS	3.7
1	Y	1131	MET	3.7
1	Y	1133	ASP	3.7
1	X	1286	ASP	3.6
1	X	1226	ALA	3.5
1	X	1227	ARG	3.5
1	X	1155	VAL	3.5
1	X	1228	ASP	3.4
1	X	1090	GLY	3.4
1	X	1203	ARG	3.4
1	Y	1257	THR	3.3
1	X	1141	SER	3.3
1	Y	1227	ARG	3.3
1	X	1144	GLY	3.2
1	Y	1141	SER	3.2
1	X	1157	LEU	3.2
1	Y	1226	ALA	3.2
1	X	1156	VAL	3.2
1	Y	1156	VAL	3.1
1	X	1224	GLY	3.1
1	Y	1172	GLU	3.0
1	Y	1134	PHE	3.0
1	Y	1106	HIS	3.0
1	X	1127	GLU	2.9
1	Y	1143	LEU	2.9
1	X	1292	ILE	2.9
1	Y	1228	ASP	2.8
1	X	1111	SER	2.8
1	Y	1285	PRO	2.8
1	X	1257	THR	2.8
1	X	1352	VAL	2.6
1	X	1142	LEU	2.6
1	X	1172	GLU	2.6
1	X	1108	ALA	2.6
1	Y	1223	PHE	2.5
1	X	1293	THR	2.5
1	Y	1260	PHE	2.5
1	X	1131	MET	2.4
1	X	1159	TYR	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	X	1260	PHE	2.3
1	Y	1111	SER	2.3
1	Y	1252	LEU	2.2
1	X	1256	GLN	2.2
1	Y	1159	TYR	2.2
1	X	1158	PRO	2.2
1	X	1200	PHE	2.1
1	Y	1258	GLN	2.1
1	Y	1158	PRO	2.1
1	Y	1352	VAL	2.1
1	Y	1110	LYS	2.1
1	Y	1224	GLY	2.0
1	Y	1293	THR	2.0
1	Y	1198	LYS	2.0
1	X	1221	ALA	2.0
1	Y	1201	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	63B	Y	1401	31/31	0.78	0.17	22,33,36,37	0
2	63B	X	1401	31/31	0.79	0.17	22,30,36,38	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 63B Y 1401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.