



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 10:06 PM UTC

PDB ID : 4HOD / pdb_00004hod
Title : Crystal structure of LeuT-E290S with bound Cl
Authors : Kantcheva, A.K.; Quick, M.; Shi, L.; Winther, A.M.L.; Stolzenberg, S.; Weinstein, H.; Javitch, J.A.; Nissen, P.
Deposited on : 2012-10-22
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1169 (3.32-3.28)
Clashscore	190562	1209 (3.32-3.28)
Ramachandran outliers	187476	1188 (3.32-3.28)
Sidechain outliers	187428	1187 (3.32-3.28)
RSRZ outliers	180081	1169 (3.32-3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	515	21% 68% 30% ..

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 4153 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Transporter.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	509	4041	2736	634	659	12	0	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	290	SER	GLU	engineered mutation	UNP O67854
A	514	GLY	-	expression tag	UNP O67854
A	515	THR	-	expression tag	UNP O67854

- Molecule 2 is LEUCINE (CCD ID: LEU) (formula: C₆H₁₃NO₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	9	6	1	2	0	0


- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Na	0	0
			2	2		

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cl	0	0
			1	1		

- Molecule 5 is octyl beta-D-glucopyranoside (CCD ID: BOG) (formula: C₁₄H₂₈O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			20	14	6		
5	A	1	Total	C	O	0	0
			20	14	6		
5	A	1	Total	C	O	0	0
			20	14	6		
5	A	1	Total	C	O	0	0
			20	14	6		
5	A	1	Total	C	O	0	0
			20	14	6		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Transporter



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	87.58Å 87.48Å 80.86Å 90.00° 95.00° 90.00°	Depositor
Resolution (Å)	47.62 – 3.30 47.62 – 3.30	Depositor EDS
% Data completeness (in resolution range)	97.6 (47.62-3.30) 98.2 (47.62-3.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.50 (at 3.33Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.1_743)	Depositor
R, R_{free}	0.190 , 0.254 0.196 , 0.248	Depositor DCC
R_{free} test set	682 reflections (7.37%)	wwPDB-VP
Wilson B-factor (Å ²)	62.1	Xtriage
Anisotropy	0.205	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 66.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.86	EDS
Total number of atoms	4153	wwPDB-VP
Average B, all atoms (Å ²)	98.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BOG, NA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/4168	0.79	6/5677 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	154	VAL	CA-C-N	5.77	125.79	119.90
1	A	154	VAL	C-N-CA	5.77	125.79	119.90
1	A	56	ILE	CB-CA-C	-5.53	108.49	114.35
1	A	240	ASP	CA-C-N	5.20	124.86	119.56
1	A	240	ASP	C-N-CA	5.20	124.86	119.56
1	A	161	ILE	N-CA-C	5.07	115.34	107.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4041	0	4129	119	0
2	A	9	0	10	1	0
3	A	2	0	0	0	0
4	A	1	0	0	0	0
5	A	100	0	140	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	4153	0	4279	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:11:ARG:NH2	1:A:274:ASP:OD2	2.08	0.86
1:A:42:ALA:HB2	1:A:234:ASP:HB3	1.61	0.82
1:A:47:TYR:OH	1:A:287:GLU:OE1	1.99	0.80
1:A:392:LEU:CD1	5:A:608:BOG:H8'1	2.12	0.79
5:A:608:BOG:H8'3	5:A:609:BOG:H8'2	1.65	0.78
1:A:395:PHE:HB3	5:A:609:BOG:H5'2	1.65	0.75
1:A:287:GLU:O	1:A:291:VAL:HG22	1.90	0.72
1:A:45:ILE:HB	1:A:46:PRO:HD3	1.72	0.72
1:A:472:ILE:N	1:A:473:PRO:HD2	2.06	0.70
1:A:505:GLU:HG3	1:A:506:ARG:NH1	2.08	0.69
1:A:65:MET:HE1	1:A:81:PHE:CE1	2.28	0.69
1:A:392:LEU:HD12	5:A:608:BOG:H8'1	1.75	0.68
1:A:166:LEU:HD23	5:A:606:BOG:H1'2	1.75	0.68
1:A:65:MET:HE1	1:A:81:PHE:HE1	1.58	0.67
1:A:245:ILE:HG12	1:A:463:LEU:HD12	1.78	0.66
1:A:331:PHE:O	1:A:337:GLY:HA3	1.96	0.65
1:A:51:PHE:CZ	1:A:56:ILE:HD11	2.32	0.65
1:A:471:TYR:C	1:A:473:PRO:HD2	2.23	0.64
1:A:8:TRP:CD1	1:A:14:LEU:HD13	2.32	0.64
1:A:239:LYS:HD2	1:A:239:LYS:N	2.14	0.62
1:A:11:ARG:O	1:A:15:ILE:HG12	2.00	0.62
1:A:238:LEU:O	1:A:244:TRP:NE1	2.27	0.62
1:A:392:LEU:HD13	5:A:608:BOG:H8'1	1.81	0.62
1:A:110:TYR:CZ	1:A:394:MET:HG2	2.34	0.61
1:A:111:ILE:HD11	1:A:400:LEU:HD11	1.82	0.61
1:A:61:ILE:O	1:A:65:MET:HG3	2.00	0.61
1:A:161:ILE:HD12	5:A:609:BOG:H5'1	1.83	0.60
1:A:241:PRO:O	1:A:245:ILE:HG13	2.03	0.58
1:A:51:PHE:CE1	1:A:287:GLU:HG3	2.39	0.57
1:A:310:ASN:O	1:A:314:ILE:HG13	2.05	0.57
1:A:77:THR:OG1	1:A:97:GLY:HA3	2.05	0.57
1:A:46:PRO:HG2	1:A:243:VAL:HG12	1.87	0.57
1:A:245:ILE:HG12	1:A:463:LEU:CD1	2.33	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:423:PHE:CE2	1:A:432:ALA:HB1	2.40	0.56
5:A:608:BOG:H6'2	5:A:609:BOG:H6'1	1.86	0.56
5:A:608:BOG:H8'3	5:A:609:BOG:C8'	2.35	0.56
1:A:5:ARG:HH22	1:A:369:ASP:CG	2.13	0.56
1:A:130:PRO:HG3	1:A:144:PHE:HE2	1.70	0.56
1:A:391:HIS:HA	1:A:394:MET:HE3	1.89	0.55
1:A:245:ILE:HA	1:A:463:LEU:HD11	1.87	0.55
1:A:155:PRO:HD3	1:A:162:LEU:HD23	1.88	0.55
1:A:56:ILE:N	1:A:57:PRO:HD2	2.21	0.55
1:A:167:PHE:HE1	5:A:606:BOG:H6'2	1.72	0.55
1:A:396:LEU:HB3	1:A:399:SER:HB2	1.89	0.54
1:A:31:PHE:HB3	1:A:32:PRO:HD3	1.90	0.54
1:A:44:MET:HE2	1:A:231:TRP:CZ3	2.43	0.54
1:A:189:LYS:HA	1:A:193:ARG:HG3	1.90	0.54
1:A:472:ILE:N	1:A:473:PRO:CD	2.71	0.53
1:A:170:ILE:O	1:A:174:ILE:HG13	2.09	0.53
1:A:110:TYR:CE1	1:A:394:MET:HG2	2.43	0.53
1:A:128:PRO:HD3	1:A:147:PHE:CD1	2.44	0.52
1:A:117:GLY:HA3	1:A:151:TYR:OH	2.09	0.52
1:A:77:THR:O	1:A:81:PHE:HB2	2.09	0.52
1:A:416:GLY:O	1:A:419:GLU:HG2	2.10	0.51
1:A:327:LEU:HD23	1:A:344:TRP:CE2	2.45	0.51
1:A:145:LYS:HA	1:A:325:ILE:HD13	1.93	0.51
1:A:44:MET:HE2	1:A:231:TRP:CH2	2.46	0.51
1:A:256:SER:HG	2:A:601:LEU:N	2.09	0.50
1:A:255:LEU:HD23	1:A:286:ASN:ND2	2.26	0.50
1:A:361:GLN:N	1:A:362:PRO:CD	2.75	0.50
1:A:305:PHE:CE1	1:A:330:ILE:HG23	2.47	0.49
1:A:461:ALA:O	1:A:465:VAL:HG23	2.13	0.49
1:A:37:GLU:HG2	1:A:316:LYS:HG2	1.93	0.48
1:A:199:MET:HB2	1:A:200:PRO:HD3	1.93	0.48
1:A:167:PHE:CE1	5:A:606:BOG:H6'2	2.48	0.48
1:A:76:THR:HG21	1:A:98:LEU:HD21	1.96	0.48
1:A:296:SER:C	1:A:300:PRO:HG2	2.39	0.48
1:A:401:ASP:N	1:A:401:ASP:OD1	2.45	0.48
1:A:423:PHE:O	1:A:427:PHE:HB3	2.14	0.48
1:A:167:PHE:O	1:A:171:VAL:HG23	2.14	0.48
1:A:299:ILE:HB	1:A:300:PRO:HD3	1.95	0.48
1:A:432:ALA:O	1:A:436:ILE:HG13	2.14	0.47
1:A:18:MET:CE	1:A:265:TYR:HB3	2.44	0.47
1:A:358:ALA:O	1:A:362:PRO:HD3	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:259:PHE:CZ	1:A:412:VAL:HG11	2.50	0.47
1:A:59:MET:O	1:A:63:TRP:HD1	1.98	0.46
1:A:30:ARG:O	1:A:34:GLN:HG2	2.15	0.46
1:A:11:ARG:HH22	1:A:274:ASP:CG	2.19	0.46
1:A:487:ARG:O	1:A:491:ILE:HG13	2.15	0.46
1:A:277:LEU:HD13	1:A:442:ILE:HD13	1.97	0.46
1:A:237:LYS:O	1:A:239:LYS:N	2.49	0.46
1:A:240:ASP:HB3	1:A:243:VAL:HG23	1.97	0.46
1:A:136:ASP:O	1:A:140:ILE:HG13	2.16	0.45
1:A:235:PHE:HD1	1:A:238:LEU:HD11	1.82	0.45
1:A:289:ALA:O	1:A:293:LEU:HB2	2.17	0.45
5:A:607:BOG:H2'1	5:A:608:BOG:H1'2	1.99	0.44
1:A:43:PHE:CE1	1:A:247:ALA:HA	2.53	0.44
1:A:65:MET:HE3	1:A:84:LEU:HD11	2.00	0.44
1:A:58:LEU:O	1:A:62:GLU:HG3	2.17	0.44
1:A:127:VAL:HB	1:A:128:PRO:HD2	1.98	0.44
1:A:78:PRO:HD3	1:A:94:GLY:O	2.17	0.44
1:A:61:ILE:HG23	1:A:423:PHE:CD2	2.54	0.43
1:A:356:SER:HA	1:A:359:ILE:HG12	2.00	0.43
1:A:65:MET:HE3	1:A:84:LEU:CD1	2.49	0.43
1:A:44:MET:O	1:A:48:ILE:HG13	2.19	0.42
1:A:57:PRO:O	1:A:61:ILE:HG13	2.18	0.42
1:A:131:PRO:HA	1:A:132:PRO:HD3	1.87	0.42
1:A:16:LEU:HD23	1:A:16:LEU:HA	1.88	0.42
1:A:77:THR:N	1:A:78:PRO:CD	2.83	0.42
1:A:130:PRO:HG3	1:A:144:PHE:CE2	2.52	0.42
1:A:66:GLY:O	1:A:267:SER:HA	2.20	0.42
1:A:339:PHE:O	1:A:342:PHE:N	2.52	0.42
1:A:226:GLY:HA3	1:A:300:PRO:HA	2.02	0.42
1:A:412:VAL:HG23	1:A:413:VAL:N	2.35	0.42
1:A:76:THR:CG2	1:A:98:LEU:HD21	2.50	0.41
1:A:420:LEU:C	1:A:420:LEU:HD23	2.45	0.41
1:A:456:THR:N	1:A:457:PRO:HD2	2.34	0.41
1:A:456:THR:HB	1:A:457:PRO:HD3	2.01	0.41
1:A:24:GLY:HA2	1:A:351:ALA:O	2.21	0.41
1:A:11:ARG:CZ	1:A:278:SER:OG	2.67	0.41
1:A:66:GLY:HA3	1:A:266:ALA:HB3	2.02	0.41
1:A:206:ALA:O	1:A:210:VAL:HG23	2.19	0.41
1:A:479:THR:HB	1:A:483:VAL:HG11	2.03	0.41
1:A:298:SER:HB3	1:A:322:LEU:HD21	2.02	0.41
1:A:400:LEU:HD23	1:A:400:LEU:C	2.46	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:11:ARG:NH2	1:A:278:SER:OG	2.53	0.41
1:A:280:LEU:HD12	1:A:280:LEU:O	2.21	0.41
1:A:421:ILE:O	1:A:425:TRP:HB2	2.20	0.41
1:A:153:GLY:O	1:A:154:VAL:C	2.63	0.41
1:A:237:LYS:O	1:A:238:LEU:C	2.64	0.41
1:A:100:ILE:N	1:A:101:PRO:HD2	2.37	0.40
1:A:269:VAL:CG1	1:A:273:GLN:HB3	2.51	0.40
1:A:505:GLU:HG3	1:A:506:ARG:HH11	1.83	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	505/515 (98%)	476 (94%)	28 (6%)	1 (0%)	43 71

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	238	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	411/416 (99%)	406 (99%)	5 (1%)	63 75

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	163	LYS
1	A	274	ASP
1	A	401	ASP
1	A	424	PHE
1	A	467	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	273	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 9 ligands modelled in this entry, 3 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	BOG	A	607	-	20,20,20	1.35	2 (10%)	25,25,25	2.10	8 (32%)
5	BOG	A	608	-	20,20,20	1.35	3 (15%)	25,25,25	2.08	9 (36%)
2	LEU	A	601	3	6,8,8	0.89	1 (16%)	5,10,10	0.99	1 (20%)
5	BOG	A	609	-	20,20,20	1.34	2 (10%)	25,25,25	1.83	9 (36%)
5	BOG	A	606	-	20,20,20	1.37	2 (10%)	25,25,25	1.93	9 (36%)
5	BOG	A	605	-	20,20,20	1.33	2 (10%)	25,25,25	2.08	10 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	BOG	A	607	-	-	4/11/31/31	0/1/1/1
5	BOG	A	608	-	-	2/11/31/31	0/1/1/1
2	LEU	A	601	3	-	0/8/8/8	-
5	BOG	A	609	-	-	5/11/31/31	0/1/1/1
5	BOG	A	606	-	-	7/11/31/31	0/1/1/1
5	BOG	A	605	-	-	2/11/31/31	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	606	BOG	O5-C1	4.68	1.53	1.41
5	A	607	BOG	O5-C1	4.65	1.53	1.41
5	A	609	BOG	O5-C1	4.58	1.53	1.41
5	A	608	BOG	O5-C1	4.46	1.53	1.41
5	A	605	BOG	O5-C1	4.46	1.53	1.41
5	A	609	BOG	O2-C2	2.17	1.48	1.43
5	A	607	BOG	O2-C2	2.12	1.48	1.43
5	A	608	BOG	C3-C2	-2.07	1.47	1.52
5	A	606	BOG	O2-C2	2.06	1.48	1.43
5	A	608	BOG	O2-C2	2.06	1.48	1.43
2	A	601	LEU	OXT-C	-2.04	1.24	1.30
5	A	605	BOG	O2-C2	2.01	1.47	1.43

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	607	BOG	C1'-O1-C1	4.77	121.83	113.68
5	A	608	BOG	O5-C5-C4	4.70	118.17	109.70
5	A	609	BOG	C1'-O1-C1	4.68	121.67	113.68
5	A	607	BOG	O5-C5-C4	4.49	117.78	109.70
5	A	605	BOG	O5-C5-C4	4.47	117.75	109.70
5	A	606	BOG	O5-C5-C4	4.07	117.04	109.70
5	A	605	BOG	O5-C1-C2	3.83	118.24	110.37
5	A	607	BOG	C4-C3-C2	3.79	117.47	110.83
5	A	606	BOG	C1'-O1-C1	3.63	119.88	113.68
5	A	608	BOG	C1'-O1-C1	3.61	119.85	113.68
5	A	607	BOG	C1-O5-C5	3.54	120.63	113.72
5	A	608	BOG	C1-O5-C5	3.37	120.30	113.72
5	A	605	BOG	C1-O5-C5	3.35	120.27	113.72
5	A	609	BOG	O5-C5-C4	3.35	115.73	109.70
5	A	608	BOG	O5-C1-C2	3.29	117.12	110.37
5	A	608	BOG	O6-C6-C5	3.28	122.49	111.33
5	A	606	BOG	O5-C1-C2	3.26	117.07	110.37
5	A	605	BOG	C4-C3-C2	3.19	116.43	110.83
5	A	607	BOG	O6-C6-C5	3.14	122.02	111.33
5	A	606	BOG	O6-C6-C5	3.11	121.92	111.33
5	A	607	BOG	O5-C1-C2	3.05	116.64	110.37
5	A	608	BOG	C4-C3-C2	2.93	115.98	110.83
5	A	605	BOG	O6-C6-C5	2.90	121.21	111.33
5	A	605	BOG	C1'-O1-C1	2.88	118.60	113.68
5	A	609	BOG	O6-C6-C5	2.83	120.97	111.33
5	A	606	BOG	C4-C3-C2	2.76	115.67	110.83
5	A	606	BOG	O5-C5-C6	2.66	113.02	106.44
5	A	609	BOG	C4-C3-C2	2.64	115.47	110.83
5	A	605	BOG	C1-C2-C3	2.63	115.55	110.01
5	A	606	BOG	C1-O5-C5	2.63	118.86	113.72
5	A	605	BOG	C3-C4-C5	2.53	114.81	110.23
5	A	607	BOG	C3-C4-C5	2.52	114.80	110.23
5	A	606	BOG	O1-C1'-C2'	2.41	117.54	109.37
5	A	605	BOG	O1-C1'-C2'	2.39	117.49	109.37
5	A	608	BOG	O1-C1-C2	2.26	111.71	108.27
5	A	609	BOG	C1-C2-C3	2.26	114.76	110.01
5	A	605	BOG	O1-C1-C2	2.23	111.66	108.27
5	A	607	BOG	C1-C2-C3	2.22	114.69	110.01
5	A	608	BOG	O1-C1'-C2'	2.13	116.58	109.37
5	A	609	BOG	O5-C1-C2	2.11	114.70	110.37
5	A	609	BOG	O5-C5-C6	2.08	111.59	106.44
2	A	601	LEU	OXT-C-O	-2.06	119.40	124.08
5	A	608	BOG	C3-C4-C5	2.05	113.95	110.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	606	BOG	C3-C4-C5	2.05	113.94	110.23
5	A	609	BOG	O1-C1'-C2'	2.04	116.28	109.37
5	A	609	BOG	O1-C1-C2	2.02	111.34	108.27

There are no chirality outliers.

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	607	BOG	C3'-C4'-C5'-C6'
5	A	606	BOG	C4-C5-C6-O6
5	A	607	BOG	O5-C5-C6-O6
5	A	608	BOG	O1-C1'-C2'-C3'
5	A	606	BOG	O1-C1'-C2'-C3'
5	A	609	BOG	C2-C1-O1-C1'
5	A	605	BOG	C3'-C4'-C5'-C6'
5	A	607	BOG	C4-C5-C6-O6
5	A	608	BOG	C3'-C4'-C5'-C6'
5	A	609	BOG	C1'-C2'-C3'-C4'
5	A	606	BOG	O5-C5-C6-O6
5	A	609	BOG	C2'-C1'-O1-C1
5	A	606	BOG	C2'-C3'-C4'-C5'
5	A	609	BOG	C5'-C6'-C7'-C8'
5	A	606	BOG	C3'-C4'-C5'-C6'
5	A	606	BOG	C1'-C2'-C3'-C4'
5	A	605	BOG	O1-C1'-C2'-C3'
5	A	609	BOG	O5-C1-O1-C1'
5	A	606	BOG	C4'-C5'-C6'-C7'
5	A	607	BOG	C2-C1-O1-C1'



There are no ring outliers.




5 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	607	BOG	1	0
5	A	608	BOG	7	0
2	A	601	LEU	1	0
5	A	609	BOG	5	0
5	A	606	BOG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	509/515 (98%)	1.22	106 (20%) 2 2	73, 93, 137, 166	0

All (106) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	158	ASP	10.0
1	A	131	PRO	7.1
1	A	509	ASN	6.4
1	A	451	VAL	6.1
1	A	26	GLY	6.1
1	A	181	SER	5.7
1	A	319	ALA	5.6
1	A	29	LEU	5.6
1	A	260	GLY	5.5
1	A	98	LEU	5.2
1	A	32	PRO	4.9
1	A	511	GLU	4.8
1	A	180	VAL	4.5
1	A	50	ALA	4.3
1	A	419	GLU	4.0
1	A	401	ASP	4.0
1	A	400	LEU	3.9
1	A	6	GLU	3.8
1	A	317	ALA	3.7
1	A	507	ARG	3.6
1	A	53	LEU	3.6
1	A	89	PHE	3.5
1	A	492	GLY	3.5
1	A	318	GLY	3.5
1	A	30	ARG	3.4
1	A	288	LYS	3.4
1	A	33	VAL	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	185	ARG	3.4
1	A	132	PRO	3.4
1	A	135	THR	3.3
1	A	46	PRO	3.3
1	A	241	PRO	3.3
1	A	257	LEU	3.2
1	A	235	PHE	3.2
1	A	250	GLN	3.2
1	A	508	ARG	3.0
1	A	504	ALA	3.0
1	A	157	GLY	3.0
1	A	55	GLY	3.0
1	A	483	VAL	3.0
1	A	83	LEU	2.9
1	A	243	VAL	2.9
1	A	62	GLU	2.9
1	A	311	ALA	2.8
1	A	41	GLY	2.8
1	A	505	GLU	2.8
1	A	475	ILE	2.8
1	A	155	PRO	2.7
1	A	253	PHE	2.7
1	A	137	PRO	2.7
1	A	75	GLY	2.7
1	A	457	PRO	2.7
1	A	298	SER	2.7
1	A	506	ARG	2.6
1	A	425	TRP	2.6
1	A	91	LYS	2.6
1	A	320	PHE	2.6
1	A	321	ASN	2.6
1	A	468	ALA	2.6
1	A	477	GLU	2.6
1	A	422	ILE	2.5
1	A	345	PHE	2.5
1	A	84	LEU	2.5
1	A	86	ARG	2.5
1	A	464	LEU	2.5
1	A	439	GLY	2.5
1	A	358	ALA	2.5
1	A	491	ILE	2.5
1	A	365	ALA	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	515	THR	2.4
1	A	444	VAL	2.4
1	A	214	PHE	2.4
1	A	233	PRO	2.4
1	A	270	ARG	2.4
1	A	259	PHE	2.4
1	A	495	LEU	2.4
1	A	60	TRP	2.4
1	A	240	ASP	2.3
1	A	407	ALA	2.3
1	A	31	PHE	2.3
1	A	245	ILE	2.3
1	A	258	GLY	2.3
1	A	42	ALA	2.3
1	A	363	MET	2.3
1	A	373	LEU	2.3
1	A	405	PHE	2.3
1	A	487	ARG	2.2
1	A	265	TYR	2.2
1	A	129	GLU	2.2
1	A	239	LYS	2.2
1	A	420	LEU	2.2
1	A	350	PHE	2.2
1	A	406	TRP	2.2
1	A	427	PHE	2.2
1	A	459	PHE	2.1
1	A	284	THR	2.1
1	A	87	ASN	2.1
1	A	272	ASP	2.1
1	A	280	LEU	2.1
1	A	9	ALA	2.1
1	A	19	ALA	2.1
1	A	297	ILE	2.1
1	A	217	GLU	2.1
1	A	113	SER	2.0
1	A	43	PHE	2.0
1	A	49	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	BOG	A	607	20/20	0.76	0.20	97,109,129,133	0
5	BOG	A	605	20/20	0.82	0.17	87,122,130,138	0
5	BOG	A	606	20/20	0.83	0.21	81,123,144,144	0
5	BOG	A	609	20/20	0.84	0.17	90,115,127,133	0
2	LEU	A	601	9/9	0.88	0.22	86,91,95,96	0
5	BOG	A	608	20/20	0.89	0.17	86,114,128,132	0
4	CL	A	604	1/1	0.91	0.15	118,118,118,118	0
3	NA	A	602	1/1	0.91	0.09	96,96,96,96	0
3	NA	A	603	1/1	0.96	0.09	84,84,84,84	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around BOG A 607:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around BOG A 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG A 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BOG A 609:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BOG A 608:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.