



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 2, 2026 – 02:21 AM UTC

PDB ID : 6HOW / pdb_00006how
Title : Trypanosoma brucei PTR1 in complex with the triazine inhibitor 2a (F219).
Authors : Landi, G.; Pozzi, C.; Mangani, S.
Deposited on : 2018-09-18
Resolution : 1.92 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1188 (1.92-1.92)
Clashscore	190562	1209 (1.92-1.92)
Ramachandran outliers	187476	1195 (1.92-1.92)
Sidechain outliers	187428	1195 (1.92-1.92)
RSRZ outliers	180081	1188 (1.92-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	288	4% 72% 14% 14%
1	B	288	4% 73% 12% 14%
1	C	288	% 72% 10% 17%
2	D	288	3% 74% 11% 14%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7939 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pteridine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	248	Total	C	N	O	S	0	3	0
			1807	1146	312	338	11			
1	B	248	Total	C	N	O	S	0	6	0
			1807	1145	319	332	11			
1	C	239	Total	C	N	O	S	0	12	0
			1782	1126	313	333	10			

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP O76290
A	-18	GLY	-	expression tag	UNP O76290
A	-17	SER	-	expression tag	UNP O76290
A	-16	SER	-	expression tag	UNP O76290
A	-15	HIS	-	expression tag	UNP O76290
A	-14	HIS	-	expression tag	UNP O76290
A	-13	HIS	-	expression tag	UNP O76290
A	-12	HIS	-	expression tag	UNP O76290
A	-11	HIS	-	expression tag	UNP O76290
A	-10	HIS	-	expression tag	UNP O76290
A	-9	SER	-	expression tag	UNP O76290
A	-8	SER	-	expression tag	UNP O76290
A	-7	GLY	-	expression tag	UNP O76290
A	-6	LEU	-	expression tag	UNP O76290
A	-5	VAL	-	expression tag	UNP O76290
A	-4	PRO	-	expression tag	UNP O76290
A	-3	ARG	-	expression tag	UNP O76290
A	-2	GLY	-	expression tag	UNP O76290
A	-1	SER	-	expression tag	UNP O76290
A	0	HIS	-	expression tag	UNP O76290
B	-19	MET	-	initiating methionine	UNP O76290
B	-18	GLY	-	expression tag	UNP O76290
B	-17	SER	-	expression tag	UNP O76290

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-16	SER	-	expression tag	UNP O76290
B	-15	HIS	-	expression tag	UNP O76290
B	-14	HIS	-	expression tag	UNP O76290
B	-13	HIS	-	expression tag	UNP O76290
B	-12	HIS	-	expression tag	UNP O76290
B	-11	HIS	-	expression tag	UNP O76290
B	-10	HIS	-	expression tag	UNP O76290
B	-9	SER	-	expression tag	UNP O76290
B	-8	SER	-	expression tag	UNP O76290
B	-7	GLY	-	expression tag	UNP O76290
B	-6	LEU	-	expression tag	UNP O76290
B	-5	VAL	-	expression tag	UNP O76290
B	-4	PRO	-	expression tag	UNP O76290
B	-3	ARG	-	expression tag	UNP O76290
B	-2	GLY	-	expression tag	UNP O76290
B	-1	SER	-	expression tag	UNP O76290
B	0	HIS	-	expression tag	UNP O76290
C	-19	MET	-	initiating methionine	UNP O76290
C	-18	GLY	-	expression tag	UNP O76290
C	-17	SER	-	expression tag	UNP O76290
C	-16	SER	-	expression tag	UNP O76290
C	-15	HIS	-	expression tag	UNP O76290
C	-14	HIS	-	expression tag	UNP O76290
C	-13	HIS	-	expression tag	UNP O76290
C	-12	HIS	-	expression tag	UNP O76290
C	-11	HIS	-	expression tag	UNP O76290
C	-10	HIS	-	expression tag	UNP O76290
C	-9	SER	-	expression tag	UNP O76290
C	-8	SER	-	expression tag	UNP O76290
C	-7	GLY	-	expression tag	UNP O76290
C	-6	LEU	-	expression tag	UNP O76290
C	-5	VAL	-	expression tag	UNP O76290
C	-4	PRO	-	expression tag	UNP O76290
C	-3	ARG	-	expression tag	UNP O76290
C	-2	GLY	-	expression tag	UNP O76290
C	-1	SER	-	expression tag	UNP O76290
C	0	HIS	-	expression tag	UNP O76290


- Molecule 2 is a protein called Pteridine reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	248	Total	C	N	O	S	0	3	0
			1821	1150	317	343	11			

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
D	-19	MET	-	initiating methionine	UNP O76290
D	-18	GLY	-	expression tag	UNP O76290
D	-17	SER	-	expression tag	UNP O76290
D	-16	SER	-	expression tag	UNP O76290
D	-15	HIS	-	expression tag	UNP O76290
D	-14	HIS	-	expression tag	UNP O76290
D	-13	HIS	-	expression tag	UNP O76290
D	-12	HIS	-	expression tag	UNP O76290
D	-11	HIS	-	expression tag	UNP O76290
D	-10	HIS	-	expression tag	UNP O76290
D	-9	SER	-	expression tag	UNP O76290
D	-8	SER	-	expression tag	UNP O76290
D	-7	GLY	-	expression tag	UNP O76290
D	-6	LEU	-	expression tag	UNP O76290
D	-5	VAL	-	expression tag	UNP O76290
D	-4	PRO	-	expression tag	UNP O76290
D	-3	ARG	-	expression tag	UNP O76290
D	-2	GLY	-	expression tag	UNP O76290
D	-1	SER	-	expression tag	UNP O76290
D	0	HIS	-	expression tag	UNP O76290

- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: $C_{21}H_{28}N_7O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 4 is (2 {R})-1-(3,4-dichlorophenyl)-2-(4-nitrophenyl)-2 {H}-1,3,5-triazine-4,6-diamine (CCD ID: GJQ) (formula: C₁₅H₁₂Cl₂N₆O₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Cl	N		0	0
			23	15	2	6			
4	B	1	Total	C	Cl	N		0	1
			23	15	2	6			
4	D	1	Total	C	Cl	N	O	0	0
			25	15	2	6	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	110	Total O 111 111	0	3
5	B	98	Total O 98 98	0	2


Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	104	Total 108	O 108	0	5
5	D	142	Total 142	O 142	0	2

- Molecule 1: Pteridine reductase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	74.67Å 91.04Å 83.00Å 90.00° 115.59° 90.00°	Depositor
Resolution (Å)	54.20 – 1.92 54.20 – 1.92	Depositor EDS
% Data completeness (in resolution range)	100.0 (54.20-1.92) 100.0 (54.20-1.92)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.58 (at 1.92Å)	Xtriage
Refinement program	REFMAC 5.8.0232	Depositor
R, R_{free}	0.170 , 0.209 0.171 , 0.209	Depositor DCC
R_{free} test set	3740 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	26.2	Xtriage
Anisotropy	0.151	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 62.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.018 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	7939	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 40.05 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.8984e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, CSX, GJQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.81	0/1843	1.32	8/2510 (0.3%)
1	B	0.79	0/1846	1.32	9/2513 (0.4%)
1	C	0.82	0/1819	1.26	1/2479 (0.0%)
2	D	0.85	0/1843	1.28	3/2506 (0.1%)
All	All	0.82	0/7351	1.30	21/10008 (0.2%)

There are no bond length outliers.

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	115	THR	CA-CB-OG1	-7.39	98.51	109.60
1	A	118	THR	CA-CB-OG1	-6.31	100.14	109.60
1	B	211	VAL	CA-C-N	6.18	128.88	120.54
1	B	211	VAL	C-N-CA	6.18	128.88	120.54
1	B	75	GLU	CB-CG-CD	6.18	123.11	112.60
1	B	62	ASP	CA-CB-CG	6.13	118.73	112.60
1	B	67	ASN	CA-C-N	-5.71	114.17	122.28
1	B	67	ASN	C-N-CA	-5.71	114.17	122.28
2	D	117	GLU	CB-CG-CD	5.69	122.27	112.60
1	A	62	ASP	CA-CB-CG	5.56	118.16	112.60
1	B	54	ASN	CB-CA-C	-5.56	104.07	111.63
1	A	196	GLY	CA-C-N	-5.48	116.39	123.19
1	A	196	GLY	C-N-CA	-5.48	116.39	123.19
2	D	216	GLU	CB-CG-CD	5.43	121.83	112.60
1	B	36	ASN	CA-CB-CG	-5.32	107.28	112.60
1	A	32	ILE	N-CA-CB	-5.19	105.75	111.66
1	C	64	THR	CA-CB-OG1	-5.10	101.95	109.60
1	A	117	GLU	CB-CG-CD	5.08	121.23	112.60
1	B	64	THR	CA-CB-OG1	-5.06	102.01	109.60
2	D	235	GLU	CB-CG-CD	5.04	121.17	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	78	ASN	CA-CB-CG	-5.01	107.59	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1807	0	1787	22	0
1	B	1807	0	1803	27	0
1	C	1782	0	1741	24	0
2	D	1821	0	1807	21	0
3	A	48	0	25	2	0
3	B	48	0	25	1	0
3	C	48	0	25	2	0
3	D	48	0	25	1	0
4	A	23	0	0	0	0
4	B	23	0	0	3	0
4	D	25	0	0	3	0
5	A	111	0	0	1	0
5	B	98	0	0	4	0
5	C	108	0	0	1	0
5	D	142	0	0	2	0
All	All	7939	0	7238	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:236:GLN:HE21	1:C:250[B]:GLN:CD	1.90	0.79
1:B:210:PRO:HB2	1:B:212:ALA:HB3	1.70	0.73
2:D:67:ASN:HB3	5:D:514:HOH:O	1.89	0.72
1:C:65:ASN:HA	1:C:69:LEU:HD22	1.72	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:164:VAL:HG22	2:D:179:HIS:CD2	2.27	0.70
1:B:209:LEU:HD22	1:B:213:MET:HE1	1.73	0.69
2:D:22:LYS:HE3	2:D:239:ASP:OD1	1.97	0.63
1:A:78:ASN:OD1	1:A:141:ARG:NH2	2.35	0.60
2:D:2:GLU:O	2:D:2:GLU:HG3	2.03	0.57
1:B:213:MET:HE3	1:B:218:LYS:CA	2.34	0.57
1:B:186:GLN:NE2	5:B:402:HOH:O	2.31	0.57
1:A:205:GLY:O	3:A:301:NAP:H4N	2.06	0.56
1:C:78:ASN:OD1	1:C:141:ARG:NH1	2.36	0.56
1:C:96:ALA:H	1:C:126[A]:THR:HG21	1.70	0.55
1:A:9:THR:HA	1:A:33:HIS:HB3	1.89	0.55
1:B:213:MET:CE	1:B:218:LYS:HA	2.38	0.54
1:A:164:VAL:HG22	1:A:179:HIS:CD2	2.43	0.53
1:B:129[B]:ILE:HD13	1:C:120:VAL:HG11	1.90	0.53
2:D:206[A]:VAL:CG1	2:D:209:LEU:HD21	2.39	0.53
1:B:193:ALA:HB3	1:B:194:PRO:HD3	1.90	0.53
1:B:65:ASN:HA	1:B:69:LEU:HD22	1.90	0.53
1:C:247:GLY:HA2	1:C:250[A]:GLN:HG3	1.91	0.52
1:A:53:SER:O	1:A:54:ASN:HB2	2.09	0.52
2:D:210:PRO:HB3	4:D:302:GJQ:OAW	2.10	0.52
1:B:210:PRO:HB3	4:B:302[A]:GJQ:NAU	2.25	0.52
2:D:65:ASN:HA	2:D:69:LEU:HD22	1.91	0.51
1:C:121:ALA:O	1:C:125:GLY:HA3	2.11	0.51
5:A:413:HOH:O	1:C:250[B]:GLN:HG2	2.10	0.51
1:B:69:LEU:N	1:B:70:PRO:CD	2.74	0.50
1:C:205:GLY:O	3:C:301:NAP:H4N	2.12	0.50
1:B:251:TYR:CE2	2:D:232:ALA:HB2	2.47	0.50
3:D:301:NAP:O2A	4:D:302:GJQ:NAO	2.44	0.50
1:A:130:ALA:HB3	1:A:131:PRO:HD3	1.92	0.50
1:A:69:LEU:N	1:A:70:PRO:CD	2.75	0.49
1:C:26:THR:HG22	1:C:26:THR:O	2.12	0.49
2:D:123:LEU:O	2:D:127:ASN:HB2	2.12	0.48
1:A:251:TYR:CE2	1:C:232[A]:ALA:HB2	2.49	0.48
1:A:22:LYS:HG2	1:A:242:ILE:HG13	1.95	0.48
1:B:22:LYS:HG2	1:B:242:ILE:HG13	1.94	0.48
1:B:209:LEU:HA	4:B:302[A]:GJQ:CL1	2.51	0.48
1:C:22:LYS:HG2	1:C:242:ILE:HG13	1.96	0.48
3:B:301:NAP:O2A	4:B:302[A]:GJQ:NAO	2.47	0.47
1:C:193:ALA:N	1:C:194:PRO:CD	2.77	0.47
2:D:9:THR:HA	2:D:33:HIS:HB3	1.97	0.47
1:B:208:LEU:HD11	1:B:234:ALA:HB2	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:213:MET:HE3	1:B:218:LYS:HA	1.96	0.47
1:B:258:LYS:HD3	5:B:448:HOH:O	2.15	0.46
1:B:193:ALA:N	1:B:194:PRO:CD	2.78	0.46
1:C:22:LYS:HE3	1:C:235:GLU:HG2	1.97	0.46
2:D:192:LEU:HB3	2:D:197:ILE:HB	1.99	0.45
1:C:66:SER:HB3	5:C:416:HOH:O	2.16	0.45
1:A:123:LEU:O	1:A:127:ASN:HB2	2.16	0.45
1:A:172:SER:O	1:A:176:MET:HG3	2.17	0.45
1:A:35:HIS:HB2	3:A:301:NAP:C2A	2.46	0.44
1:A:3:ALA:HB1	1:A:27:GLY:O	2.18	0.44
2:D:163:MET:HE1	5:D:478:HOH:O	2.18	0.44
2:D:172[A]:SER:O	2:D:176:MET:HG3	2.16	0.44
1:A:193:ALA:N	1:A:194:PRO:CD	2.80	0.44
1:A:65:ASN:HA	1:A:69:LEU:HD22	1.99	0.44
1:A:251:TYR:CD2	1:C:232[A]:ALA:HB2	2.53	0.44
1:C:169:MET:HE2	1:C:169:MET:HB2	1.89	0.44
2:D:34:TYR:CZ	2:D:60:GLN:HB2	2.54	0.43
1:C:95:SER:HB3	3:C:301:NAP:H3D	2.00	0.43
1:C:227[B]:LEU:HD12	1:C:261:GLY:HA2	2.01	0.43
1:B:100:THR:HG21	1:B:173:LEU:HD12	2.01	0.43
1:B:98:TYR:HB2	1:B:99:PRO:HD2	2.01	0.43
2:D:193:ALA:N	2:D:194:PRO:CD	2.82	0.43
2:D:193:ALA:HB3	2:D:194:PRO:HD3	2.00	0.43
1:C:63:LEU:O	1:C:64:THR:C	2.62	0.42
1:B:9:THR:HA	1:B:33:HIS:HB3	2.00	0.42
1:B:66:SER:HB3	5:B:422:HOH:O	2.20	0.42
1:A:138:PHE:O	1:A:142:GLN:HG2	2.20	0.41
1:C:9:THR:HA	1:C:33:HIS:HB3	2.02	0.41
1:B:213:MET:HE1	1:B:218:LYS:HA	2.01	0.41
1:A:236:GLN:HE21	1:C:250[B]:GLN:CG	2.33	0.41
1:B:65:ASN:ND2	5:B:404:HOH:O	2.34	0.41
2:D:207:SER:O	2:D:208:LEU:C	2.61	0.41
1:A:29:ARG:HG2	1:A:55:THR:HG22	2.03	0.41
1:A:242:ILE:HA	1:A:242:ILE:HD13	1.84	0.41
1:B:210:PRO:C	1:B:212:ALA:N	2.78	0.41
2:D:206[A]:VAL:HG11	2:D:209:LEU:HD21	2.01	0.41
1:B:265:LEU:HD11	2:D:254:GLY:HA3	2.02	0.40
1:C:97:PHE:HD1	1:C:174:TYR:CE1	2.39	0.40
1:B:213:MET:HE3	1:B:218:LYS:CB	2.51	0.40
2:D:17:ARG:HG3	2:D:44:LEU:HD22	2.03	0.40
2:D:95:SER:HB3	4:D:302:GJQ:NAN	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	245/288 (85%)	236 (96%)	9 (4%)	0	100	100
1	B	246/288 (85%)	235 (96%)	11 (4%)	0	100	100
1	C	243/288 (84%)	230 (95%)	13 (5%)	0	100	100
2	D	243/288 (84%)	234 (96%)	9 (4%)	0	100	100
All	All	977/1152 (85%)	935 (96%)	42 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	181/231 (78%)	176 (97%)	5 (3%)	38	22
1	B	183/231 (79%)	176 (96%)	7 (4%)	29	14
1	C	176/231 (76%)	169 (96%)	7 (4%)	28	12
2	D	185/230 (80%)	182 (98%)	3 (2%)	55	44
All	All	725/923 (78%)	703 (97%)	22 (3%)	42	20

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	166	GLN
1	A	208	LEU
1	A	230	ARG
1	A	235[A]	GLU
1	A	235[B]	GLU
1	B	53[A]	SER
1	B	53[B]	SER
1	B	66	SER
1	B	82	ARG
1	B	141	ARG
1	B	164	VAL
1	B	206	VAL
1	C	126[A]	THR
1	C	126[B]	THR
1	C	164	VAL
1	C	166	GLN
1	C	219	ASP
1	C	227[A]	LEU
1	C	227[B]	LEU
2	D	2	GLU
2	D	103	VAL
2	D	208	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	65	ASN
1	A	92	ASN
1	A	127	ASN
1	A	236	GLN
1	B	92	ASN
1	B	127	ASN
1	C	35	HIS
1	C	65	ASN
1	C	92	ASN
2	D	67	ASN
2	D	92	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	CSX	D	168	2	3,6,7	0.61	0	1,6,8	1.98	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CSX	D	168	2	-	0/2/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GJQ	D	302	-	26,27,27	3.09	4 (15%)	32,39,39	2.35	13 (40%)
3	NAP	C	301	-	50,52,52	1.52	8 (16%)	71,80,80	2.14	24 (33%)
3	NAP	D	301	-	50,52,52	1.83	13 (26%)	71,80,80	2.18	22 (30%)
3	NAP	B	301	-	50,52,52	2.01	11 (22%)	71,80,80	1.78	17 (23%)
4	GJQ	A	302	-	24,25,27	1.19	1 (4%)	31,36,39	2.25	8 (25%)
4	GJQ	B	302[A]	-	24,25,27	1.42	3 (12%)	31,36,39	1.97	6 (19%)
3	NAP	A	301	-	50,52,52	1.76	11 (22%)	71,80,80	2.40	23 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GJQ	D	302	-	-	3/10/28/28	0/3/3/3
3	NAP	C	301	-	-	4/35/67/67	0/5/5/5
3	NAP	D	301	-	-	7/35/67/67	0/5/5/5
3	NAP	B	301	-	-	1/35/67/67	0/5/5/5
4	GJQ	A	302	-	-	3/8/24/28	0/3/3/3
4	GJQ	B	302[A]	-	-	4/8/24/28	0/3/3/3
3	NAP	A	301	-	-	4/35/67/67	0/5/5/5

All (51) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	302	GJQ	OAV-NAU	13.24	1.45	1.22
3	B	301	NAP	PA-O3	7.06	1.67	1.59
3	B	301	NAP	C5A-C4A	5.46	1.48	1.39
4	D	302	GJQ	CAH-NAI	-5.26	1.34	1.43
3	C	301	NAP	C5A-C4A	5.20	1.48	1.39
3	D	301	NAP	C5A-C4A	4.82	1.47	1.39
3	A	301	NAP	O4D-C1D	4.74	1.47	1.40
3	A	301	NAP	P2B-O2B	4.73	1.67	1.59
4	B	302[A]	GJQ	CAH-NAI	-4.23	1.36	1.43
3	B	301	NAP	P2B-O2B	4.05	1.66	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	302	GJQ	CAH-NAI	-4.04	1.36	1.43
4	D	302	GJQ	CAT-NAU	-3.99	1.35	1.45
3	B	301	NAP	O4D-C1D	3.98	1.46	1.40
3	D	301	NAP	PA-O3	3.97	1.63	1.59
3	C	301	NAP	O4D-C1D	3.91	1.46	1.40
3	D	301	NAP	C4N-C3N	3.90	1.45	1.39
4	D	302	GJQ	CAB-CL1	3.75	1.82	1.73
3	A	301	NAP	C5A-C4A	3.73	1.45	1.39
3	A	301	NAP	C8A-N7A	3.58	1.38	1.31
3	D	301	NAP	C5A-C6A	3.53	1.50	1.41
3	B	301	NAP	C5A-C6A	3.14	1.49	1.41
3	D	301	NAP	P2B-O2B	3.10	1.65	1.59
3	D	301	NAP	C2N-N1N	3.05	1.38	1.35
3	D	301	NAP	C8A-N7A	3.03	1.37	1.31
3	A	301	NAP	C7N-N7N	2.99	1.38	1.33
3	A	301	NAP	C5A-C6A	2.96	1.49	1.41
3	B	301	NAP	C8A-N7A	2.96	1.37	1.31
4	B	302[A]	GJQ	CAP-NAI	2.96	1.51	1.47
3	C	301	NAP	C5A-C6A	2.95	1.49	1.41
3	A	301	NAP	PA-O3	2.94	1.62	1.59
3	D	301	NAP	C2A-N1A	2.92	1.39	1.33
3	B	301	NAP	P2B-O1X	2.92	1.59	1.50
3	C	301	NAP	P2B-O2B	2.87	1.64	1.59
3	C	301	NAP	C8A-N7A	2.84	1.37	1.31
3	B	301	NAP	C2A-N1A	2.64	1.38	1.33
3	D	301	NAP	C4A-N9A	-2.55	1.32	1.37
3	B	301	NAP	PN-O3	2.48	1.62	1.59
3	A	301	NAP	PN-O5D	2.44	1.68	1.59
3	D	301	NAP	C7N-N7N	2.41	1.37	1.33
3	B	301	NAP	C2N-N1N	2.41	1.37	1.35
3	C	301	NAP	C6A-N6A	2.33	1.40	1.34
3	A	301	NAP	P2B-O1X	2.28	1.57	1.50
3	A	301	NAP	O2D-C2D	2.28	1.48	1.43
3	D	301	NAP	PN-O2N	-2.26	1.44	1.55
3	A	301	NAP	C5N-C4N	2.18	1.42	1.38
3	B	301	NAP	C2A-N3A	2.16	1.37	1.33
3	D	301	NAP	O3D-C3D	2.11	1.48	1.43
4	B	302[A]	GJQ	CAM-NAN	-2.08	1.29	1.34
3	D	301	NAP	O4D-C1D	2.07	1.43	1.40
3	C	301	NAP	C4A-N3A	2.04	1.38	1.34
3	C	301	NAP	PN-O5D	2.00	1.67	1.59

All (113) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	302	GJQ	CAQ-CAP-NAI	8.95	123.35	112.25
4	B	302[A]	GJQ	CAQ-CAP-NAI	7.44	121.47	112.25
3	A	301	NAP	C2B-C1B-N9A	-7.09	102.08	113.75
3	A	301	NAP	C4A-N9A-C8A	6.52	112.58	105.74
3	D	301	NAP	O7N-C7N-C3N	-6.51	111.64	119.60
3	D	301	NAP	C2B-C1B-N9A	-5.94	103.97	113.75
3	A	301	NAP	N9A-C8A-N7A	-5.91	105.55	113.94
3	D	301	NAP	C3N-C7N-N7N	5.81	124.90	117.74
4	D	302	GJQ	CAX-CAT-NAU	5.63	124.26	119.34
4	D	302	GJQ	CAQ-CAP-NAI	5.53	119.10	112.25
3	C	301	NAP	C4A-N9A-C8A	5.31	111.31	105.74
3	B	301	NAP	C4A-N9A-C8A	5.25	111.25	105.74
3	C	301	NAP	C2B-C1B-N9A	-4.82	105.82	113.75
3	D	301	NAP	C4A-N9A-C8A	4.80	110.78	105.74
3	A	301	NAP	C4A-N9A-C1B	-4.63	115.80	126.63
3	B	301	NAP	C5A-C4A-N3A	-4.49	120.53	126.72
3	A	301	NAP	O4B-C1B-N9A	4.44	116.62	108.09
3	D	301	NAP	C4D-O4D-C1D	4.42	113.97	109.92
3	D	301	NAP	C4A-N9A-C1B	-4.31	116.56	126.63
3	A	301	NAP	C5A-C4A-N3A	-4.23	120.89	126.72
4	D	302	GJQ	CAR-CAQ-CAP	-4.22	112.98	120.62
3	D	301	NAP	N3A-C2A-N1A	-4.19	122.23	128.58
3	A	301	NAP	C5A-N7A-C8A	4.13	109.94	103.45
4	D	302	GJQ	NAI-CAJ-NAL	-4.12	118.88	123.11
3	C	301	NAP	C2A-N1A-C6A	4.12	125.49	118.73
3	B	301	NAP	C4A-C5A-N7A	-4.11	105.89	110.58
3	B	301	NAP	N3A-C4A-N9A	4.03	134.01	127.17
3	C	301	NAP	N3A-C2A-N1A	-3.99	122.54	128.58
3	C	301	NAP	O4B-C1B-N9A	3.96	115.69	108.09
3	A	301	NAP	N3A-C2A-N1A	-3.91	122.67	128.58
3	A	301	NAP	O5B-PA-O1A	3.87	124.27	108.94
3	A	301	NAP	C2A-N3A-C4A	3.87	121.28	111.83
3	A	301	NAP	C4A-C5A-N7A	-3.86	106.17	110.58
3	C	301	NAP	N3A-C4A-N9A	3.73	133.52	127.17
3	D	301	NAP	O4B-C4B-C3B	-3.71	97.80	105.15
3	A	301	NAP	N3A-C4A-N9A	3.69	133.45	127.17
3	D	301	NAP	C4A-C5A-N7A	-3.67	106.39	110.58
3	C	301	NAP	N9A-C8A-N7A	-3.61	108.81	113.94
3	C	301	NAP	C4A-N9A-C1B	-3.61	118.20	126.63
4	A	302	GJQ	NAL-CAM-NAO	-3.58	120.69	126.52
3	C	301	NAP	O2D-C2D-C3D	3.54	123.18	111.82
4	B	302[A]	GJQ	CAA-CAH-NAI	3.53	122.89	119.36
3	C	301	NAP	O2B-P2B-O1X	-3.43	97.12	109.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	301	NAP	C5A-C4A-N3A	-3.42	122.01	126.72
3	B	301	NAP	N9A-C8A-N7A	-3.39	109.13	113.94
3	C	301	NAP	P2B-O2B-C2B	3.36	132.40	123.43
3	D	301	NAP	C6A-C5A-N7A	3.35	138.54	132.09
3	B	301	NAP	O4B-C1B-N9A	3.34	114.50	108.09
4	A	302	GJQ	NAI-CAJ-NAL	-3.29	119.73	123.11
3	A	301	NAP	O2N-PN-O1N	3.28	127.69	112.44
3	A	301	NAP	C6A-C5A-N7A	3.27	138.40	132.09
4	D	302	GJQ	CAS-CAT-NAU	-3.23	116.52	119.34
3	C	301	NAP	C4A-C5A-N7A	-3.22	106.91	110.58
4	A	302	GJQ	CAR-CAQ-CAP	-3.20	114.83	120.62
3	D	301	NAP	N9A-C8A-N7A	-3.19	109.41	113.94
3	C	301	NAP	C5A-N7A-C8A	3.19	108.46	103.45
3	B	301	NAP	C4A-N9A-C1B	-3.12	119.34	126.63
3	C	301	NAP	C6N-N1N-C2N	-3.10	119.24	121.88
3	B	301	NAP	C5A-N7A-C8A	3.05	108.25	103.45
3	A	301	NAP	O4B-C1B-C2B	3.03	111.80	106.59
3	B	301	NAP	C2B-C1B-N9A	-2.99	108.83	113.75
4	D	302	GJQ	CAY-CAQ-CAR	2.94	121.95	118.30
3	B	301	NAP	O2X-P2B-O1X	2.90	122.15	110.83
3	C	301	NAP	N6A-C6A-N1A	2.89	124.81	118.38
3	C	301	NAP	O2X-P2B-O2B	2.88	117.05	105.85
3	D	301	NAP	C2A-N3A-C4A	2.85	118.78	111.83
3	C	301	NAP	C4D-O4D-C1D	2.82	112.51	109.92
4	D	302	GJQ	CAS-CAR-CAQ	-2.82	118.37	121.18
3	C	301	NAP	C2A-N3A-C4A	2.81	118.68	111.83
4	B	302[A]	GJQ	NAL-CAM-NAO	-2.80	121.95	126.52
3	B	301	NAP	O2N-PN-O1N	2.80	125.46	112.44
3	D	301	NAP	C5A-C4A-N3A	-2.77	122.90	126.72
3	D	301	NAP	O4B-C1B-N9A	2.74	113.36	108.09
4	A	302	GJQ	NAN-CAM-NAL	2.73	120.91	116.57
3	C	301	NAP	O3-PA-O1A	-2.72	102.51	110.70
3	A	301	NAP	O2X-P2B-O1X	2.72	121.43	110.83
4	A	302	GJQ	CAY-CAQ-CAP	2.68	125.46	120.62
4	D	302	GJQ	CAA-CAH-NAI	2.67	122.03	119.36
4	A	302	GJQ	CAH-NAI-CAP	-2.67	114.47	119.50
3	D	301	NAP	C2A-N1A-C6A	2.66	123.11	118.73
3	B	301	NAP	C2A-N3A-C4A	2.65	118.31	111.83
3	C	301	NAP	O5B-PA-O1A	2.63	119.35	108.94
3	A	301	NAP	C6N-N1N-C2N	-2.61	119.66	121.88
3	C	301	NAP	O2N-PN-O1N	2.59	124.49	112.44
3	A	301	NAP	C5A-C6A-N6A	-2.57	116.92	123.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	NAP	C5N-C6N-N1N	2.55	123.87	120.38
4	D	302	GJQ	OAV-NAU-CAT	2.55	122.32	118.82
3	D	301	NAP	C5A-N7A-C8A	2.53	107.43	103.45
4	D	302	GJQ	CAY-CAQ-CAP	2.46	125.07	120.62
3	D	301	NAP	O5B-PA-O1A	2.46	118.67	108.94
3	D	301	NAP	C1B-N9A-C8A	2.45	132.54	127.09
4	D	302	GJQ	CAX-CAY-CAQ	-2.45	118.73	121.18
4	D	302	GJQ	NAL-CAM-NAO	-2.43	122.55	126.52
3	D	301	NAP	O4B-C4B-C5B	-2.40	101.64	109.33
3	C	301	NAP	C6A-C5A-N7A	2.40	136.71	132.09
3	B	301	NAP	N3A-C2A-N1A	-2.34	125.03	128.58
3	B	301	NAP	O7N-C7N-N7N	2.33	125.98	122.62
3	D	301	NAP	N3A-C4A-N9A	2.31	131.10	127.17
3	D	301	NAP	C2N-C3N-C4N	2.30	120.93	118.26
3	A	301	NAP	C2N-N1N-C1D	2.27	124.15	119.13
4	B	302[A]	GJQ	NAI-CAP-NAO	-2.27	109.47	113.15
4	D	302	GJQ	CAH-NAI-CAP	-2.25	115.27	119.50
3	B	301	NAP	C6A-C5A-N7A	2.17	136.28	132.09
4	A	302	GJQ	CAG-CAF-CAD	-2.14	117.03	119.98
3	A	301	NAP	O2A-PA-O5B	-2.13	97.93	107.57
3	D	301	NAP	PA-O5B-C5B	2.11	133.46	121.35
3	A	301	NAP	N6A-C6A-N1A	2.10	123.06	118.38
4	B	302[A]	GJQ	CAS-CAR-CAQ	2.06	123.24	121.18
3	C	301	NAP	O4B-C1B-C2B	2.05	110.12	106.59
3	B	301	NAP	O3B-C3B-C4B	-2.04	105.22	111.08
3	B	301	NAP	C5N-C4N-C3N	-2.02	118.38	120.36
4	B	302[A]	GJQ	CAY-CAQ-CAP	2.00	124.24	120.62
3	A	301	NAP	O4B-C4B-C5B	2.00	115.75	109.33

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	301	NAP	C5B-O5B-PA-O1A
3	C	301	NAP	C5B-O5B-PA-O1A
4	A	302	GJQ	CAA-CAH-NAI-CAJ
4	D	302	GJQ	CAA-CAH-NAI-CAJ
4	D	302	GJQ	CAG-CAH-NAI-CAJ
3	D	301	NAP	C3B-C4B-C5B-O5B
3	A	301	NAP	O4B-C4B-C5B-O5B
3	D	301	NAP	O4B-C4B-C5B-O5B
4	A	302	GJQ	CAG-CAH-NAI-CAJ

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	B	302[A]	GJQ	CAA-CAH-NAI-CAJ
4	B	302[A]	GJQ	CAG-CAH-NAI-CAJ
3	A	301	NAP	C3B-C4B-C5B-O5B
3	C	301	NAP	C3B-C4B-C5B-O5B
3	A	301	NAP	C5B-O5B-PA-O1A
3	A	301	NAP	C5B-O5B-PA-O2A
3	D	301	NAP	C5B-O5B-PA-O1A
3	D	301	NAP	C5B-O5B-PA-O2A
3	D	301	NAP	C5B-O5B-PA-O3
3	C	301	NAP	PN-O3-PA-O1A
3	D	301	NAP	PN-O3-PA-O1A
4	A	302	GJQ	NAO-CAP-CAQ-CAR
4	B	302[A]	GJQ	NAO-CAP-CAQ-CAR
4	B	302[A]	GJQ	NAO-CAP-CAQ-CAY
4	D	302	GJQ	NAO-CAP-CAQ-CAY
3	C	301	NAP	PN-O3-PA-O2A
3	D	301	NAP	PN-O3-PA-O2A


There are no ring outliers.


6 monomers are involved in 10 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	302	GJQ	3	0
3	C	301	NAP	2	0
3	D	301	NAP	1	0
3	B	301	NAP	1	0
4	B	302[A]	GJQ	3	0
3	A	301	NAP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	248/288 (86%)	-0.01	12 (4%) 35 40	16, 29, 44, 81	25 (10%)
1	B	248/288 (86%)	-0.01	11 (4%) 39 43	12, 29, 48, 60	25 (10%)
1	C	239/288 (82%)	-0.14	4 (1%) 69 75	15, 29, 48, 84	23 (9%)
2	D	247/288 (85%)	-0.24	9 (3%) 46 51	12, 26, 41, 61	24 (9%)
All	All	982/1152 (85%)	-0.10	36 (3%) 45 50	12, 28, 46, 84	97 (9%)

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	210	PRO	7.3
1	A	210	PRO	7.2
1	A	212	ALA	5.7
2	D	209	LEU	5.4
1	A	214	GLY	5.0
1	A	213	MET	4.9
1	B	212	ALA	4.9
2	D	221	TRP	4.4
1	A	209	LEU	4.4
1	B	211	VAL	4.4
2	D	210	PRO	4.3
2	D	217	GLU	4.2
2	D	213	MET	4.1
2	D	212	ALA	4.1
1	A	217	GLU	3.9
1	A	211	VAL	3.9
2	D	211	VAL	3.7
1	B	209	LEU	3.7
1	A	221	TRP	3.6
1	B	214	GLY	3.6
1	C	151	SER	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	214	GLY	3.4
1	A	208	LEU	3.1
1	B	216	GLU	3.0
1	B	221	TRP	2.8
1	A	215	GLU	2.8
1	A	216	GLU	2.8
2	D	208	LEU	2.6
1	B	42	VAL	2.5
1	C	34	TYR	2.5
1	C	103	VAL	2.5
1	C	64	THR	2.4
1	B	213	MET	2.3
1	A	42	VAL	2.3
1	B	208	LEU	2.2
1	B	217	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CSX	D	168	7/8	0.96	0.06	27,34,44,54	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAP	C	301	48/48	0.92	0.10	20,33,44,48	48
4	GJQ	B	302[A]	23/25	0.92	0.10	22,36,51,53	23

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GJQ	D	302	25/25	0.92	0.12	17,32,45,48	25
4	GJQ	A	302	23/25	0.94	0.09	23,31,42,47	23
3	NAP	B	301	48/48	0.96	0.06	24,32,42,49	0
3	NAP	D	301	48/48	0.97	0.06	18,27,35,41	0
3	NAP	A	301	48/48	0.97	0.05	25,32,43,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around GJQ B 302 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GJQ D 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GJQ A 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAP B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.