



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:20 PM UTC

PDB ID : 1HPU / pdb_00001hpu
Title : 5'-NUCLEOTIDASE (CLOSED FORM), COMPLEX WITH AMPCP
Authors : Knoefel, T.; Straeter, N.
Deposited on : 2000-12-13
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3428 (1.86-1.86)
Clashscore	190562	3579 (1.86-1.86)
Ramachandran outliers	187476	3553 (1.86-1.86)
Sidechain outliers	187428	3553 (1.86-1.86)
RSRZ outliers	180081	3429 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	525	 3% 81% 17% .
1	B	525	 3% 84% 15% .
1	C	525	 2% 80% 19% .
1	D	525	 3% 83% 16% .

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 17735 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called 5'-NUCLEOTIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	525	Total	C	N	O	S	0	0	0
			4100	2590	703	790	17			
1	B	525	Total	C	N	O	S	0	0	0
			4100	2590	703	790	17			
1	C	525	Total	C	N	O	S	0	0	0
			4100	2590	703	790	17			
1	D	525	Total	C	N	O	S	0	0	0
			4100	2590	703	790	17			

- Molecule 2 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mn	0	0
			2	2		
2	B	2	Total	Mn	0	0
			2	2		
2	C	2	Total	Mn	0	0
			2	2		
2	D	2	Total	Mn	0	0
			2	2		

- Molecule 3 is PHOSPHOMETHYLPHOSPHONIC ACID ADENOSYL ESTER (CCD ID: A12) (formula: C₁₁H₁₇N₅O₉P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			27	11	5	9	2		
3	B	1	Total	C	N	O	P	0	0
			27	11	5	9	2		
3	C	1	Total	C	N	O	P	0	0
			27	11	5	9	2		
3	D	1	Total	C	N	O	P	0	0
			27	11	5	9	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	267	Total	O	0	0
			267	267		
4	B	305	Total	O	0	0
			305	305		
4	C	304	Total	O	0	0
			304	304		
4	D	343	Total	O	0	0
			343	343		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 5'-NUCLEOTIDASE




• Molecule 1: 5'-NUCLEOTIDASE





• Molecule 1: 5'-NUCLEOTIDASE





● Molecule 1: 5'-NUCLEOTIDASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	89.40Å 89.96Å 96.26Å 110.79° 106.43° 107.76°	Depositor
Resolution (Å)	28.59 – 1.85 28.59 – 1.85	Depositor EDS
% Data completeness (in resolution range)	97.1 (28.59-1.85) 97.1 (28.59-1.85)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.37 (at 1.78Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.207 , 0.234 0.205 , 0.231	Depositor DCC
R_{free} test set	1981 reflections (0.91%)	wwPDB-VP
Wilson B-factor (Å ²)	30.1	Xtriage
Anisotropy	0.094	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 36.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.003 for k,h,-h-k-l 0.001 for -k,-h,-l 0.000 for -h,-k,h+k+l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	17735	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MN, A12

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	1/4188 (0.0%)	1.01	19/5666 (0.3%)
1	B	0.61	3/4188 (0.1%)	0.99	15/5666 (0.3%)
1	C	0.63	3/4188 (0.1%)	1.00	18/5666 (0.3%)
1	D	0.57	1/4188 (0.0%)	0.97	18/5666 (0.3%)
All	All	0.59	8/16752 (0.0%)	0.99	70/22664 (0.3%)

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	345	MET	SD-CE	-10.44	1.53	1.79
1	C	385	MET	SD-CE	-8.12	1.59	1.79
1	C	247	MET	SD-CE	-7.28	1.61	1.79
1	A	247	MET	SD-CE	-7.20	1.61	1.79
1	B	404	MET	SD-CE	6.00	1.94	1.79
1	B	345	MET	SD-CE	-5.86	1.65	1.79
1	D	345	MET	SD-CE	-5.22	1.66	1.79
1	B	493	MET	SD-CE	-5.08	1.66	1.79

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	256	PRO	N-CA-C	-9.24	93.44	112.47
1	C	256	PRO	N-CA-C	-9.23	93.46	112.47
1	B	256	PRO	N-CA-C	-8.95	94.04	112.47
1	A	256	PRO	N-CA-C	-8.59	94.77	112.47
1	A	250	GLY	N-CA-C	8.39	122.86	112.79
1	B	250	GLY	N-CA-C	7.50	122.84	112.57
1	A	174	ASP	N-CA-C	-7.38	104.28	113.28
1	C	141	ASN	N-CA-C	6.69	121.15	112.92
1	A	233	ASP	N-CA-C	6.55	118.42	111.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	291	TRP	N-CA-C	6.45	120.47	112.47
1	B	233	ASP	N-CA-C	6.40	117.92	111.07
1	B	454	LYS	N-CA-C	6.35	118.86	110.36
1	C	372	GLU	N-CA-C	6.34	118.78	108.63
1	A	215	ALA	N-CA-C	-6.29	98.47	108.73
1	A	138	LEU	N-CA-C	6.11	119.42	109.59
1	D	138	LEU	N-CA-C	6.02	119.86	110.17
1	B	372	GLU	N-CA-C	5.97	117.92	108.67
1	B	141	ASN	N-CA-C	5.96	120.57	112.88
1	B	309	MET	N-CA-C	-5.94	100.16	109.25
1	C	267	VAL	N-CA-C	-5.91	99.90	108.71
1	A	309	MET	N-CA-C	-5.83	100.33	109.25
1	C	118	GLU	N-CA-C	-5.82	106.26	113.19
1	A	295	VAL	N-CA-C	-5.81	99.27	107.75
1	D	141	ASN	N-CA-C	5.79	120.04	112.92
1	A	509	LEU	N-CA-C	-5.78	106.85	114.31
1	D	295	VAL	N-CA-C	-5.72	99.39	107.75
1	C	291	TRP	N-CA-C	5.70	119.53	112.47
1	C	87	THR	N-CA-C	5.68	122.90	110.80
1	D	512	LYS	CA-C-N	5.63	126.88	119.84
1	D	512	LYS	C-N-CA	5.63	126.88	119.84
1	A	87	THR	N-CA-C	5.62	122.76	110.80
1	D	118	GLU	N-CA-C	-5.61	106.28	113.01
1	C	174	ASP	N-CA-C	-5.57	106.49	113.28
1	D	233	ASP	N-CA-C	5.56	117.34	111.28
1	D	43	HIS	N-CA-C	5.54	118.83	111.30
1	A	86	ASN	N-CA-C	5.50	118.25	110.50
1	D	267	VAL	N-CA-C	-5.49	100.53	108.71
1	D	385	MET	N-CA-C	-5.47	105.40	111.36
1	C	215	ALA	N-CA-C	-5.44	99.87	108.73
1	A	462	GLN	N-CA-C	-5.43	100.32	109.07
1	C	175	THR	N-CA-C	5.41	117.61	111.11
1	B	461	PRO	N-CA-C	5.41	120.57	111.32
1	A	372	GLU	N-CA-C	5.39	116.91	109.15
1	D	215	ALA	N-CA-C	-5.39	99.95	108.73
1	C	367	THR	CA-C-N	5.37	127.74	120.38
1	C	367	THR	C-N-CA	5.37	127.74	120.38
1	C	461	PRO	N-CA-C	5.37	120.51	111.32
1	B	43	HIS	N-CA-C	5.36	118.79	111.39
1	A	291	TRP	N-CA-C	5.36	118.98	111.90
1	A	328	GLY	N-CA-C	-5.33	107.99	114.92
1	B	137	LEU	N-CA-C	-5.32	100.06	108.73

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	161	GLN	N-CA-C	-5.31	99.10	108.08
1	C	295	VAL	N-CA-C	-5.30	100.01	107.75
1	B	485	VAL	N-CA-C	5.29	115.87	108.89
1	B	291	TRP	N-CA-C	5.28	119.30	112.86
1	C	454	LYS	N-CA-C	5.28	117.43	110.36
1	A	141	ASN	N-CA-C	5.27	119.40	112.92
1	B	118	GLU	N-CA-C	-5.25	106.71	113.01
1	D	175	THR	N-CA-C	5.21	117.36	111.11
1	D	174	ASP	N-CA-C	-5.18	106.96	113.28
1	B	270	VAL	N-CA-C	5.18	113.57	107.77
1	A	246	ALA	N-CA-C	-5.16	105.73	111.36
1	A	43	HIS	N-CA-C	5.16	118.51	111.39
1	B	215	ALA	N-CA-C	-5.16	100.32	108.73
1	D	250	GLY	N-CA-C	5.15	119.97	112.60
1	A	364	ILE	N-CA-C	-5.14	108.11	113.10
1	C	410	ARG	N-CA-C	5.13	120.17	113.30
1	C	462	GLN	N-CA-C	-5.07	100.97	109.24
1	D	513	PRO	N-CA-C	5.04	122.84	112.47
1	D	349	LEU	N-CA-C	5.01	119.47	112.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4100	0	4019	78	0
1	B	4100	0	4019	55	0
1	C	4100	0	4019	74	0
1	D	4100	0	4019	58	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
3	A	27	0	14	0	0
3	B	27	0	14	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	27	0	14	0	0
3	D	27	0	14	0	0
4	A	267	0	0	5	0
4	B	305	0	0	1	0
4	C	304	0	0	3	0
4	D	343	0	0	4	0
All	All	17735	0	16132	263	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (263) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:345:MET:HE2	1:B:349:LEU:HG	1.27	1.15
1:B:345:MET:HE1	1:B:348:LEU:HD23	1.28	1.09
1:D:345:MET:HE1	1:D:348:LEU:HD23	1.16	1.09
1:D:345:MET:HE2	1:D:349:LEU:HG	1.33	1.09
1:A:345:MET:HE2	1:A:349:LEU:HG	1.40	1.01
1:A:345:MET:HE1	1:A:348:LEU:HD23	1.46	0.98
1:D:453:MET:HE3	1:D:453:MET:HA	1.45	0.98
1:C:322:LYS:HE3	1:C:330:SER:HB3	1.51	0.92
1:C:401:PHE:CE2	1:C:493:MET:HE3	2.07	0.90
1:D:345:MET:CE	1:D:348:LEU:HD23	2.04	0.88
1:B:359:GLN:O	1:B:362:VAL:HG12	1.75	0.87
1:B:345:MET:HE2	1:B:349:LEU:CG	2.05	0.86
1:C:345:MET:HE3	1:C:349:LEU:HG	1.59	0.85
1:B:453:MET:HE3	1:B:453:MET:HA	1.60	0.84
1:A:322:LYS:HE3	1:A:332:ARG:NH2	1.92	0.83
1:A:345:MET:CE	1:A:348:LEU:HD23	2.09	0.83
1:A:385:MET:HA	1:A:385:MET:CE	2.09	0.82
1:B:385:MET:HE2	1:B:389:ILE:HG13	1.62	0.82
1:A:471:LYS:O	1:A:474:LYS:HG2	1.79	0.81
1:B:345:MET:CE	1:B:348:LEU:HD23	2.09	0.81
1:A:385:MET:HE1	1:A:388:LEU:HD23	1.62	0.81
1:A:345:MET:HE2	1:A:349:LEU:CG	2.12	0.79
1:D:345:MET:HE2	1:D:349:LEU:CG	2.13	0.79
1:C:345:MET:HE3	1:C:349:LEU:CG	2.13	0.79
1:C:247:MET:HE2	1:C:286:VAL:CG1	2.12	0.78
1:C:368:ASN:HD22	1:C:538:VAL:HG22	1.49	0.78
1:B:385:MET:HE1	1:B:388:LEU:HD23	1.65	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:300:PHE:HB3	1:D:307:MET:HE2	1.68	0.75
1:B:508:ARG:HD2	1:B:510:ASP:OD1	1.86	0.75
1:C:103:GLY:CA	1:C:345:MET:HE1	2.18	0.73
1:B:308:LYS:NZ	1:C:324:THR:O	2.20	0.72
1:A:371:LEU:HB3	1:A:385:MET:HE3	1.70	0.72
1:C:247:MET:HE2	1:C:286:VAL:HG11	1.72	0.72
1:B:345:MET:HE3	1:B:345:MET:HA	1.71	0.71
1:C:345:MET:HE2	1:C:349:LEU:HD11	1.72	0.71
1:A:322:LYS:HE3	1:A:332:ARG:HH22	1.56	0.71
1:A:486:ASP:OD2	1:A:489:LYS:HG3	1.90	0.71
1:C:103:GLY:HA2	1:C:345:MET:HE1	1.73	0.69
1:A:180:ASN:ND2	1:A:182:GLU:HG2	2.07	0.69
1:A:385:MET:HA	1:A:385:MET:HE3	1.74	0.69
1:A:423:VAL:HG13	1:A:526:LEU:HD23	1.74	0.69
1:A:247:MET:HE2	1:A:286:VAL:HG11	1.76	0.68
1:D:345:MET:HE3	1:D:345:MET:HA	1.73	0.68
1:B:438:MET:HE2	1:B:443:VAL:HA	1.76	0.68
1:C:202:GLU:OE2	1:C:206:THR:HG21	1.94	0.68
1:D:441:LYS:O	1:D:441:LYS:HD3	1.94	0.67
1:A:385:MET:CE	1:A:388:LEU:HD23	2.24	0.67
1:C:453:MET:HE2	1:C:459:ALA:CB	2.25	0.66
1:C:34:ILE:HD11	1:C:163:LEU:HD12	1.77	0.66
1:C:345:MET:CE	1:C:349:LEU:HD11	2.25	0.66
1:C:235:GLU:HG2	4:C:1733:HOH:O	1.96	0.66
1:A:180:ASN:HD22	1:A:182:GLU:HG2	1.61	0.65
1:C:453:MET:HE2	1:C:459:ALA:HB3	1.78	0.65
1:C:257:VAL:HG23	1:C:287:GLN:HB3	1.78	0.65
1:A:114:ILE:HD11	1:A:137:LEU:HB3	1.79	0.65
1:C:401:PHE:HE2	1:C:493:MET:HE3	1.60	0.65
1:D:465:ASN:ND2	1:D:481:LYS:HE2	2.13	0.64
1:D:180:ASN:HD21	1:D:182:GLU:CG	2.11	0.64
1:A:247:MET:HE3	1:A:309:MET:CE	2.28	0.64
1:A:385:MET:HA	1:A:385:MET:HE2	1.79	0.64
1:C:467:SER:OG	1:C:479:LYS:HB2	1.98	0.64
1:A:247:MET:HE2	1:A:286:VAL:CG1	2.27	0.63
1:C:403:VAL:HG13	1:C:493:MET:HE2	1.80	0.63
1:C:439:THR:OG1	1:C:442:GLU:HG3	1.98	0.63
1:D:385:MET:HE2	1:D:389:ILE:HG13	1.80	0.63
1:C:521:ILE:HB	1:C:524:GLU:CG	2.29	0.63
1:C:247:MET:CE	1:C:286:VAL:HG11	2.29	0.62
1:C:76:SER:HB3	1:C:160:ARG:HD2	1.81	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:76:SER:HB3	1:B:160:ARG:HD2	1.81	0.62
1:C:434:VAL:HG12	1:C:517:ASN:HA	1.79	0.62
1:D:307:MET:HA	1:D:307:MET:HE3	1.81	0.62
1:D:453:MET:HB2	1:D:461:PRO:HD3	1.81	0.62
1:B:403:VAL:HG12	1:B:493:MET:HE2	1.82	0.61
1:A:257:VAL:HG23	1:A:287:GLN:HB3	1.82	0.61
1:C:521:ILE:HB	1:C:524:GLU:HG3	1.83	0.61
1:B:257:VAL:HG23	1:B:287:GLN:HB3	1.81	0.60
1:D:257:VAL:HG23	1:D:287:GLN:HB3	1.83	0.60
1:A:486:ASP:OD2	1:A:489:LYS:HE3	2.02	0.60
1:B:180:ASN:OD1	1:B:182:GLU:HG2	2.03	0.59
1:A:453:MET:HB2	1:A:461:PRO:HD3	1.85	0.59
1:D:401:PHE:CE2	1:D:493:MET:HE3	2.37	0.59
1:A:157:LEU:HD13	1:A:164:LYS:HE3	1.85	0.58
1:A:322:LYS:HE3	1:A:332:ARG:CZ	2.31	0.58
1:C:103:GLY:HA3	1:C:345:MET:HE1	1.84	0.58
1:D:276:LYS:HE2	4:D:1815:HOH:O	2.04	0.58
1:A:211:ILE:HD13	1:A:307:MET:HE2	1.86	0.58
1:A:91:GLU:CD	1:A:91:GLU:H	2.11	0.57
1:A:434:VAL:HG12	1:A:517:ASN:HA	1.86	0.57
1:C:446:TYR:HE2	1:C:493:MET:HE1	1.70	0.57
1:A:493:MET:HE2	1:A:509:LEU:HD11	1.87	0.57
1:C:247:MET:HE2	1:C:286:VAL:HG13	1.86	0.56
1:D:453:MET:HA	1:D:453:MET:CE	2.28	0.56
1:C:322:LYS:HD2	1:C:332:ARG:HG3	1.88	0.55
1:D:400:ASP:O	1:D:481:LYS:HE3	2.07	0.55
1:A:401:PHE:CE1	1:A:493:MET:HB3	2.41	0.55
1:B:194:ASP:O	1:B:198:LEU:HD22	2.06	0.55
1:B:453:MET:HB2	1:B:461:PRO:HD3	1.88	0.55
1:D:155:TRP:CE3	1:D:199:VAL:HG13	2.41	0.55
1:C:322:LYS:HE3	1:C:330:SER:CB	2.31	0.55
1:C:368:ASN:ND2	1:C:538:VAL:HG22	2.18	0.54
1:A:114:ILE:CD1	1:A:137:LEU:HB3	2.38	0.54
1:A:200:ILE:HG22	1:A:204:GLN:HE21	1.71	0.54
1:C:34:ILE:HD11	1:C:163:LEU:CD1	2.38	0.54
1:C:508:ARG:HD2	1:C:510:ASP:OD1	2.06	0.54
1:C:453:MET:HE3	1:C:453:MET:HA	1.89	0.54
1:B:401:PHE:CE2	1:B:493:MET:HE3	2.43	0.53
1:D:180:ASN:ND2	1:D:182:GLU:CG	2.72	0.53
1:B:385:MET:HE3	1:B:388:LEU:HB3	1.91	0.53
1:C:414:GLU:OE1	1:C:414:GLU:HA	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:57:ALA:HA	1:B:345:MET:HG2	1.91	0.53
1:B:345:MET:CE	1:B:349:LEU:HG	2.18	0.53
1:D:345:MET:HE3	1:D:348:LEU:HB3	1.90	0.53
1:B:178:ILE:HB	3:B:1603:A12:H3'	1.91	0.52
1:B:432:VAL:HG12	1:B:521:ILE:HD13	1.91	0.52
1:C:510:ASP:HA	1:C:515:TYR:CD2	2.44	0.52
1:D:400:ASP:HA	1:D:481:LYS:HE3	1.91	0.52
1:C:350:SER:HB2	1:C:351:PRO:HD3	1.92	0.52
1:A:77:VAL:O	1:A:160:ARG:NH1	2.42	0.52
1:A:161:GLN:HG3	4:A:1724:HOH:O	2.10	0.52
1:A:241:PRO:HB2	1:A:244:SER:HB3	1.91	0.52
1:A:372:GLU:CD	1:A:377:LYS:HG3	2.35	0.52
1:A:486:ASP:HB3	1:A:489:LYS:HD2	1.91	0.52
1:C:496:LEU:HD13	4:C:1660:HOH:O	2.10	0.52
1:A:116:ASN:HB2	4:A:1821:HOH:O	2.10	0.52
1:A:371:LEU:HD13	1:A:385:MET:HE1	1.93	0.51
1:B:446:TYR:HE2	1:B:493:MET:HE1	1.75	0.51
1:B:511:ASN:HD21	1:B:512:LYS:HE2	1.75	0.51
1:C:453:MET:HB2	1:C:461:PRO:HD3	1.91	0.51
1:A:321:LYS:HB3	1:A:335:TYR:CZ	2.46	0.51
1:C:441:LYS:HE2	1:C:445:ASP:OD2	2.11	0.51
1:A:179:GLY:O	1:A:181:PRO:HD3	2.10	0.51
1:A:98:GLU:N	1:A:99:PRO:HD2	2.26	0.51
1:C:191:LYS:HD2	1:C:194:ASP:OD2	2.11	0.50
1:A:332:ARG:HG2	1:A:332:ARG:HH11	1.75	0.50
1:D:441:LYS:HD3	1:D:441:LYS:C	2.35	0.50
1:A:151:LEU:HD11	1:A:187:ILE:HG12	1.93	0.50
1:C:57:ALA:HA	1:C:345:MET:HG2	1.92	0.50
1:C:420:TYR:CD1	1:C:527:LYS:HD3	2.47	0.50
1:A:468:PHE:C	1:A:468:PHE:CD1	2.89	0.50
1:A:26:TYR:CE1	1:A:304:ASN:HA	2.47	0.50
1:A:438:MET:HE3	1:A:493:MET:HG2	1.94	0.49
1:C:60:LYS:HE3	1:C:64:ASP:OD2	2.12	0.49
1:C:345:MET:HE3	1:C:349:LEU:CD1	2.42	0.49
1:B:510:ASP:HA	1:B:515:TYR:CD2	2.47	0.49
1:B:511:ASN:C	1:B:511:ASN:HD22	2.19	0.49
1:C:98:GLU:N	1:C:99:PRO:HD2	2.27	0.49
1:D:468:PHE:CD1	1:D:468:PHE:C	2.90	0.49
1:C:202:GLU:OE2	1:C:206:THR:CG2	2.61	0.49
1:D:480:ILE:HG12	1:D:485:VAL:HG22	1.95	0.49
1:B:326:GLU:HG2	1:C:306:GLU:OE2	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:90:PRO:HD3	1:C:425:LYS:HD2	1.94	0.48
1:C:410:ARG:HD2	4:C:1843:HOH:O	2.13	0.48
1:A:493:MET:HE2	1:A:509:LEU:CD1	2.43	0.48
1:C:247:MET:CE	1:C:286:VAL:CG1	2.85	0.48
1:D:467:SER:OG	1:D:479:LYS:HB2	2.13	0.48
1:D:508:ARG:HD2	1:D:510:ASP:OD1	2.14	0.48
1:D:511:ASN:H	1:D:511:ASN:ND2	2.12	0.48
1:A:57:ALA:HA	1:A:345:MET:HG2	1.96	0.48
1:A:247:MET:HE3	1:A:309:MET:HE2	1.95	0.48
1:B:468:PHE:CD1	1:B:468:PHE:C	2.92	0.48
1:C:357:LYS:O	1:C:361:GLU:HG3	2.14	0.48
1:D:132:TRP:O	1:D:134:LYS:HE2	2.14	0.47
1:D:155:TRP:CD1	1:D:155:TRP:C	2.91	0.47
1:A:438:MET:CE	1:A:493:MET:HG2	2.44	0.47
1:D:197:LYS:HE3	4:D:1713:HOH:O	2.13	0.47
1:A:345:MET:HA	1:A:345:MET:HE3	1.96	0.47
1:C:446:TYR:CE2	1:C:493:MET:HE1	2.48	0.47
1:A:326:GLU:C	1:A:328:GLY:N	2.73	0.47
1:A:277:PRO:HB3	1:A:286:VAL:HG12	1.97	0.46
1:D:159:LYS:HA	1:D:159:LYS:HD3	1.80	0.46
1:A:160:ARG:NH2	4:A:1861:HOH:O	2.42	0.46
1:A:401:PHE:CZ	1:A:493:MET:HB3	2.51	0.46
1:B:453:MET:HE3	1:B:453:MET:CA	2.39	0.46
1:C:157:LEU:HD11	1:C:207:GLU:HG3	1.98	0.46
1:D:128:GLN:HE22	1:D:131:LYS:HD3	1.81	0.46
1:A:359:GLN:O	1:A:362:VAL:HG12	2.15	0.46
1:B:201:GLN:O	1:B:205:GLN:HG3	2.16	0.45
1:D:106:LEU:HD21	1:D:344:GLN:HG2	1.99	0.45
1:B:345:MET:HE3	1:B:345:MET:CA	2.45	0.45
1:D:326:GLU:C	1:D:328:GLY:H	2.24	0.45
1:C:401:PHE:CZ	1:C:493:MET:HB2	2.52	0.45
1:A:180:ASN:ND2	1:A:182:GLU:CG	2.77	0.45
1:B:98:GLU:N	1:B:99:PRO:HD2	2.30	0.45
1:B:322:LYS:HE2	1:B:332:ARG:NH2	2.32	0.45
1:B:345:MET:HE3	1:B:348:LEU:HB3	1.99	0.45
1:D:241:PRO:HB2	1:D:244:SER:HB3	1.97	0.45
1:D:496:LEU:CD1	4:D:1735:HOH:O	2.63	0.45
1:C:534:SER:OG	1:C:535:PRO:HA	2.17	0.45
1:D:496:LEU:HD12	4:D:1735:HOH:O	2.17	0.45
1:B:322:LYS:CE	1:B:332:ARG:NH2	2.80	0.45
1:D:300:PHE:HB3	1:D:307:MET:CE	2.43	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:326:GLU:C	1:A:328:GLY:H	2.25	0.44
1:A:191:LYS:HE2	4:A:1711:HOH:O	2.16	0.44
1:A:200:ILE:O	1:A:204:GLN:HG3	2.17	0.44
1:B:403:VAL:CG1	1:B:493:MET:HE2	2.47	0.44
1:C:468:PHE:CD1	1:C:468:PHE:C	2.95	0.44
1:B:438:MET:HE2	1:B:443:VAL:CA	2.45	0.44
1:D:125:VAL:O	1:D:129:GLN:HG3	2.17	0.44
1:D:446:TYR:HE2	1:D:493:MET:HE1	1.83	0.44
1:A:247:MET:CE	1:A:309:MET:CE	2.95	0.44
1:C:432:VAL:HG12	1:C:521:ILE:HD13	2.00	0.44
1:C:480:ILE:HG12	1:C:485:VAL:HG22	1.99	0.44
1:D:98:GLU:N	1:D:99:PRO:HD2	2.32	0.43
1:C:321:LYS:HB3	1:C:335:TYR:CZ	2.52	0.43
1:C:423:VAL:HG13	1:C:526:LEU:HD23	2.00	0.43
1:A:145:LYS:HG2	1:A:188:GLU:HB3	2.00	0.43
1:C:392:ALA:HA	1:C:529:TYR:CD2	2.53	0.43
1:A:91:GLU:OE2	1:A:421:LYS:HE3	2.18	0.43
1:D:345:MET:CE	1:D:348:LEU:HB3	2.47	0.43
1:B:385:MET:HE3	1:B:385:MET:HA	2.01	0.43
1:A:327:ASP:OD1	1:A:327:ASP:O	2.36	0.43
1:C:438:MET:HG3	1:C:443:VAL:HG23	2.01	0.43
1:B:321:LYS:HB3	1:B:335:TYR:CZ	2.54	0.43
1:B:453:MET:HE2	1:B:459:ALA:HB3	2.01	0.43
1:D:322:LYS:HE2	1:D:330:SER:OG	2.19	0.43
1:A:247:MET:CE	1:A:309:MET:HE2	2.48	0.43
1:C:43:HIS:CE1	1:C:84:ASP:HB3	2.54	0.43
1:D:145:LYS:HB2	1:D:186:ASP:OD1	2.18	0.42
1:D:321:LYS:HB3	1:D:335:TYR:CZ	2.54	0.42
1:B:194:ASP:O	1:B:198:LEU:CD2	2.68	0.42
1:C:127:ARG:O	1:C:131:LYS:HG3	2.19	0.42
1:A:106:LEU:HD21	1:A:344:GLN:HG2	2.00	0.42
1:C:385:MET:CE	1:C:389:ILE:HG13	2.50	0.42
1:D:26:TYR:CE1	1:D:304:ASN:HA	2.55	0.42
1:C:521:ILE:HB	1:C:524:GLU:HG2	2.01	0.42
1:B:241:PRO:HB2	1:B:244:SER:HB3	2.00	0.42
1:A:468:PHE:CG	1:A:475:LEU:HD22	2.55	0.42
1:A:448:THR:O	1:A:452:GLN:HG2	2.20	0.41
1:D:180:ASN:ND2	1:D:182:GLU:HG2	2.34	0.41
1:D:326:GLU:O	1:D:328:GLY:N	2.53	0.41
1:D:302:PHE:HB2	1:D:307:MET:HE1	2.02	0.41
1:A:332:ARG:HG2	1:A:332:ARG:NH1	2.36	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:368:ASN:ND2	1:B:537:ASP:HA	2.35	0.41
1:B:528:ALA:HA	1:B:531:GLN:HE21	1.86	0.41
1:D:403:VAL:HG12	1:D:493:MET:HE2	2.03	0.41
1:B:511:ASN:C	1:B:511:ASN:ND2	2.78	0.41
1:A:247:MET:HE1	1:A:298:ALA:HB2	2.03	0.41
1:B:261:ALA:O	1:B:262:GLU:C	2.62	0.41
1:A:114:ILE:HD11	1:A:137:LEU:CB	2.49	0.41
1:B:54:TYR:HB2	1:B:55:GLY:H	1.59	0.41
1:B:329:LYS:HG2	1:B:330:SER:N	2.35	0.41
1:B:486:ASP:OD1	1:B:486:ASP:C	2.64	0.41
1:C:453:MET:HE2	1:C:459:ALA:HB1	2.00	0.41
1:C:106:LEU:HD23	1:C:345:MET:SD	2.61	0.41
1:C:151:LEU:HD11	1:C:187:ILE:HG12	2.03	0.41
1:C:542:GLU:HA	1:C:543:PRO:HD3	1.88	0.41
1:D:76:SER:HB3	1:D:160:ARG:HD2	2.02	0.41
1:D:298:ALA:HB1	1:D:309:MET:HE2	2.03	0.41
1:D:511:ASN:H	1:D:511:ASN:HD22	1.69	0.41
1:D:453:MET:HE3	1:D:453:MET:CA	2.30	0.41
1:B:357:LYS:HA	4:B:1797:HOH:O	2.20	0.40
1:A:32:TYR:O	1:A:301:GLU:HA	2.20	0.40
1:B:260:ALA:HB2	1:B:266:GLN:HA	2.03	0.40
1:D:223:ASN:HB2	1:D:263:ASN:HB3	2.03	0.40
1:D:405:SER:HB3	1:D:458:GLY:O	2.22	0.40
1:A:322:LYS:CE	1:A:332:ARG:NH2	2.72	0.40
1:A:503:GLY:HA2	4:A:1846:HOH:O	2.21	0.40
1:B:434:VAL:HG12	1:B:517:ASN:HA	2.04	0.40
1:C:435:TYR:CE1	1:C:516:VAL:HB	2.57	0.40
1:D:87:THR:HA	1:D:93:ASP:OD1	2.21	0.40
1:B:403:VAL:HG22	1:B:404:MET:N	2.36	0.40
1:A:94:LEU:HD11	1:A:360:LEU:HD11	2.02	0.40
1:A:247:MET:HE2	1:A:286:VAL:HG13	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	523/525 (100%)	504 (96%)	17 (3%)	2 (0%)	30	17
1	B	523/525 (100%)	503 (96%)	18 (3%)	2 (0%)	30	17
1	C	523/525 (100%)	504 (96%)	18 (3%)	1 (0%)	43	31
1	D	523/525 (100%)	503 (96%)	18 (3%)	2 (0%)	30	17
All	All	2092/2100 (100%)	2014 (96%)	71 (3%)	7 (0%)	36	25

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	327	ASP
1	C	87	THR
1	D	87	THR
1	A	87	THR
1	B	87	THR
1	A	289	HIS
1	B	289	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	433/433 (100%)	425 (98%)	8 (2%)	51	40
1	B	433/433 (100%)	427 (99%)	6 (1%)	59	49
1	C	433/433 (100%)	432 (100%)	1 (0%)	87	86
1	D	433/433 (100%)	425 (98%)	8 (2%)	51	40
All	All	1732/1732 (100%)	1709 (99%)	23 (1%)	61	51

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	69	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	78	LEU
1	A	188	GLU
1	A	307	MET
1	A	360	LEU
1	A	385	MET
1	A	477	ASP
1	A	493	MET
1	B	69	GLU
1	B	151	LEU
1	B	164	LYS
1	B	188	GLU
1	B	428	PRO
1	B	511	ASN
1	C	428	PRO
1	D	94	LEU
1	D	330	SER
1	D	360	LEU
1	D	366	GLU
1	D	428	PRO
1	D	441	LYS
1	D	452	GLN
1	D	511	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	86	ASN
1	A	129	GLN
1	A	180	ASN
1	A	204	GLN
1	A	205	GLN
1	A	281	ASN
1	A	452	GLN
1	A	531	GLN
1	B	354	ASN
1	B	393	GLN
1	B	511	ASN
1	B	531	GLN
1	B	550	GLN
1	C	86	ASN
1	C	129	GLN
1	C	161	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	204	GLN
1	C	368	ASN
1	D	180	ASN
1	D	201	GLN
1	D	204	GLN
1	D	205	GLN
1	D	266	GLN
1	D	427	GLN
1	D	452	GLN
1	D	511	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	A12	B	1603	2	26,29,29	1.14	3 (11%)	40,45,45	0.39	0
3	A12	D	1605	2	26,29,29	1.22	3 (11%)	40,45,45	0.42	0
3	A12	A	1602	2	26,29,29	0.98	3 (11%)	40,45,45	0.39	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	A12	C	1604	2	26,29,29	1.04	2 (7%)	40,45,45	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	A12	B	1603	2	-	1/16/32/32	0/3/3/3
3	A12	D	1605	2	-	0/16/32/32	0/3/3/3
3	A12	A	1602	2	-	2/16/32/32	0/3/3/3
3	A12	C	1604	2	-	0/16/32/32	0/3/3/3

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	1605	A12	PB-O3B	-3.85	1.46	1.55
3	B	1603	A12	PA-O2A	-3.71	1.47	1.56
3	D	1605	A12	PA-O2A	-3.37	1.48	1.56
3	C	1604	A12	PB-O2B	-3.27	1.47	1.55
3	B	1603	A12	PB-O3B	-3.20	1.47	1.55
3	C	1604	A12	PA-O2A	-3.10	1.48	1.56
3	D	1605	A12	PB-O2B	-3.09	1.48	1.55
3	A	1602	A12	PA-O2A	-3.08	1.48	1.56
3	A	1602	A12	PB-O3B	-2.66	1.49	1.55
3	B	1603	A12	PB-O2B	-2.45	1.49	1.55
3	A	1602	A12	PB-O2B	-2.30	1.49	1.55

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1602	A12	PA-C3A-PB-O1B
3	B	1603	A12	PA-C3A-PB-O1B
3	A	1602	A12	C5'-O5'-PA-C3A


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1603	A12	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	525/525 (100%)	0.32	17 (3%)	50	54	21, 34, 52, 65	0
1	B	525/525 (100%)	0.13	15 (2%)	53	57	18, 31, 50, 62	0
1	C	525/525 (100%)	0.20	9 (1%)	69	73	18, 31, 50, 58	0
1	D	525/525 (100%)	0.19	14 (2%)	56	59	18, 32, 49, 63	0
All	All	2100/2100 (100%)	0.21	55 (2%)	57	61	18, 32, 51, 65	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	324	THR	3.7
1	B	474	LYS	3.6
1	D	325	TRP	3.5
1	B	358	ALA	3.4
1	C	368	ASN	3.3
1	D	328	GLY	3.2
1	D	162	ASP	3.2
1	A	326	GLU	3.1
1	D	307	MET	3.1
1	B	359	GLN	3.0
1	A	327	ASP	3.0
1	D	327	ASP	3.0
1	A	325	TRP	2.9
1	A	488	ALA	2.8
1	C	358	ALA	2.8
1	D	329	LYS	2.8
1	B	357	LYS	2.7
1	B	487	PRO	2.7
1	C	436	ALA	2.6
1	C	72	ALA	2.6
1	C	359	GLN	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	202	GLU	2.5
1	D	182	GLU	2.5
1	A	329	LYS	2.5
1	B	182	GLU	2.5
1	A	512	LYS	2.4
1	D	323	VAL	2.4
1	A	489	LYS	2.4
1	A	358	ALA	2.4
1	C	323	VAL	2.3
1	A	471	LYS	2.3
1	B	489	LYS	2.3
1	A	323	VAL	2.3
1	A	490	THR	2.3
1	A	360	LEU	2.3
1	A	549	TRP	2.2
1	C	477	ASP	2.2
1	A	474	LYS	2.2
1	B	326	GLU	2.2
1	B	360	LEU	2.2
1	A	183	TYR	2.2
1	D	308	LYS	2.2
1	B	485	VAL	2.2
1	C	485	VAL	2.2
1	D	198	LEU	2.2
1	B	471	LYS	2.2
1	B	477	ASP	2.1
1	A	328	GLY	2.1
1	B	356	GLY	2.1
1	C	362	VAL	2.1
1	D	73	GLU	2.1
1	D	474	LYS	2.1
1	A	74	GLY	2.1
1	B	198	LEU	2.1
1	D	267	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	A12	D	1605	27/27	0.95	0.09	27,36,42,44	0
3	A12	B	1603	27/27	0.97	0.06	25,28,32,35	0
3	A12	A	1602	27/27	0.97	0.05	25,28,37,38	0
3	A12	C	1604	27/27	0.98	0.05	23,27,32,34	0
2	MN	A	601	1/1	0.98	0.17	46,46,46,46	0
2	MN	B	600	1/1	0.99	0.02	24,24,24,24	0
2	MN	B	601	1/1	0.99	0.17	45,45,45,45	0
2	MN	C	601	1/1	0.99	0.09	30,30,30,30	0
2	MN	D	601	1/1	0.99	0.14	36,36,36,36	0
2	MN	D	600	1/1	1.00	0.02	22,22,22,22	0
2	MN	C	600	1/1	1.00	0.01	20,20,20,20	0
2	MN	A	600	1/1	1.00	0.01	26,26,26,26	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A12 D 1605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A12 B 1603:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around A12 A 1602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.