



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2026 – 06:48 PM UTC

PDB ID : 4HP7 / pdb_00004hp7
Title : Trioxacarcin D517 as a product of guanine robbery from d(AACCGGTT)
Authors : Smaltz, D.J.; Magauer, T.; Proepper, K.; Dittrich, B.; Myers, A.G.
Deposited on : 2012-10-23
Resolution : 1.09 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	FAILED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	1656 (1.12-1.08)

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 451 atoms, of which 192 are hydrogens and 0 are deuteriums.


In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is Trioxacarcin A analogue, bound form (CCD ID: 18Y) (formula: $C_{33}H_{40}O_{14}$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
1	A	1	Total	C	H	O	0	1
			90	34	41	15		
1	B	1	Total	C	H	O	0	0
			84	33	37	14		
1	C	1	Total	C	H	O	0	0
			84	33	37	14		
1	D	1	Total	C	H	O	0	1
			86	33	37	16		

- Molecule 2 is GUANINE (CCD ID: GUN) (formula: $C_5H_5N_5O$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	0	1
			15	5	4	5	1		
2	B	1	Total	C	H	N	O	0	0
			15	5	4	5	1		
2	C	1	Total	C	H	N	O	0	0
			15	5	4	5	1		
2	D	1	Total	C	H	N	O	0	0
			15	5	4	5	1		

- Molecule 3 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	C	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
3	C	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
3	D	1	Total	C	H	O	S	0	1
			20	4	12	2	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	7	Total	O	0	0
			7	7		

3 Residue-property plots

There is no protein, DNA or RNA chain in this entry to show sequence plots.

4 Data and refinement statistics

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	24.09Å 9.83Å 35.09Å 90.00° 92.32° 90.00°	Depositor
Resolution (Å)	40.00 – 1.09	Depositor
% Data completeness (in resolution range)	96.6 (40.00-1.09)	Depositor
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.20 (at 1.09Å)	Xtriage
Refinement program	SHELXL 2012	Depositor
R, R_{free}	0.153 , 0.216	Depositor
Wilson B-factor (Å ²)	8.0	Xtriage
Anisotropy	0.102	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.56$, $\langle L^2 \rangle = 0.40$	Xtriage
Estimated twinning fraction	0.000 for h,-k,-l	Xtriage
Total number of atoms	451	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 61.56 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.2857e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 18Y, GUN, DMS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

There are no protein, RNA or DNA chains available to summarize Z scores of covalent bonds and angles.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	49	41	9	0	0
1	B	47	37	37	3	0
1	C	47	37	38	5	0
1	D	49	37	13	0	0
2	A	11	4	0	0	0
2	B	11	4	5	1	0
2	C	11	4	5	1	0
2	D	11	4	5	0	0
3	C	8	12	12	0	0
3	D	8	12	12	0	0
4	D	7	0	0	0	0
All	All	259	192	136	9	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 33.

All (9) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:101:18Y:H61A	1:B:101:18Y:H62A	1.58	0.85
1:C:101:18Y:H61A	1:C:101:18Y:H63A	1.58	0.85
1:B:101:18Y:H62A	1:B:101:18Y:H63A	1.58	0.85
1:C:101:18Y:H61A	1:C:101:18Y:H62A	1.58	0.85
1:C:101:18Y:H63A	1:C:101:18Y:H62A	1.58	0.84
1:B:101:18Y:H61A	1:B:101:18Y:H63A	1.58	0.82
2:B:102:GUN:HN9	2:C:102:GUN:HN21	1.40	0.68
1:C:101:18Y:O3'	1:C:101:18Y:C8'	2.67	0.43

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

There are no protein molecules in this entry.

5.3.2 Protein sidechains [i](#)

There are no protein molecules in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	DMS	C	107	-	3,3,3	0.62	0	3,3,3	1.62	0
1	18Y	B	101	2	48,53,53	3.05	22 (45%)	56,88,88	2.80	17 (30%)
1	18Y	A	101[C]	-	47,51,53	4.10	23 (48%)	55,85,88	2.72	17 (30%)
1	18Y	C	101	2	48,53,53	2.54	20 (41%)	56,88,88	2.56	17 (30%)
3	DMS	D	108[A]	-	3,3,3	0.69	0	3,3,3	1.08	0
3	DMS	C	106	-	3,3,3	0.63	0	3,3,3	0.27	0
2	GUN	C	102	1	12,12,12	2.13	3 (25%)	15,17,17	2.06	6 (40%)
3	DMS	D	108[B]	-	3,3,3	0.88	0	3,3,3	1.27	0
2	GUN	B	102	1	12,12,12	1.81	1 (8%)	15,17,17	2.00	4 (26%)
1	18Y	A	101[A]	-	47,51,53	4.11	24 (51%)	55,85,88	2.75	17 (30%)
2	GUN	D	102	1	12,12,12	1.41	3 (25%)	15,17,17	1.36	2 (13%)
1	18Y	D	101[A]	-	48,53,53	3.39	18 (37%)	56,88,88	2.66	18 (32%)
1	18Y	A	101[B]	-	47,51,53	4.10	23 (48%)	55,85,88	2.79	17 (30%)
1	18Y	D	101[B]	-	48,53,53	3.37	18 (37%)	56,88,88	2.62	19 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	18Y	B	101	2	-	7/23/100/100	0/1/7/7
1	18Y	A	101[C]	-	-	4/17/94/100	0/1/7/7
1	18Y	C	101	2	-	1/23/100/100	0/1/7/7
2	GUN	C	102	1	-	-	0/2/2/2
2	GUN	B	102	1	-	-	0/2/2/2
1	18Y	A	101[A]	-	-	2/17/94/100	0/1/7/7
2	GUN	D	102	1	-	-	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	18Y	D	101[A]	-	-	6/23/100/100	0/1/7/7
1	18Y	A	101[B]	-	-	3/17/94/100	0/1/7/7
1	18Y	D	101[B]	-	-	8/23/100/100	0/1/7/7

All (155) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	101[A]	18Y	O1'-C5'	-13.19	1.23	1.44
1	A	101[B]	18Y	O1'-C5'	-13.19	1.23	1.44
1	A	101[C]	18Y	O1'-C5'	-13.19	1.23	1.44
1	A	101[A]	18Y	O3'-C3'	-11.89	1.24	1.43
1	A	101[B]	18Y	O3'-C3'	-11.89	1.24	1.43
1	A	101[C]	18Y	O3'-C3'	-11.89	1.24	1.43
1	D	101[A]	18Y	C2'-C3'	-9.25	1.38	1.53
1	D	101[B]	18Y	C2'-C3'	-9.25	1.38	1.53
1	D	101[A]	18Y	C4'-C5'	-8.99	1.39	1.54
1	D	101[B]	18Y	C4'-C5'	-8.99	1.39	1.54
1	A	101[A]	18Y	C4'-C5'	-8.92	1.39	1.54
1	A	101[B]	18Y	C4'-C5'	-8.92	1.39	1.54
1	A	101[C]	18Y	C4'-C5'	-8.92	1.39	1.54
1	A	101[A]	18Y	C7-C11	-7.76	1.39	1.50
1	A	101[B]	18Y	C7-C11	-7.76	1.39	1.50
1	A	101[C]	18Y	C7-C11	-7.76	1.39	1.50
1	A	101[A]	18Y	O4'-C4'	7.26	1.55	1.42
1	A	101[B]	18Y	O4'-C4'	7.26	1.55	1.42
1	A	101[C]	18Y	O4'-C4'	7.26	1.55	1.42
1	B	101	18Y	C4'-C5'	-7.09	1.42	1.54
1	D	101[A]	18Y	C4'-C3'	6.99	1.69	1.55
1	D	101[B]	18Y	C4'-C3'	6.99	1.69	1.55
1	D	101[A]	18Y	O11-C11	6.95	1.54	1.44
1	D	101[B]	18Y	O11-C11	6.95	1.54	1.44
1	B	101	18Y	C4'-C3'	6.84	1.69	1.55
1	B	101	18Y	O3'-C3'	-6.53	1.32	1.43
1	C	101	18Y	C4'-C5'	-6.50	1.43	1.54
1	C	101	18Y	C4'-C3'	6.33	1.68	1.55
1	A	101[A]	18Y	O14-C14	-6.15	1.32	1.44
1	A	101[B]	18Y	O14-C14	-6.15	1.32	1.44
1	A	101[C]	18Y	O14-C14	-6.15	1.32	1.44
1	B	101	18Y	C8-C22	-6.12	1.31	1.43
1	B	101	18Y	C8-C7	6.06	1.44	1.36
1	C	101	18Y	C2'-C3'	-5.94	1.43	1.53
1	A	101[A]	18Y	O11-C11	5.92	1.52	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	101[B]	18Y	O11-C11	5.92	1.52	1.44
1	A	101[C]	18Y	O11-C11	5.92	1.52	1.44
1	A	101[A]	18Y	C4'-C3'	5.91	1.67	1.55
1	A	101[B]	18Y	C4'-C3'	5.91	1.67	1.55
1	A	101[C]	18Y	C4'-C3'	5.91	1.67	1.55
1	D	101[A]	18Y	C12-C11	-5.79	1.42	1.54
1	D	101[B]	18Y	C12-C11	-5.79	1.42	1.54
1	D	101[A]	18Y	C18-C6	5.76	1.61	1.51
1	D	101[B]	18Y	C18-C6	5.76	1.61	1.51
1	D	101[A]	18Y	C3-C2	-5.66	1.33	1.52
1	D	101[B]	18Y	C3-C2	-5.66	1.33	1.52
2	C	102	GUN	C4-N3	5.65	1.44	1.36
1	B	101	18Y	C7-C11	-5.43	1.43	1.50
1	B	101	18Y	C2'-C3'	-5.39	1.44	1.53
1	D	101[A]	18Y	C19-C21	-5.37	1.28	1.37
1	D	101[B]	18Y	C19-C21	-5.37	1.28	1.37
2	B	102	GUN	C8-N9	-5.30	1.26	1.35
1	B	101	18Y	C3-C2	-4.97	1.36	1.52
1	B	101	18Y	O12-C15	4.81	1.51	1.42
1	A	101[A]	18Y	C2'-C3'	-4.79	1.45	1.53
1	A	101[B]	18Y	C2'-C3'	-4.79	1.45	1.53
1	A	101[C]	18Y	C2'-C3'	-4.79	1.45	1.53
1	C	101	18Y	C2-C1	-4.54	1.41	1.50
1	D	101[A]	18Y	O12-C12	-4.42	1.36	1.43
1	D	101[B]	18Y	O12-C12	-4.42	1.36	1.43
1	B	101	18Y	C6'-C5'	4.38	1.67	1.51
1	A	101[A]	18Y	C2'-C1'	-4.27	1.40	1.50
1	A	101[B]	18Y	C2'-C1'	-4.27	1.40	1.50
1	A	101[C]	18Y	C2'-C1'	-4.27	1.40	1.50
1	C	101	18Y	C20-C21	4.11	1.48	1.40
1	D	101[A]	18Y	O11-C15	4.10	1.50	1.42
1	D	101[B]	18Y	O11-C15	4.10	1.50	1.42
1	D	101[A]	18Y	C19-C23	4.07	1.52	1.43
1	D	101[B]	18Y	C19-C23	4.07	1.52	1.43
1	C	101	18Y	O1-C1	3.93	1.29	1.22
1	C	101	18Y	C4-C21	-3.88	1.45	1.51
1	C	101	18Y	C7-C11	-3.74	1.45	1.50
1	D	101[A]	18Y	C7-C11	3.67	1.55	1.50
1	D	101[B]	18Y	C7-C11	3.67	1.55	1.50
1	D	101[A]	18Y	C2-C1	3.66	1.57	1.50
1	D	101[B]	18Y	C2-C1	3.66	1.57	1.50
1	A	101[A]	18Y	C25-C15	3.63	1.56	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	101[B]	18Y	C25-C15	3.63	1.56	1.52
1	A	101[C]	18Y	C25-C15	3.63	1.56	1.52
1	D	101[A]	18Y	O16-C25	-3.57	1.33	1.40
1	A	101[A]	18Y	C5-C23	-3.57	1.35	1.42
1	A	101[B]	18Y	C5-C23	-3.57	1.35	1.42
1	A	101[C]	18Y	C5-C23	-3.57	1.35	1.42
1	A	101[A]	18Y	C2-C1	-3.55	1.43	1.50
1	A	101[B]	18Y	C2-C1	-3.55	1.43	1.50
1	A	101[C]	18Y	C2-C1	-3.55	1.43	1.50
1	A	101[A]	18Y	C17-C14	-3.44	1.44	1.52
1	A	101[B]	18Y	C17-C14	-3.44	1.44	1.52
1	A	101[C]	18Y	C17-C14	-3.44	1.44	1.52
1	C	101	18Y	C12-C11	-3.43	1.47	1.54
1	C	101	18Y	C3-C2	-3.37	1.41	1.52
1	C	101	18Y	O1'-C5'	-3.36	1.39	1.44
1	D	101[A]	18Y	C20-C9	3.06	1.44	1.39
1	D	101[B]	18Y	C20-C9	3.06	1.44	1.39
1	A	101[A]	18Y	C12-C11	3.05	1.61	1.54
1	A	101[B]	18Y	C12-C11	3.05	1.61	1.54
1	A	101[C]	18Y	C12-C11	3.05	1.61	1.54
1	A	101[A]	18Y	O7'-C7'	3.05	1.27	1.21
1	A	101[B]	18Y	O7'-C7'	3.05	1.27	1.21
1	A	101[C]	18Y	O7'-C7'	3.05	1.27	1.21
1	B	101	18Y	O11-C15	2.97	1.48	1.42
1	B	101	18Y	C9-C22	2.93	1.51	1.43
1	C	101	18Y	C20-C9	2.90	1.43	1.39
1	A	101[A]	18Y	O1'-C1'	-2.86	1.34	1.42
1	A	101[B]	18Y	O1'-C1'	-2.86	1.34	1.42
1	A	101[C]	18Y	O1'-C1'	-2.86	1.34	1.42
1	C	101	18Y	O4'-C4'	-2.84	1.37	1.42
1	B	101	18Y	O4'-C4'	2.78	1.47	1.42
1	A	101[A]	18Y	C4-C21	2.77	1.55	1.51
1	A	101[B]	18Y	C4-C21	2.77	1.55	1.51
1	A	101[C]	18Y	C4-C21	2.77	1.55	1.51
1	B	101	18Y	O12-C12	-2.75	1.39	1.43
1	A	101[A]	18Y	C3-C4	-2.71	1.41	1.51
1	A	101[B]	18Y	C3-C4	-2.71	1.41	1.51
1	A	101[C]	18Y	C3-C4	-2.71	1.41	1.51
1	D	101[A]	18Y	C3-C4	2.71	1.61	1.51
1	D	101[B]	18Y	C3-C4	2.71	1.61	1.51
2	C	102	GUN	C5-N7	-2.67	1.33	1.39
1	B	101	18Y	O1'-C5'	-2.66	1.40	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	101[A]	18Y	C8'-C7'	-2.64	1.43	1.50
1	A	101[B]	18Y	C8'-C7'	-2.64	1.43	1.50
1	A	101[C]	18Y	C8'-C7'	-2.64	1.43	1.50
1	D	101[B]	18Y	O26-C27	-2.60	1.33	1.42
1	B	101	18Y	C20-C21	-2.59	1.36	1.40
2	D	102	GUN	C4-N3	-2.55	1.32	1.36
1	C	101	18Y	O7'-C7'	2.54	1.26	1.21
1	C	101	18Y	C13-C12	-2.53	1.49	1.53
1	D	101[A]	18Y	O1'-C1'	-2.48	1.35	1.42
1	D	101[B]	18Y	O1'-C1'	-2.48	1.35	1.42
1	C	101	18Y	C5-C23	2.44	1.46	1.42
1	B	101	18Y	O1'-C1'	-2.38	1.36	1.42
1	B	101	18Y	O7'-C7'	2.36	1.26	1.21
1	B	101	18Y	C20-C1	2.34	1.52	1.46
1	B	101	18Y	O11-C11	2.27	1.47	1.44
1	B	101	18Y	C3-C4	-2.26	1.43	1.51
2	D	102	GUN	C6-N1	2.24	1.43	1.38
1	A	101[A]	18Y	C20-C21	2.23	1.44	1.40
1	A	101[B]	18Y	C20-C21	2.23	1.44	1.40
1	A	101[C]	18Y	C20-C21	2.23	1.44	1.40
1	A	101[A]	18Y	O1-C1	2.22	1.26	1.22
1	A	101[B]	18Y	O1-C1	2.22	1.26	1.22
1	A	101[C]	18Y	O1-C1	2.22	1.26	1.22
1	D	101[A]	18Y	O4'-C4'	2.20	1.46	1.42
1	D	101[B]	18Y	O4'-C4'	2.20	1.46	1.42
2	D	102	GUN	C8-N7	2.15	1.37	1.33
1	C	101	18Y	C8'-C7'	-2.14	1.44	1.50
1	A	101[A]	18Y	C5-C6	-2.14	1.32	1.37
1	A	101[B]	18Y	C5-C6	-2.14	1.32	1.37
1	A	101[C]	18Y	C5-C6	-2.14	1.32	1.37
1	C	101	18Y	C17-C14	-2.10	1.47	1.52
1	A	101[A]	18Y	O26-C25	-2.09	1.36	1.41
1	B	101	18Y	C23-C22	-2.09	1.38	1.42
2	C	102	GUN	C2-N3	-2.09	1.28	1.33
1	C	101	18Y	O14-C14	-2.05	1.40	1.44
1	C	101	18Y	O16-C28	2.03	1.49	1.42

All (134) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	101	18Y	C9-C20-C1	12.52	124.07	119.33
1	B	101	18Y	C27-O26-C25	12.09	133.54	113.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	101[A]	18Y	O4'-C4'-C7'	-9.49	95.98	108.91
1	A	101[B]	18Y	O4'-C4'-C7'	-9.49	95.98	108.91
1	A	101[C]	18Y	O4'-C4'-C7'	-9.49	95.98	108.91
1	D	101[A]	18Y	O16-C25-O26	-9.30	85.95	110.20
1	A	101[A]	18Y	O3'-C3'-C2'	8.22	125.85	109.12
1	A	101[B]	18Y	O3'-C3'-C2'	8.22	125.85	109.12
1	A	101[C]	18Y	O3'-C3'-C2'	8.22	125.85	109.12
1	A	101[A]	18Y	C9-C20-C1	8.09	122.40	119.33
1	A	101[B]	18Y	C9-C20-C1	8.09	122.40	119.33
1	A	101[C]	18Y	C9-C20-C1	8.09	122.40	119.33
1	D	101[B]	18Y	O16-C25-O26	7.74	130.40	110.20
1	B	101	18Y	O12-C15-O11	-7.23	95.93	106.70
1	A	101[A]	18Y	O7'-C7'-C4'	-6.55	108.01	120.28
1	A	101[B]	18Y	O7'-C7'-C4'	-6.55	108.01	120.28
1	A	101[C]	18Y	O7'-C7'-C4'	-6.55	108.01	120.28
1	D	101[A]	18Y	C9-C20-C1	-6.41	116.91	119.33
1	D	101[B]	18Y	C9-C20-C1	-6.41	116.91	119.33
1	D	101[A]	18Y	C5-C6-C7	6.28	123.36	118.46
1	D	101[B]	18Y	C5-C6-C7	6.28	123.36	118.46
1	D	101[A]	18Y	O12-C12-C11	6.04	111.16	101.70
1	D	101[B]	18Y	O12-C12-C11	6.04	111.16	101.70
1	C	101	18Y	O7'-C7'-C4'	-5.81	109.39	120.28
1	B	101	18Y	C9-C20-C1	-5.64	117.20	119.33
1	B	101	18Y	C4-C3-C2	5.59	132.34	112.18
1	A	101[B]	18Y	C27-O26-C25	-5.59	100.12	112.14
1	B	101	18Y	O7'-C7'-C4'	-5.48	110.02	120.28
1	D	101[A]	18Y	O7'-C7'-C4'	-5.39	110.19	120.28
1	D	101[B]	18Y	O7'-C7'-C4'	-5.39	110.19	120.28
1	B	101	18Y	O12-C12-C13	-5.28	98.95	103.57
1	D	101[B]	18Y	C27-O26-C25	5.25	122.31	113.69
2	B	102	GUN	N9-C8-N7	4.64	118.37	112.98
1	A	101[A]	18Y	C27-O26-C25	-4.43	102.60	112.14
1	A	101[A]	18Y	C9-C22-C23	4.23	122.79	117.38
1	A	101[B]	18Y	C9-C22-C23	4.23	122.79	117.38
1	A	101[C]	18Y	C9-C22-C23	4.23	122.79	117.38
1	C	101	18Y	C5-C6-C7	4.19	121.73	118.46
1	D	101[A]	18Y	O12-C15-O11	-4.16	100.49	106.70
1	D	101[B]	18Y	O12-C15-O11	-4.16	100.49	106.70
2	C	102	GUN	C5-C4-N9	4.11	112.05	106.17
1	D	101[A]	18Y	C28-O16-C25	4.09	120.40	113.69
1	D	101[A]	18Y	C6-C5-C23	-3.83	116.29	122.66
1	D	101[B]	18Y	C6-C5-C23	-3.83	116.29	122.66

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	101[A]	18Y	C8'-C7'-C4'	3.78	124.93	118.85
1	A	101[B]	18Y	C8'-C7'-C4'	3.78	124.93	118.85
1	A	101[C]	18Y	C8'-C7'-C4'	3.78	124.93	118.85
1	B	101	18Y	O16-C25-O26	-3.78	100.35	110.20
1	C	101	18Y	O1-C1-C20	-3.73	116.73	122.49
2	C	102	GUN	N9-C4-N3	-3.51	121.73	125.99
1	C	101	18Y	O12-C12-C13	-3.50	100.51	103.57
1	C	101	18Y	O7'-C7'-C8'	3.38	127.81	121.39
2	B	102	GUN	C8-N9-C4	-3.38	102.50	106.25
1	D	101[A]	18Y	O7'-C7'-C8'	3.29	127.64	121.39
1	D	101[B]	18Y	O7'-C7'-C8'	3.29	127.64	121.39
1	A	101[C]	18Y	C27-O26-C25	3.26	119.16	112.14
2	C	102	GUN	C8-N9-C4	-3.25	102.63	106.25
1	B	101	18Y	C8'-C7'-C4'	3.24	124.06	118.85
2	B	102	GUN	C5-C4-N9	3.21	110.75	106.17
1	B	101	18Y	O4'-C4'-C7'	3.20	113.28	108.91
1	C	101	18Y	O16-C25-O26	-3.18	101.91	110.20
2	B	102	GUN	C4-C5-N7	-3.16	105.22	110.17
1	A	101[A]	18Y	C18-C6-C7	-3.16	118.22	122.80
1	A	101[B]	18Y	C18-C6-C7	-3.16	118.22	122.80
1	A	101[C]	18Y	C18-C6-C7	-3.16	118.22	122.80
2	D	102	GUN	N9-C8-N7	-3.16	109.32	112.98
1	B	101	18Y	C8-C22-C23	3.06	121.15	117.54
1	C	101	18Y	C2-C1-C20	3.03	121.69	118.06
1	A	101[A]	18Y	O7'-C7'-C8'	2.98	127.06	121.39
1	A	101[B]	18Y	O7'-C7'-C8'	2.98	127.06	121.39
1	A	101[C]	18Y	O7'-C7'-C8'	2.98	127.06	121.39
1	C	101	18Y	C20-C9-C22	2.95	123.45	121.13
2	C	102	GUN	C6-C5-N7	2.86	135.49	130.29
1	D	101[A]	18Y	C18-C6-C7	-2.84	118.69	122.80
1	D	101[B]	18Y	C18-C6-C7	-2.84	118.69	122.80
1	C	101	18Y	C15-O11-C11	-2.83	102.15	107.20
1	D	101[A]	18Y	C2-C1-C20	-2.79	114.71	118.06
1	D	101[B]	18Y	C2-C1-C20	-2.79	114.71	118.06
1	D	101[A]	18Y	O11-C11-C12	-2.74	97.38	102.68
1	D	101[B]	18Y	O11-C11-C12	-2.74	97.38	102.68
1	C	101	18Y	C9-C22-C8	2.74	126.87	123.36
1	A	101[A]	18Y	C20-C9-C22	-2.72	118.99	121.13
1	A	101[B]	18Y	C20-C9-C22	-2.72	118.99	121.13
1	A	101[C]	18Y	C20-C9-C22	-2.72	118.99	121.13
1	B	101	18Y	O12-C12-C11	2.72	105.96	101.70
2	C	102	GUN	C4-C5-N7	-2.66	106.01	110.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	101[B]	18Y	C28-O16-C25	2.66	118.05	113.69
1	D	101[A]	18Y	C5-C23-C22	2.63	123.24	119.14
1	D	101[B]	18Y	C5-C23-C22	2.63	123.24	119.14
1	A	101[A]	18Y	O8-C13-C12	2.62	116.29	112.04
1	A	101[B]	18Y	O8-C13-C12	2.62	116.29	112.04
1	A	101[C]	18Y	O8-C13-C12	2.62	116.29	112.04
1	A	101[A]	18Y	O12-C12-C13	-2.60	101.29	103.57
1	A	101[B]	18Y	O12-C12-C13	-2.60	101.29	103.57
1	A	101[C]	18Y	O12-C12-C13	-2.60	101.29	103.57
1	B	101	18Y	C5-C6-C7	2.58	120.48	118.46
1	D	101[A]	18Y	C1'-C2'-C3'	2.58	118.53	111.13
1	D	101[B]	18Y	C1'-C2'-C3'	2.58	118.53	111.13
1	D	101[A]	18Y	O10-C19-C23	-2.58	112.25	117.32
1	D	101[B]	18Y	O10-C19-C23	-2.58	112.25	117.32
1	B	101	18Y	O11-C11-C12	-2.52	97.81	102.68
1	C	101	18Y	C27-O26-C25	-2.48	109.61	113.69
1	A	101[A]	18Y	C6-C5-C23	2.47	126.77	122.66
1	A	101[B]	18Y	C6-C5-C23	2.47	126.77	122.66
1	A	101[C]	18Y	C6-C5-C23	2.47	126.77	122.66
1	C	101	18Y	C8'-C7'-C4'	2.43	122.76	118.85
1	C	101	18Y	C4-C21-C19	2.42	124.80	120.53
1	C	101	18Y	O1'-C1'-C2'	2.41	114.58	110.84
1	B	101	18Y	O1'-C1'-C2'	2.41	114.57	110.84
1	D	101[A]	18Y	O8-C13-C12	2.40	115.94	112.04
1	D	101[B]	18Y	O8-C13-C12	2.40	115.94	112.04
1	D	101[A]	18Y	C15-O11-C11	-2.38	102.95	107.20
1	D	101[B]	18Y	C15-O11-C11	-2.38	102.95	107.20
1	B	101	18Y	C9-C22-C23	-2.29	114.45	117.38
1	B	101	18Y	O7'-C7'-C8'	2.25	125.66	121.39
2	D	102	GUN	C8-N9-C4	2.24	108.73	106.25
1	A	101[A]	18Y	C1'-C2'-C3'	2.24	117.56	111.13
1	A	101[B]	18Y	C1'-C2'-C3'	2.24	117.56	111.13
1	A	101[C]	18Y	C1'-C2'-C3'	2.24	117.56	111.13
1	C	101	18Y	O4'-C4'-C7'	-2.18	105.94	108.91
2	C	102	GUN	C8-N7-C5	2.16	107.30	104.38
1	B	101	18Y	C1'-C2'-C3'	2.11	117.19	111.13
1	A	101[A]	18Y	C13-C14-C15	-2.09	95.82	101.94
1	A	101[B]	18Y	C13-C14-C15	-2.09	95.82	101.94
1	A	101[C]	18Y	C13-C14-C15	-2.09	95.82	101.94
1	A	101[A]	18Y	O1-C1-C20	-2.06	119.31	122.49
1	A	101[B]	18Y	O1-C1-C20	-2.06	119.31	122.49
1	A	101[C]	18Y	O1-C1-C20	-2.06	119.31	122.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	101	18Y	O10-C19-C21	-2.03	115.95	119.84
1	A	101[A]	18Y	C5-C6-C7	-2.02	116.88	118.46
1	A	101[B]	18Y	C5-C6-C7	-2.02	116.88	118.46
1	A	101[C]	18Y	C5-C6-C7	-2.02	116.88	118.46
1	D	101[A]	18Y	C8'-C7'-C4'	2.00	122.07	118.85
1	D	101[B]	18Y	C8'-C7'-C4'	2.00	122.07	118.85

There are no chirality outliers.

All (31) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	101[C]	18Y	C14-C15-C25-O26
1	D	101[B]	18Y	O11-C15-C25-O16
1	D	101[B]	18Y	O12-C15-C25-O16
1	D	101[B]	18Y	C14-C15-C25-O16
1	B	101	18Y	O16-C25-O26-C27
1	D	101[B]	18Y	O16-C25-O26-C27
1	B	101	18Y	O4'-C4'-C7'-O7'
1	D	101[A]	18Y	O4'-C4'-C7'-O7'
1	D	101[B]	18Y	O4'-C4'-C7'-O7'
1	A	101[C]	18Y	C15-C25-O26-C27
1	B	101	18Y	C5'-C4'-C7'-O7'
1	D	101[A]	18Y	O16-C25-O26-C27
1	B	101	18Y	C15-C25-O26-C27
1	D	101[A]	18Y	C15-C25-O26-C27
1	D	101[A]	18Y	C12-C13-O13-C1'
1	D	101[B]	18Y	C12-C13-O13-C1'
1	A	101[B]	18Y	C15-C25-O26-C27
1	A	101[A]	18Y	O1'-C1'-O13-C13
1	A	101[B]	18Y	O1'-C1'-O13-C13
1	A	101[C]	18Y	O1'-C1'-O13-C13
1	C	101	18Y	O1'-C1'-O13-C13
1	A	101[A]	18Y	C12-C13-O13-C1'
1	A	101[B]	18Y	C12-C13-O13-C1'
1	A	101[C]	18Y	C12-C13-O13-C1'
1	B	101	18Y	C12-C13-O13-C1'
1	B	101	18Y	C5'-C4'-C7'-C8'
1	D	101[A]	18Y	C5'-C4'-C7'-O7'
1	D	101[B]	18Y	C5'-C4'-C7'-O7'
1	B	101	18Y	O1'-C1'-O13-C13
1	D	101[A]	18Y	O1'-C1'-O13-C13
1	D	101[B]	18Y	O1'-C1'-O13-C13


There are no ring outliers.

4 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	101	18Y	3	0
1	C	101	18Y	5	0
2	C	102	GUN	1	0
2	B	102	GUN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand 18Y B 101




Bond lengths



Bond angles




Torsions




Rings


Ligand 18Y A 101 (C)




Ligand 18Y C 101




Bond lengths



Bond angles




Torsions




Rings


Ligand 18Y A 101 (A)




Ligand 18Y D 101 (A)




Bond lengths



Bond angles





Torsions



Rings

Ligand 18Y A 101 (B)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS failed to run properly - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS failed to run properly - this section is therefore empty.

6.3 Carbohydrates ⓘ

EDS failed to run properly - this section is therefore empty.

6.4 Ligands ⓘ

EDS failed to run properly - this section is therefore empty.

6.5 Other polymers ⓘ

EDS failed to run properly - this section is therefore empty.