



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:49 AM UTC

PDB ID : 6HPQ / pdb_00006hpq
Title : Crystal structure of human Pif1 helicase in complex with AMP-PNP, brominated crystal form.
Authors : Ledikov, V.M.; Dehghani-Tafti, S.; Bax, B.; Sanders, C.M.; Antson, A.A.
Deposited on : 2018-09-21
Resolution : 1.43 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3234 (1.46-1.42)
Clashscore	190562	3289 (1.46-1.42)
Ramachandran outliers	187476	3248 (1.46-1.42)
Sidechain outliers	187428	3248 (1.46-1.42)
RSRZ outliers	180081	3234 (1.46-1.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	418	
1	B	418	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	BR	A	804	-	-	X	-
4	BR	A	805	-	-	X	-
4	BR	B	804	-	-	X	-
4	BR	B	806	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7756 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called ATP-dependent DNA helicase PIF1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	416	Total	C	N	O	S	0	15	0
			3259	2052	607	580	20			
1	B	416	Total	C	N	O	S	0	10	0
			3227	2029	601	578	19			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	203	SER	-	expression tag	UNP Q9H611
A	204	ARG	-	expression tag	UNP Q9H611
A	205	MET	-	expression tag	UNP Q9H611
B	203	SER	-	expression tag	UNP Q9H611
B	204	ARG	-	expression tag	UNP Q9H611
B	205	MET	-	expression tag	UNP Q9H611

- Molecule 2 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (CCD ID: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		

- Molecule 4 is BROMIDE ION (CCD ID: BR) (formula: Br).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	5	Total	Br	0	0
			5	5		
4	B	4	Total	Br	0	0
			4	4		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	601	Total	O	0	0
			601	601		
5	B	596	Total	O	0	0
			596	596		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: ATP-dependent DNA helicase PIF1



• Molecule 1: ATP-dependent DNA helicase PIF1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	73.25Å 76.82Å 142.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	71.37 – 1.43 71.27 – 1.43	Depositor EDS
% Data completeness (in resolution range)	99.9 (71.37-1.43) 99.9 (71.27-1.43)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.65 (at 1.43Å)	Xtriage
Refinement program	REFMAC 5.8.0232	Depositor
R, R_{free}	0.224 , 0.266 0.222 , 0.265	Depositor DCC
R_{free} test set	7357 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	11.8	Xtriage
Anisotropy	0.441	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 75.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.000 for k,h,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	7756	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 84.96 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.4402e-07. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ANP, BR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.07	1/3351 (0.0%)	1.22	8/4530 (0.2%)
1	B	1.10	4/3304 (0.1%)	1.22	9/4468 (0.2%)
All	All	1.08	5/6655 (0.1%)	1.22	17/8998 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	262	HIS	CE1-NE2	7.25	1.39	1.32
1	B	262	HIS	CE1-NE2	6.74	1.39	1.32
1	B	572	VAL	C-O	5.54	1.30	1.24
1	B	597	ASP	CG-OD2	5.32	1.35	1.25
1	B	592	ARG	NE-CZ	5.11	1.38	1.33

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	417	ARG	CG-CD-NE	-8.36	93.60	112.00
1	A	620	LEU	CA-C-O	-7.94	107.30	120.80
1	B	620	LEU	CA-C-O	-7.75	107.63	120.80
1	B	402	GLU	CB-CG-CD	7.20	124.84	112.60
1	A	368	ARG	NE-CZ-NH2	-6.73	113.14	119.20
1	A	209	GLU	CB-CG-CD	-6.63	101.33	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	589	GLN	CB-CA-C	6.23	121.22	110.01
1	B	368	ARG	NE-CZ-NH2	-5.63	114.14	119.20
1	A	458	GLU	CB-CG-CD	5.45	121.86	112.60
1	B	571	ARG	CG-CD-NE	5.40	123.87	112.00
1	B	592	ARG	NE-CZ-NH2	5.23	123.90	119.20
1	B	365	SER	CB-CA-C	5.19	118.76	110.09
1	A	603	CYS	CB-CA-C	-5.18	101.57	110.16
1	A	430	ASP	CA-CB-CG	5.07	117.67	112.60
1	A	301	GLN	N-CA-C	-5.06	107.24	113.41
1	B	306	ASP	CA-CB-CG	5.06	117.66	112.60
1	B	603	CYS	CB-CA-C	-5.04	101.78	110.16

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	291[A]	PRO	Mainchain
1	A	291[B]	PRO	Mainchain
1	A	414[A]	LYS	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3259	0	3393	63	5
1	B	3227	0	3339	92	5
2	A	31	0	13	0	0
2	B	31	0	13	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	5	0	0	7	0
4	B	4	0	0	8	0
5	A	601	0	0	27	1
5	B	596	0	0	31	1
All	All	7756	0	6758	155	6

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 12.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:571:ARG:NH1	4:B:804:BR:BR	2.05	1.45
1:B:453:MET:HG3	5:B:1191:HOH:O	1.21	1.28
1:B:453:MET:CG	5:B:1191:HOH:O	1.74	1.13
1:B:456:ASN:HB3	1:B:459:LEU:HD12	1.33	1.06
1:A:291[A]:PRO:O	5:A:902:HOH:O	1.75	1.05
1:A:424[A]:ARG:NH2	5:A:903:HOH:O	1.90	1.01
1:B:283:GLN:OE1	4:B:806:BR:BR	2.37	0.97
1:B:456:ASN:HB3	1:B:459:LEU:CD1	1.96	0.95
1:B:291[A]:PRO:O	5:B:901:HOH:O	1.88	0.91
1:B:454:ASP:OD1	1:B:541:ARG:HD3	1.71	0.91
1:B:424:ARG:NH1	1:B:425:LEU:O	2.03	0.91
1:B:555:HIS:CE1	5:B:904:HOH:O	2.28	0.86
1:B:261:CYS:SG	5:B:1340:HOH:O	2.33	0.85
1:A:453[B]:MET:SD	5:A:1206:HOH:O	2.34	0.85
1:B:459:LEU:HD13	1:B:539:LEU:HD22	1.57	0.85
1:A:261:CYS:HB3	5:A:1336:HOH:O	1.75	0.85
1:B:459:LEU:HD13	1:B:539:LEU:CD2	2.08	0.82
1:A:571[B]:ARG:NH1	1:A:571[B]:ARG:HG3	1.96	0.81
1:B:543:GLN:HE21	1:B:544:LEU:H	1.27	0.80
1:A:543:GLN:HE21	1:A:544:LEU:H	1.28	0.80
1:B:611:TYR:O	1:B:615:ARG:HG3	1.83	0.79
1:B:615:ARG:HD3	5:B:1271:HOH:O	1.83	0.78
1:B:602:ARG:HD2	5:B:1165:HOH:O	1.83	0.77
1:B:555:HIS:ND1	5:B:904:HOH:O	2.16	0.76
1:A:424[A]:ARG:NH1	1:A:425:LEU:O	2.19	0.74
1:A:261:CYS:SG	1:A:466:GLN:O	2.45	0.73
1:A:555:HIS:CE1	5:A:911:HOH:O	2.40	0.72
1:B:441[A]:GLN:HG3	5:B:1050:HOH:O	1.90	0.72
1:B:459:LEU:CD1	1:B:539:LEU:HD22	2.20	0.72
1:B:429:GLN:NE2	1:B:556:LYS:HE2	2.05	0.71
1:B:261:CYS:CB	5:B:1340:HOH:O	2.38	0.71
1:B:261:CYS:SG	1:B:466:GLN:O	2.48	0.70
1:B:441[A]:GLN:OE1	5:B:902:HOH:O	2.10	0.70
1:A:261:CYS:CB	5:A:1336:HOH:O	2.36	0.70
1:B:453:MET:HG2	5:B:1191:HOH:O	1.59	0.69
1:B:205:MET:N	5:B:905:HOH:O	2.25	0.69
1:B:456:ASN:HA	5:B:1020:HOH:O	1.91	0.69
1:B:547:GLN:HE21	1:B:548:LEU:H	1.41	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:429:GLN:NE2	4:A:805:BR:BR	2.77	0.68
1:A:261:CYS:SG	5:A:1336:HOH:O	2.51	0.68
1:B:261:CYS:HB3	5:B:1340:HOH:O	1.92	0.67
1:B:571:ARG:CZ	4:B:804:BR:BR	2.95	0.67
1:B:589:GLN:CG	5:B:1308:HOH:O	2.42	0.67
1:A:556:LYS:HG3	4:A:805:BR:BR	2.50	0.66
1:B:464:ASP:O	5:B:903:HOH:O	2.11	0.66
1:A:424[A]:ARG:NH2	1:A:568:SER:HB3	2.12	0.65
1:A:547:GLN:HE21	1:A:548:LEU:H	1.45	0.65
1:B:553:SER:OG	1:B:556:LYS:HE3	1.97	0.65
1:B:424:ARG:NH2	1:B:568:SER:HB3	2.11	0.64
1:B:283:GLN:CD	4:B:806:BR:BR	2.95	0.64
1:B:568:SER:OG	4:B:804:BR:BR	2.65	0.64
1:B:452:ALA:HB1	1:B:541:ARG:HD2	1.80	0.63
1:A:438:ARG:HD2	5:A:1295:HOH:O	2.00	0.62
1:A:568:SER:OG	4:A:804:BR:BR	2.66	0.62
1:A:205:MET:N	5:A:912:HOH:O	2.34	0.61
1:B:416:GLY:C	5:B:916:HOH:O	2.43	0.61
1:A:449[A]:ARG:HD3	1:A:451:GLU:OE2	2.00	0.61
1:B:589:GLN:HG3	5:B:1308:HOH:O	2.00	0.61
1:B:429:GLN:HE22	1:B:556:LYS:NZ	1.99	0.60
1:B:449[A]:ARG:HG3	1:B:472:LEU:HD11	1.83	0.60
1:A:525:HIS:HD2	5:A:1326:HOH:O	1.83	0.60
1:B:615:ARG:HB3	5:B:1271:HOH:O	2.01	0.60
1:A:448:HIS:HD2	5:A:1031:HOH:O	1.86	0.59
1:B:448:HIS:HD2	5:B:985:HOH:O	1.85	0.59
1:B:456:ASN:CB	1:B:459:LEU:CD1	2.78	0.58
1:A:555:HIS:ND1	5:A:911:HOH:O	2.32	0.58
1:A:616:ARG:NE	5:A:914:HOH:O	2.36	0.58
1:A:602:ARG:HD3	5:A:1103:HOH:O	2.04	0.57
1:A:570:GLY:N	4:A:804:BR:BR	2.83	0.57
1:B:429:GLN:HE22	1:B:556:LYS:CE	2.18	0.57
1:A:417:ARG:NH2	5:A:905:HOH:O	2.27	0.56
1:A:589:GLN:O	1:A:589:GLN:HG2	2.06	0.56
1:A:449[A]:ARG:HG3	1:A:472:LEU:HD11	1.86	0.56
1:B:571:ARG:HG3	4:B:804:BR:BR	2.60	0.56
1:B:283:GLN:NE2	4:B:806:BR:BR	2.94	0.56
1:A:392:GLN:HE22	1:A:395:ARG:HH21	1.54	0.56
1:A:458:GLU:C	1:A:459:LEU:HD22	2.32	0.55
1:A:456[A]:ASN:HA	5:A:961:HOH:O	2.07	0.55
1:B:570:GLY:N	4:B:804:BR:BR	2.86	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:571[B]:ARG:NH1	1:A:571[B]:ARG:CG	2.63	0.55
1:B:262:HIS:HE1	1:B:558:GLN:O	1.90	0.55
1:B:449[A]:ARG:HD3	1:B:451:GLU:OE2	2.06	0.55
1:B:525:HIS:HD2	5:B:1335:HOH:O	1.89	0.54
1:B:429:GLN:NE2	1:B:556:LYS:CE	2.70	0.54
1:B:392:GLN:HE22	1:B:395:ARG:HH21	1.56	0.54
1:B:611:TYR:O	1:B:615:ARG:CG	2.53	0.54
1:A:262:HIS:HE1	1:A:558:GLN:O	1.91	0.53
1:B:424:ARG:CZ	1:B:568:SER:H	2.22	0.53
1:B:446:LYS:HD2	1:B:448:HIS:CE1	2.44	0.53
1:B:553:SER:OG	1:B:556:LYS:CE	2.56	0.53
1:A:425:LEU:HG	1:A:565[B]:VAL:HG23	1.90	0.52
1:B:375:GLU:HG3	5:B:910:HOH:O	2.10	0.52
1:A:206:GLN:HA	5:A:1264:HOH:O	2.10	0.52
1:B:543:GLN:HE21	1:B:544:LEU:N	2.03	0.51
1:B:454:ASP:OD1	1:B:541:ARG:CD	2.50	0.51
4:A:806:BR:BR	5:A:1211:HOH:O	2.75	0.51
1:A:456[B]:ASN:HA	5:A:961:HOH:O	2.11	0.50
1:B:553:SER:H	1:B:556:LYS:NZ	2.10	0.50
1:A:543:GLN:HE21	1:A:544:LEU:N	2.05	0.50
1:B:234[A]:LYS:HZ3	1:B:342:GLY:C	2.19	0.49
1:B:375:GLU:CG	5:B:910:HOH:O	2.61	0.49
1:B:575[A]:SER:HB3	1:B:602:ARG:HD3	1.94	0.49
1:B:484:VAL:HA	1:B:495:ASN:HD22	1.77	0.49
1:B:452:ALA:CB	1:B:541:ARG:HD2	2.43	0.49
1:A:459:LEU:HD22	1:A:459:LEU:N	2.28	0.48
1:B:262:HIS:HD2	5:B:1237:HOH:O	1.96	0.48
1:B:424:ARG:NH1	1:B:567:ILE:HG13	2.29	0.48
1:B:589:GLN:CB	5:B:1308:HOH:O	2.62	0.48
1:B:616:ARG:NH2	5:B:911:HOH:O	2.32	0.48
1:A:307:GLU:HA	1:A:307:GLU:OE1	2.14	0.47
1:A:425:LEU:HG	1:A:565[B]:VAL:CG2	2.45	0.47
1:B:571:ARG:CG	1:B:571:ARG:HH11	2.27	0.47
1:A:269:HIS:HD2	5:A:1148:HOH:O	1.98	0.46
1:A:488:SER:OG	1:A:491:ARG:HB2	2.15	0.46
1:A:453[B]:MET:CE	5:A:1206:HOH:O	2.60	0.46
1:A:553:SER:N	4:A:805:BR:BR	2.91	0.46
1:A:225:PHE:CZ	1:A:227:THR:HB	2.51	0.45
1:B:485:LYS:HE2	5:B:1290:HOH:O	2.16	0.45
1:A:390:LEU:C	1:A:390:LEU:HD13	2.42	0.45
1:B:456:ASN:CB	1:B:459:LEU:HD11	2.46	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:205:MET:CA	5:A:912:HOH:O	2.63	0.45
1:A:449[A]:ARG:HG3	1:A:472:LEU:CD1	2.46	0.45
1:B:429:GLN:HE21	1:B:556:LYS:HE2	1.79	0.45
1:A:538:LEU:HB2	1:B:538:LEU:HB2	1.98	0.45
1:B:269:HIS:HD2	5:B:1105:HOH:O	2.00	0.45
1:B:556:LYS:HE3	1:B:556:LYS:HB2	1.66	0.45
5:A:1168:HOH:O	1:B:248:THR:CG2	2.65	0.44
1:A:248:THR:HG23	5:A:932:HOH:O	2.18	0.44
1:A:234[A]:LYS:HZ3	1:A:342:GLY:C	2.25	0.43
1:A:420:ILE:HG21	1:A:517:LEU:HD13	2.00	0.43
1:A:424[B]:ARG:NH1	1:A:566:GLU:OE1	2.48	0.43
1:A:491:ARG:HG3	1:A:491:ARG:HH11	1.83	0.43
5:A:1168:HOH:O	1:B:248:THR:HG21	2.17	0.43
1:A:484:VAL:HA	1:A:495:ASN:HD22	1.82	0.43
1:B:571:ARG:HG3	1:B:571:ARG:HH11	1.83	0.43
1:A:257:GLY:HA2	1:A:466:GLN:HG2	2.01	0.43
1:B:456:ASN:CG	1:B:459:LEU:HD11	2.44	0.42
1:B:459:LEU:O	1:B:462:THR:OG1	2.27	0.42
1:B:484:VAL:HA	1:B:495:ASN:ND2	2.34	0.42
1:B:473:LEU:CD1	5:B:938:HOH:O	2.67	0.42
1:A:390:LEU:HD11	1:A:407:LEU:HD21	2.01	0.42
1:B:390:LEU:HD21	1:B:406:GLN:HB2	2.02	0.42
1:B:225:PHE:CZ	1:B:227:THR:HB	2.55	0.42
1:B:586:ARG:HG3	5:B:1167:HOH:O	2.19	0.42
1:B:456:ASN:HB3	1:B:459:LEU:HD11	1.94	0.41
1:B:459:LEU:HD13	1:B:539:LEU:HD21	1.99	0.41
1:A:432:VAL:HG11	4:A:805:BR:BR	2.75	0.41
1:A:234[A]:LYS:NZ	5:A:922:HOH:O	2.48	0.41
1:A:609:HIS:O	1:A:613:THR:HG23	2.20	0.41
1:B:459:LEU:CD1	1:B:539:LEU:CD2	2.86	0.41
1:A:453[B]:MET:HE1	5:A:1206:HOH:O	2.19	0.41
1:B:253:THR:HA	1:B:266:THR:O	2.21	0.41
1:A:424[A]:ARG:CZ	1:A:568:SER:H	2.33	0.40
1:A:289:GLN:OE1	1:A:294:ARG:NH1	2.48	0.40
1:B:424:ARG:HD2	1:B:425:LEU:N	2.36	0.40

All (6) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:417:ARG:NH2	1:B:417:ARG:NE[3_655]	1.03	1.17

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:417:ARG:NH1	5:B:1359:HOH:O[3_655]	1.84	0.36
1:A:417:ARG:CZ	1:B:417:ARG:NE[3_655]	1.85	0.35
1:A:417:ARG:NH2	1:B:417:ARG:CZ[3_655]	1.92	0.28
1:A:417:ARG:NH2	1:B:417:ARG:CD[3_655]	2.00	0.20
1:B:424:ARG:NH2	5:A:1469:HOH:O[3_545]	2.05	0.15

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	429/418 (103%)	416 (97%)	11 (3%)	2 (0%)	24	7
1	B	424/418 (101%)	416 (98%)	8 (2%)	0	100	100
All	All	853/836 (102%)	832 (98%)	19 (2%)	2 (0%)	48	22

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	415[A]	VAL
1	A	415[B]	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	354/341 (104%)	340 (96%)	14 (4%)	28	3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	B	348/341 (102%)	338 (97%)	10 (3%)	37 7
All	All	702/682 (103%)	678 (97%)	24 (3%)	34 4

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	205	MET
1	A	209	GLU
1	A	239	LYS
1	A	329	GLN
1	A	390	LEU
1	A	415[A]	VAL
1	A	415[B]	VAL
1	A	442[A]	GLU
1	A	442[B]	GLU
1	A	461	SER
1	A	462	THR
1	A	507	GLU
1	A	556	LYS
1	A	589	GLN
1	B	209	GLU
1	B	239	LYS
1	B	417	ARG
1	B	446	LYS
1	B	459	LEU
1	B	462	THR
1	B	490	SER
1	B	507	GLU
1	B	541	ARG
1	B	571	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	262	HIS
1	A	269	HIS
1	A	329	GLN
1	A	346	GLN
1	A	355	GLN
1	A	385	GLN
1	A	392	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	448	HIS
1	A	495	ASN
1	A	525	HIS
1	A	543	GLN
1	A	547	GLN
1	A	577	GLN
1	B	262	HIS
1	B	269	HIS
1	B	346	GLN
1	B	355	GLN
1	B	385	GLN
1	B	392	GLN
1	B	429	GLN
1	B	448	HIS
1	B	495	ASN
1	B	525	HIS
1	B	543	GLN
1	B	547	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 11 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ANP	B	801	3	33,33,33	1.20	5 (15%)	45,52,52	1.14	4 (8%)
2	ANP	A	801	3	33,33,33	1.42	5 (15%)	45,52,52	1.19	4 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ANP	B	801	3	-	3/18/38/38	0/3/3/3
2	ANP	A	801	3	-	3/18/38/38	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	ANP	PG-O1G	4.51	1.53	1.46
2	B	801	ANP	PG-O1G	3.26	1.51	1.46
2	A	801	ANP	PB-O1B	2.90	1.50	1.46
2	B	801	ANP	PG-N3B	2.85	1.70	1.63
2	A	801	ANP	PB-O2B	-2.62	1.49	1.56
2	B	801	ANP	PB-O2B	-2.57	1.50	1.56
2	A	801	ANP	PG-N3B	2.52	1.69	1.63
2	B	801	ANP	PA-O3A	2.37	1.62	1.59
2	A	801	ANP	PA-O3A	2.22	1.61	1.59
2	B	801	ANP	PB-O1B	2.03	1.49	1.46

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	ANP	O1G-PG-N3B	-4.73	104.81	111.77
2	B	801	ANP	O1G-PG-N3B	-3.62	106.44	111.77
2	B	801	ANP	O2B-PB-O1B	3.17	116.67	109.87
2	A	801	ANP	O2B-PB-O1B	2.69	115.63	109.87
2	B	801	ANP	O2A-PA-O1A	2.35	123.37	112.44
2	B	801	ANP	O2G-PG-O3G	2.15	113.36	107.59
2	A	801	ANP	O2A-PA-O1A	2.12	122.29	112.44
2	A	801	ANP	O2G-PG-O3G	2.08	113.17	107.59

There are no chirality outliers.


All (6) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	801	ANP	PB-N3B-PG-O1G
2	A	801	ANP	PG-N3B-PB-O1B
2	B	801	ANP	PB-N3B-PG-O1G
2	B	801	ANP	PG-N3B-PB-O1B
2	A	801	ANP	PG-N3B-PB-O3A
2	B	801	ANP	PG-N3B-PB-O3A

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	416/418 (99%)	-0.30	8 (1%) 66 70	6, 15, 37, 55	16 (3%)
1	B	416/418 (99%)	-0.28	6 (1%) 73 77	6, 15, 38, 59	11 (2%)
All	All	832/836 (99%)	-0.29	14 (1%) 69 73	6, 15, 38, 59	27 (3%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	489	VAL	3.2
1	A	459	LEU	3.2
1	A	463	LEU	3.1
1	B	463	LEU	3.0
1	B	462	THR	3.0
1	A	597	ASP	2.8
1	B	459	LEU	2.8
1	A	535	GLY	2.6
1	A	462	THR	2.3
1	B	350	VAL	2.3
1	A	460	ALA	2.2
1	B	489	VAL	2.2
1	A	466	GLN	2.2
1	B	460	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	BR	A	807	1/1	0.98	0.18	60,60,60,60	0
4	BR	A	805	1/1	0.99	0.04	17,17,17,17	1
4	BR	A	806	1/1	0.99	0.20	48,48,48,48	0
2	ANP	B	801	31/31	0.99	0.03	8,13,21,24	0
4	BR	B	805	1/1	0.99	0.23	40,40,40,40	0
4	BR	B	806	1/1	0.99	0.23	39,39,39,39	0
2	ANP	A	801	31/31	1.00	0.03	9,13,20,23	0
3	MG	A	802	1/1	1.00	0.01	8,8,8,8	0
3	MG	B	802	1/1	1.00	0.01	9,9,9,9	0
4	BR	B	803	1/1	1.00	0.03	13,13,13,13	0
4	BR	B	804	1/1	1.00	0.01	15,15,15,15	1
4	BR	A	803	1/1	1.00	0.03	13,13,13,13	0
4	BR	A	804	1/1	1.00	0.02	14,14,14,14	1




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ANP B 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ANP A 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.