



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:58 AM UTC

PDB ID : 1HQU / pdb_00001hqu
Title : HUMAN IMMUNODEFICIENCY VIRUS TYPE 1
Authors : Hsiou, Y.; Ding, J.; Arnold, E.
Deposited on : 2000-12-19
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	560	9% 56% 36% 6% ..
2	B	430	9% 59% 33% 8%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7820 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called POL POLYPROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	556	Total	C	N	O	S	0	0	0
			4377	2826	725	819	7			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	103	ASN	LYS	engineered mutation	UNP P03366
A	280	SER	CYS	engineered mutation	UNP P03366


- Molecule 2 is a protein called POL POLYPROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	430	Total	C	N	O	S	36	0	0
			3421	2224	561	630	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	103	ASN	LYS	engineered mutation	UNP P03366
B	280	SER	CYS	engineered mutation	UNP P03366

- Molecule 3 is (S)-4-ISOPROPOXYCARBONYL-6-METHOXY-3-METHYLTHIOMETHYL-3,4-DIHYDROQUINOXALIN-2(1H)-THIONE (CCD ID: HBY) (formula: C₁₅H₂₀N₂O₃S₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
3	A	1	22	15	2	3	2	0	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: POL POLYPROTEIN



• Molecule 2: POL POLYPROTEIN





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	223.90Å 68.90Å 103.90Å 90.00° 106.40° 90.00°	Depositor
Resolution (Å)	25.00 – 2.70 25.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	81.9 (25.00-2.70) 85.2 (25.00-2.70)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.64 (at 2.68Å)	Xtriage
Refinement program	X-PLOR 3.843	Depositor
R, R_{free}	0.249 , 0.345 0.258 , 0.345	Depositor DCC
R_{free} test set	1879 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	47.4	Xtriage
Anisotropy	0.140	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 68.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	7820	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HBY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	0/4491	1.22	51/6122 (0.8%)
2	B	0.66	0/3520	1.24	34/4804 (0.7%)
All	All	0.63	0/8011	1.23	85/10926 (0.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

There are no bond length outliers.

All (85) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	149	LEU	CA-C-N	11.36	131.12	119.76
2	B	149	LEU	C-N-CA	11.36	131.12	119.76
2	B	225	PRO	N-CA-C	10.32	123.29	110.70
1	A	57	ASN	N-CA-C	9.88	123.37	110.43
1	A	435	VAL	N-CA-C	9.68	119.52	110.42
2	B	89	GLU	N-CA-C	-9.66	101.17	113.72
1	A	18	GLY	CA-C-N	9.48	129.57	119.90
1	A	18	GLY	C-N-CA	9.48	129.57	119.90
2	B	391	LEU	N-CA-C	8.84	121.53	109.24
1	A	114	ALA	N-CA-C	-8.63	102.53	113.23
1	A	252	TRP	N-CA-C	8.58	122.14	110.55
1	A	115	TYR	N-CA-C	-8.30	102.31	111.36
1	A	347	LYS	N-CA-C	-7.91	97.39	108.54
2	B	401	TRP	N-CA-C	7.62	122.58	113.28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	456	GLY	N-CA-C	7.61	120.81	110.69
2	B	143	ARG	N-CA-C	7.55	120.83	108.52
2	B	309	ILE	N-CA-C	-7.46	102.86	113.07
1	A	287	LYS	N-CA-C	7.21	120.84	110.24
1	A	13	LYS	CA-C-N	7.18	128.82	119.84
1	A	13	LYS	C-N-CA	7.18	128.82	119.84
1	A	344	GLU	N-CA-C	-7.08	100.87	109.72
1	A	83	ARG	N-CA-C	6.97	119.91	111.82
1	A	23	GLN	N-CA-C	6.95	119.27	110.24
2	B	116	PHE	N-CA-C	6.93	119.68	111.71
1	A	175	ASN	CA-C-N	6.91	126.42	119.24
1	A	175	ASN	C-N-CA	6.91	126.42	119.24
1	A	360	ALA	N-CA-C	6.87	119.19	110.33
2	B	388	LYS	N-CA-C	-6.83	98.90	109.76
2	B	216	THR	N-CA-C	6.79	120.91	108.69
2	B	237	ASP	N-CA-C	-6.74	105.06	113.28
2	B	348	ASN	N-CA-C	6.73	119.80	108.23
1	A	93	GLY	N-CA-C	-6.57	105.71	111.95
2	B	227	PHE	N-CA-C	6.50	124.65	110.80
2	B	194	GLU	N-CA-C	6.50	118.71	110.33
2	B	219	LYS	N-CA-C	6.44	124.53	110.80
1	A	29	GLU	N-CA-C	-6.25	105.37	112.87
1	A	58	THR	CA-C-N	6.20	126.57	119.93
1	A	58	THR	C-N-CA	6.20	126.57	119.93
2	B	225	PRO	CA-C-N	-6.11	115.48	121.65
2	B	225	PRO	C-N-CA	-6.11	115.48	121.65
1	A	165	THR	N-CA-C	-6.08	104.56	111.07
1	A	497	THR	N-CA-C	6.04	119.40	109.85
2	B	65	LYS	N-CA-C	5.97	117.87	111.36
2	B	233	GLU	N-CA-C	5.92	119.11	107.98
1	A	154	LYS	N-CA-C	5.90	117.39	111.07
1	A	112	GLY	N-CA-C	-5.86	104.17	112.37
1	A	343	GLN	N-CA-C	-5.83	104.30	112.12
1	A	550	LYS	N-CA-C	-5.78	105.49	112.54
1	A	315	HIS	N-CA-C	5.77	118.26	109.95
2	B	230	MET	N-CA-C	5.75	117.81	108.26
1	A	167	ILE	N-CA-C	5.71	116.44	110.62
1	A	177	ASP	N-CA-C	5.65	117.43	111.28
1	A	245	VAL	N-CA-C	5.63	115.97	107.80
2	B	336	GLN	N-CA-C	5.62	119.25	110.32
1	A	59	PRO	N-CA-C	5.58	120.36	111.26
1	A	353	LYS	N-CA-C	5.53	117.80	109.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	426	TRP	N-CA-C	-5.52	105.34	111.36
2	B	277	ARG	N-CA-C	5.48	117.69	111.11
2	B	422	LEU	N-CA-C	-5.44	106.48	113.01
2	B	318	TYR	N-CA-C	5.41	117.71	110.35
1	A	224	GLU	CA-C-N	5.39	125.94	120.38
1	A	224	GLU	C-N-CA	5.39	125.94	120.38
1	A	389	PHE	N-CA-C	5.37	117.49	108.73
1	A	191	SER	N-CA-C	5.32	116.37	108.60
1	A	24	TRP	CA-C-N	5.30	125.59	119.92
1	A	24	TRP	C-N-CA	5.30	125.59	119.92
1	A	246	LEU	CA-C-N	5.29	125.59	119.92
1	A	246	LEU	C-N-CA	5.29	125.59	119.92
2	B	98	ALA	N-CA-C	5.25	121.97	110.80
1	A	41	MET	N-CA-C	-5.24	106.04	112.90
1	A	143	ARG	N-CA-C	5.23	116.83	108.41
2	B	87	PHE	N-CA-C	-5.19	106.34	113.30
2	B	307	ARG	N-CA-C	-5.19	106.95	113.28
2	B	85	GLN	N-CA-C	5.18	118.70	112.38
1	A	442	VAL	N-CA-C	5.11	116.72	108.85
2	B	428	GLN	N-CA-C	5.11	117.90	109.72
1	A	149	LEU	CA-C-N	5.05	125.20	119.90
1	A	149	LEU	C-N-CA	5.05	125.20	119.90
1	A	221	HIS	N-CA-C	-5.04	100.86	108.67
2	B	235	HIS	CA-C-N	5.03	126.12	119.84
2	B	235	HIS	C-N-CA	5.03	126.12	119.84
1	A	219	LYS	N-CA-C	5.01	121.47	110.80
2	B	380	ILE	CB-CA-C	-5.01	105.29	111.70
1	A	320	ASP	CA-C-N	5.00	125.02	119.32
1	A	320	ASP	C-N-CA	5.00	125.02	119.32

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	144	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4377	0	4280	138	0
2	B	3421	0	3339	94	0
3	A	22	0	20	8	0
All	All	7820	0	7639	230	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (230) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:561:HBX:O2	3:A:561:HBX:C10	1.65	1.41
1:A:240:THR:HG22	1:A:241:VAL:H	1.22	1.04
1:A:460:ASN:H	1:A:460:ASN:HD22	1.05	0.97
1:A:206:ARG:HH22	1:A:219:LYS:NZ	1.67	0.93
1:A:295:LEU:HD12	1:A:295:LEU:H	1.37	0.87
1:A:206:ARG:HH22	1:A:219:LYS:HZ3	1.22	0.84
2:B:255:ASN:HB2	2:B:289:LEU:HD21	1.62	0.82
1:A:57:ASN:HD21	1:A:131:THR:H	1.27	0.81
1:A:125:ARG:NH1	1:A:147:ASN:HD22	1.80	0.80
2:B:143:ARG:HG2	2:B:143:ARG:HH11	1.47	0.78
2:B:154:LYS:HG2	2:B:184:MET:SD	2.26	0.75
1:A:524:GLN:O	1:A:528:LYS:HG2	1.85	0.75
1:A:518:VAL:O	1:A:522:ILE:HG13	1.86	0.74
3:A:561:HBX:C10	3:A:561:HBX:C9	2.65	0.74
1:A:54:ASN:N	1:A:55:PRO:HD2	2.03	0.73
1:A:240:THR:HG22	1:A:241:VAL:N	2.02	0.72
2:B:31:ILE:O	2:B:35:VAL:HG23	1.90	0.71
1:A:460:ASN:HD22	1:A:460:ASN:N	1.85	0.71
1:A:241:VAL:HG21	1:A:266:TRP:HE1	1.55	0.71
2:B:101:LYS:HD3	2:B:382:ILE:HG23	1.71	0.71
1:A:240:THR:CG2	1:A:241:VAL:H	1.98	0.70
2:B:64:LYS:HB3	2:B:68:SER:HA	1.72	0.70
2:B:57:ASN:HD22	2:B:143:ARG:HH12	1.40	0.69
1:A:181:TYR:CD2	3:A:561:HBX:H121	2.28	0.69
1:A:265:ASN:ND2	1:A:353:LYS:NZ	2.41	0.68
2:B:320:ASP:N	2:B:343:GLN:HE22	1.91	0.68
1:A:460:ASN:H	1:A:460:ASN:ND2	1.80	0.68
2:B:328:GLU:HB3	2:B:390:LYS:HB2	1.75	0.67
1:A:254:VAL:HG13	1:A:283:LEU:HD11	1.75	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:98:ALA:HB2	1:A:350:LYS:HG3	1.77	0.66
1:A:258:GLN:HG2	1:A:283:LEU:HD21	1.76	0.66
1:A:382:ILE:O	2:B:136:ASN:HB2	1.96	0.66
2:B:85:GLN:HA	2:B:88:TRP:HB2	1.77	0.66
2:B:135:ILE:O	2:B:138:GLU:HG2	1.96	0.65
1:A:265:ASN:ND2	1:A:353:LYS:HZ1	1.95	0.65
1:A:439:THR:H	1:A:460:ASN:ND2	1.94	0.65
1:A:57:ASN:ND2	1:A:131:THR:H	1.96	0.64
1:A:438:GLU:HG2	1:A:460:ASN:HD21	1.62	0.64
1:A:419:THR:HG22	1:A:421:PRO:HD2	1.79	0.64
1:A:427:TYR:OH	1:A:509:GLN:HA	1.97	0.63
1:A:261:VAL:HG13	1:A:276:VAL:HG11	1.80	0.63
2:B:112:GLY:CA	2:B:185:ASP:HB3	2.28	0.63
1:A:60:VAL:HG13	1:A:75:VAL:HG22	1.81	0.63
2:B:320:ASP:H	2:B:343:GLN:HE22	1.48	0.62
2:B:255:ASN:HB2	2:B:289:LEU:CD2	2.30	0.62
1:A:265:ASN:HD21	1:A:353:LYS:NZ	1.98	0.62
1:A:224:GLU:CD	1:A:224:GLU:H	2.07	0.61
2:B:143:ARG:HG2	2:B:143:ARG:NH1	2.15	0.61
1:A:295:LEU:H	1:A:295:LEU:CD1	2.13	0.61
2:B:111:VAL:HG12	2:B:111:VAL:O	2.00	0.60
1:A:405:TYR:CE2	1:A:407:GLN:HB3	2.37	0.60
1:A:442:VAL:CG1	1:A:481:ALA:HB1	2.31	0.60
1:A:549:ASP:HA	1:A:552:VAL:HG22	1.83	0.60
1:A:544:GLY:O	1:A:548:VAL:HG23	2.02	0.59
2:B:289:LEU:HD23	2:B:290:THR:H	1.67	0.59
1:A:13:LYS:O	1:A:16:MET:HB2	2.01	0.59
1:A:91:GLN:C	1:A:93:GLY:H	2.11	0.58
1:A:38:CYS:C	1:A:40:GLU:H	2.11	0.58
2:B:213:GLY:C	2:B:215:THR:H	2.12	0.58
2:B:12:LEU:HD12	2:B:12:LEU:H	1.69	0.58
1:A:79:GLU:O	1:A:83:ARG:HD3	2.04	0.58
1:A:183:TYR:CD2	1:A:184:MET:SD	2.97	0.58
2:B:320:ASP:H	2:B:343:GLN:NE2	2.02	0.58
2:B:63:ILE:HG22	2:B:64:LYS:N	2.19	0.57
2:B:398:TRP:O	2:B:402:TRP:HD1	1.88	0.56
1:A:483:TYR:O	1:A:487:GLN:HG3	2.05	0.55
1:A:73:LYS:HD2	1:A:74:LEU:N	2.22	0.55
1:A:84:THR:HG22	1:A:124:PHE:HZ	1.72	0.55
1:A:395:LYS:O	1:A:399:GLU:HG2	2.06	0.55
1:A:270:ILE:O	1:A:272:PRO:HD3	2.06	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:331:LYS:HE2	1:A:333:GLY:HA2	1.88	0.55
1:A:341:ILE:O	1:A:349:LEU:HB3	2.07	0.55
1:A:232:TYR:HA	1:A:241:VAL:HG22	1.89	0.55
2:B:104:LYS:HB3	2:B:192:ASP:HA	1.88	0.55
1:A:522:ILE:O	1:A:526:ILE:HG13	2.07	0.54
2:B:375:ILE:HD13	2:B:375:ILE:N	2.21	0.54
1:A:17:ASP:O	1:A:83:ARG:HG2	2.07	0.54
2:B:49:LYS:HA	2:B:143:ARG:O	2.08	0.54
1:A:119:PRO:HA	1:A:148:VAL:HA	1.91	0.53
2:B:170:PRO:HB2	2:B:208:HIS:NE2	2.24	0.53
3:A:561:HBY:C9	3:A:561:HBY:S2	2.97	0.53
1:A:363:ASN:HD21	1:A:425:LEU:HD21	1.74	0.53
2:B:257:ILE:O	2:B:261:VAL:HG23	2.09	0.53
1:A:206:ARG:HH22	1:A:219:LYS:HZ2	1.52	0.53
1:A:368:LEU:O	1:A:371:ALA:HB3	2.09	0.52
2:B:111:VAL:HG21	2:B:187:LEU:HB2	1.91	0.52
2:B:206:ARG:NH1	2:B:217:PRO:HG2	2.26	0.51
1:A:265:ASN:HD21	1:A:353:LYS:HZ2	1.57	0.51
1:A:295:LEU:HD12	1:A:295:LEU:N	2.16	0.51
1:A:511:ASP:HA	1:A:522:ILE:HD13	1.92	0.51
1:A:254:VAL:HG13	1:A:283:LEU:CD1	2.40	0.51
1:A:494:ASN:N	1:A:494:ASN:HD22	2.09	0.51
2:B:187:LEU:HD23	2:B:189:VAL:HG22	1.92	0.51
1:A:460:ASN:N	1:A:460:ASN:ND2	2.48	0.51
1:A:99:GLY:HA2	1:A:383:TRP:HE1	1.76	0.51
1:A:408:ALA:O	2:B:393:ILE:HG13	2.11	0.50
1:A:341:ILE:HD12	1:A:350:LYS:O	2.10	0.50
2:B:206:ARG:HH11	2:B:206:ARG:HB3	1.75	0.50
1:A:253:THR:O	1:A:257:ILE:HG13	2.12	0.50
1:A:391:LEU:HD11	1:A:414:TRP:HB2	1.93	0.50
2:B:356:ARG:HE	2:B:357:MET:H	1.58	0.50
2:B:63:ILE:HD12	2:B:406:TRP:HB3	1.94	0.50
2:B:417:VAL:HG12	2:B:419:THR:H	1.75	0.50
2:B:103:ASN:OD1	2:B:104:LYS:N	2.45	0.50
1:A:46:LYS:HD2	1:A:116:PHE:O	2.12	0.50
2:B:112:GLY:HA2	2:B:185:ASP:HB3	1.94	0.49
2:B:198:HIS:O	2:B:202:ILE:HG12	2.12	0.49
2:B:379:SER:O	2:B:383:TRP:N	2.44	0.49
1:A:276:VAL:HG12	1:A:276:VAL:O	2.12	0.49
1:A:257:ILE:O	1:A:261:VAL:HG23	2.12	0.49
1:A:252:TRP:H	1:A:252:TRP:CD1	2.30	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:116:PHE:O	1:A:148:VAL:HG11	2.13	0.49
1:A:487:GLN:HG2	1:A:524:GLN:NE2	2.27	0.48
1:A:509:GLN:N	1:A:510:PRO:HD3	2.28	0.48
1:A:269:GLN:O	1:A:351:THR:N	2.39	0.48
1:A:255:ASN:HD22	1:A:289:LEU:HB2	1.79	0.48
1:A:31:ILE:HA	1:A:34:LEU:HD12	1.95	0.48
1:A:50:ILE:HG13	1:A:51:GLY:N	2.28	0.48
2:B:185:ASP:N	2:B:185:ASP:OD1	2.47	0.48
1:A:100:LEU:HB3	3:A:561:HBV:N2	2.29	0.47
2:B:224:GLU:HB3	2:B:225:PRO:HD2	1.95	0.47
1:A:464:GLN:O	1:A:465:LYS:HB2	2.13	0.47
2:B:271:TYR:HB2	2:B:274:ILE:HD11	1.97	0.47
1:A:28:GLU:C	1:A:30:LYS:N	2.73	0.47
2:B:53:GLU:H	2:B:53:GLU:HG3	1.41	0.47
2:B:12:LEU:HD12	2:B:12:LEU:N	2.30	0.46
1:A:191:SER:OG	1:A:198:HIS:CD2	2.69	0.46
1:A:265:ASN:ND2	1:A:353:LYS:HZ2	2.13	0.46
1:A:102:LYS:HG3	1:A:318:TYR:HB2	1.97	0.46
2:B:101:LYS:O	2:B:236:PRO:HB2	2.16	0.46
1:A:375:ILE:O	1:A:376:THR:C	2.59	0.46
1:A:53:GLU:HB3	1:A:54:ASN:H	1.56	0.46
2:B:142:ILE:H	2:B:142:ILE:HD12	1.80	0.46
1:A:358:ARG:HD2	1:A:358:ARG:N	2.30	0.46
2:B:106:VAL:HG12	2:B:107:THR:N	2.29	0.46
2:B:49:LYS:HA	2:B:144:TYR:HA	1.98	0.46
1:A:156:SER:HB2	1:A:157:PRO:HD3	1.97	0.45
1:A:269:GLN:C	1:A:351:THR:HG1	2.24	0.45
1:A:207:GLN:HE22	1:A:210:LEU:HD23	1.81	0.45
2:B:79:GLU:O	2:B:82:LYS:HB2	2.17	0.45
2:B:84:THR:OG1	2:B:85:GLN:N	2.49	0.45
1:A:495:ILE:O	1:A:533:LEU:HD12	2.15	0.45
2:B:97:PRO:O	2:B:99:GLY:N	2.49	0.45
1:A:330:GLN:NE2	1:A:340:GLN:HE22	2.15	0.45
2:B:50:ILE:HD11	2:B:144:TYR:C	2.41	0.45
1:A:253:THR:HA	1:A:292:VAL:HA	1.99	0.45
2:B:254:VAL:HG21	2:B:288:ALA:O	2.17	0.45
1:A:191:SER:HG	1:A:198:HIS:CD2	2.34	0.45
1:A:12:LEU:HD22	1:A:83:ARG:HB3	1.98	0.45
1:A:350:LYS:HD2	1:A:351:THR:N	2.31	0.45
2:B:297:GLU:HG3	2:B:298:GLU:H	1.80	0.45
1:A:391:LEU:HD13	1:A:393:ILE:HG22	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:180:ILE:HG22	1:A:181:TYR:N	2.32	0.44
2:B:78:ARG:NH1	2:B:411:ILE:HG22	2.33	0.44
1:A:109:LEU:HD23	1:A:216:THR:HG21	2.00	0.44
1:A:112:GLY:HA2	1:A:185:ASP:OD2	2.17	0.44
1:A:153:TRP:CG	1:A:154:LYS:N	2.86	0.44
1:A:153:TRP:CZ3	1:A:155:GLY:HA3	2.52	0.44
1:A:382:ILE:HG23	2:B:136:ASN:OD1	2.18	0.44
2:B:368:LEU:O	2:B:372:VAL:HG23	2.18	0.44
1:A:439:THR:H	1:A:460:ASN:HD21	1.63	0.44
1:A:235:HIS:HE1	1:A:242:GLN:HE22	1.64	0.44
1:A:468:PRO:O	1:A:469:LEU:HD23	2.18	0.44
2:B:361:HIS:C	2:B:363:ASN:H	2.25	0.44
1:A:107:THR:HG21	1:A:202:ILE:HG21	1.99	0.44
2:B:27:THR:HB	2:B:30:LYS:HG3	1.99	0.44
1:A:218:ASP:HB2	1:A:222:GLN:HB2	1.99	0.44
2:B:338:THR:HG22	2:B:353:LYS:HG2	2.00	0.44
2:B:61:PHE:HE1	2:B:76:ASP:HB2	1.82	0.43
2:B:261:VAL:HA	2:B:264:LEU:HD12	2.00	0.43
1:A:412:PRO:HB2	1:A:413:GLU:H	1.65	0.43
1:A:161:GLN:HA	1:A:182:GLN:OE1	2.18	0.43
2:B:316:GLY:C	2:B:318:TYR:H	2.26	0.43
1:A:77:PHE:HB3	1:A:80:LEU:HB3	2.00	0.43
1:A:331:LYS:HG2	1:A:333:GLY:H	1.84	0.43
2:B:12:LEU:HB3	2:B:84:THR:HG22	2.00	0.43
2:B:180:ILE:O	2:B:180:ILE:HG22	2.19	0.43
2:B:345:PRO:C	2:B:347:LYS:H	2.27	0.43
1:A:89:GLU:O	1:A:92:LEU:HG	2.18	0.43
1:A:395:LYS:HA	1:A:414:TRP:HH2	1.84	0.43
1:A:179:VAL:HG23	3:A:561:HBV:H143	2.00	0.43
1:A:181:TYR:CE2	3:A:561:HBV:H121	2.53	0.43
2:B:103:ASN:O	2:B:236:PRO:HG2	2.19	0.43
2:B:296:THR:HB	2:B:297:GLU:H	1.61	0.42
1:A:434:ILE:HB	1:A:494:ASN:HD21	1.84	0.42
2:B:12:LEU:H	2:B:12:LEU:CD1	2.28	0.42
2:B:263:LYS:HG3	2:B:425:LEU:HD22	2.00	0.42
1:A:96:HIS:N	2:B:136:ASN:HD21	2.17	0.42
1:A:97:PRO:HG2	1:A:232:TYR:CD1	2.55	0.42
1:A:84:THR:OG1	1:A:154:LYS:HD3	2.20	0.42
2:B:195:ILE:HG23	2:B:196:GLY:H	1.84	0.42
1:A:440:PHE:O	1:A:442:VAL:HG23	2.20	0.42
1:A:195:ILE:HD13	1:A:195:ILE:H	1.84	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:229:TRP:CD2	1:A:230:MET:HG2	2.54	0.42
2:B:255:ASN:CB	2:B:289:LEU:HD21	2.41	0.42
2:B:289:LEU:HD23	2:B:290:THR:N	2.35	0.42
2:B:371:ALA:O	2:B:372:VAL:C	2.62	0.42
1:A:453:GLY:N	1:A:469:LEU:O	2.52	0.42
2:B:115:TYR:CD2	2:B:115:TYR:N	2.87	0.42
1:A:68:SER:O	1:A:70:LYS:N	2.48	0.41
1:A:38:CYS:C	1:A:40:GLU:N	2.77	0.41
1:A:442:VAL:HG12	1:A:443:ASP:N	2.35	0.41
1:A:543:GLY:HA2	2:B:283:LEU:C	2.44	0.41
2:B:330:GLN:HE21	2:B:330:GLN:HB3	1.59	0.41
2:B:184:MET:C	2:B:186:ASP:H	2.28	0.41
1:A:240:THR:CG2	1:A:241:VAL:N	2.71	0.41
1:A:125:ARG:NH1	1:A:147:ASN:ND2	2.58	0.41
2:B:365:VAL:O	2:B:366:LYS:C	2.63	0.41
2:B:398:TRP:C	2:B:400:THR:N	2.79	0.41
1:A:475:GLN:HB3	1:A:501:TYR:CE2	2.56	0.41
1:A:28:GLU:HB3	1:A:30:LYS:H	1.86	0.41
1:A:80:LEU:O	1:A:84:THR:HG23	2.20	0.41
1:A:91:GLN:C	1:A:93:GLY:N	2.76	0.41
1:A:206:ARG:NH2	1:A:219:LYS:HZ3	2.03	0.41
2:B:60:VAL:HG11	2:B:130:PHE:CD1	2.56	0.41
2:B:81:ASN:O	2:B:82:LYS:C	2.64	0.41
2:B:205:LEU:O	2:B:209:LEU:HG	2.20	0.41
2:B:377:THR:HG23	2:B:410:TRP:HZ2	1.86	0.41
2:B:396:GLU:H	2:B:396:GLU:CD	2.28	0.41
1:A:244:ILE:O	1:A:244:ILE:HG23	2.21	0.41
2:B:184:MET:HB3	2:B:185:ASP:H	1.60	0.41
1:A:188:TYR:CD2	3:A:561:HBX:H10	2.56	0.40
2:B:63:ILE:CG2	2:B:64:LYS:N	2.84	0.40
2:B:101:LYS:HB3	2:B:382:ILE:HG12	2.01	0.40
2:B:398:TRP:C	2:B:400:THR:H	2.29	0.40
2:B:244:ILE:HG22	2:B:245:VAL:N	2.35	0.40
1:A:386:THR:HA	1:A:387:PRO:HD3	1.85	0.40
2:B:199:ARG:HH12	2:B:229:TRP:CB	2.33	0.40
2:B:348:ASN:HD22	2:B:351:THR:CG2	2.35	0.40
1:A:238:LYS:HA	1:A:316:GLY:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	554/560 (99%)	462 (83%)	68 (12%)	24 (4%)	2	4
2	B	428/430 (100%)	340 (79%)	71 (17%)	17 (4%)	2	5
All	All	982/990 (99%)	802 (82%)	139 (14%)	41 (4%)	2	4

All (41) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	66	LYS
1	A	195	ILE
1	A	361	HIS
1	A	412	PRO
2	B	98	ALA
2	B	219	LYS
2	B	227	PHE
1	A	14	PRO
1	A	53	GLU
1	A	85	GLN
1	A	219	LYS
1	A	241	VAL
1	A	465	LYS
2	B	315	HIS
1	A	92	LEU
1	A	213	GLY
2	B	66	LYS
2	B	223	LYS
2	B	245	VAL
2	B	284	ARG
2	B	334	GLN
2	B	362	THR
1	A	240	THR
1	A	358	ARG
1	A	448	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	540	LYS
1	A	542	ILE
1	A	135	ILE
1	A	220	LYS
2	B	212	TRP
2	B	136	ASN
2	B	176	PRO
2	B	214	LEU
2	B	195	ILE
1	A	225	PRO
1	A	52	PRO
1	A	141	GLY
2	B	244	ILE
1	A	359	GLY
1	A	5	ILE
2	B	345	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	459/500 (92%)	409 (89%)	50 (11%)	6	16
2	B	360/392 (92%)	312 (87%)	48 (13%)	4	10
All	All	819/892 (92%)	721 (88%)	98 (12%)	5	12

All (98) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	GLU
1	A	22	LYS
1	A	40	GLU
1	A	53	GLU
1	A	56	TYR
1	A	60	VAL
1	A	61	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	73	LYS
1	A	89	GLU
1	A	90	VAL
1	A	101	LYS
1	A	111	VAL
1	A	137	ASN
1	A	175	ASN
1	A	178	ILE
1	A	182	GLN
1	A	187	LEU
1	A	194	GLU
1	A	215	THR
1	A	222	GLN
1	A	224	GLU
1	A	242	GLN
1	A	246	LEU
1	A	252	TRP
1	A	268	SER
1	A	270	ILE
1	A	274	ILE
1	A	275	LYS
1	A	278	GLN
1	A	279	LEU
1	A	291	GLU
1	A	295	LEU
1	A	300	GLU
1	A	329	ILE
1	A	330	GLN
1	A	341	ILE
1	A	350	LYS
1	A	358	ARG
1	A	364	ASP
1	A	391	LEU
1	A	402	TRP
1	A	409	THR
1	A	417	VAL
1	A	423	VAL
1	A	460	ASN
1	A	461	LYS
1	A	494	ASN
1	A	497	THR
1	A	540	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	546	GLU
2	B	12	LEU
2	B	44	GLU
2	B	50	ILE
2	B	53	GLU
2	B	73	LYS
2	B	75	VAL
2	B	79	GLU
2	B	86	ASP
2	B	87	PHE
2	B	101	LYS
2	B	108	VAL
2	B	109	LEU
2	B	113	ASP
2	B	115	TYR
2	B	126	LYS
2	B	139	THR
2	B	165	THR
2	B	169	GLU
2	B	178	ILE
2	B	179	VAL
2	B	184	MET
2	B	185	ASP
2	B	187	LEU
2	B	189	VAL
2	B	193	LEU
2	B	194	GLU
2	B	206	ARG
2	B	207	GLN
2	B	224	GLU
2	B	228	LEU
2	B	232	TYR
2	B	239	TRP
2	B	240	THR
2	B	248	GLU
2	B	269	GLN
2	B	279	LEU
2	B	289	LEU
2	B	295	LEU
2	B	296	THR
2	B	318	TYR
2	B	330	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	356	ARG
2	B	362	THR
2	B	375	ILE
2	B	378	GLU
2	B	379	SER
2	B	405	TYR
2	B	425	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (33) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	57	ASN
1	A	81	ASN
1	A	103	ASN
1	A	137	ASN
1	A	147	ASN
1	A	161	GLN
1	A	175	ASN
1	A	207	GLN
1	A	242	GLN
1	A	255	ASN
1	A	265	ASN
1	A	269	GLN
1	A	278	GLN
1	A	330	GLN
1	A	334	GLN
1	A	348	ASN
1	A	367	GLN
1	A	394	GLN
1	A	418	ASN
1	A	460	ASN
1	A	494	ASN
1	A	524	GLN
1	A	545	ASN
1	A	547	GLN
2	B	57	ASN
2	B	145	GLN
2	B	197	GLN
2	B	198	HIS
2	B	207	GLN
2	B	265	ASN
2	B	343	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	348	ASN
2	B	394	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HBY	A	561	-	22,23,23	8.35	19 (86%)	24,32,32	2.83	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HBY	A	561	-	-	5/13/29/29	0/2/2/2

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	561	HBY	C9-N1	19.46	1.64	1.37
3	A	561	HBY	C3-C4	15.59	1.57	1.40
3	A	561	HBY	O1-C9	11.25	1.37	1.21
3	A	561	HBY	O3-C6	10.51	1.58	1.37
3	A	561	HBY	C2-S1	10.26	1.82	1.66
3	A	561	HBY	C7-C6	9.11	1.55	1.38
3	A	561	HBY	C8-C7	8.93	1.53	1.38
3	A	561	HBY	O2-C9	8.34	1.50	1.34
3	A	561	HBY	O2-C10	8.06	1.65	1.47
3	A	561	HBY	C8-C3	7.80	1.52	1.39
3	A	561	HBY	C1-N1	6.62	1.56	1.47
3	A	561	HBY	C2-N2	6.26	1.44	1.36
3	A	561	HBY	O3-C15	4.86	1.56	1.42
3	A	561	HBY	C5-C6	4.78	1.46	1.39
3	A	561	HBY	C4-N1	4.45	1.48	1.42
3	A	561	HBY	C3-N2	4.12	1.46	1.39
3	A	561	HBY	C5-C4	4.01	1.46	1.39
3	A	561	HBY	C13-S2	3.87	1.90	1.81
3	A	561	HBY	C13-C1	2.43	1.58	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	561	HBY	C3-N2-C2	-8.89	117.12	124.76
3	A	561	HBY	O2-C9-N1	8.37	122.00	110.93
3	A	561	HBY	O1-C9-N1	-2.99	119.11	123.99
3	A	561	HBY	O2-C9-O1	-2.93	118.87	124.92
3	A	561	HBY	C4-N1-C9	2.35	131.67	123.53

There are no chirality outliers.

All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	561	HBY	O1-C9-N1-C1
3	A	561	HBY	O2-C9-N1-C1
3	A	561	HBY	N1-C9-O2-C10
3	A	561	HBY	O1-C9-O2-C10
3	A	561	HBY	C11-C10-O2-C9

There are no ring outliers.

1 monomer is involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	561	HBV	8	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	556/560 (99%)	0.65	51 (9%) 14 12	6, 66, 99, 100	0
2	B	425/430 (98%)	0.37	39 (9%) 14 12	6, 54, 99, 100	0
All	All	981/990 (99%)	0.52	90 (9%) 14 12	6, 62, 99, 100	0

All (90) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	551	LEU	4.7
1	A	549	ASP	4.5
2	B	420	PRO	4.3
1	A	554	ALA	4.2
1	A	2	ILE	4.1
2	B	292	VAL	4.1
2	B	228	LEU	4.0
1	A	217	PRO	3.9
2	B	222	GLN	3.9
1	A	141	GLY	3.9
2	B	226	PRO	3.8
1	A	547	GLN	3.7
2	B	430	GLU	3.7
1	A	68	SER	3.6
1	A	71	TRP	3.6
2	B	88	TRP	3.5
2	B	245	VAL	3.4
1	A	556	ILE	3.4
1	A	27	THR	3.4
1	A	398	TRP	3.2
2	B	243	PRO	3.2
1	A	553	SER	3.2
1	A	552	VAL	3.2
1	A	548	VAL	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	132	ILE	3.2
2	B	283	LEU	3.2
2	B	214	LEU	3.1
1	A	21	VAL	3.0
2	B	282	LEU	3.0
1	A	115	TYR	2.9
1	A	75	VAL	2.9
2	B	227	PHE	2.9
1	A	543	GLY	2.8
2	B	219	LYS	2.8
2	B	244	ILE	2.8
2	B	215	THR	2.8
2	B	225	PRO	2.7
2	B	293	ILE	2.7
2	B	224	GLU	2.7
2	B	309	ILE	2.7
2	B	231	GLY	2.7
2	B	266	TRP	2.7
1	A	444	GLY	2.6
1	A	286	THR	2.6
1	A	425	LEU	2.6
1	A	550	LYS	2.6
1	A	133	PRO	2.6
1	A	401	TRP	2.5
1	A	512	LYS	2.5
2	B	230	MET	2.5
2	B	310	LEU	2.5
1	A	26	LEU	2.5
2	B	67	ASP	2.5
2	B	229	TRP	2.5
2	B	361	HIS	2.5
1	A	60	VAL	2.5
1	A	34	LEU	2.4
1	A	422	LEU	2.4
1	A	409	THR	2.4
2	B	92	LEU	2.4
2	B	24	TRP	2.4
1	A	402	TRP	2.4
1	A	234	LEU	2.4
2	B	429	LEU	2.4
1	A	328	GLU	2.4
2	B	250	ASP	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	242	GLN	2.3
1	A	295	LEU	2.3
2	B	425	LEU	2.3
1	A	412	PRO	2.3
1	A	74	LEU	2.3
2	B	362	THR	2.3
1	A	426	TRP	2.3
1	A	131	THR	2.2
1	A	225	PRO	2.2
2	B	335	GLY	2.2
2	B	252	TRP	2.2
1	A	142	ILE	2.2
1	A	140	PRO	2.2
1	A	62	ALA	2.2
1	A	195	ILE	2.1
1	A	221	HIS	2.1
1	A	542	ILE	2.1
1	A	252	TRP	2.1
1	A	357	MET	2.1
2	B	279	LEU	2.1
2	B	318	TYR	2.1
2	B	264	LEU	2.1
1	A	61	PHE	2.1
1	A	23	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	HBY	A	561	22/22	0.93	0.11	21,43,57,63	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.