



wwPDB X-ray Structure Validation Summary Report ⓘ

Apr 5, 2026 – 12:36 PM UTC

PDB ID : 4HQC / pdb_00004hqc
Title : Crystal structure of a green-to-red photoconvertible DRONPA, pcDRONPA
in the red-on-state
Authors : Nguyen Bich, N.; Van Meervelt, L.
Deposited on : 2012-10-25
Resolution : 2.05 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2260 (2.04-2.04)
Clashscore	190562	2333 (2.04-2.04)
Ramachandran outliers	187476	2318 (2.04-2.04)
Sidechain outliers	187428	2318 (2.04-2.04)
RSRZ outliers	180081	2260 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	260	
1	B	260	
1	C	260	
1	D	260	
1	E	260	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	260	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
1	IEY	A	63[B]	X	-	-	-
1	IEY	B	63[B]	X	-	-	-
1	IEY	C	63[B]	X	-	-	-
1	IEY	D	63[B]	X	-	-	-
1	IEY	E	63[B]	X	-	-	-
1	IEY	F	63[B]	X	-	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11645 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fluorescent protein Dronpa.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	218	Total	C	N	O	S	0	6	0
			1806	1158	306	333	9			
1	B	216	Total	C	N	O	S	0	4	0
			1770	1138	295	328	9			
1	C	216	Total	C	N	O	S	0	4	0
			1746	1119	295	323	9			
1	D	217	Total	C	N	O	S	0	2	0
			1778	1141	299	329	9			
1	E	216	Total	C	N	O	S	0	3	0
			1777	1141	299	328	9			
1	F	218	Total	C	N	O	S	0	3	0
			1753	1122	296	326	9			

There are 264 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-35	MET	-	expression tag	UNP Q5TLG6
A	-34	ARG	-	expression tag	UNP Q5TLG6
A	-33	GLY	-	expression tag	UNP Q5TLG6
A	-32	SER	-	expression tag	UNP Q5TLG6
A	-31	HIS	-	expression tag	UNP Q5TLG6
A	-30	HIS	-	expression tag	UNP Q5TLG6
A	-29	HIS	-	expression tag	UNP Q5TLG6
A	-28	HIS	-	expression tag	UNP Q5TLG6
A	-27	HIS	-	expression tag	UNP Q5TLG6
A	-26	HIS	-	expression tag	UNP Q5TLG6
A	-25	GLY	-	expression tag	UNP Q5TLG6
A	-24	MET	-	expression tag	UNP Q5TLG6
A	-23	ALA	-	expression tag	UNP Q5TLG6
A	-22	SER	-	expression tag	UNP Q5TLG6
A	-21	MET	-	expression tag	UNP Q5TLG6
A	-20	THR	-	expression tag	UNP Q5TLG6
A	-19	GLY	-	expression tag	UNP Q5TLG6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	GLY	-	expression tag	UNP Q5TLG6
A	-17	GLN	-	expression tag	UNP Q5TLG6
A	-16	GLN	-	expression tag	UNP Q5TLG6
A	-15	MET	-	expression tag	UNP Q5TLG6
A	-14	GLY	-	expression tag	UNP Q5TLG6
A	-13	ARG	-	expression tag	UNP Q5TLG6
A	-12	ASN	-	expression tag	UNP Q5TLG6
A	-11	LEU	-	expression tag	UNP Q5TLG6
A	-10	TYR	-	expression tag	UNP Q5TLG6
A	-9	ASP	-	expression tag	UNP Q5TLG6
A	-8	ASP	-	expression tag	UNP Q5TLG6
A	-7	ASP	-	expression tag	UNP Q5TLG6
A	-6	ASP	-	expression tag	UNP Q5TLG6
A	-5	LYS	-	expression tag	UNP Q5TLG6
A	-4	ASP	-	expression tag	UNP Q5TLG6
A	-3	PRO	-	expression tag	UNP Q5TLG6
A	-2	GLY	-	expression tag	UNP Q5TLG6
A	-1	SER	-	expression tag	UNP Q5TLG6
A	0	HIS	-	expression tag	UNP Q5TLG6
A	60	ALA	VAL	engineered mutation	UNP Q5TLG6
A	61	NFA	PHE	microheterogeneity	UNP Q5TLG6
A	63	IEY	CYS	chromophore	UNP Q5TLG6
A	63	IEY	TYR	chromophore	UNP Q5TLG6
A	63	IEY	GLY	chromophore	UNP Q5TLG6
A	94	SER	ASN	engineered mutation	UNP Q5TLG6
A	102	ILE	ASN	engineered mutation	UNP Q5TLG6
A	218	GLY	GLU	engineered mutation	UNP Q5TLG6
B	-35	MET	-	expression tag	UNP Q5TLG6
B	-34	ARG	-	expression tag	UNP Q5TLG6
B	-33	GLY	-	expression tag	UNP Q5TLG6
B	-32	SER	-	expression tag	UNP Q5TLG6
B	-31	HIS	-	expression tag	UNP Q5TLG6
B	-30	HIS	-	expression tag	UNP Q5TLG6
B	-29	HIS	-	expression tag	UNP Q5TLG6
B	-28	HIS	-	expression tag	UNP Q5TLG6
B	-27	HIS	-	expression tag	UNP Q5TLG6
B	-26	HIS	-	expression tag	UNP Q5TLG6
B	-25	GLY	-	expression tag	UNP Q5TLG6
B	-24	MET	-	expression tag	UNP Q5TLG6
B	-23	ALA	-	expression tag	UNP Q5TLG6
B	-22	SER	-	expression tag	UNP Q5TLG6
B	-21	MET	-	expression tag	UNP Q5TLG6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-20	THR	-	expression tag	UNP Q5TLG6
B	-19	GLY	-	expression tag	UNP Q5TLG6
B	-18	GLY	-	expression tag	UNP Q5TLG6
B	-17	GLN	-	expression tag	UNP Q5TLG6
B	-16	GLN	-	expression tag	UNP Q5TLG6
B	-15	MET	-	expression tag	UNP Q5TLG6
B	-14	GLY	-	expression tag	UNP Q5TLG6
B	-13	ARG	-	expression tag	UNP Q5TLG6
B	-12	ASN	-	expression tag	UNP Q5TLG6
B	-11	LEU	-	expression tag	UNP Q5TLG6
B	-10	TYR	-	expression tag	UNP Q5TLG6
B	-9	ASP	-	expression tag	UNP Q5TLG6
B	-8	ASP	-	expression tag	UNP Q5TLG6
B	-7	ASP	-	expression tag	UNP Q5TLG6
B	-6	ASP	-	expression tag	UNP Q5TLG6
B	-5	LYS	-	expression tag	UNP Q5TLG6
B	-4	ASP	-	expression tag	UNP Q5TLG6
B	-3	PRO	-	expression tag	UNP Q5TLG6
B	-2	GLY	-	expression tag	UNP Q5TLG6
B	-1	SER	-	expression tag	UNP Q5TLG6
B	0	HIS	-	expression tag	UNP Q5TLG6
B	60	ALA	VAL	engineered mutation	UNP Q5TLG6
B	61	NFA	PHE	microheterogeneity	UNP Q5TLG6
B	63	IEY	CYS	chromophore	UNP Q5TLG6
B	63	IEY	TYR	chromophore	UNP Q5TLG6
B	63	IEY	GLY	chromophore	UNP Q5TLG6
B	94	SER	ASN	engineered mutation	UNP Q5TLG6
B	102	ILE	ASN	engineered mutation	UNP Q5TLG6
B	218	GLY	GLU	engineered mutation	UNP Q5TLG6
C	-35	MET	-	expression tag	UNP Q5TLG6
C	-34	ARG	-	expression tag	UNP Q5TLG6
C	-33	GLY	-	expression tag	UNP Q5TLG6
C	-32	SER	-	expression tag	UNP Q5TLG6
C	-31	HIS	-	expression tag	UNP Q5TLG6
C	-30	HIS	-	expression tag	UNP Q5TLG6
C	-29	HIS	-	expression tag	UNP Q5TLG6
C	-28	HIS	-	expression tag	UNP Q5TLG6
C	-27	HIS	-	expression tag	UNP Q5TLG6
C	-26	HIS	-	expression tag	UNP Q5TLG6
C	-25	GLY	-	expression tag	UNP Q5TLG6
C	-24	MET	-	expression tag	UNP Q5TLG6
C	-23	ALA	-	expression tag	UNP Q5TLG6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-22	SER	-	expression tag	UNP Q5TLG6
C	-21	MET	-	expression tag	UNP Q5TLG6
C	-20	THR	-	expression tag	UNP Q5TLG6
C	-19	GLY	-	expression tag	UNP Q5TLG6
C	-18	GLY	-	expression tag	UNP Q5TLG6
C	-17	GLN	-	expression tag	UNP Q5TLG6
C	-16	GLN	-	expression tag	UNP Q5TLG6
C	-15	MET	-	expression tag	UNP Q5TLG6
C	-14	GLY	-	expression tag	UNP Q5TLG6
C	-13	ARG	-	expression tag	UNP Q5TLG6
C	-12	ASN	-	expression tag	UNP Q5TLG6
C	-11	LEU	-	expression tag	UNP Q5TLG6
C	-10	TYR	-	expression tag	UNP Q5TLG6
C	-9	ASP	-	expression tag	UNP Q5TLG6
C	-8	ASP	-	expression tag	UNP Q5TLG6
C	-7	ASP	-	expression tag	UNP Q5TLG6
C	-6	ASP	-	expression tag	UNP Q5TLG6
C	-5	LYS	-	expression tag	UNP Q5TLG6
C	-4	ASP	-	expression tag	UNP Q5TLG6
C	-3	PRO	-	expression tag	UNP Q5TLG6
C	-2	GLY	-	expression tag	UNP Q5TLG6
C	-1	SER	-	expression tag	UNP Q5TLG6
C	0	HIS	-	expression tag	UNP Q5TLG6
C	60	ALA	VAL	engineered mutation	UNP Q5TLG6
C	61	NFA	PHE	microheterogeneity	UNP Q5TLG6
C	63	IEY	CYS	chromophore	UNP Q5TLG6
C	63	IEY	TYR	chromophore	UNP Q5TLG6
C	63	IEY	GLY	chromophore	UNP Q5TLG6
C	94	SER	ASN	engineered mutation	UNP Q5TLG6
C	102	ILE	ASN	engineered mutation	UNP Q5TLG6
C	218	GLY	GLU	engineered mutation	UNP Q5TLG6
D	-35	MET	-	expression tag	UNP Q5TLG6
D	-34	ARG	-	expression tag	UNP Q5TLG6
D	-33	GLY	-	expression tag	UNP Q5TLG6
D	-32	SER	-	expression tag	UNP Q5TLG6
D	-31	HIS	-	expression tag	UNP Q5TLG6
D	-30	HIS	-	expression tag	UNP Q5TLG6
D	-29	HIS	-	expression tag	UNP Q5TLG6
D	-28	HIS	-	expression tag	UNP Q5TLG6
D	-27	HIS	-	expression tag	UNP Q5TLG6
D	-26	HIS	-	expression tag	UNP Q5TLG6
D	-25	GLY	-	expression tag	UNP Q5TLG6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-24	MET	-	expression tag	UNP Q5TLG6
D	-23	ALA	-	expression tag	UNP Q5TLG6
D	-22	SER	-	expression tag	UNP Q5TLG6
D	-21	MET	-	expression tag	UNP Q5TLG6
D	-20	THR	-	expression tag	UNP Q5TLG6
D	-19	GLY	-	expression tag	UNP Q5TLG6
D	-18	GLY	-	expression tag	UNP Q5TLG6
D	-17	GLN	-	expression tag	UNP Q5TLG6
D	-16	GLN	-	expression tag	UNP Q5TLG6
D	-15	MET	-	expression tag	UNP Q5TLG6
D	-14	GLY	-	expression tag	UNP Q5TLG6
D	-13	ARG	-	expression tag	UNP Q5TLG6
D	-12	ASN	-	expression tag	UNP Q5TLG6
D	-11	LEU	-	expression tag	UNP Q5TLG6
D	-10	TYR	-	expression tag	UNP Q5TLG6
D	-9	ASP	-	expression tag	UNP Q5TLG6
D	-8	ASP	-	expression tag	UNP Q5TLG6
D	-7	ASP	-	expression tag	UNP Q5TLG6
D	-6	ASP	-	expression tag	UNP Q5TLG6
D	-5	LYS	-	expression tag	UNP Q5TLG6
D	-4	ASP	-	expression tag	UNP Q5TLG6
D	-3	PRO	-	expression tag	UNP Q5TLG6
D	-2	GLY	-	expression tag	UNP Q5TLG6
D	-1	SER	-	expression tag	UNP Q5TLG6
D	0	HIS	-	expression tag	UNP Q5TLG6
D	60	ALA	VAL	engineered mutation	UNP Q5TLG6
D	61	NFA	PHE	microheterogeneity	UNP Q5TLG6
D	63	IEY	CYS	chromophore	UNP Q5TLG6
D	63	IEY	TYR	chromophore	UNP Q5TLG6
D	63	IEY	GLY	chromophore	UNP Q5TLG6
D	94	SER	ASN	engineered mutation	UNP Q5TLG6
D	102	ILE	ASN	engineered mutation	UNP Q5TLG6
D	218	GLY	GLU	engineered mutation	UNP Q5TLG6
E	-35	MET	-	expression tag	UNP Q5TLG6
E	-34	ARG	-	expression tag	UNP Q5TLG6
E	-33	GLY	-	expression tag	UNP Q5TLG6
E	-32	SER	-	expression tag	UNP Q5TLG6
E	-31	HIS	-	expression tag	UNP Q5TLG6
E	-30	HIS	-	expression tag	UNP Q5TLG6
E	-29	HIS	-	expression tag	UNP Q5TLG6
E	-28	HIS	-	expression tag	UNP Q5TLG6
E	-27	HIS	-	expression tag	UNP Q5TLG6

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	-26	HIS	-	expression tag	UNP Q5TLG6
E	-25	GLY	-	expression tag	UNP Q5TLG6
E	-24	MET	-	expression tag	UNP Q5TLG6
E	-23	ALA	-	expression tag	UNP Q5TLG6
E	-22	SER	-	expression tag	UNP Q5TLG6
E	-21	MET	-	expression tag	UNP Q5TLG6
E	-20	THR	-	expression tag	UNP Q5TLG6
E	-19	GLY	-	expression tag	UNP Q5TLG6
E	-18	GLY	-	expression tag	UNP Q5TLG6
E	-17	GLN	-	expression tag	UNP Q5TLG6
E	-16	GLN	-	expression tag	UNP Q5TLG6
E	-15	MET	-	expression tag	UNP Q5TLG6
E	-14	GLY	-	expression tag	UNP Q5TLG6
E	-13	ARG	-	expression tag	UNP Q5TLG6
E	-12	ASN	-	expression tag	UNP Q5TLG6
E	-11	LEU	-	expression tag	UNP Q5TLG6
E	-10	TYR	-	expression tag	UNP Q5TLG6
E	-9	ASP	-	expression tag	UNP Q5TLG6
E	-8	ASP	-	expression tag	UNP Q5TLG6
E	-7	ASP	-	expression tag	UNP Q5TLG6
E	-6	ASP	-	expression tag	UNP Q5TLG6
E	-5	LYS	-	expression tag	UNP Q5TLG6
E	-4	ASP	-	expression tag	UNP Q5TLG6
E	-3	PRO	-	expression tag	UNP Q5TLG6
E	-2	GLY	-	expression tag	UNP Q5TLG6
E	-1	SER	-	expression tag	UNP Q5TLG6
E	0	HIS	-	expression tag	UNP Q5TLG6
E	60	ALA	VAL	engineered mutation	UNP Q5TLG6
E	61	NFA	PHE	microheterogeneity	UNP Q5TLG6
E	63	IEY	CYS	chromophore	UNP Q5TLG6
E	63	IEY	TYR	chromophore	UNP Q5TLG6
E	63	IEY	GLY	chromophore	UNP Q5TLG6
E	94	SER	ASN	engineered mutation	UNP Q5TLG6
E	102	ILE	ASN	engineered mutation	UNP Q5TLG6
E	218	GLY	GLU	engineered mutation	UNP Q5TLG6
F	-35	MET	-	expression tag	UNP Q5TLG6
F	-34	ARG	-	expression tag	UNP Q5TLG6
F	-33	GLY	-	expression tag	UNP Q5TLG6
F	-32	SER	-	expression tag	UNP Q5TLG6
F	-31	HIS	-	expression tag	UNP Q5TLG6
F	-30	HIS	-	expression tag	UNP Q5TLG6
F	-29	HIS	-	expression tag	UNP Q5TLG6

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
F	-28	HIS	-	expression tag	UNP Q5TLG6
F	-27	HIS	-	expression tag	UNP Q5TLG6
F	-26	HIS	-	expression tag	UNP Q5TLG6
F	-25	GLY	-	expression tag	UNP Q5TLG6
F	-24	MET	-	expression tag	UNP Q5TLG6
F	-23	ALA	-	expression tag	UNP Q5TLG6
F	-22	SER	-	expression tag	UNP Q5TLG6
F	-21	MET	-	expression tag	UNP Q5TLG6
F	-20	THR	-	expression tag	UNP Q5TLG6
F	-19	GLY	-	expression tag	UNP Q5TLG6
F	-18	GLY	-	expression tag	UNP Q5TLG6
F	-17	GLN	-	expression tag	UNP Q5TLG6
F	-16	GLN	-	expression tag	UNP Q5TLG6
F	-15	MET	-	expression tag	UNP Q5TLG6
F	-14	GLY	-	expression tag	UNP Q5TLG6
F	-13	ARG	-	expression tag	UNP Q5TLG6
F	-12	ASN	-	expression tag	UNP Q5TLG6
F	-11	LEU	-	expression tag	UNP Q5TLG6
F	-10	TYR	-	expression tag	UNP Q5TLG6
F	-9	ASP	-	expression tag	UNP Q5TLG6
F	-8	ASP	-	expression tag	UNP Q5TLG6
F	-7	ASP	-	expression tag	UNP Q5TLG6
F	-6	ASP	-	expression tag	UNP Q5TLG6
F	-5	LYS	-	expression tag	UNP Q5TLG6
F	-4	ASP	-	expression tag	UNP Q5TLG6
F	-3	PRO	-	expression tag	UNP Q5TLG6
F	-2	GLY	-	expression tag	UNP Q5TLG6
F	-1	SER	-	expression tag	UNP Q5TLG6
F	0	HIS	-	expression tag	UNP Q5TLG6
F	60	ALA	VAL	engineered mutation	UNP Q5TLG6
F	61	NFA	PHE	microheterogeneity	UNP Q5TLG6
F	63	IEY	CYS	chromophore	UNP Q5TLG6
F	63	IEY	TYR	chromophore	UNP Q5TLG6
F	63	IEY	GLY	chromophore	UNP Q5TLG6
F	94	SER	ASN	engineered mutation	UNP Q5TLG6
F	102	ILE	ASN	engineered mutation	UNP Q5TLG6
F	218	GLY	GLU	engineered mutation	UNP Q5TLG6

- Molecule 2 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			10	6	4		
2	C	1	Total	C	O	0	0
			10	6	4		
2	E	1	Total	C	O	0	0
			10	6	4		

- Molecule 3 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	C	O	0	0
			7	4	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	C	O	0	0
			7	4	3		

- Molecule 4 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: $C_8H_{18}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	D	1	Total	C	O	0	0
			13	8	5		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	164	Total	O	0	0
			164	164		
5	B	176	Total	O	0	0
			176	176		
5	C	180	Total	O	0	0
			180	180		
5	D	163	Total	O	0	0
			163	163		
5	E	145	Total	O	0	0
			145	145		
5	F	130	Total	O	0	0
			130	130		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Fluorescent protein Dronpa

Chain A: 




• Molecule 1: Fluorescent protein Dronpa

Chain B: 




• Molecule 1: Fluorescent protein Dronpa

Chain C: 



• Molecule 1: Fluorescent protein Dronpa

Chain D: 






• Molecule 1: Fluorescent protein Dronpa



• Molecule 1: Fluorescent protein Dronpa



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α , β , γ	71.21Å 106.13Å 178.93Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.67 – 2.05 29.67 – 2.05	Depositor EDS
% Data completeness (in resolution range)	100.0 (29.67-2.05) 99.9 (29.67-2.05)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.95 (at 2.04Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.178 , 0.233 0.174 , 0.225	Depositor DCC
R_{free} test set	4293 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	28.2	Xtriage
Anisotropy	0.290	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 54.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	11645	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 15.77% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, IEY, PGE, CR8, PG4, NFA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	0/1804	0.82	2/2434 (0.1%)
1	B	0.56	0/1761	0.80	1/2381 (0.0%)
1	C	0.59	0/1761	0.80	0/2378
1	D	0.58	0/1762	0.82	1/2378 (0.0%)
1	E	0.55	0/1764	0.81	2/2381 (0.1%)
1	F	0.51	0/1767	0.84	4/2387 (0.2%)
All	All	0.56	0/10619	0.82	10/14339 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	0
1	B	1	0
1	C	1	0
1	D	1	0
1	E	1	0
1	F	1	0
All	All	6	0

There are no bond length outliers.

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	219	LEU	CA-C-N	7.08	128.04	120.11
1	F	219	LEU	C-N-CA	7.08	128.04	120.11
1	A	219	LEU	CA-C-N	5.61	126.85	119.84
1	A	219	LEU	C-N-CA	5.61	126.85	119.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	32	LYS	CA-C-N	5.53	125.62	119.32

5 of 6 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	63[B]	IEY	CA2
1	B	63[B]	IEY	CA2
1	C	63[B]	IEY	CA2
1	D	63[B]	IEY	CA2
1	E	63[B]	IEY	CA2

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1806	0	1707	22	0
1	B	1770	0	1653	16	0
1	C	1746	0	1673	31	0
1	D	1778	0	1675	13	0
1	E	1777	0	1676	12	0
1	F	1753	0	1667	17	0
2	A	10	0	14	1	0
2	C	10	0	14	2	0
2	E	10	0	14	0	0
3	C	7	0	10	1	0
3	D	7	0	10	0	0
4	D	13	0	18	0	0
5	A	164	0	0	1	0
5	B	176	0	0	1	0
5	C	180	0	0	4	0
5	D	163	0	0	2	0
5	E	145	0	0	0	0
5	F	130	0	0	0	0
All	All	11645	0	10131	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 99 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:48:GLY:O	1:C:135[A]:ARG:NE	2.11	0.81
1:A:48:GLY:H	1:C:133:GLN:HE21	1.37	0.73
1:A:151:GLY:HA3	2:A:301:PGE:H6	1.71	0.72
1:A:47:GLY:HA2	1:C:135[B]:ARG:HD3	1.73	0.70
1:C:26:GLU:HB2	1:C:45:LYS:HD2	1.71	0.70

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	217/260 (84%)	213 (98%)	4 (2%)	0	100	100
1	B	213/260 (82%)	212 (100%)	1 (0%)	0	100	100
1	C	213/260 (82%)	213 (100%)	0	0	100	100
1	D	212/260 (82%)	211 (100%)	1 (0%)	0	100	100
1	E	212/260 (82%)	210 (99%)	2 (1%)	0	100	100
1	F	214/260 (82%)	212 (99%)	2 (1%)	0	100	100
All	All	1281/1560 (82%)	1271 (99%)	10 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	189/218 (87%)	187 (99%)	2 (1%)	65	68
1	B	182/218 (84%)	176 (97%)	6 (3%)	33	28
1	C	183/218 (84%)	176 (96%)	7 (4%)	29	24
1	D	184/218 (84%)	180 (98%)	4 (2%)	45	44
1	E	184/218 (84%)	182 (99%)	2 (1%)	65	68
1	F	184/218 (84%)	181 (98%)	3 (2%)	55	56
All	All	1106/1308 (85%)	1082 (98%)	24 (2%)	45	44

5 of 24 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	217	SER
1	D	100	ILE
1	D	67	VAL
1	D	138	LYS
1	B	138	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 15 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	128	ASN
1	E	210	HIS
1	C	133	GLN
1	F	194	HIS
1	E	21	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

16 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul

statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	NFA	D	61[B]	1	12,12,12	1.33	1 (8%)	15,15,15	1.32	3 (20%)
1	NFA	F	61[B]	1	12,12,12	1.34	1 (8%)	15,15,15	1.22	1 (6%)
1	IEY	A	63[B]	1	25,26,27	2.62	5 (20%)	29,35,37	3.12	9 (31%)
1	CR8	A	63[A]	1	25,27,28	1.73	6 (24%)	24,37,39	1.62	4 (16%)
1	NFA	C	61[B]	1	12,12,12	1.42	1 (8%)	15,15,15	1.90	4 (26%)
1	CR8	E	63[A]	1	25,27,28	1.75	5 (20%)	24,37,39	1.65	3 (12%)
1	CR8	D	63[A]	1	25,27,28	1.77	5 (20%)	24,37,39	1.35	2 (8%)
1	IEY	F	63[B]	1	25,26,27	2.80	5 (20%)	29,35,37	3.28	12 (41%)
1	NFA	A	61[B]	1	12,12,12	1.38	1 (8%)	15,15,15	1.29	3 (20%)
1	NFA	B	61[B]	1	12,12,12	1.40	1 (8%)	15,15,15	1.12	2 (13%)
1	CR8	B	63[A]	1	25,27,28	1.71	5 (20%)	24,37,39	1.54	2 (8%)
1	IEY	D	63[B]	1	25,26,27	2.72	5 (20%)	29,35,37	3.14	10 (34%)
1	IEY	C	63[B]	1	25,26,27	2.76	6 (24%)	29,35,37	3.32	8 (27%)
1	IEY	E	63[B]	1	25,26,27	2.56	5 (20%)	29,35,37	3.30	12 (41%)
1	NFA	E	61[B]	1	12,12,12	1.37	1 (8%)	15,15,15	1.25	1 (6%)
1	IEY	B	63[B]	1	25,26,27	2.65	5 (20%)	29,35,37	3.12	11 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	NFA	D	61[B]	1	-	2/8/8/8	0/1/1/1
1	NFA	F	61[B]	1	-	5/8/8/8	0/1/1/1
1	IEY	A	63[B]	1	1/1/4/7	9/11/28/29	0/3/3/3
1	CR8	A	63[A]	1	-	3/12/25/26	0/3/3/3
1	NFA	C	61[B]	1	-	5/8/8/8	0/1/1/1
1	CR8	E	63[A]	1	-	3/12/25/26	0/3/3/3
1	IEY	F	63[B]	1	1/1/4/7	8/11/28/29	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CR8	D	63[A]	1	-	3/12/25/26	0/3/3/3
1	NFA	A	61[B]	1	-	4/8/8/8	0/1/1/1
1	IEY	D	63[B]	1	1/1/4/7	8/11/28/29	0/3/3/3
1	NFA	B	61[B]	1	-	2/8/8/8	0/1/1/1
1	CR8	B	63[A]	1	-	3/12/25/26	0/3/3/3
1	IEY	C	63[B]	1	1/1/4/7	4/11/28/29	0/3/3/3
1	NFA	E	61[B]	1	-	2/8/8/8	0/1/1/1
1	IEY	E	63[B]	1	1/1/4/7	8/11/28/29	0/3/3/3
1	IEY	B	63[B]	1	1/1/4/7	9/11/28/29	0/3/3/3

The worst 5 of 58 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	63[B]	IEY	CB2-CA2	-9.80	1.37	1.53
1	D	63[B]	IEY	CB2-CA2	-9.75	1.37	1.53
1	B	63[B]	IEY	CB2-CA2	-9.40	1.37	1.53
1	E	63[B]	IEY	CB2-CA2	-9.31	1.38	1.53
1	A	63[B]	IEY	CB2-CA2	-9.12	1.38	1.53

The worst 5 of 87 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	63[B]	IEY	CB2-CA2-N2	12.17	128.29	110.77
1	F	63[B]	IEY	CB2-CA2-N2	10.87	126.41	110.77
1	E	63[B]	IEY	CB2-CA2-N2	10.87	126.41	110.77
1	A	63[B]	IEY	CB2-CA2-N2	10.49	125.87	110.77
1	D	63[B]	IEY	CB2-CA2-N2	10.43	125.77	110.77

5 of 6 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	63[B]	IEY	CA2
1	B	63[B]	IEY	CA2
1	C	63[B]	IEY	CA2
1	D	63[B]	IEY	CA2
1	E	63[B]	IEY	CA2

5 of 78 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	61[B]	NFA	O-C-CA-CB
1	A	61[B]	NFA	NXT-C-CA-CB
1	A	63[B]	IEY	N2-C1-CA1-CB1
1	A	63[B]	IEY	N3-C1-CA1-CB1
1	A	63[B]	IEY	CA1-CB1-CG1-CD3

There are no ring outliers.

9 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	F	61[B]	NFA	3	0
1	A	63[B]	IEY	1	0
1	C	61[B]	NFA	3	0
1	F	63[B]	IEY	2	0
1	A	61[B]	NFA	1	0
1	B	61[B]	NFA	2	0
1	D	63[B]	IEY	1	0
1	C	63[B]	IEY	2	0
1	B	63[B]	IEY	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PGE	A	301	-	9,9,9	0.60	0	8,8,8	0.82	0
3	PEG	C	302	-	6,6,6	0.54	0	5,5,5	0.66	0
3	PEG	D	302	-	6,6,6	0.56	0	5,5,5	0.82	0
2	PGE	C	301	-	9,9,9	0.51	0	8,8,8	0.93	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	PG4	D	301	-	12,12,12	0.73	0	11,11,11	1.07	2 (18%)
2	PGE	E	301	-	9,9,9	0.50	0	8,8,8	0.92	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PGE	A	301	-	-	4/7/7/7	-
3	PEG	C	302	-	-	1/4/4/4	-
3	PEG	D	302	-	-	1/4/4/4	-
2	PGE	C	301	-	-	2/7/7/7	-
4	PG4	D	301	-	-	3/10/10/10	-
2	PGE	E	301	-	-	3/7/7/7	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	301	PG4	C5-O3-C4	2.07	122.33	113.26
4	D	301	PG4	C7-O4-C6	2.03	122.14	113.26

There are no chirality outliers.

5 of 14 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	301	PGE	O3-C5-C6-O4
2	A	301	PGE	O3-C5-C6-O4
4	D	301	PG4	O4-C7-C8-O5
2	E	301	PGE	O1-C1-C2-O2
2	E	301	PGE	O3-C5-C6-O4

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	PGE	1	0
3	C	302	PEG	1	0
2	C	301	PGE	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	216/260 (83%)	-0.50	0	100 100	12, 26, 45, 71	4 (1%)
1	B	214/260 (82%)	-0.44	0	100 100	12, 27, 45, 65	2 (0%)
1	C	214/260 (82%)	-0.52	0	100 100	15, 25, 43, 58	2 (0%)
1	D	215/260 (82%)	-0.51	0	100 100	17, 26, 43, 63	0
1	E	214/260 (82%)	-0.37	1 (0%)	87 89	19, 28, 43, 67	1 (0%)
1	F	216/260 (83%)	-0.11	1 (0%)	87 89	21, 32, 53, 81	1 (0%)
All	All	1289/1560 (82%)	-0.41	2 (0%)	91 93	12, 28, 45, 81	10 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	3	VAL	2.8
1	E	220	PRO	2.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	NFA	E	61[B]	12/12	0.85	0.10	21,25,26,26	12
1	NFA	B	61[B]	12/12	0.87	0.10	22,24,27,27	12
1	CR8	A	63[A]	25/26	-	-	18,23,26,31	25
1	NFA	F	61[B]	12/12	0.90	0.12	22,25,38,41	12
1	IEY	F	63[B]	24/25	0.90	0.09	19,29,37,40	24
1	CR8	B	63[A]	25/26	-	-	22,26,30,33	25
1	NFA	C	61[B]	12/12	0.92	0.07	12,15,20,27	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	IEY	D	63[B]	24/25	0.93	0.08	20,23,27,32	24
1	NFA	D	61[B]	12/12	0.93	0.07	20,22,23,23	12
1	IEY	B	63[B]	24/25	0.95	0.07	22,26,30,31	24
1	CR8	D	63[A]	25/26	-	-	19,23,27,34	25
1	IEY	A	63[B]	24/25	0.95	0.07	18,23,27,29	24
1	IEY	E	63[B]	24/25	0.95	0.07	21,25,31,35	24
1	CR8	E	63[A]	25/26	-	-	22,25,31,37	25
1	IEY	C	63[B]	24/25	0.95	0.06	11,15,25,27	0
1	NFA	A	61[B]	12/12	0.95	0.07	21,23,25,26	12

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	PGE	C	301	10/10	0.78	0.13	21,46,54,58	0
2	PGE	A	301	10/10	0.79	0.12	40,54,66,69	0
4	PG4	D	301	13/13	0.84	0.12	31,44,58,62	0
3	PEG	D	302	7/7	0.88	0.09	45,49,59,62	0
3	PEG	C	302	7/7	0.89	0.09	37,46,53,54	0
2	PGE	E	301	10/10	0.90	0.10	23,40,50,53	0

6.5 Other polymers [i](#)

There are no such residues in this entry.