



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:21 PM UTC

PDB ID : 6HQ5 / pdb_00006hq5
Title : Structure of EAL Enzyme Bd1971 - cAMP and cyclic-di-GMP bound form
Authors : Lovering, A.L.; Cadby, I.T.
Deposited on : 2018-09-24
Resolution : 2.83 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.83 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1520 (2.86-2.82)
Clashscore	190562	1559 (2.86-2.82)
Ramachandran outliers	187476	1517 (2.86-2.82)
Sidechain outliers	187428	1518 (2.86-2.82)
RSRZ outliers	180081	1521 (2.86-2.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	398	
1	B	398	

2 Entry composition ⓘ

There are 5 unique types of molecules in this entry. The entry contains 6140 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called EAL Enzyme Bd1971.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	376	3000	1907	521	557	15	0	0	0
1	B	376	2998	1904	521	558	15	0	0	0

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	401	LYS	-	expression tag	UNP Q6MLN6
A	402	LEU	-	expression tag	UNP Q6MLN6
B	401	LYS	-	expression tag	UNP Q6MLN6
B	402	LEU	-	expression tag	UNP Q6MLN6

- Molecule 2 is 9,9'-[(2R,3R,3aS,5S,7aR,9R,10R,10aS,12S,14aR)-3,5,10,12-tetrahydroxy-5,12-dioxidooctahydro-2H,7H-difuro[3,2-d:3',2'-j][1,3,7,9,2,8]tetraoxadiphosphacyclododecine-2,9-diyl]bis(2-amino-1,9-dihydro-6H-purin-6-one) (CCD ID: C2E) (formula: C₂₀H₂₄N₁₀O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			46	20	10	14	2		
2	B	1	Total	C	N	O	P	0	0
			46	20	10	14	2		

- Molecule 3 is ADENOSINE-3',5'-CYCLIC-MONOPHOSPHATE (CCD ID: CMP) (formula: $C_{10}H_{12}N_5O_6P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			22	10	5	6	1		
3	B	1	Total	C	N	O	P	0	0
			22	10	5	6	1		

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Ca	0	0
			2	2		
4	B	2	Total	Ca	0	0
			2	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	O	0	0
			1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: EAL Enzyme Bd1971



• Molecule 1: EAL Enzyme Bd1971



4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	83.86Å 83.86Å 138.45Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	64.31 – 2.83 64.31 – 2.83	Depositor EDS
% Data completeness (in resolution range)	99.2 (64.31-2.83) 99.2 (64.31-2.83)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.54 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.223 , 0.268 0.227 , 0.273	Depositor DCC
R_{free} test set	1189 reflections (4.59%)	wwPDB-VP
Wilson B-factor (Å ²)	88.1	Xtriage
Anisotropy	0.118	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.25 , 44.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.016 for -h,-k,l 0.049 for h,-h-k,-l 0.032 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6140	wwPDB-VP
Average B, all atoms (Å ²)	103.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.08% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CMP, C2E, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/3043	0.77	2/4095 (0.0%)
1	B	0.45	0/3041	0.75	2/4092 (0.0%)
All	All	0.45	0/6084	0.76	4/8187 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	290	ILE	CB-CA-C	-5.63	102.06	111.29
1	A	203	SER	N-CA-C	5.46	120.84	114.62
1	B	192	SER	CA-C-N	5.35	125.02	119.56
1	B	192	SER	C-N-CA	5.35	125.02	119.56

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3000	0	3073	33	0
1	B	2998	0	3067	32	0
2	A	46	0	22	0	0
2	B	46	0	22	0	0
3	A	22	0	11	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	22	0	11	2	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
All	All	6140	0	6206	60	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:802:CMP:C2	3:A:802:CMP:H2	0.97	1.50
3:B:802:CMP:H2	3:B:802:CMP:C2	0.97	1.48
1:A:191:VAL:O	1:A:192:SER:HB3	1.85	0.76
1:B:336:ILE:HG23	1:B:337:LEU:HD13	1.69	0.74
1:B:283:MET:HB2	1:B:317:TYR:CE2	2.26	0.71
1:B:113:ASN:HD21	3:B:802:CMP:HN61	1.41	0.68
1:A:215:ASN:C	1:A:215:ASN:HD22	2.02	0.67
1:B:281:ARG:O	1:B:284:MET:HG3	1.97	0.65
1:B:280:GLU:OE2	1:B:314:GLY:HA3	1.98	0.64
1:A:62:ILE:HD11	1:B:101:LEU:HD23	1.83	0.60
1:A:192:SER:OG	1:A:195:LEU:CB	2.53	0.57
1:A:63:ASP:OD2	1:A:110:ARG:NH1	2.39	0.55
1:A:200:ILE:O	1:A:206:VAL:HG13	2.07	0.54
1:A:28:ILE:HD13	1:B:141:LEU:HD22	1.88	0.53
1:A:313:SER:OG	1:B:311:GLY:N	2.42	0.53
1:B:253:HIS:ND1	1:B:254:SER:O	2.37	0.53
1:A:203:SER:O	1:A:204:SER:CB	2.56	0.52
1:B:200:ILE:O	1:B:206:VAL:HG13	2.09	0.52
1:B:102:MET:O	1:B:106:LEU:HD23	2.10	0.51
1:B:108:ARG:O	1:B:112:LYS:HG2	2.10	0.51
1:A:290:ILE:HD13	1:A:321:MET:HE1	1.93	0.51
1:A:192:SER:OG	1:A:195:LEU:HB3	2.11	0.51
1:B:33:ARG:HD2	1:B:49:ILE:HD11	1.93	0.51
1:B:193:PRO:HA	1:B:196:PHE:CZ	2.48	0.49
1:A:341:LYS:HB3	1:B:356:MET:HE1	1.95	0.49
1:A:283:MET:HE1	1:A:321:MET:HE3	1.94	0.49
1:B:192:SER:OG	1:B:193:PRO:HD2	2.13	0.48
1:A:203:SER:O	1:A:204:SER:OG	2.29	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:253:HIS:ND1	1:A:254:SER:O	2.36	0.48
1:A:315:LEU:HD21	1:B:315:LEU:HD21	1.95	0.48
1:B:59:MET:CE	1:B:109:LEU:HD23	2.44	0.48
1:A:260:LEU:CD1	1:A:301:TYR:CZ	2.96	0.48
1:A:32:GLY:HA3	1:A:77:VAL:HG12	1.96	0.48
1:B:32:GLY:HA3	1:B:77:VAL:HG12	1.97	0.47
1:A:207:ILE:HG12	1:A:208:PRO:HD3	1.97	0.47
1:B:42:LYS:HD2	1:B:42:LYS:C	2.41	0.45
1:B:111:ARG:O	1:B:114:ILE:HD13	2.17	0.45
1:B:140:ALA:O	1:B:144:ILE:HD12	2.16	0.45
1:B:317:TYR:HB3	1:B:321:MET:HE2	1.99	0.45
1:B:59:MET:HE2	1:B:109:LEU:HD23	1.99	0.45
1:B:326:LEU:C	1:B:326:LEU:HD23	2.42	0.45
1:B:34:VAL:HG23	1:B:73:ALA:HA	1.99	0.44
1:A:150:ILE:HD12	1:A:199:ILE:HG21	2.00	0.44
1:A:290:ILE:HA	1:A:321:MET:HE1	1.99	0.44
1:A:380:ARG:C	1:A:381:PHE:HD1	2.26	0.44
1:A:188:HIS:CE1	1:A:193:PRO:HA	2.53	0.43
1:A:192:SER:HG	1:A:195:LEU:H	1.64	0.43
1:A:201:GLU:HA	1:A:206:VAL:CG1	2.48	0.43
1:A:62:ILE:HD11	1:B:101:LEU:CD2	2.47	0.43
1:B:201:GLU:HA	1:B:206:VAL:CG1	2.49	0.43
1:B:191:VAL:CG2	1:B:195:LEU:HD12	2.48	0.43
1:A:314:GLY:O	1:A:318:LEU:N	2.52	0.42
1:A:372:LEU:O	1:A:376:THR:HG23	2.19	0.42
1:B:372:LEU:O	1:B:376:THR:HG23	2.19	0.42
1:A:326:LEU:HD12	1:A:326:LEU:C	2.45	0.41
1:A:194:ASN:ND2	1:A:198:ASP:OD2	2.52	0.41
1:B:312:PHE:CD1	1:B:317:TYR:OH	2.63	0.41
1:A:195:LEU:HD12	1:A:198:ASP:HB2	2.03	0.41
1:A:290:ILE:HD13	1:A:321:MET:CE	2.51	0.41
1:A:90:ARG:HD3	1:B:97:VAL:CG2	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	372/398 (94%)	358 (96%)	10 (3%)	4 (1%)	11	23
1	B	372/398 (94%)	357 (96%)	14 (4%)	1 (0%)	36	55
All	All	744/796 (94%)	715 (96%)	24 (3%)	5 (1%)	18	35

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	192	SER
1	A	281	ARG
1	B	400	ILE
1	A	400	ILE
1	A	322	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	332/347 (96%)	312 (94%)	20 (6%)	17	36
1	B	332/347 (96%)	316 (95%)	16 (5%)	23	46
All	All	664/694 (96%)	628 (95%)	36 (5%)	20	42

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ILE
1	A	39	THR
1	A	49	ILE
1	A	55	ILE
1	A	88	LEU
1	A	114	ILE
1	A	207	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	243	SER
1	A	262	ASP
1	A	263	LEU
1	A	276	LEU
1	A	290	ILE
1	A	316	GLN
1	A	318	LEU
1	A	319	THR
1	A	326	LEU
1	A	335	LYS
1	A	357	ASP
1	A	399	LEU
1	A	402	LEU
1	B	15	ILE
1	B	34	VAL
1	B	38	LEU
1	B	40	LYS
1	B	45	ILE
1	B	49	ILE
1	B	55	ILE
1	B	114	ILE
1	B	157	LYS
1	B	173	THR
1	B	207	ILE
1	B	243	SER
1	B	263	LEU
1	B	326	LEU
1	B	337	LEU
1	B	357	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	188	HIS
1	A	215	ASN
1	A	354	HIS
1	A	367	HIS
1	B	113	ASN
1	B	231	ASN
1	B	250	GLN
1	B	316	GLN
1	B	354	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	367	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	C2E	A	801	4	52,52,52	1.19	4 (7%)	78,82,82	1.75	18 (23%)
3	CMP	B	802	-	25,25,25	2.19	10 (40%)	37,39,39	2.22	13 (35%)
3	CMP	A	802	-	25,25,25	2.24	10 (40%)	37,39,39	2.27	14 (37%)
2	C2E	B	801	4	52,52,52	1.17	4 (7%)	78,82,82	1.74	18 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	C2E	A	801	4	-	7/30/62/62	0/6/7/7
3	CMP	B	802	-	-	0/4/31/31	0/4/4/4
3	CMP	A	802	-	-	0/4/31/31	0/4/4/4
2	C2E	B	801	4	-	5/30/62/62	0/6/7/7

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	802	CMP	P-O5'	5.77	1.64	1.57
3	A	802	CMP	P-O5'	5.43	1.63	1.57
3	A	802	CMP	C2-N3	3.86	1.40	1.33
3	A	802	CMP	P-O3'	3.81	1.64	1.57
3	B	802	CMP	C2-N3	3.78	1.40	1.33
3	A	802	CMP	C2-N1	3.73	1.40	1.33
3	B	802	CMP	C2-N1	3.69	1.40	1.33
3	A	802	CMP	C5-N7	-3.19	1.33	1.39
3	B	802	CMP	C5-N7	-3.14	1.33	1.39
2	A	801	C2E	C51-N71	-2.96	1.33	1.39
2	B	801	C2E	C5-C6	-2.95	1.33	1.44
2	A	801	C2E	C5-C6	-2.92	1.33	1.44
2	B	801	C2E	C5-N7	-2.86	1.33	1.39
2	B	801	C2E	C51-N71	-2.85	1.33	1.39
2	A	801	C2E	C51-C61	-2.78	1.34	1.44
2	A	801	C2E	C5-N7	-2.77	1.33	1.39
3	A	802	CMP	C5-C4	-2.74	1.34	1.39
3	B	802	CMP	C5-C4	-2.71	1.34	1.39
2	B	801	C2E	C51-C61	-2.70	1.34	1.44
3	B	802	CMP	P-O3'	2.55	1.62	1.57
3	B	802	CMP	O5'-C5'	-2.44	1.42	1.46
3	A	802	CMP	C5-C6	-2.44	1.34	1.41
3	B	802	CMP	C8-N9	-2.43	1.33	1.37
3	B	802	CMP	C5-C6	-2.36	1.34	1.41
3	A	802	CMP	C8-N9	-2.30	1.33	1.37
3	A	802	CMP	O5'-C5'	-2.28	1.42	1.46
3	A	802	CMP	C4-N9	-2.00	1.33	1.37
3	B	802	CMP	C4-N9	-2.00	1.33	1.37

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	802	CMP	N3-C2-N1	-6.58	118.62	128.58
3	B	802	CMP	N3-C2-N1	-6.41	118.88	128.58
2	A	801	C2E	C21-N31-C41	4.91	120.75	112.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	C2E	C2-N3-C4	4.85	120.66	112.30
2	B	801	C2E	C21-N31-C41	4.84	120.63	112.30
3	A	802	CMP	C5-C4-N3	-4.78	120.13	126.72
2	B	801	C2E	C2-N3-C4	4.74	120.46	112.30
2	A	801	C2E	C51-C41-N31	-4.74	120.85	128.39
2	B	801	C2E	C5-C4-N3	-4.60	121.07	128.39
3	B	802	CMP	C5-C4-N3	-4.52	120.49	126.72
2	A	801	C2E	C5-C4-N3	-4.49	121.24	128.39
2	B	801	C2E	C51-C41-N31	-4.46	121.28	128.39
3	B	802	CMP	N9-C8-N7	-4.17	108.02	113.94
2	B	801	C2E	C2-N1-C6	-3.84	118.14	125.11
3	A	802	CMP	N9-C8-N7	-3.81	108.53	113.94
2	A	801	C2E	C2-N1-C6	-3.79	118.23	125.11
2	B	801	C2E	C21-N11-C61	-3.71	118.39	125.11
2	A	801	C2E	C21-N11-C61	-3.65	118.50	125.11
3	B	802	CMP	O2P-P-O1P	3.40	119.01	108.56
3	A	802	CMP	C2-N3-C4	3.35	120.00	111.83
3	B	802	CMP	C5-N7-C8	3.25	108.56	103.45
3	B	802	CMP	C2-N3-C4	3.11	119.42	111.83
3	A	802	CMP	O2P-P-O1P	3.02	117.84	108.56
2	A	801	C2E	N9-C8-N7	-2.98	107.87	113.40
3	A	802	CMP	O3'-C3'-C4'	-2.95	108.48	110.71
3	B	802	CMP	C6-C5-C4	2.94	121.19	117.18
3	A	802	CMP	C5-N7-C8	2.87	107.97	103.45
3	A	802	CMP	C6-C5-C4	2.86	121.08	117.18
2	B	801	C2E	N91-C81-N71	-2.83	108.15	113.40
2	B	801	C2E	N9-C4-N3	2.81	131.57	125.95
3	A	802	CMP	C5-C6-N6	-2.81	116.34	123.29
3	B	802	CMP	C4-C5-N7	-2.80	107.39	110.58
2	B	801	C2E	N9-C8-N7	-2.78	108.24	113.40
2	A	801	C2E	C5-C6-N1	2.69	120.09	113.25
3	A	802	CMP	C5'-C4'-C3'	-2.67	107.53	112.56
3	A	802	CMP	O5'-P-O3'	-2.67	102.12	105.70
3	A	802	CMP	N3-C4-N9	2.60	131.59	127.17
3	B	802	CMP	C5-C6-N6	-2.58	116.89	123.29
2	A	801	C2E	N91-C81-N71	-2.57	108.64	113.40
2	B	801	C2E	C5-C6-N1	2.57	119.78	113.25
2	A	801	C2E	N9-C4-N3	2.54	131.04	125.95
2	A	801	C2E	N91-C41-N31	2.51	130.97	125.95
3	B	802	CMP	N3-C4-N9	2.48	131.38	127.17
3	A	802	CMP	C4-C5-N7	-2.46	107.77	110.58
2	A	801	C2E	C2'-C3'-C4'	-2.39	99.05	103.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	801	C2E	C81-N71-C51	2.38	108.51	104.26
2	B	801	C2E	C51-C61-N11	2.33	119.20	113.25
2	A	801	C2E	C51-C61-N11	2.33	119.19	113.25
3	A	802	CMP	C5-C4-N9	2.26	108.28	105.81
2	B	801	C2E	N91-C41-N31	2.26	130.47	125.95
2	B	801	C2E	O6-C6-C5	-2.24	120.61	126.53
2	A	801	C2E	C8-N7-C5	2.24	108.24	104.26
2	A	801	C2E	C81-N71-C51	2.21	108.20	104.26
2	B	801	C2E	C41-C51-N71	-2.14	107.28	110.67
3	B	802	CMP	C5-C4-N9	2.13	108.13	105.81
2	A	801	C2E	N1-C2-N3	-2.11	119.46	123.32
2	A	801	C2E	N11-C21-N31	-2.10	119.47	123.32
2	B	801	C2E	C2'-C3'-C4'	-2.10	99.57	103.24
3	B	802	CMP	C5'-C4'-C3'	-2.08	108.64	112.56
3	B	802	CMP	C4-N9-C8	2.06	107.90	105.74
2	B	801	C2E	N11-C21-N31	-2.05	119.57	123.32
2	B	801	C2E	N1-C2-N3	-2.05	119.57	123.32
2	A	801	C2E	O6-C6-C5	-2.04	121.16	126.53

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	801	C2E	C3'-O3'-P11-O11
2	A	801	C2E	C3'-O3'-P11-O5A
2	A	801	C2E	C4'-C3'-O3'-P11
2	A	801	C2E	C2'-C3'-O3'-P11
2	B	801	C2E	C4'-C3'-O3'-P11
2	B	801	C2E	C2'-C3'-O3'-P11
2	A	801	C2E	C3A-C4A-C5A-O5A
2	A	801	C2E	C4A-C5A-O5A-P11
2	B	801	C2E	C4A-C5A-O5A-P11
2	A	801	C2E	O4A-C4A-C5A-O5A
2	B	801	C2E	C3'-O3'-P11-O21
2	B	801	C2E	C3'-O3'-P11-O11

There are no ring outliers.

2 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	802	CMP	2	0



Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	802	CMP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	376/398 (94%)	0.12	16 (4%) 40 31	70, 100, 139, 175	0
1	B	376/398 (94%)	0.08	5 (1%) 75 69	67, 106, 145, 173	0
All	All	752/796 (94%)	0.10	21 (2%) 55 45	67, 102, 142, 175	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	303	ILE	3.6
1	A	308	PHE	3.4
1	A	326	LEU	3.3
1	B	315	LEU	3.2
1	A	315	LEU	3.0
1	B	136	GLY	3.0
1	A	286	GLY	2.8
1	A	97	VAL	2.7
1	A	106	LEU	2.6
1	A	251	PHE	2.4
1	B	22	ALA	2.4
1	A	319	THR	2.4
1	B	318	LEU	2.4
1	B	314	GLY	2.3
1	A	305	ILE	2.3
1	A	304	SER	2.3
1	A	328	ILE	2.2
1	A	256	PHE	2.2
1	A	87	VAL	2.2
1	A	323	ILE	2.0
1	A	113	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	C2E	A	801	46/46	0.95	0.06	66,78,84,87	0
2	C2E	B	801	46/46	0.95	0.07	63,77,95,103	0
3	CMP	A	802	22/22	0.95	0.07	71,74,79,81	0
3	CMP	B	802	22/22	0.95	0.06	90,97,108,111	0
4	CA	A	804	1/1	0.96	0.05	85,85,85,85	0
4	CA	B	804	1/1	0.96	0.06	87,87,87,87	0
4	CA	B	803	1/1	0.99	0.04	73,73,73,73	0
4	CA	A	803	1/1	0.99	0.04	70,70,70,70	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around C2E A 801:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around C2E B 801:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CMP A 802:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around CMP B 802:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.