



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 06:13 AM UTC

PDB ID : 6HQ7 / pdb_00006hq7
Title : Structure of EAL Enzyme Bd1971 - cGMP bound form
Authors : Lovering, A.L.; Cadby, I.T.
Deposited on : 2018-09-24
Resolution : 2.46 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1190 (2.46-2.46)
Clashscore	190562	1229 (2.46-2.46)
Ramachandran outliers	187476	1218 (2.46-2.46)
Sidechain outliers	187428	1218 (2.46-2.46)
RSRZ outliers	180081	1190 (2.46-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	397	
1	B	397	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6122 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called EAL Enzyme Bd1971.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	377	Total	C	N	O	S	0	0	0
			3003	1908	522	558	15			
1	B	372	Total	C	N	O	S	0	13	0
			3070	1953	530	571	16			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	401	LYS	-	expression tag	UNP Q6MLN6
A	402	LEU	-	expression tag	UNP Q6MLN6
B	401	LYS	-	expression tag	UNP Q6MLN6
B	402	LEU	-	expression tag	UNP Q6MLN6

- Molecule 2 is CYCLIC GUANOSINE MONOPHOSPHATE (CCD ID: PCG) (formula: $C_{10}H_{12}N_5O_7P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	B	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: EAL Enzyme Bd1971



• Molecule 1: EAL Enzyme Bd1971



4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	82.57Å 82.57Å 134.59Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	63.15 – 2.46 63.15 – 2.46	Depositor EDS
% Data completeness (in resolution range)	99.8 (63.15-2.46) 99.8 (63.15-2.46)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.61 (at 2.45Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.221 , 0.253 (Not available) , 0.279	Depositor DCC
R_{free} test set	1858 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	75.3	Xtriage
Anisotropy	0.093	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 43.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.014 for -h,-k,l 0.038 for h,-h-k,-l 0.023 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6122	wwPDB-VP
Average B, all atoms (Å ²)	91.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.78% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, PCG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.70	0/3046	0.92	3/4097 (0.1%)
1	B	0.66	0/3116	0.88	3/4195 (0.1%)
All	All	0.68	0/6162	0.90	6/8292 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	206	VAL	CB-CA-C	-8.02	101.54	112.04
1	A	188	HIS	N-CA-C	6.75	121.80	113.50
1	A	400	ILE	CB-CA-C	-6.72	103.23	112.04
1	B	292	ALA	N-CA-C	-6.43	103.78	111.69
1	B	201	GLU	N-CA-C	5.89	118.65	111.82
1	A	201	GLU	N-CA-C	5.80	118.55	111.82

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	188	HIS	Peptide
1	B	313[A]	SER	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3003	0	3074	50	0
1	B	3070	0	3133	169	0
2	A	23	0	11	0	0
2	B	23	0	11	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	1	0	0	0	0
All	All	6122	0	6229	205	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (205) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:283:MET:HE3	1:B:321[A]:MET:SD	1.39	1.58
1:B:318[B]:LEU:HA	1:B:321[B]:MET:CG	1.27	1.57
1:B:251:PHE:CZ	1:B:293:LEU:HD23	1.53	1.41
1:B:288:ILE:O	1:B:291:ASP:HB3	1.25	1.34
1:B:283:MET:CE	1:B:321[A]:MET:HG3	1.58	1.31
1:B:285:ASP:O	1:B:288:ILE:HG22	1.28	1.31
1:B:251:PHE:CZ	1:B:293:LEU:CD2	2.15	1.28
1:B:318[B]:LEU:HA	1:B:321[B]:MET:SD	1.74	1.26
1:B:283:MET:CE	1:B:321[A]:MET:SD	2.25	1.25
1:B:318[B]:LEU:CA	1:B:321[B]:MET:SD	2.26	1.23
1:B:283:MET:CE	1:B:321[A]:MET:CG	2.18	1.21
1:B:285:ASP:O	1:B:288:ILE:CG2	1.90	1.18
1:B:321[B]:MET:O	1:B:323[B]:ILE:HG12	1.43	1.15
1:B:283:MET:HE2	1:B:321[A]:MET:CG	1.77	1.14
1:B:288:ILE:O	1:B:291:ASP:CB	1.96	1.13

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:318[B]:LEU:CA	1:B:321[B]:MET:CG	2.24	1.13
1:B:290:ILE:HG23	1:B:321[A]:MET:HE1	1.27	1.12
1:B:251:PHE:CD1	1:B:278:MET:HE1	1.85	1.10
1:B:280:GLU:CB	1:B:313[A]:SER:HA	1.80	1.10
1:B:318[B]:LEU:CB	1:B:321[B]:MET:SD	2.41	1.09
1:B:315[A]:LEU:HD12	1:B:315[A]:LEU:H	1.03	1.08
1:B:289:ALA:O	1:B:291:ASP:N	1.86	1.08
1:B:318[B]:LEU:CA	1:B:321[B]:MET:HG2	1.81	1.08
1:B:315[B]:LEU:HA	1:B:318[B]:LEU:HD22	1.37	1.03
1:B:280:GLU:HB2	1:B:313[A]:SER:HA	1.02	1.00
1:B:318[B]:LEU:HA	1:B:321[B]:MET:HG2	1.03	1.00
1:B:315[A]:LEU:HD12	1:B:315[A]:LEU:N	1.77	0.98
1:B:280:GLU:HB2	1:B:313[A]:SER:CA	1.95	0.96
1:B:251:PHE:CG	1:B:278:MET:HE1	2.00	0.96
1:B:318[B]:LEU:O	1:B:318[B]:LEU:HG	1.64	0.95
1:B:315[A]:LEU:H	1:B:315[A]:LEU:CD1	1.77	0.94
1:B:285:ASP:HB3	1:B:288:ILE:HG21	1.50	0.93
1:B:283:MET:O	1:B:286:GLY:N	2.00	0.93
1:B:251:PHE:HZ	1:B:293:LEU:HD23	0.85	0.92
1:B:318[B]:LEU:N	1:B:321[B]:MET:HE3	1.85	0.91
1:B:284:MET:HE2	1:B:312[B]:PHE:CE1	2.07	0.90
1:B:312[A]:PHE:HD1	1:B:312[A]:PHE:O	1.52	0.90
1:B:312[A]:PHE:HZ	1:B:317[A]:TYR:HH	0.94	0.89
1:B:251:PHE:CZ	1:B:293:LEU:HD21	2.06	0.89
1:B:289:ALA:C	1:B:291:ASP:N	2.28	0.88
1:B:283:MET:CE	1:B:321[B]:MET:CB	2.52	0.88
1:B:290:ILE:H	1:B:290:ILE:HD13	1.38	0.87
1:B:283:MET:HG2	1:B:321[B]:MET:CE	2.05	0.86
1:B:283:MET:HE3	1:B:321[A]:MET:CG	1.97	0.86
1:B:283:MET:CE	1:B:321[B]:MET:HB2	2.05	0.86
1:A:309:GLY:O	1:B:316[A]:GLN:HB2	1.75	0.86
1:B:317[B]:TYR:HB2	1:B:321[B]:MET:HE3	1.57	0.86
1:B:283:MET:HE2	1:B:321[A]:MET:HG3	0.89	0.86
1:B:289:ALA:O	1:B:290:ILE:C	2.16	0.85
1:B:320[A]:GLN:OE1	1:B:320[A]:GLN:N	2.10	0.85
1:B:312[A]:PHE:O	1:B:312[A]:PHE:CD1	2.31	0.84
1:B:321[A]:MET:HA	1:B:321[A]:MET:HE2	1.58	0.84
1:B:288:ILE:HG23	1:B:289:ALA:H	1.42	0.83
1:B:318[B]:LEU:HB2	1:B:321[B]:MET:SD	2.18	0.83
1:B:312[A]:PHE:HE1	1:B:317[A]:TYR:CE2	1.97	0.82
1:B:280:GLU:OE1	1:B:283:MET:HB2	1.80	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:320[A]:GLN:CD	1:B:321[A]:MET:HE3	2.05	0.81
1:B:283:MET:HG2	1:B:321[B]:MET:HE1	1.62	0.81
1:B:283:MET:HE3	1:B:321[B]:MET:HB3	1.62	0.80
1:B:315[B]:LEU:HA	1:B:318[B]:LEU:CD2	2.11	0.79
1:A:141:LEU:HD11	1:B:80:ALA:CB	2.12	0.78
1:B:280:GLU:HB3	1:B:312[A]:PHE:O	1.84	0.78
1:B:312[A]:PHE:HZ	1:B:317[A]:TYR:OH	1.66	0.78
1:B:312[A]:PHE:CE1	1:B:317[A]:TYR:CE2	2.72	0.77
1:B:317[B]:TYR:CB	1:B:321[B]:MET:HE3	2.14	0.76
1:B:317[B]:TYR:HB2	1:B:321[B]:MET:CE	2.15	0.76
1:B:321[B]:MET:O	1:B:323[B]:ILE:CG1	2.30	0.76
1:B:281:ARG:HH11	1:B:281:ARG:HG3	1.50	0.76
1:B:251:PHE:CE2	1:B:293:LEU:CD2	2.68	0.75
1:B:289:ALA:C	1:B:291:ASP:H	1.91	0.75
1:B:315[B]:LEU:O	1:B:318[B]:LEU:HD23	1.86	0.75
1:B:200:ILE:O	1:B:206:VAL:HG13	1.85	0.75
1:B:281:ARG:HG3	1:B:281:ARG:NH1	2.03	0.74
1:B:279:THR:O	1:B:282:ILE:HG12	1.88	0.73
1:B:288:ILE:HG23	1:B:289:ALA:N	2.03	0.73
1:B:318[B]:LEU:N	1:B:321[B]:MET:CE	2.51	0.72
1:B:285:ASP:O	1:B:288:ILE:HG23	1.87	0.71
1:B:283:MET:HE2	1:B:321[B]:MET:SD	2.30	0.71
1:B:290:ILE:HD13	1:B:290:ILE:N	2.04	0.71
1:B:318[B]:LEU:HA	1:B:321[B]:MET:HG3	1.63	0.71
1:B:336:ILE:HD11	1:B:346:VAL:HG21	1.73	0.71
1:B:283:MET:CE	1:B:321[B]:MET:HB3	2.17	0.70
1:B:288:ILE:C	1:B:288:ILE:HD13	2.17	0.70
1:B:251:PHE:CE2	1:B:293:LEU:HD21	2.24	0.70
1:B:285:ASP:HB3	1:B:288:ILE:CG2	2.22	0.69
1:B:283:MET:HE2	1:B:321[B]:MET:CB	2.22	0.69
1:B:283:MET:CG	1:B:321[B]:MET:HE2	2.23	0.68
1:A:336:ILE:HD11	1:A:346:VAL:HG21	1.75	0.68
1:B:321[A]:MET:HB3	1:B:323[A]:ILE:HG12	1.77	0.67
1:B:320[A]:GLN:OE1	1:B:320[A]:GLN:CA	2.42	0.67
1:B:281:ARG:O	1:B:284:MET:HB2	1.95	0.66
1:B:316[B]:GLN:HG3	1:B:317[B]:TYR:CD1	2.29	0.66
1:B:318[B]:LEU:N	1:B:321[B]:MET:SD	2.68	0.66
1:B:283:MET:HG2	1:B:321[B]:MET:HE2	1.77	0.66
1:A:62:ILE:HD13	1:A:102:MET:HE1	1.79	0.65
1:A:283:MET:SD	1:A:321:MET:SD	2.97	0.63
1:B:201:GLU:HA	1:B:206:VAL:CG1	2.28	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:284:MET:CE	1:B:312[B]:PHE:CD1	2.82	0.63
1:B:281:ARG:HH11	1:B:281:ARG:CG	2.13	0.62
1:B:318[A]:LEU:HD23	1:B:356:MET:HE2	1.81	0.62
1:B:320[A]:GLN:OE1	1:B:320[A]:GLN:C	2.43	0.62
1:B:321[A]:MET:HA	1:B:321[A]:MET:CE	2.29	0.61
1:B:321[A]:MET:HE2	1:B:321[A]:MET:CA	2.23	0.60
1:A:309:GLY:O	1:B:316[A]:GLN:CB	2.48	0.60
1:B:290:ILE:O	1:B:294:ASN:HB2	2.01	0.59
1:A:192:SER:HB3	1:A:195:LEU:HB2	1.84	0.59
1:A:251:PHE:CG	1:A:278:MET:HE1	2.38	0.59
1:B:318[B]:LEU:HB3	1:B:321[B]:MET:SD	2.39	0.59
1:B:288:ILE:HD13	1:B:289:ALA:N	2.17	0.58
1:B:283:MET:CE	1:B:321[B]:MET:HE2	2.33	0.58
1:B:290:ILE:CG2	1:B:321[A]:MET:HE1	2.17	0.58
1:B:283:MET:HG2	1:B:317[A]:TYR:CB	2.33	0.58
1:A:259:ASN:O	1:A:263:LEU:HD23	2.04	0.57
1:B:284:MET:HE3	1:B:312[B]:PHE:CD1	2.39	0.56
1:A:188:HIS:N	1:A:189:GLY:HA3	2.20	0.56
1:B:283:MET:HG2	1:B:317[A]:TYR:HB2	1.88	0.56
1:A:224:ILE:HG23	1:A:400:ILE:HD11	1.88	0.56
1:A:279:THR:OG1	1:A:307:ASP:OD2	2.21	0.56
1:B:285:ASP:O	1:B:286:GLY:C	2.49	0.56
1:A:251:PHE:CZ	1:A:293:LEU:HD23	2.40	0.56
1:B:317[B]:TYR:C	1:B:321[B]:MET:HE3	2.30	0.56
1:B:284:MET:CE	1:B:312[B]:PHE:CE1	2.86	0.55
1:B:285:ASP:CB	1:B:288:ILE:CG2	2.84	0.55
1:B:320[A]:GLN:CD	1:B:320[A]:GLN:O	2.48	0.55
1:B:183:TRP:CE3	1:B:191:VAL:HG11	2.43	0.54
1:A:246:ILE:HB	1:A:278:MET:HE3	1.89	0.53
1:B:251:PHE:CD1	1:B:278:MET:CE	2.76	0.53
1:A:108:ARG:HG2	1:A:111:ARG:NH2	2.24	0.53
1:B:203:SER:O	1:B:206:VAL:HG22	2.08	0.53
1:B:312[A]:PHE:CZ	1:B:317[A]:TYR:OH	2.49	0.53
1:B:283:MET:HE2	1:B:321[B]:MET:HB2	1.84	0.52
1:A:169:LEU:HD11	1:A:382:GLY:HA3	1.92	0.52
1:B:288:ILE:CG2	1:B:289:ALA:H	2.17	0.52
1:B:283:MET:HE2	1:B:321[B]:MET:HE2	1.93	0.51
1:B:318[A]:LEU:CD2	1:B:356:MET:HE2	2.41	0.50
1:A:82:VAL:HG22	1:B:144:ILE:HG21	1.93	0.49
1:A:147:GLU:OE2	1:B:90:ARG:NH2	2.45	0.49
1:B:49:ILE:HD12	1:B:49:ILE:N	2.27	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:141:LEU:HD21	1:B:30:GLU:OE2	2.13	0.49
1:A:90:ARG:NH2	1:B:147:GLU:OE2	2.45	0.49
1:A:39:THR:HG22	1:A:44:GLU:HG2	1.94	0.49
1:A:345:VAL:HG21	1:B:319[A]:THR:HG22	1.94	0.49
1:A:321:MET:HB3	1:A:323:ILE:HG12	1.95	0.48
1:B:318[B]:LEU:H	1:B:321[B]:MET:CE	2.26	0.48
1:A:251:PHE:CD1	1:A:278:MET:HE1	2.48	0.48
1:B:288:ILE:C	1:B:288:ILE:CD1	2.85	0.48
1:A:347:SER:HB3	1:A:377:LEU:HD22	1.96	0.48
1:B:283:MET:HE2	1:B:321[B]:MET:CE	2.44	0.48
1:B:318[B]:LEU:H	1:B:321[B]:MET:HE3	1.75	0.48
1:A:148:ASN:HB3	1:B:6:GLN:HE21	1.79	0.47
1:A:55:ILE:CD1	1:A:58:GLU:HB3	2.44	0.47
1:B:283:MET:HE1	1:B:321[B]:MET:HB2	1.92	0.47
1:B:183:TRP:CZ3	1:B:191:VAL:HG11	2.50	0.47
1:A:211:HIS:NE2	1:A:263:LEU:HD21	2.30	0.47
1:A:309:GLY:HA2	1:B:315[A]:LEU:HD13	1.96	0.47
1:A:368:HIS:NE2	1:A:372:LEU:HD13	2.30	0.47
1:B:246:ILE:HB	1:B:278:MET:HE3	1.96	0.47
1:B:290:ILE:HG23	1:B:321[A]:MET:CE	2.20	0.47
1:B:255:ASP:HA	1:B:258:ASN:HD22	1.79	0.47
1:B:288:ILE:O	1:B:291:ASP:HB2	2.03	0.46
1:B:171:ASN:OD1	1:B:173:THR:HG22	2.15	0.46
1:B:246:ILE:CG2	1:B:278:MET:HE3	2.44	0.46
1:B:312[A]:PHE:CZ	1:B:317[A]:TYR:CZ	3.03	0.46
1:A:139:SER:O	1:A:140:ALA:HB3	2.15	0.46
1:B:284:MET:C	1:B:286:GLY:H	2.24	0.46
1:B:292:ALA:O	1:B:295:GLN:N	2.48	0.46
1:A:191:VAL:O	1:A:192:SER:HB3	2.17	0.45
1:B:241:MET:HE3	1:B:275:LYS:HB2	1.97	0.45
1:B:283:MET:CG	1:B:321[B]:MET:CE	2.80	0.45
1:A:141:LEU:HD11	1:B:80:ALA:HB2	1.97	0.45
1:A:175:THR:HG21	1:A:381:PHE:CD1	2.52	0.45
1:A:171:ASN:OD1	1:A:173:THR:HG22	2.17	0.45
1:A:62:ILE:HD13	1:A:102:MET:CE	2.44	0.45
1:B:290:ILE:H	1:B:290:ILE:CD1	2.11	0.44
1:B:320[A]:GLN:CD	1:B:320[A]:GLN:C	2.85	0.44
1:B:61:LEU:HD13	1:B:84:LYS:HA	1.99	0.44
1:B:175:THR:HG21	1:B:381:PHE:CD1	2.52	0.44
1:B:248:GLY:HA2	1:B:282:ILE:CD1	2.47	0.44
1:B:321[B]:MET:O	1:B:323[B]:ILE:N	2.51	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:280:GLU:C	1:B:282:ILE:N	2.72	0.44
1:B:35:LEU:CD2	1:B:37:TYR:HB3	2.48	0.43
1:B:285:ASP:CB	1:B:288:ILE:HG21	2.34	0.43
1:B:295:GLN:O	1:B:298:SER:OG	2.34	0.43
1:B:318[B]:LEU:C	1:B:321[B]:MET:HG2	2.42	0.43
1:A:279:THR:O	1:A:282:ILE:HG12	2.17	0.43
1:A:345:VAL:HG13	1:B:315[B]:LEU:HD22	2.00	0.43
1:B:253:HIS:ND1	1:B:254:SER:O	2.52	0.43
1:A:191:VAL:O	1:A:192:SER:CB	2.67	0.42
1:A:332:PHE:CE1	1:B:316[B]:GLN:HA	2.55	0.42
1:A:188:HIS:O	1:A:188:HIS:CG	2.72	0.42
1:A:313:SER:N	1:B:311[B]:GLY:O	2.47	0.42
1:A:230:LEU:O	1:A:230:LEU:HD22	2.20	0.42
1:B:283:MET:O	1:B:286:GLY:CA	2.67	0.42
1:B:326:LEU:C	1:B:326:LEU:HD12	2.45	0.42
1:A:64:ASN:HD21	1:A:88:LEU:HD21	1.85	0.41
1:A:253:HIS:ND1	1:A:254:SER:O	2.51	0.41
1:A:33:ARG:HH11	1:A:49:ILE:HG21	1.85	0.41
1:A:318:LEU:HA	1:A:321:MET:HE3	2.01	0.41
1:B:165:PRO:CG	1:B:388:SER:HB3	2.50	0.41
1:B:284:MET:HE2	1:B:312[B]:PHE:CD1	2.43	0.41
1:A:108:ARG:HG2	1:A:111:ARG:HH22	1.85	0.41
1:B:280:GLU:HG3	1:B:314[A]:GLY:H	1.85	0.41
1:A:326:LEU:HD12	1:A:326:LEU:C	2.45	0.41
1:B:319[A]:THR:HA	1:B:356:MET:HE1	2.03	0.41
1:A:251:PHE:HB2	1:A:278:MET:HE1	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	371/397 (94%)	355 (96%)	14 (4%)	2 (0%)	24	32
1	B	381/397 (96%)	350 (92%)	25 (7%)	6 (2%)	7	7
All	All	752/794 (95%)	705 (94%)	39 (5%)	8 (1%)	16	12

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	290	ILE
1	B	318[A]	LEU
1	B	318[B]	LEU
1	A	192	SER
1	A	140	ALA
1	B	289	ALA
1	B	322[A]	PRO
1	B	322[B]	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	333/347 (96%)	310 (93%)	23 (7%)	14	19
1	B	340/347 (98%)	318 (94%)	22 (6%)	15	21
All	All	673/694 (97%)	628 (93%)	45 (7%)	15	20

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	VAL
1	A	36	ILE
1	A	55	ILE
1	A	88	LEU
1	A	107	LYS
1	A	123	SER
1	A	169	LEU
1	A	195	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	196	PHE
1	A	199	ILE
1	A	230	LEU
1	A	235	ARG
1	A	243	SER
1	A	278	MET
1	A	326	LEU
1	A	337	LEU
1	A	341	LYS
1	A	348	SER
1	A	356	MET
1	A	363	GLU
1	A	368	HIS
1	A	372	LEU
1	A	389	LYS
1	B	25	CYS
1	B	34	VAL
1	B	44	GLU
1	B	64	ASN
1	B	106	LEU
1	B	107	LYS
1	B	243	SER
1	B	280	GLU
1	B	281	ARG
1	B	283	MET
1	B	288	ILE
1	B	290	ILE
1	B	294	ASN
1	B	315[A]	LEU
1	B	315[B]	LEU
1	B	320[A]	GLN
1	B	320[B]	GLN
1	B	326	LEU
1	B	348	SER
1	B	357	ASP
1	B	363	GLU
1	B	372	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	149	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	152	GLN
1	A	184	ASN
1	A	187	GLN
1	A	188	HIS
1	A	202	ASN
1	A	245	ASN
1	A	259	ASN
1	A	267	HIS
1	A	294	ASN
1	A	367	HIS
1	B	6	GLN
1	B	65	GLN
1	B	85	GLN
1	B	143	GLN
1	B	202	ASN
1	B	231	ASN
1	B	258	ASN
1	B	367	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PCG	A	901	-	26,26,26	1.60	5 (19%)	39,41,41	2.12	11 (28%)
2	PCG	B	901	-	26,26,26	1.52	3 (11%)	39,41,41	2.20	11 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PCG	A	901	-	-	0/4/31/31	0/4/4/4
2	PCG	B	901	-	-	0/4/31/31	0/4/4/4

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	901	PCG	PA-O5'	4.98	1.63	1.57
2	B	901	PCG	PA-O5'	4.06	1.62	1.57
2	B	901	PCG	C5-C4	3.20	1.47	1.38
2	B	901	PCG	PA-O3'	2.73	1.62	1.57
2	A	901	PCG	C5-C4	2.70	1.46	1.38
2	A	901	PCG	C6-N1	-2.67	1.33	1.38
2	A	901	PCG	PA-O3'	2.35	1.61	1.57
2	A	901	PCG	C5-N7	-2.12	1.34	1.39

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	901	PCG	C5-C4-N3	-6.12	118.66	128.39
2	A	901	PCG	C5-C4-N3	-5.74	119.25	128.39
2	B	901	PCG	C2-N3-C4	5.54	121.84	112.30
2	A	901	PCG	C2-N3-C4	5.00	120.91	112.30
2	A	901	PCG	N9-C4-N3	4.52	134.98	125.95
2	B	901	PCG	N9-C4-N3	4.43	134.80	125.95
2	B	901	PCG	O3'-C3'-C4'	-4.33	107.44	110.71
2	A	901	PCG	O3'-C3'-C4'	-3.74	107.89	110.71
2	B	901	PCG	C6-C5-N7	3.34	136.36	130.29
2	A	901	PCG	O5'-PA-O3'	-3.22	101.39	105.70
2	A	901	PCG	C6-C5-N7	3.07	135.87	130.29
2	A	901	PCG	O6-C6-C5	-2.69	119.44	126.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	901	PCG	O1A-PA-O2A	2.67	116.76	108.56
2	B	901	PCG	O5'-PA-O3'	-2.61	102.21	105.70
2	B	901	PCG	O1A-PA-O2A	2.59	116.53	108.56
2	B	901	PCG	C4-C5-N7	-2.47	106.76	110.67
2	B	901	PCG	O3'-C3'-C2'	2.47	118.02	115.61
2	B	901	PCG	O6-C6-C5	-2.40	120.20	126.53
2	A	901	PCG	O3'-C3'-C2'	2.40	117.95	115.61
2	A	901	PCG	C5-C6-N1	2.28	119.06	113.25
2	B	901	PCG	C5-C6-N1	2.21	118.87	113.25
2	A	901	PCG	C3'-C2'-C1'	2.16	104.63	99.89


There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	377/397 (94%)	0.58	28 (7%)	20 18	62, 89, 118, 134	0
1	B	372/397 (93%)	0.59	29 (7%)	19 16	37, 87, 126, 158	13 (3%)
All	All	749/794 (94%)	0.58	57 (7%)	20 17	37, 88, 120, 158	13 (1%)

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	314[A]	GLY	6.5
1	A	117	PRO	4.7
1	B	315[A]	LEU	4.7
1	B	313[A]	SER	4.3
1	B	288	ILE	4.3
1	B	317[A]	TYR	4.1
1	A	308	PHE	4.1
1	A	328	ILE	3.4
1	A	193	PRO	3.2
1	A	106	LEU	3.2
1	A	167	VAL	3.2
1	A	102	MET	3.0
1	A	336	ILE	3.0
1	B	323[A]	ILE	2.9
1	A	118	GLY	2.9
1	A	373	VAL	2.9
1	B	318[A]	LEU	2.9
1	A	362	ALA	2.9
1	B	195	LEU	2.8
1	B	401	LYS	2.8
1	B	312[A]	PHE	2.7
1	B	102	MET	2.7
1	A	8	VAL	2.6
1	A	360	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	289	ALA	2.6
1	B	275	LYS	2.6
1	A	332	PHE	2.6
1	B	325	PHE	2.6
1	A	139	SER	2.6
1	A	288	ILE	2.5
1	B	340	PRO	2.5
1	A	323	ILE	2.5
1	A	195	LEU	2.4
1	A	349	ILE	2.4
1	A	192	SER	2.4
1	A	326	LEU	2.4
1	B	6	GLN	2.4
1	A	340	PRO	2.3
1	A	42	LYS	2.3
1	A	6	GLN	2.3
1	B	381	PHE	2.3
1	B	136	GLY	2.2
1	B	198	ASP	2.2
1	B	101	LEU	2.2
1	B	280	GLU	2.2
1	A	96	LYS	2.2
1	A	169	LEU	2.2
1	B	316[A]	GLN	2.1
1	A	382	GLY	2.1
1	B	45	ILE	2.1
1	B	302	ALA	2.1
1	A	402	LEU	2.1
1	B	251	PHE	2.1
1	B	207	ILE	2.1
1	B	290	ILE	2.1
1	B	157	LYS	2.1
1	B	180	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ


There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MG	B	902	1/1	0.78	0.17	81,81,81,81	0
3	MG	A	902	1/1	0.83	0.09	85,85,85,85	0
2	PCG	A	901	23/23	0.96	0.07	53,62,69,74	0
2	PCG	B	901	23/23	0.97	0.06	57,68,75,79	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.