



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2026 – 09:16 AM UTC

PDB ID : 6HRD / pdb_00006hrd
Title : Crystal structure of M. tuberculosis FadB2 (Rv0468)
Authors : Cox, J.A.G.; Besra, G.S.; Futterer, K.
Deposited on : 2018-09-26
Resolution : 2.11 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8290 (2.14-2.10)
Clashscore	190562	8817 (2.14-2.10)
Ramachandran outliers	187476	8738 (2.14-2.10)
Sidechain outliers	187428	8739 (2.14-2.10)
RSRZ outliers	180081	8294 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	317	80% 9% • 10%
1	B	317	6% 79% 9% • 10%
1	C	317	2% 79% 9% • 10%
1	D	317	9% 77% 11% • 10%
1	E	317	2% 82% 6% • 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	317	30% 77% 12% 10%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 13117 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-hydroxybutyryl-CoA dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	285	Total	C	N	O	S	0	0	0
			2117	1345	368	397	7			
1	B	285	Total	C	N	O	S	0	0	0
			2112	1342	369	394	7			
1	C	285	Total	C	N	O	S	0	0	0
			2108	1340	366	395	7			
1	D	285	Total	C	N	O	S	0	0	0
			2118	1344	369	398	7			
1	E	285	Total	C	N	O	S	0	0	0
			2112	1341	369	395	7			
1	F	285	Total	C	N	O	S	0	0	0
			2108	1340	368	393	7			

There are 186 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	initiating methionine	UNP P9WNP7
A	-18	GLY	-	expression tag	UNP P9WNP7
A	-17	SER	-	expression tag	UNP P9WNP7
A	-16	SER	-	expression tag	UNP P9WNP7
A	-15	HIS	-	expression tag	UNP P9WNP7
A	-14	HIS	-	expression tag	UNP P9WNP7
A	-13	HIS	-	expression tag	UNP P9WNP7
A	-12	HIS	-	expression tag	UNP P9WNP7
A	-11	HIS	-	expression tag	UNP P9WNP7
A	-10	HIS	-	expression tag	UNP P9WNP7
A	-9	SER	-	expression tag	UNP P9WNP7
A	-8	SER	-	expression tag	UNP P9WNP7
A	-7	GLY	-	expression tag	UNP P9WNP7
A	-6	LEU	-	expression tag	UNP P9WNP7
A	-5	VAL	-	expression tag	UNP P9WNP7
A	-4	PRO	-	expression tag	UNP P9WNP7
A	-3	ARG	-	expression tag	UNP P9WNP7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP P9WNP7
A	-1	SER	-	expression tag	UNP P9WNP7
A	0	HIS	-	expression tag	UNP P9WNP7
A	287	ALA	-	expression tag	UNP P9WNP7
A	288	ALA	-	expression tag	UNP P9WNP7
A	289	ALA	-	expression tag	UNP P9WNP7
A	290	LEU	-	expression tag	UNP P9WNP7
A	291	GLU	-	expression tag	UNP P9WNP7
A	292	HIS	-	expression tag	UNP P9WNP7
A	293	HIS	-	expression tag	UNP P9WNP7
A	294	HIS	-	expression tag	UNP P9WNP7
A	295	HIS	-	expression tag	UNP P9WNP7
A	296	HIS	-	expression tag	UNP P9WNP7
A	297	HIS	-	expression tag	UNP P9WNP7
B	-19	MET	-	initiating methionine	UNP P9WNP7
B	-18	GLY	-	expression tag	UNP P9WNP7
B	-17	SER	-	expression tag	UNP P9WNP7
B	-16	SER	-	expression tag	UNP P9WNP7
B	-15	HIS	-	expression tag	UNP P9WNP7
B	-14	HIS	-	expression tag	UNP P9WNP7
B	-13	HIS	-	expression tag	UNP P9WNP7
B	-12	HIS	-	expression tag	UNP P9WNP7
B	-11	HIS	-	expression tag	UNP P9WNP7
B	-10	HIS	-	expression tag	UNP P9WNP7
B	-9	SER	-	expression tag	UNP P9WNP7
B	-8	SER	-	expression tag	UNP P9WNP7
B	-7	GLY	-	expression tag	UNP P9WNP7
B	-6	LEU	-	expression tag	UNP P9WNP7
B	-5	VAL	-	expression tag	UNP P9WNP7
B	-4	PRO	-	expression tag	UNP P9WNP7
B	-3	ARG	-	expression tag	UNP P9WNP7
B	-2	GLY	-	expression tag	UNP P9WNP7
B	-1	SER	-	expression tag	UNP P9WNP7
B	0	HIS	-	expression tag	UNP P9WNP7
B	287	ALA	-	expression tag	UNP P9WNP7
B	288	ALA	-	expression tag	UNP P9WNP7
B	289	ALA	-	expression tag	UNP P9WNP7
B	290	LEU	-	expression tag	UNP P9WNP7
B	291	GLU	-	expression tag	UNP P9WNP7
B	292	HIS	-	expression tag	UNP P9WNP7
B	293	HIS	-	expression tag	UNP P9WNP7
B	294	HIS	-	expression tag	UNP P9WNP7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	295	HIS	-	expression tag	UNP P9WNP7
B	296	HIS	-	expression tag	UNP P9WNP7
B	297	HIS	-	expression tag	UNP P9WNP7
C	-19	MET	-	initiating methionine	UNP P9WNP7
C	-18	GLY	-	expression tag	UNP P9WNP7
C	-17	SER	-	expression tag	UNP P9WNP7
C	-16	SER	-	expression tag	UNP P9WNP7
C	-15	HIS	-	expression tag	UNP P9WNP7
C	-14	HIS	-	expression tag	UNP P9WNP7
C	-13	HIS	-	expression tag	UNP P9WNP7
C	-12	HIS	-	expression tag	UNP P9WNP7
C	-11	HIS	-	expression tag	UNP P9WNP7
C	-10	HIS	-	expression tag	UNP P9WNP7
C	-9	SER	-	expression tag	UNP P9WNP7
C	-8	SER	-	expression tag	UNP P9WNP7
C	-7	GLY	-	expression tag	UNP P9WNP7
C	-6	LEU	-	expression tag	UNP P9WNP7
C	-5	VAL	-	expression tag	UNP P9WNP7
C	-4	PRO	-	expression tag	UNP P9WNP7
C	-3	ARG	-	expression tag	UNP P9WNP7
C	-2	GLY	-	expression tag	UNP P9WNP7
C	-1	SER	-	expression tag	UNP P9WNP7
C	0	HIS	-	expression tag	UNP P9WNP7
C	287	ALA	-	expression tag	UNP P9WNP7
C	288	ALA	-	expression tag	UNP P9WNP7
C	289	ALA	-	expression tag	UNP P9WNP7
C	290	LEU	-	expression tag	UNP P9WNP7
C	291	GLU	-	expression tag	UNP P9WNP7
C	292	HIS	-	expression tag	UNP P9WNP7
C	293	HIS	-	expression tag	UNP P9WNP7
C	294	HIS	-	expression tag	UNP P9WNP7
C	295	HIS	-	expression tag	UNP P9WNP7
C	296	HIS	-	expression tag	UNP P9WNP7
C	297	HIS	-	expression tag	UNP P9WNP7
D	-19	MET	-	initiating methionine	UNP P9WNP7
D	-18	GLY	-	expression tag	UNP P9WNP7
D	-17	SER	-	expression tag	UNP P9WNP7
D	-16	SER	-	expression tag	UNP P9WNP7
D	-15	HIS	-	expression tag	UNP P9WNP7
D	-14	HIS	-	expression tag	UNP P9WNP7
D	-13	HIS	-	expression tag	UNP P9WNP7
D	-12	HIS	-	expression tag	UNP P9WNP7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-11	HIS	-	expression tag	UNP P9WNP7
D	-10	HIS	-	expression tag	UNP P9WNP7
D	-9	SER	-	expression tag	UNP P9WNP7
D	-8	SER	-	expression tag	UNP P9WNP7
D	-7	GLY	-	expression tag	UNP P9WNP7
D	-6	LEU	-	expression tag	UNP P9WNP7
D	-5	VAL	-	expression tag	UNP P9WNP7
D	-4	PRO	-	expression tag	UNP P9WNP7
D	-3	ARG	-	expression tag	UNP P9WNP7
D	-2	GLY	-	expression tag	UNP P9WNP7
D	-1	SER	-	expression tag	UNP P9WNP7
D	0	HIS	-	expression tag	UNP P9WNP7
D	287	ALA	-	expression tag	UNP P9WNP7
D	288	ALA	-	expression tag	UNP P9WNP7
D	289	ALA	-	expression tag	UNP P9WNP7
D	290	LEU	-	expression tag	UNP P9WNP7
D	291	GLU	-	expression tag	UNP P9WNP7
D	292	HIS	-	expression tag	UNP P9WNP7
D	293	HIS	-	expression tag	UNP P9WNP7
D	294	HIS	-	expression tag	UNP P9WNP7
D	295	HIS	-	expression tag	UNP P9WNP7
D	296	HIS	-	expression tag	UNP P9WNP7
D	297	HIS	-	expression tag	UNP P9WNP7
E	-19	MET	-	initiating methionine	UNP P9WNP7
E	-18	GLY	-	expression tag	UNP P9WNP7
E	-17	SER	-	expression tag	UNP P9WNP7
E	-16	SER	-	expression tag	UNP P9WNP7
E	-15	HIS	-	expression tag	UNP P9WNP7
E	-14	HIS	-	expression tag	UNP P9WNP7
E	-13	HIS	-	expression tag	UNP P9WNP7
E	-12	HIS	-	expression tag	UNP P9WNP7
E	-11	HIS	-	expression tag	UNP P9WNP7
E	-10	HIS	-	expression tag	UNP P9WNP7
E	-9	SER	-	expression tag	UNP P9WNP7
E	-8	SER	-	expression tag	UNP P9WNP7
E	-7	GLY	-	expression tag	UNP P9WNP7
E	-6	LEU	-	expression tag	UNP P9WNP7
E	-5	VAL	-	expression tag	UNP P9WNP7
E	-4	PRO	-	expression tag	UNP P9WNP7
E	-3	ARG	-	expression tag	UNP P9WNP7
E	-2	GLY	-	expression tag	UNP P9WNP7
E	-1	SER	-	expression tag	UNP P9WNP7

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	0	HIS	-	expression tag	UNP P9WNP7
E	287	ALA	-	expression tag	UNP P9WNP7
E	288	ALA	-	expression tag	UNP P9WNP7
E	289	ALA	-	expression tag	UNP P9WNP7
E	290	LEU	-	expression tag	UNP P9WNP7
E	291	GLU	-	expression tag	UNP P9WNP7
E	292	HIS	-	expression tag	UNP P9WNP7
E	293	HIS	-	expression tag	UNP P9WNP7
E	294	HIS	-	expression tag	UNP P9WNP7
E	295	HIS	-	expression tag	UNP P9WNP7
E	296	HIS	-	expression tag	UNP P9WNP7
E	297	HIS	-	expression tag	UNP P9WNP7
F	-19	MET	-	initiating methionine	UNP P9WNP7
F	-18	GLY	-	expression tag	UNP P9WNP7
F	-17	SER	-	expression tag	UNP P9WNP7
F	-16	SER	-	expression tag	UNP P9WNP7
F	-15	HIS	-	expression tag	UNP P9WNP7
F	-14	HIS	-	expression tag	UNP P9WNP7
F	-13	HIS	-	expression tag	UNP P9WNP7
F	-12	HIS	-	expression tag	UNP P9WNP7
F	-11	HIS	-	expression tag	UNP P9WNP7
F	-10	HIS	-	expression tag	UNP P9WNP7
F	-9	SER	-	expression tag	UNP P9WNP7
F	-8	SER	-	expression tag	UNP P9WNP7
F	-7	GLY	-	expression tag	UNP P9WNP7
F	-6	LEU	-	expression tag	UNP P9WNP7
F	-5	VAL	-	expression tag	UNP P9WNP7
F	-4	PRO	-	expression tag	UNP P9WNP7
F	-3	ARG	-	expression tag	UNP P9WNP7
F	-2	GLY	-	expression tag	UNP P9WNP7
F	-1	SER	-	expression tag	UNP P9WNP7
F	0	HIS	-	expression tag	UNP P9WNP7
F	287	ALA	-	expression tag	UNP P9WNP7
F	288	ALA	-	expression tag	UNP P9WNP7
F	289	ALA	-	expression tag	UNP P9WNP7
F	290	LEU	-	expression tag	UNP P9WNP7
F	291	GLU	-	expression tag	UNP P9WNP7
F	292	HIS	-	expression tag	UNP P9WNP7
F	293	HIS	-	expression tag	UNP P9WNP7
F	294	HIS	-	expression tag	UNP P9WNP7
F	295	HIS	-	expression tag	UNP P9WNP7
F	296	HIS	-	expression tag	UNP P9WNP7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	297	HIS	-	expression tag	UNP P9WNP7

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	E	1	Total	C	O	0	0
			6	3	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	109	Total	O	0	0
			109	109		
3	B	87	Total	O	0	0
			87	87		
3	C	69	Total	O	0	0
			69	69		
3	D	50	Total	O	0	0
			50	50		
3	E	66	Total	O	0	0
			66	66		
3	F	43	Total	O	0	0
			43	43		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 3-hydroxybutyryl-CoA dehydrogenase




- Molecule 1: 3-hydroxybutyryl-CoA dehydrogenase




- Molecule 1: 3-hydroxybutyryl-CoA dehydrogenase





- Molecule 1: 3-hydroxybutyryl-CoA dehydrogenase







- Molecule 1: 3-hydroxybutyryl-CoA dehydrogenase



- Molecule 1: 3-hydroxybutyryl-CoA dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, α , β , γ	90.22Å 90.22Å 284.67Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	90.20 – 2.11 90.20 – 2.11	Depositor EDS
% Data completeness (in resolution range)	100.0 (90.20-2.11) 100.0 (90.20-2.11)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.73 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.8.0230	Depositor
R, R_{free}	0.190 , 0.221 0.199 , 0.226	Depositor DCC
R_{free} test set	6484 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	32.2	Xtriage
Anisotropy	0.253	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 34.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.037 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13117	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.13	4/2148 (0.2%)	1.21	2/2920 (0.1%)
1	B	1.11	1/2143 (0.0%)	1.17	5/2913 (0.2%)
1	C	1.10	3/2139 (0.1%)	1.19	8/2909 (0.3%)
1	D	1.07	3/2149 (0.1%)	1.19	4/2920 (0.1%)
1	E	1.05	0/2143	1.17	3/2911 (0.1%)
1	F	0.98	1/2139 (0.0%)	1.14	4/2907 (0.1%)
All	All	1.07	12/12861 (0.1%)	1.18	26/17480 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	6
1	C	0	4
1	D	0	3
1	E	0	5
1	F	0	4
All	All	0	26

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	182	VAL	C-O	-6.65	1.16	1.24
1	A	182	VAL	C-O	-5.80	1.18	1.24
1	A	14	GLY	C-O	5.78	1.28	1.23
1	C	67	ASP	C-O	-5.53	1.17	1.24
1	A	74	THR	N-CA	5.52	1.52	1.46
1	C	109	VAL	N-CA	5.44	1.52	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	61	VAL	N-CA	5.26	1.52	1.46
1	F	254	GLU	C-O	-5.22	1.18	1.24
1	D	258	PRO	C-O	-5.17	1.17	1.24
1	D	154	VAL	C-O	-5.17	1.18	1.24
1	C	208	VAL	C-O	-5.16	1.18	1.24
1	A	28	GLY	C-O	-5.08	1.17	1.24

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	285	THR	CA-CB-OG1	-8.14	97.39	109.60
1	F	285	THR	CA-CB-OG1	-7.99	97.62	109.60
1	C	254	GLU	CB-CA-C	-6.77	100.20	110.90
1	B	285	THR	CA-CB-OG1	-6.47	99.90	109.60
1	E	285	THR	CA-CB-OG1	-6.39	100.01	109.60
1	C	62	THR	N-CA-CB	-6.27	100.75	110.29
1	F	254	GLU	CB-CA-C	-6.24	101.05	110.90
1	E	237	ASP	CA-CB-CG	5.89	118.49	112.60
1	C	61	VAL	CA-C-N	5.82	131.05	121.39
1	C	61	VAL	C-N-CA	5.82	131.05	121.39
1	D	242	ASP	CA-CB-CG	5.75	118.35	112.60
1	F	254	GLU	CB-CG-CD	5.71	122.31	112.60
1	C	254	GLU	CB-CG-CD	5.66	122.23	112.60
1	D	30	GLU	CB-CA-C	-5.64	100.87	109.89
1	B	254	GLU	CB-CG-CD	5.60	122.12	112.60
1	D	163	ASP	CA-CB-CG	5.56	118.16	112.60
1	C	254	GLU	N-CA-CB	5.49	118.04	110.07
1	F	209	GLU	CB-CG-CD	5.30	121.62	112.60
1	B	263	PRO	N-CA-CB	5.29	105.97	103.22
1	D	181	GLN	CB-CG-CD	-5.27	103.64	112.60
1	B	256	LYS	CB-CA-C	-5.24	102.50	111.26
1	E	62	THR	N-CA-CB	-5.19	102.39	110.29
1	C	263	PRO	N-CA-CB	5.18	105.91	103.22
1	C	62	THR	CB-CA-C	5.11	118.86	109.46
1	B	181	GLN	CB-CG-CD	-5.08	103.96	112.60
1	A	263	PRO	CB-CA-C	-5.00	106.47	111.17

There are no chirality outliers.

All (26) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	138	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	206	ARG	Sidechain
1	A	281	ARG	Sidechain
1	A	45	ARG	Sidechain
1	B	138	ARG	Sidechain
1	B	206	ARG	Sidechain
1	B	234	ARG	Sidechain
1	B	281	ARG	Sidechain
1	B	45	ARG	Sidechain
1	B	54	ARG	Sidechain
1	C	138	ARG	Sidechain
1	C	206	ARG	Sidechain
1	C	281	ARG	Sidechain
1	C	66	ARG	Sidechain
1	D	138	ARG	Sidechain
1	D	281	ARG	Sidechain
1	D	66	ARG	Sidechain
1	E	108	ARG	Sidechain
1	E	138	ARG	Sidechain
1	E	206	ARG	Sidechain
1	E	64	ARG	Sidechain
1	E	66	ARG	Sidechain
1	F	122	SER	Peptide
1	F	138	ARG	Sidechain
1	F	206	ARG	Sidechain
1	F	47	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2117	0	2150	14	1
1	B	2112	0	2144	15	0
1	C	2108	0	2140	22	0
1	D	2118	0	2146	17	1
1	E	2112	0	2149	11	0
1	F	2108	0	2136	19	0
2	A	6	0	8	0	0
2	C	6	0	8	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	6	0	8	3	0
3	A	109	0	0	4	0
3	B	87	0	0	1	0
3	C	69	0	0	9	0
3	D	50	0	0	0	0
3	E	66	0	0	1	0
3	F	43	0	0	1	0
All	All	13117	0	12889	89	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:SER:CB	3:A:446:HOH:O	1.72	1.29
1:F:287:ALA:O	3:F:301:HOH:O	1.66	1.12
1:A:158:ARG:NH1	1:A:164:GLU:OE1	1.82	1.12
1:C:18:SER:CB	3:C:401:HOH:O	2.01	1.07
1:B:158:ARG:NH1	1:B:164:GLU:OE2	2.00	0.94
1:E:62:THR:HG22	1:E:65:GLU:H	1.40	0.86
1:C:60:LYS:CB	3:C:462:HOH:O	2.24	0.85
1:C:62:THR:HG22	1:C:65:GLU:H	1.44	0.82
1:C:189:SER:HB2	1:C:254:GLU:HG3	1.65	0.79
2:E:301:GOL:H11	1:F:259:HIS:ND1	1.97	0.79
1:A:122:SER:HB2	3:A:502:HOH:O	1.85	0.76
1:C:184:ARG:HD2	3:C:429:HOH:O	1.90	0.70
1:D:158:ARG:NH1	1:D:164:GLU:OE1	2.20	0.70
1:B:189:SER:HB2	1:B:254:GLU:HG3	1.76	0.68
1:C:212:PHE:CE1	1:D:188:ARG:HD3	2.27	0.68
1:A:212:PHE:CE1	1:B:188:ARG:HD3	2.30	0.66
1:F:123:SER:HB2	1:F:250:LYS:HG3	1.77	0.65
1:D:50:LYS:CB	1:D:54:ARG:HH12	2.09	0.65
1:C:158:ARG:HD2	1:C:184:ARG:HH12	1.64	0.61
1:C:68:ARG:HG3	3:C:464:HOH:O	2.00	0.61
1:C:96:GLU:CG	3:C:455:HOH:O	2.47	0.61
1:A:146:ASN:ND2	1:A:147:PRO:HA	2.16	0.61
1:D:146:ASN:ND2	1:D:147:PRO:HA	2.17	0.60
1:E:146:ASN:ND2	3:E:402:HOH:O	2.34	0.60
1:B:52:LEU:O	1:B:56:VAL:HG23	2.03	0.59
1:D:176:THR:HG22	1:D:177:VAL:HG23	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:164:GLU:CB	3:C:410:HOH:O	2.51	0.58
1:A:42:THR:HG21	3:C:461:HOH:O	2.04	0.56
1:F:6:GLN:HE22	1:F:29:VAL:HA	1.71	0.55
1:D:172:GLU:O	1:D:176:THR:HB	2.08	0.55
3:A:411:HOH:O	1:E:188:ARG:HD2	2.08	0.53
1:C:138:ARG:HD3	3:C:415:HOH:O	2.09	0.53
1:C:158:ARG:HD2	1:C:184:ARG:NH1	2.24	0.53
1:D:110:VAL:O	1:D:138:ARG:NH2	2.35	0.53
2:E:301:GOL:C1	1:F:259:HIS:ND1	2.72	0.52
1:C:212:PHE:CD1	1:D:188:ARG:HD3	2.43	0.52
1:E:62:THR:HG22	1:E:65:GLU:N	2.18	0.52
1:F:42:THR:HG22	1:F:45:ARG:HH21	1.75	0.52
1:A:123:SER:HB3	3:A:502:HOH:O	2.09	0.51
1:A:151:LEU:HD21	1:B:225:GLY:HA2	1.93	0.51
1:A:172:GLU:O	1:A:176:THR:HB	2.10	0.51
1:A:123:SER:HB2	1:A:250:LYS:HG3	1.93	0.50
1:D:123:SER:HB2	1:D:250:LYS:HG3	1.91	0.50
1:B:172:GLU:O	1:B:176:THR:HB	2.12	0.50
1:A:156:LEU:C	1:A:156:LEU:HD23	2.38	0.49
1:F:62:THR:HG22	1:F:65:GLU:CD	2.36	0.49
1:F:22:GLU:OE2	1:F:26:ARG:NH1	2.44	0.49
1:E:156:LEU:C	1:E:156:LEU:HD23	2.38	0.48
1:D:56:VAL:HG22	1:D:61:VAL:HG23	1.95	0.48
1:E:145:PHE:HB2	1:E:151:LEU:HD22	1.96	0.48
1:B:176:THR:HG22	1:B:177:VAL:HG23	1.96	0.48
1:D:156:LEU:C	1:D:156:LEU:HD23	2.38	0.48
1:D:62:THR:HG22	1:D:65:GLU:H	1.79	0.47
1:E:124:ILE:HD13	1:E:124:ILE:N	2.30	0.47
1:C:42:THR:HG22	1:C:45:ARG:HH21	1.80	0.47
1:B:254:GLU:HG2	3:B:339:HOH:O	2.13	0.47
1:B:53:GLU:CG	1:B:66:ARG:HH21	2.28	0.47
1:C:123:SER:HB2	1:C:250:LYS:HG3	1.97	0.46
1:B:62:THR:HG22	1:B:65:GLU:H	1.81	0.46
1:C:6:GLN:O	1:C:29:VAL:HG13	2.15	0.46
1:A:42:THR:CG2	3:C:461:HOH:O	2.61	0.46
1:A:212:PHE:CD1	1:B:188:ARG:HD3	2.51	0.45
1:F:189:SER:HB2	1:F:254:GLU:HG3	1.98	0.45
1:C:172:GLU:O	1:C:176:THR:HB	2.17	0.45
1:D:46:ASN:O	1:D:47:ARG:C	2.59	0.44
1:E:55:ALA:HB1	1:E:61:VAL:HG13	1.98	0.44
1:A:41:ILE:HD13	1:A:41:ILE:HA	1.80	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:27:ALA:HB1	1:F:177:VAL:O	2.17	0.44
1:C:114:ASP:O	1:C:169:ARG:NH2	2.51	0.43
1:F:148:VAL:N	1:F:149:PRO:CD	2.81	0.43
1:F:116:VAL:HG22	1:F:166:ALA:HB1	2.01	0.43
1:B:189:SER:CB	1:B:254:GLU:HG3	2.48	0.43
1:E:259:HIS:N	2:E:301:GOL:O3	2.51	0.43
1:B:156:LEU:C	1:B:156:LEU:HD23	2.44	0.42
1:C:188:ARG:HD3	1:D:212:PHE:CE1	2.54	0.42
1:C:189:SER:CB	1:C:254:GLU:HG3	2.43	0.42
1:C:151:LEU:HD21	1:D:225:GLY:HA2	2.02	0.42
1:B:124:ILE:N	1:B:124:ILE:HD12	2.35	0.42
1:F:257:GLU:HA	1:F:258:PRO:HD3	1.95	0.42
1:D:35:GLU:OE1	1:D:36:PRO:HD2	2.20	0.41
1:C:183:VAL:HG21	1:D:221:ALA:HB2	2.03	0.41
1:F:6:GLN:NE2	1:F:29:VAL:HA	2.34	0.41
1:F:62:THR:HG22	1:F:65:GLU:CG	2.51	0.41
1:F:101:GLU:O	1:F:105:GLU:HG3	2.21	0.41
1:E:148:VAL:N	1:E:149:PRO:CD	2.84	0.41
1:F:126:ILE:O	1:F:129:VAL:HG22	2.21	0.41
1:F:112:ASP:HB3	1:F:115:ALA:HB2	2.03	0.41
1:E:225:GLY:HA2	1:F:151:LEU:HD21	2.03	0.40
1:B:123:SER:OG	1:B:124:ILE:HD12	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:ARG:NH1	1:D:209:GLU:OE2[1_455]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	283/317 (89%)	275 (97%)	8 (3%)	0	100	100
1	B	283/317 (89%)	274 (97%)	8 (3%)	1 (0%)	30	28
1	C	283/317 (89%)	278 (98%)	5 (2%)	0	100	100
1	D	283/317 (89%)	271 (96%)	11 (4%)	1 (0%)	30	28
1	E	283/317 (89%)	277 (98%)	6 (2%)	0	100	100
1	F	283/317 (89%)	267 (94%)	15 (5%)	1 (0%)	30	28
All	All	1698/1902 (89%)	1642 (97%)	53 (3%)	3 (0%)	43	44

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	14	GLY
1	F	176	THR
1	B	14	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	220/258 (85%)	212 (96%)	8 (4%)	31	33
1	B	219/258 (85%)	210 (96%)	9 (4%)	27	27
1	C	219/258 (85%)	210 (96%)	9 (4%)	27	27
1	D	221/258 (86%)	215 (97%)	6 (3%)	39	44
1	E	221/258 (86%)	213 (96%)	8 (4%)	31	33
1	F	218/258 (84%)	209 (96%)	9 (4%)	27	27
All	All	1318/1548 (85%)	1269 (96%)	49 (4%)	30	31

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	ILE
1	A	61	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	124	ILE
1	A	150	VAL
1	A	151	LEU
1	A	176	THR
1	A	183	VAL
1	A	254	GLU
1	B	29	VAL
1	B	62	THR
1	B	64	ARG
1	B	66	ARG
1	B	151	LEU
1	B	164	GLU
1	B	176	THR
1	B	254	GLU
1	B	278	LYS
1	C	61	VAL
1	C	62	THR
1	C	66	ARG
1	C	124	ILE
1	C	151	LEU
1	C	183	VAL
1	C	186	SER
1	C	254	GLU
1	C	281	ARG
1	D	62	THR
1	D	124	ILE
1	D	151	LEU
1	D	176	THR
1	D	220	LYS
1	D	281	ARG
1	E	47	ARG
1	E	61	VAL
1	E	62	THR
1	E	64	ARG
1	E	96	GLU
1	E	124	ILE
1	E	151	LEU
1	E	254	GLU
1	F	6	GLN
1	F	66	ARG
1	F	74	THR
1	F	95	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	111	THR
1	F	151	LEU
1	F	156	LEU
1	F	172	GLU
1	F	254	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	146	ASN
1	B	80	ASN
1	B	146	ASN
1	C	6	GLN
1	C	146	ASN
1	C	259	HIS
1	D	15	GLN
1	D	80	ASN
1	D	135	GLN
1	D	146	ASN
1	D	181	GLN
1	D	259	HIS
1	D	274	GLN
1	E	259	HIS
1	F	6	GLN
1	F	146	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	A	301	-	5,5,5	0.22	0	5,5,5	0.78	0
2	GOL	C	301	-	5,5,5	0.28	0	5,5,5	1.29	1 (20%)
2	GOL	E	301	-	5,5,5	0.17	0	5,5,5	0.69	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	A	301	-	-	2/4/4/4	-
2	GOL	C	301	-	-	4/4/4/4	-
2	GOL	E	301	-	-	2/4/4/4	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	GOL	C3-C2-C1	-2.51	102.58	111.80

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	GOL	C1-C2-C3-O3
2	C	301	GOL	C1-C2-C3-O3
2	E	301	GOL	C1-C2-C3-O3
2	C	301	GOL	O1-C1-C2-C3
2	A	301	GOL	O2-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	C	301	GOL	O1-C1-C2-O2
2	C	301	GOL	O2-C2-C3-O3
2	E	301	GOL	O2-C2-C3-O3

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	301	GOL	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	285/317 (89%)	-0.28	4 (1%) 73 76	20, 28, 42, 75	0
1	B	285/317 (89%)	0.17	19 (6%) 24 26	22, 34, 75, 98	0
1	C	285/317 (89%)	-0.06	5 (1%) 67 70	23, 34, 50, 78	0
1	D	285/317 (89%)	0.35	27 (9%) 14 15	23, 37, 86, 97	0
1	E	285/317 (89%)	-0.04	5 (1%) 67 70	25, 36, 57, 83	0
1	F	285/317 (89%)	1.32	96 (33%) 1 1	24, 69, 118, 138	0
All	All	1710/1902 (89%)	0.24	156 (9%) 15 16	20, 35, 92, 138	0

All (156) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	3	ASP	6.0
1	F	40	LEU	5.5
1	F	3	ASP	5.4
1	E	3	ASP	5.4
1	C	3	ASP	5.2
1	F	57	SER	5.1
1	F	58	ALA	5.1
1	B	61	VAL	5.0
1	E	287	ALA	5.0
1	B	57	SER	4.8
1	B	56	VAL	4.8
1	B	3	ASP	4.7
1	F	5	ILE	4.6
1	D	56	VAL	4.5
1	F	37	ALA	4.5
1	C	287	ALA	4.5
1	D	40	LEU	4.4
1	F	42	THR	4.3
1	F	36	PRO	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	62	THR	4.3
1	F	70	LEU	4.2
1	F	29	VAL	4.2
1	F	49	VAL	4.1
1	F	150	VAL	4.1
1	D	37	ALA	4.1
1	F	53	GLU	4.1
1	D	287	ALA	4.0
1	F	11	VAL	4.0
1	D	3	ASP	4.0
1	F	64	ARG	3.9
1	F	287	ALA	3.9
1	F	61	VAL	3.9
1	F	69	ALA	3.9
1	F	82	LEU	3.8
1	B	59	GLY	3.8
1	D	39	ALA	3.8
1	B	58	ALA	3.8
1	B	62	THR	3.7
1	F	13	ALA	3.7
1	F	41	ILE	3.6
1	F	177	VAL	3.6
1	B	63	GLU	3.6
1	B	60	LYS	3.6
1	F	71	GLY	3.6
1	F	33	VAL	3.5
1	F	72	LEU	3.5
1	F	98	VAL	3.5
1	D	58	ALA	3.4
1	F	79	LEU	3.4
1	F	23	VAL	3.4
1	F	68	ARG	3.4
1	F	39	ALA	3.4
1	F	4	ALA	3.4
1	F	101	GLU	3.3
1	D	43	ALA	3.3
1	F	56	VAL	3.3
1	A	287	ALA	3.3
1	D	41	ILE	3.3
1	D	42	THR	3.3
1	F	52	LEU	3.2
1	F	32	THR	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	122	SER	3.2
1	D	48	ILE	3.2
1	F	123	SER	3.1
1	F	46	ASN	3.1
1	E	4	ALA	3.1
1	F	31	VAL	3.1
1	F	170	THR	3.0
1	F	73	LEU	3.0
1	D	57	SER	3.0
1	A	4	ALA	3.0
1	F	168	ALA	3.0
1	D	45	ARG	3.0
1	F	10	VAL	3.0
1	F	93	VAL	3.0
1	D	53	GLU	3.0
1	B	4	ALA	2.9
1	F	25	ALA	2.9
1	F	144	PHE	2.9
1	F	165	ALA	2.9
1	F	55	ALA	2.9
1	F	115	ALA	2.9
1	F	176	THR	2.9
1	F	113	PRO	2.8
1	F	74	THR	2.8
1	F	45	ARG	2.8
1	B	53	GLU	2.8
1	F	54	ARG	2.7
1	B	287	ALA	2.7
1	F	14	GLY	2.7
1	F	173	PHE	2.7
1	D	68	ARG	2.7
1	F	146	ASN	2.7
1	F	102	ILE	2.7
1	F	97	ALA	2.7
1	F	96	GLU	2.6
1	B	42	THR	2.6
1	F	89	ILE	2.6
1	F	124	ILE	2.6
1	F	34	PHE	2.6
1	F	92	VAL	2.6
1	F	104	ALA	2.6
1	B	40	LEU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	164	GLU	2.5
1	B	64	ARG	2.5
1	D	46	ASN	2.5
1	D	47	ARG	2.5
1	F	43	ALA	2.5
1	F	151	LEU	2.5
1	F	47	ARG	2.5
1	D	49	VAL	2.4
1	C	6	GLN	2.4
1	F	87	LEU	2.4
1	D	54	ARG	2.4
1	F	106	LEU	2.4
1	F	8	VAL	2.4
1	F	145	PHE	2.4
1	F	48	ILE	2.4
1	F	158	ARG	2.4
1	E	64	ARG	2.3
1	F	51	SER	2.3
1	F	109	VAL	2.3
1	B	55	ALA	2.3
1	D	69	ALA	2.3
1	F	12	GLY	2.3
1	D	52	LEU	2.3
1	F	67	ASP	2.3
1	A	57	SER	2.3
1	C	4	ALA	2.3
1	B	43	ALA	2.2
1	B	52	LEU	2.2
1	B	41	ILE	2.2
1	D	74	THR	2.2
1	F	66	ARG	2.2
1	F	60	LYS	2.2
1	F	179	GLY	2.1
1	D	70	LEU	2.1
1	F	134	LYS	2.1
1	F	174	ALA	2.1
1	D	73	LEU	2.1
1	F	117	LEU	2.1
1	F	75	PHE	2.1
1	D	67	ASP	2.1
1	F	147	PRO	2.1
1	D	59	GLY	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	59	GLY	2.1
1	F	172	GLU	2.0
1	F	186	SER	2.1
1	F	6	GLN	2.0
1	D	44	GLY	2.0
1	C	150	VAL	2.0
1	F	16	MET	2.0
1	E	39	ALA	2.0
1	F	156	LEU	2.0
1	F	178	LEU	2.0
1	F	152	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GOL	E	301	6/6	0.79	0.18	52,54,60,61	0
2	GOL	A	301	6/6	0.80	0.20	52,53,61,61	0
2	GOL	C	301	6/6	0.85	0.17	55,56,57,63	0

6.5 Other polymers [i](#)

There are no such residues in this entry.