



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:57 PM UTC

PDB ID : 3HS7 / pdb_00003hs7
Title : X-ray crystal structure of docosahexaenoic acid bound to the cyclooxygenase channel of cyclooxygenase-2
Authors : Vecchio, A.J.; Simmons, D.M.; Malkowski, M.G.
Deposited on : 2009-06-10
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	591	
1	B	591	
2	C	2	
2	E	2	
2	F	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	D	3	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	E	1	X	-	-	-
4	AKR	B	2	-	-	X	-
5	COH	A	619	X	-	-	-
5	COH	B	619	X	-	-	-
8	HXA	A	1	-	-	X	-
8	HXA	B	1	-	-	X	-

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 9565 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Prostaglandin G/H synthase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	551	Total	C	N	O	S	0	2	0
			4441	2873	738	805	25			
1	B	552	Total	C	N	O	S	0	2	0
			4422	2856	739	802	25			

There are 14 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	29	HIS	-	expression tag	UNP Q05769
A	30	HIS	-	expression tag	UNP Q05769
A	31	HIS	-	expression tag	UNP Q05769
A	32	HIS	-	expression tag	UNP Q05769
A	33	HIS	-	expression tag	UNP Q05769
A	34	HIS	-	expression tag	UNP Q05769
A	594	ALA	ASN	engineered mutation	UNP Q05769
B	29	HIS	-	expression tag	UNP Q05769
B	30	HIS	-	expression tag	UNP Q05769
B	31	HIS	-	expression tag	UNP Q05769
B	32	HIS	-	expression tag	UNP Q05769
B	33	HIS	-	expression tag	UNP Q05769
B	34	HIS	-	expression tag	UNP Q05769
B	594	ALA	ASN	engineered mutation	UNP Q05769

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	E	2	Total	C	N	O	0	0	0
			28	16	2	10			
2	F	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	D	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 4 is ACRYLIC ACID (CCD ID: AKR) (formula: C₃H₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			5	3	2		
4	B	1	Total	C	O	0	0
			5	3	2		
4	B	1	Total	C	O	0	0
			5	3	2		


-
- The chemical structure shows a central cobalt (Co) atom coordinated by four nitrogen atoms (N) in a square planar geometry. The nitrogens are part of four N-methylpyridinium rings. The cobalt atom is also coordinated by two axial ligands, labeled CO and NC. Each of the four nitrogen atoms is bonded to a methyl group (C) and a propionic acid side chain (CH2-CH2-COOH). The side chains are labeled with various atoms: CAA, CBA, CGA, O1A, O2A for the top-right; CAD, CBD, CGD, O1D, O2D for the bottom-right; and CMB, CMA, CBB, CAB, CBB, CAB for the top-left; and CMC, CMC, CBC, CAC, CBC, CAC for the bottom-left. The structure is highly symmetrical.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 43	C 34	Co 1	N 4	O 4	0	0
5	B	1	Total 43	C 34	Co 1	N 4	O 4	0	0

-
- Chemical structure of NAG (N-Acetylglucosamine) showing stereochemistry and atom labels. The structure is a pyranose ring with an acetyl group attached to the nitrogen at C2. The stereochemistry is indicated by wedges and dashes. The labels are: O1 (HO), O5 (O), O6 (OH), C6, C1(R), C5(R), C2(R), C4(S), C3(R), N2 (HN), C7, C8, O7, O3 (OH), and O4 (OH).


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			14	8	1	5		
6	B	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 7 is octyl beta-D-glucopyranoside (CCD ID: BOG) (formula: $C_{14}H_{28}O_6$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			20	14	6		
7	B	1	Total	C	O	0	0
			20	14	6		

- Molecule 8 is DOCOSA-4,7,10,13,16,19-HEXAENOIC ACID (CCD ID: HXA) (formula: $C_{22}H_{32}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			24	22	2		
8	B	1	Total	C	O	0	0
			24	22	2		

- Molecule 9 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			4	2	2		
9	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total 4	C 2	O 2	0	0
9	A	1	Total 4	C 2	O 2	0	0
9	A	1	Total 4	C 2	O 2	0	0
9	B	1	Total 4	C 2	O 2	0	0
9	B	1	Total 4	C 2	O 2	0	0
9	B	1	Total 4	C 2	O 2	0	0


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	173	Total 173	O 173	0	0
10	B	157	Total 157	O 157	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Prostaglandin G/H synthase 2



• Molecule 1: Prostaglandin G/H synthase 2



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  50% 50%

MAG1
MAG2

- Molecule 3: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  100%

MAG1
MAG2
MAN3

4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	119.29Å 131.71Å 179.24Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.65 20.00 – 2.65	Depositor EDS
% Data completeness (in resolution range)	100.0 (20.00-2.65) 99.7 (20.00-2.65)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.03 (at 2.67Å)	Xtriage
Refinement program	REFMAC 5.5.0088	Depositor
R, R_{free}	0.181 , 0.234 0.194 , 0.240	Depositor DCC
R_{free} test set	2074 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	39.6	Xtriage
Anisotropy	0.088	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 37.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9565	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HXA, MAN, COH, NAG, BOG, EDO, AKR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	2/4577 (0.0%)	0.79	0/6218
1	B	0.53	3/4558 (0.1%)	0.80	0/6194
All	All	0.51	5/9135 (0.1%)	0.80	0/12412

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	164	GLY	C-N	-9.64	1.22	1.33
1	A	318	GLN	CD-OE1	5.30	1.33	1.23
1	A	282	ASN	CG-OD1	5.26	1.33	1.23
1	B	282	ASN	CG-OD1	5.23	1.33	1.23
1	B	163	MET	C-N	5.04	1.40	1.33

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	164	GLY	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4441	0	4274	42	0
1	B	4422	0	4217	48	0
2	C	28	0	25	3	0
2	E	28	0	25	0	0
2	F	28	0	25	1	0
3	D	39	0	34	0	0
4	A	5	0	3	0	0
4	B	10	0	6	2	0
5	A	43	0	30	0	0
5	B	43	0	30	1	0
6	A	14	0	13	0	0
6	B	14	0	13	0	0
7	A	20	0	28	0	0
7	B	20	0	28	0	0
8	A	24	0	31	10	0
8	B	24	0	31	16	0
9	A	20	0	30	3	0
9	B	12	0	18	1	0
10	A	173	0	0	0	0
10	B	157	0	0	0	0
All	All	9565	0	8861	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:B:1:HXA:C13	8:B:1:HXA:H8	1.76	1.15
1:B:263:PRO:HG2	1:B:299:MET:HE1	1.54	0.90
8:B:1:HXA:H8	8:B:1:HXA:C12	2.03	0.86
1:A:205:PHE:HE2	8:A:1:HXA:H17	1.41	0.81
2:C:2:NAG:O7	2:C:2:NAG:C3	2.30	0.80
1:A:161:THR:HG21	1:A:166:LYS:O	1.86	0.75
1:B:205:PHE:HE2	8:B:1:HXA:H17	1.53	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:205:PHE:CE2	8:B:1:HXA:H17	2.28	0.68
1:A:205:PHE:CE2	8:A:1:HXA:H17	2.26	0.68
1:A:530:SER:OG	8:A:1:HXA:H152	1.93	0.68
1:B:123:LEU:O	1:B:469:ARG:NH2	2.25	0.68
2:C:2:NAG:O7	2:C:2:NAG:H3	1.93	0.67
1:A:197:MET:HE1	1:A:423:VAL:HA	1.77	0.65
1:B:459:LYS:HA	9:B:4:EDO:H11	1.78	0.65
1:B:352:LEU:HD22	1:B:518:PHE:HE2	1.63	0.63
1:B:477:SER:HB2	4:B:2:AKR:HA1	1.80	0.63
1:B:533:GLY:HA3	8:B:1:HXA:H222	1.81	0.62
1:B:205:PHE:HE2	8:B:1:HXA:C17	2.12	0.61
1:A:420:THR:HG23	1:A:576:PRO:HG3	1.83	0.61
1:A:484:GLU:HG2	1:A:485:LYS:H	1.65	0.60
1:B:197:MET:HE1	1:B:423:VAL:HG22	1.83	0.59
1:A:289:GLN:HG2	1:A:292:PHE:CE1	2.37	0.59
1:A:279:ILE:HD11	1:A:409:TYR:HB3	1.84	0.58
1:B:352:LEU:HD22	1:B:518:PHE:CE2	2.38	0.58
1:B:198:PHE:HZ	1:B:352:LEU:HD21	1.69	0.58
1:A:197:MET:CE	1:A:426:PHE:HB2	2.35	0.57
1:B:380:GLU:HG2	1:B:466:TYR:CE1	2.40	0.57
1:B:492:LYS:HD2	4:B:2:AKR:HB2	1.88	0.56
8:A:1:HXA:H32	8:A:1:HXA:C7	2.36	0.55
1:A:197:MET:HE2	1:A:426:PHE:HB2	1.88	0.55
1:A:349:VAL:HG13	8:A:1:HXA:H61	1.87	0.55
1:B:389:PRO:HB2	1:B:434:VAL:HA	1.88	0.55
1:B:216:ARG:HG3	2:F:2:NAG:H81	1.90	0.54
1:B:327:GLN:O	1:B:331:THR:CG2	2.55	0.54
1:B:385:TYR:HE2	8:B:1:HXA:H151	1.72	0.54
1:B:530[B]:SER:OG	8:B:1:HXA:H152	2.07	0.53
1:A:197:MET:HE2	1:A:426:PHE:CB	2.39	0.53
1:B:327:GLN:O	1:B:331:THR:HG22	2.09	0.53
8:B:1:HXA:H8	8:B:1:HXA:H122	1.90	0.52
1:A:205:PHE:HE2	8:A:1:HXA:C17	2.16	0.52
1:A:198:PHE:HZ	1:A:352:LEU:HD21	1.76	0.51
1:B:198:PHE:CZ	1:B:352:LEU:HD21	2.46	0.51
1:B:342:LYS:HE2	1:B:346:GLU:CD	2.36	0.51
1:B:323:TRP:CZ3	1:B:331:THR:HG21	2.46	0.51
1:A:280:PRO:HG2	1:A:283:LEU:HD12	1.94	0.49
1:A:348:TYR:HE2	8:A:1:HXA:H14	1.76	0.49
1:A:352:LEU:HD22	1:A:518:PHE:CE2	2.48	0.49
1:B:355:TYR:CE2	8:B:1:HXA:H22	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:2:NAG:O7	2:C:2:NAG:O3	2.29	0.48
8:A:1:HXA:H32	8:A:1:HXA:H7	1.96	0.48
1:A:459:LYS:HA	9:A:8:EDO:H11	1.97	0.47
1:B:294:LEU:HA	1:B:409:TYR:CE1	2.49	0.47
8:B:1:HXA:C13	8:B:1:HXA:C8	2.70	0.47
1:B:348:TYR:HE2	8:B:1:HXA:H14	1.80	0.47
1:A:380:GLU:HG2	1:A:466:TYR:CE2	2.50	0.46
1:A:206:THR:HG21	1:A:385:TYR:CE2	2.50	0.46
1:A:482:THR:HG21	1:A:488:ALA:HB2	1.97	0.46
8:B:1:HXA:C12	8:B:1:HXA:C8	2.80	0.46
1:B:191:PRO:CD	1:B:433:ARG:HD3	2.46	0.45
1:B:191:PRO:HD2	1:B:433:ARG:HD3	1.97	0.45
1:A:197:MET:CE	1:A:423:VAL:HA	2.45	0.45
1:B:472:LEU:HD21	1:B:524:GLU:HG3	1.98	0.45
1:A:289:GLN:HG2	1:A:292:PHE:CD1	2.52	0.45
1:A:482:THR:HG23	1:A:484:GLU:H	1.82	0.45
1:B:454:GLN:HA	1:B:457:GLU:HG2	1.97	0.44
1:B:391:LEU:HD21	5:B:619:COH:HHC	1.99	0.44
1:B:530[A]:SER:HB2	8:B:1:HXA:H152	1.99	0.44
1:A:240:ARG:HH11	9:A:620:EDO:H21	1.83	0.43
1:B:385:TYR:CE2	8:B:1:HXA:H151	2.53	0.43
1:A:344:VAL:HA	1:A:348:TYR:HB3	2.00	0.43
1:A:234:TYR:CE2	1:A:333:ARG:HG3	2.54	0.43
1:A:363:PRO:HG2	1:A:545:TRP:CD2	2.54	0.43
1:A:352:LEU:HD22	1:A:518:PHE:HE2	1.83	0.43
1:B:565:GLN:OE1	1:B:578:THR:N	2.47	0.42
1:B:582:VAL:HA	1:B:583:GLN:HA	1.82	0.42
1:A:279:ILE:CD1	1:A:409:TYR:HB3	2.50	0.42
1:B:276:PRO:HD2	1:B:279:ILE:CD1	2.49	0.42
1:B:196:MET:HE2	1:B:196:MET:HA	2.00	0.42
1:A:103:VAL:HG11	1:A:112:ILE:HD12	2.01	0.42
1:B:34:HIS:HA	1:B:35:PRO:HD3	1.90	0.42
1:B:144:ASN:OD1	1:B:146:SER:HB2	2.20	0.42
8:A:1:HXA:C8	8:A:1:HXA:H122	2.50	0.42
1:A:83:LYS:HA	1:A:84:PRO:HD3	1.94	0.41
1:B:120:ARG:HD3	1:B:527:ALA:CB	2.50	0.41
1:B:230:LEU:HD13	1:B:233:ILE:HD12	2.02	0.41
1:B:534:LEU:HG	8:B:1:HXA:H19	2.02	0.41
1:B:206:THR:HG21	1:B:385:TYR:CE1	2.55	0.41
1:A:124:ILE:HD11	1:A:528:PRO:HB2	2.03	0.41
1:B:327:GLN:O	1:B:331:THR:HG23	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105(A):ILE:HA	1:A:106:PRO:HD2	1.90	0.41
1:A:414:LEU:HD11	1:A:419:LEU:HD12	2.03	0.41
1:B:565:GLN:HE21	1:B:569:CYS:HB2	1.85	0.41
1:A:533:GLY:HA3	8:A:1:HXA:H222	2.02	0.41
1:B:209:PHE:HB2	1:B:377:ILE:HG13	2.02	0.41
1:A:34:HIS:HA	1:A:35:PRO:HD3	1.87	0.40
1:A:254:TYR:CE2	9:A:3:EDO:H21	2.56	0.40
1:A:197:MET:HE1	1:A:426:PHE:HB2	2.04	0.40
1:A:103:VAL:HG22	1:A:108:LEU:HD23	2.02	0.40
1:B:230:LEU:HD22	1:B:232:HIS:HE1	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	551/591 (93%)	538 (98%)	13 (2%)	0	100	100
1	B	552/591 (93%)	540 (98%)	12 (2%)	0	100	100
All	All	1103/1182 (93%)	1078 (98%)	25 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	478/529 (90%)	472 (99%)	6 (1%)	61	77
1	B	470/529 (89%)	461 (98%)	9 (2%)	50	71
All	All	948/1058 (90%)	933 (98%)	15 (2%)	55	74

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	161	THR
1	A	295	VAL
1	A	385	TYR
1	A	484	GLU
1	A	539	ILE
1	A	556	PHE
1	B	289	GLN
1	B	290	GLU
1	B	331	THR
1	B	336	LEU
1	B	385	TYR
1	B	410	ASN
1	B	442	ILE
1	B	469	ARG
1	B	484	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	105	ASN
1	A	231	ASN
1	A	241	GLN
1	A	374	GLN
1	A	571	ASN
1	B	42	GLN
1	B	241	GLN
1	B	571	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

9 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	2,1	14,14,15	0.51	0	17,19,21	0.80	0
2	NAG	C	2	2	14,14,15	0.87	0	17,19,21	1.35	2 (11%)
3	NAG	D	1	3,1	14,14,15	0.49	0	17,19,21	1.05	1 (5%)
3	NAG	D	2	3	14,14,15	0.53	0	17,19,21	1.14	1 (5%)
3	MAN	D	3	3	11,11,12	0.55	0	15,15,17	1.12	1 (6%)
2	NAG	E	1	2,1	14,14,15	0.49	0	17,19,21	1.19	1 (5%)
2	NAG	E	2	2	14,14,15	0.54	0	17,19,21	1.28	2 (11%)
2	NAG	F	1	2,1	14,14,15	0.46	0	17,19,21	0.96	1 (5%)
2	NAG	F	2	2	14,14,15	0.52	0	17,19,21	0.96	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	4/6/23/26	0/1/1/1
2	NAG	C	2	2	-	3/6/23/26	0/1/1/1
3	NAG	D	1	3,1	-	0/6/23/26	0/1/1/1
3	NAG	D	2	3	-	4/6/23/26	0/1/1/1
3	MAN	D	3	3	-	2/2/19/22	0/1/1/1
2	NAG	E	1	2,1	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	NAG	F	1	2,1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	F	2	2	-	4/6/23/26	0/1/1/1

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1	NAG	C1-O5-C5	3.64	117.06	112.19
3	D	3	MAN	C1-O5-C5	3.61	117.03	112.19
2	F	1	NAG	C1-O5-C5	3.24	116.53	112.19
2	E	2	NAG	C4-C3-C2	3.19	115.70	111.02
2	E	1	NAG	C1-O5-C5	3.16	116.42	112.19
3	D	2	NAG	C4-C3-C2	2.91	115.28	111.02
2	C	2	NAG	O5-C1-C2	-2.66	107.17	111.29
2	C	2	NAG	C3-C4-C5	2.49	114.75	110.23
2	F	2	NAG	C4-C3-C2	2.28	114.36	111.02
2	E	2	NAG	C3-C4-C5	2.28	114.36	110.23

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	E	1	NAG	C5

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	2	NAG	C3-C2-N2-C7
2	E	2	NAG	C8-C7-N2-C2
2	E	2	NAG	O7-C7-N2-C2
3	D	2	NAG	C8-C7-N2-C2
3	D	2	NAG	O7-C7-N2-C2
2	F	2	NAG	C8-C7-N2-C2
3	D	2	NAG	C4-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6
2	F	2	NAG	O7-C7-N2-C2
3	D	3	MAN	O5-C5-C6-O6
2	C	1	NAG	C8-C7-N2-C2
2	C	1	NAG	O7-C7-N2-C2
2	C	1	NAG	C4-C5-C6-O6
2	C	1	NAG	O5-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6
2	F	2	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	F	2	NAG	O5-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
3	D	3	MAN	C4-C5-C6-O6


There are no ring outliers.


2 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	2	NAG	3	0
2	F	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

19 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	EDO	B	6	-	3,3,3	0.48	0	2,2,2	0.28	0
8	HXA	A	1	-	23,23,23	1.50	1 (4%)	23,23,23	0.59	1 (4%)
5	COH	B	619	1	50,50,50	1.67	10 (20%)	66,82,82	1.40	10 (15%)
8	HXA	B	1	-	23,23,23	1.50	1 (4%)	23,23,23	0.61	0
6	NAG	A	681	1	14,14,15	0.50	0	17,19,21	1.00	1 (5%)
9	EDO	B	7	-	3,3,3	0.44	0	2,2,2	0.37	0
6	NAG	B	681	-	14,14,15	0.49	0	17,19,21	0.96	1 (5%)
4	AKR	A	2	-	4,4,4	1.95	1 (25%)	4,4,4	1.16	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	EDO	A	3	-	3,3,3	0.49	0	2,2,2	0.26	0
9	EDO	A	8	-	3,3,3	0.43	0	2,2,2	0.37	0
9	EDO	A	5	-	3,3,3	0.49	0	2,2,2	0.34	0
4	AKR	B	2	-	4,4,4	1.94	1 (25%)	4,4,4	0.91	0
9	EDO	B	4	-	3,3,3	0.41	0	2,2,2	0.39	0
4	AKR	B	3	-	4,4,4	1.97	2 (50%)	4,4,4	0.85	0
9	EDO	A	620	-	3,3,3	0.43	0	2,2,2	0.35	0
5	COH	A	619	-	50,50,50	1.69	10 (20%)	66,82,82	1.41	10 (15%)
9	EDO	A	621	-	3,3,3	0.47	0	2,2,2	0.33	0
7	BOG	A	703	-	20,20,20	0.46	0	25,25,25	0.54	0
7	BOG	B	703	-	20,20,20	0.42	0	25,25,25	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	EDO	B	6	-	-	0/1/1/1	-
8	HXA	A	1	-	-	6/21/21/21	-
5	COH	B	619	1	1/1/3/9	6/14/54/54	-
8	HXA	B	1	-	-	12/21/21/21	-
6	NAG	A	681	1	-	0/6/23/26	0/1/1/1
9	EDO	B	7	-	-	1/1/1/1	-
6	NAG	B	681	-	-	2/6/23/26	0/1/1/1
4	AKR	A	2	-	-	0/2/2/2	-
9	EDO	A	3	-	-	1/1/1/1	-
9	EDO	A	8	-	-	1/1/1/1	-
9	EDO	A	5	-	-	1/1/1/1	-
4	AKR	B	2	-	-	0/2/2/2	-
9	EDO	B	4	-	-	1/1/1/1	-
4	AKR	B	3	-	-	0/2/2/2	-
9	EDO	A	620	-	-	1/1/1/1	-
5	COH	A	619	-	1/1/3/9	7/14/54/54	-
9	EDO	A	621	-	-	0/1/1/1	-
7	BOG	A	703	-	-	2/11/31/31	0/1/1/1
7	BOG	B	703	-	-	4/11/31/31	0/1/1/1

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	619	COH	C3D-C2D	5.88	1.54	1.38
5	A	619	COH	C3D-C2D	5.76	1.53	1.38
5	A	619	COH	CO-ND	4.04	2.11	1.96
5	A	619	COH	CO-NA	4.02	2.11	1.96
5	B	619	COH	CO-ND	3.81	2.11	1.96
5	A	619	COH	CO-NB	3.61	2.10	1.96
5	B	619	COH	CO-NA	3.60	2.09	1.96
5	B	619	COH	CO-NB	3.35	2.09	1.96
5	B	619	COH	CO-NC	3.02	2.07	1.96
5	A	619	COH	CO-NC	2.95	2.07	1.96
5	B	619	COH	CAB-C3B	2.94	1.55	1.47
5	A	619	COH	CAC-C3C	2.92	1.55	1.47
5	B	619	COH	CAC-C3C	2.90	1.55	1.47
5	A	619	COH	CAB-C3B	2.87	1.55	1.47
4	A	2	AKR	CA-C	-2.56	1.40	1.46
4	B	2	AKR	CA-C	-2.55	1.40	1.46
4	B	3	AKR	CA-C	-2.53	1.40	1.46
8	B	1	HXA	C21-C20	-2.36	1.39	1.50
8	A	1	HXA	C21-C20	-2.32	1.39	1.50
5	B	619	COH	CMA-C3A	2.27	1.55	1.50
5	A	619	COH	CMA-C3A	2.23	1.55	1.50
5	B	619	COH	CMB-C2B	2.22	1.55	1.50
5	A	619	COH	CMC-C2C	2.18	1.55	1.50
5	A	619	COH	CMB-C2B	2.09	1.55	1.50
5	B	619	COH	CMC-C2C	2.07	1.55	1.50
4	B	3	AKR	CB-CA	2.00	1.40	1.30

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	619	COH	C4D-ND-C1D	4.58	111.87	105.11
5	A	619	COH	C4D-ND-C1D	4.44	111.66	105.11
5	A	619	COH	C2B-C1B-NB	-3.94	107.82	110.88
5	B	619	COH	C2B-C1B-NB	-3.89	107.85	110.88
5	A	619	COH	C2C-C1C-NC	-3.24	107.59	110.96
5	B	619	COH	C2C-C1C-NC	-3.24	107.59	110.96
6	B	681	NAG	O5-C1-C2	-2.93	106.76	111.29
5	B	619	COH	C3A-C4A-NA	-2.91	107.94	110.96
5	A	619	COH	C3A-C4A-NA	-2.75	108.10	110.96
5	B	619	COH	C3D-C4D-ND	-2.67	108.36	110.73
5	B	619	COH	C4C-NC-C1C	2.48	108.27	105.12
5	A	619	COH	C4C-NC-C1C	2.48	108.27	105.12
5	A	619	COH	C3C-C2C-C1C	2.46	108.26	106.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	619	COH	C1A-NA-C4A	2.43	108.20	105.12
5	B	619	COH	C3C-C2C-C1C	2.33	108.16	106.41
5	A	619	COH	C3D-C4D-ND	-2.31	108.68	110.73
5	A	619	COH	C1A-NA-C4A	2.23	107.96	105.12
5	B	619	COH	C4B-NB-C1B	2.21	108.38	105.11
6	A	681	NAG	C1-O5-C5	2.15	115.06	112.19
5	B	619	COH	C2A-C1A-NA	-2.08	108.02	110.57
5	A	619	COH	C4B-NB-C1B	2.06	108.15	105.11
8	A	1	HXA	O1-C1-C2	-2.02	116.68	123.09
5	A	619	COH	O2A-CGA-CBA	2.02	120.38	114.00

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	A	619	COH	NB
5	B	619	COH	NB

All (45) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	619	COH	C2B-C3B-CAB-CBB
5	A	619	COH	C2C-C3C-CAC-CBC
8	B	1	HXA	C1-C2-C3-C4
8	B	1	HXA	C11-C10-C9-C8
6	B	681	NAG	C8-C7-N2-C2
6	B	681	NAG	O7-C7-N2-C2
7	A	703	BOG	O1-C1'-C2'-C3'
7	B	703	BOG	O1-C1'-C2'-C3'
5	A	619	COH	C2A-CAA-CBA-CGA
9	A	8	EDO	O1-C1-C2-O2
9	B	4	EDO	O1-C1-C2-O2
5	B	619	COH	C2A-CAA-CBA-CGA
8	A	1	HXA	C19-C20-C21-C22
8	B	1	HXA	C19-C20-C21-C22
7	B	703	BOG	C2'-C3'-C4'-C5'
9	A	5	EDO	O1-C1-C2-O2
9	B	7	EDO	O1-C1-C2-O2
7	A	703	BOG	C5'-C6'-C7'-C8'
7	B	703	BOG	C5'-C6'-C7'-C8'
9	A	3	EDO	O1-C1-C2-O2
8	A	1	HXA	C14-C15-C16-C17
8	B	1	HXA	C4-C5-C6-C7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	B	1	HXA	C7-C8-C9-C10
8	B	1	HXA	C11-C12-C13-C14
8	B	1	HXA	C13-C14-C15-C16
8	B	1	HXA	C14-C15-C16-C17
8	B	1	HXA	C17-C18-C19-C20
7	B	703	BOG	C3'-C4'-C5'-C6'
5	A	619	COH	C3D-CAD-CBD-CGD
5	B	619	COH	C2B-C3B-CAB-CBB
5	B	619	COH	C2C-C3C-CAC-CBC
5	A	619	COH	C4B-C3B-CAB-CBB
5	A	619	COH	C4C-C3C-CAC-CBC
5	B	619	COH	C4B-C3B-CAB-CBB
5	B	619	COH	C4C-C3C-CAC-CBC
8	A	1	HXA	O2-C1-C2-C3
5	B	619	COH	C3D-CAD-CBD-CGD
8	A	1	HXA	C4-C5-C6-C7
8	A	1	HXA	C11-C12-C13-C14
8	A	1	HXA	O1-C1-C2-C3
8	B	1	HXA	O2-C1-C2-C3
8	B	1	HXA	O1-C1-C2-C3
9	A	620	EDO	O1-C1-C2-O2
8	B	1	HXA	C2-C3-C4-C5
5	A	619	COH	CAA-CBA-CGA-O2A


There are no ring outliers.


8 monomers are involved in 33 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	1	HXA	10	0
5	B	619	COH	1	0
8	B	1	HXA	16	0
9	A	3	EDO	1	0
9	A	8	EDO	1	0
4	B	2	AKR	2	0
9	B	4	EDO	1	0
9	A	620	EDO	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.


Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	551/591 (93%)	-0.35	0	100 100	20, 35, 57, 83	2 (0%)
1	B	552/591 (93%)	-0.27	2 (0%)	88 87	18, 37, 66, 95	2 (0%)
All	All	1103/1182 (93%)	-0.31	2 (0%)	91 90	18, 36, 62, 95	4 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	281	GLU	2.2
1	B	279	ILE	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MAN	D	3	11/12	0.56	0.15	57,60,61,61	0
2	NAG	C	2	14/15	0.59	0.14	57,60,61,62	0
2	NAG	E	2	14/15	0.74	0.10	64,66,67,67	0
2	NAG	E	1	14/15	0.81	0.10	48,55,57,61	0
2	NAG	F	2	14/15	0.84	0.10	40,43,44,44	0
2	NAG	C	1	14/15	0.86	0.09	40,47,49,54	0
3	NAG	D	2	14/15	0.91	0.07	44,48,50,54	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	NAG	D	1	14/15	0.94	0.08	27,31,34,39	0
2	NAG	F	1	14/15	0.96	0.06	25,29,31,36	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain F:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	AKR	B	2	5/5	0.61	0.21	76,76,76,76	0
9	EDO	A	5	4/4	0.62	0.23	72,72,72,72	0
9	EDO	B	7	4/4	0.70	0.17	70,71,71,71	0
4	AKR	A	2	5/5	0.72	0.22	74,74,74,74	0
4	AKR	B	3	5/5	0.73	0.19	62,62,62,62	0
9	EDO	A	621	4/4	0.78	0.21	61,61,61,61	0
9	EDO	B	6	4/4	0.80	0.17	54,54,55,55	0
6	NAG	B	681	14/15	0.82	0.14	92,93,93,93	0
9	EDO	A	620	4/4	0.83	0.18	52,53,54,54	0
5	COH	B	619	43/43	0.84	0.19	88,90,92,93	0
6	NAG	A	681	14/15	0.84	0.10	40,44,46,46	0
8	HXA	B	1	24/24	0.85	0.15	57,64,69,70	0
5	COH	A	619	43/43	0.85	0.19	99,101,102,102	0
8	HXA	A	1	24/24	0.85	0.17	62,63,66,66	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
9	EDO	B	4	4/4	0.87	0.17	57,57,57,57	0
7	BOG	A	703	20/20	0.89	0.13	64,66,66,66	20
7	BOG	B	703	20/20	0.90	0.10	37,40,41,41	20
9	EDO	A	3	4/4	0.91	0.10	39,40,40,41	0
9	EDO	A	8	4/4	0.93	0.12	50,50,50,50	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around COH B 619:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HXA B 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around COH A 619:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HXA A 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BOG A 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BOG B 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.