



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 08:09 PM UTC

PDB ID : 5HSH / pdb_00005hsh
Title : Crystal structure of the G291R mutant of human phosphoglucomutase 1
Authors : Stiers, K.M.; Beamer, L.J.
Deposited on : 2016-01-25
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1110 (2.66-2.66)
Clashscore	190562	1141 (2.66-2.66)
Ramachandran outliers	187476	1126 (2.66-2.66)
Sidechain outliers	187428	1126 (2.66-2.66)
RSRZ outliers	180081	1110 (2.66-2.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	562	4% 79% 16% • 5%
1	B	562	9% 76% 17% • 6%

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 7521 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Phosphoglucomutase-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	535	Total	C	N	O	S	0	2	0
			3801	2395	661	729	16			
1	B	528	Total	C	N	O	S	0	0	0
			3594	2250	627	700	17			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	291	ARG	GLY	engineered mutation	UNP P36871
B	291	ARG	GLY	engineered mutation	UNP P36871

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	73	Total	O	0	0
			73	73		
3	B	28	Total	O	0	0
			28	28		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Phosphoglucomutase-1



• Molecule 1: Phosphoglucomutase-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	170.78Å 170.78Å 99.29Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	60.54 – 2.65 60.54 – 2.65	Depositor EDS
% Data completeness (in resolution range)	99.6 (60.54-2.65) 99.6 (60.54-2.65)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.18 (at 2.65Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.230 , 0.273 0.237 , 0.279	Depositor DCC
R_{free} test set	2162 reflections (1.43%)	wwPDB-VP
Wilson B-factor (Å ²)	75.7	Xtriage
Anisotropy	0.167	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 97.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7521	wwPDB-VP
Average B, all atoms (Å ²)	80.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	0/3867	0.73	3/5261 (0.1%)
1	B	0.42	0/3656	0.71	2/4985 (0.0%)
All	All	0.45	0/7523	0.72	5/10246 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	289	GLY	CA-C-N	7.82	135.77	121.70
1	A	289	GLY	C-N-CA	7.82	135.77	121.70
1	B	289	GLY	CA-C-N	7.41	135.04	121.70
1	B	289	GLY	C-N-CA	7.41	135.04	121.70
1	A	441	MET	CB-CG-SD	6.37	131.82	112.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3801	0	3388	69	0
1	B	3594	0	3007	77	0
2	A	20	0	0	1	0
2	B	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	73	0	0	6	0
3	B	28	0	0	1	0
All	All	7521	0	6395	144	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:449:MET:SD	1:B:492:LEU:HD21	1.94	1.07
1:A:348:THR:HG23	1:A:350:ILE:H	1.32	0.93
1:A:441:MET:HE1	1:A:547:SER:HB2	1.49	0.93
1:B:333:ARG:NH1	1:B:337:THR:O	2.00	0.93
1:B:473:ASN:HD21	1:B:487:ASN:HA	1.34	0.91
1:B:366:MET:HE3	1:B:384:ASP:HA	1.56	0.86
1:B:141:GLU:HA	1:B:144:THR:HG22	1.57	0.86
1:A:444:ASP:OD2	1:A:552[A]:ARG:NH1	2.12	0.83
1:B:251:CYS:SG	3:B:726:HOH:O	2.39	0.80
1:B:348:THR:O	1:B:350:ILE:N	2.16	0.78
1:A:405:ARG:HH21	1:A:407:GLN:HE22	1.29	0.78
1:B:466:TYR:HB3	1:B:494:PHE:CD1	2.20	0.77
1:B:466:TYR:HB3	1:B:494:PHE:HD1	1.50	0.77
1:A:251:CYS:SG	3:A:765:HOH:O	2.43	0.76
1:A:444:ASP:HB2	1:A:552[A]:ARG:HH12	1.52	0.75
1:B:449:MET:HA	1:B:454:PHE:HD1	1.51	0.73
1:A:345:ALA:O	1:A:348:THR:HG22	1.91	0.70
1:B:322:TYR:O	1:B:326:THR:HG23	1.92	0.70
1:A:441:MET:CE	1:A:547:SER:HB2	2.22	0.69
1:B:56:THR:HG21	1:B:85:ARG:HH21	1.56	0.69
1:A:15:GLN:HE21	1:A:151:SER:HB2	1.59	0.68
1:A:444:ASP:CB	1:A:552[A]:ARG:HH12	2.08	0.67
1:A:15:GLN:NE2	1:A:151:SER:HB2	2.10	0.67
1:B:366:MET:HE2	1:B:387:ARG:HD3	1.77	0.66
1:B:199:LEU:HD13	1:B:396:LEU:HD12	1.76	0.66
1:B:211:LEU:HD11	1:B:218:LEU:HD12	1.77	0.66
1:B:429:ASP:HA	1:B:515:ARG:HG2	1.78	0.66
1:B:473:ASN:ND2	1:B:487:ASN:HA	2.07	0.66
1:A:326:THR:O	1:A:329[A]:ARG:NH2	2.28	0.64
1:A:271:ASP:OD2	3:A:701:HOH:O	2.15	0.64
1:A:291:ARG:O	1:A:389:LYS:HE3	1.97	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:462:ASN:O	3:A:702:HOH:O	2.15	0.63
1:B:43:ILE:O	1:B:46:THR:HG22	1.99	0.62
1:B:449:MET:HG2	1:B:454:PHE:HE1	1.63	0.62
1:B:474:PHE:HB2	1:B:491:ARG:HD2	1.81	0.61
1:B:41:GLN:NE2	1:B:45:SER:OG	2.34	0.61
1:B:41:GLN:HG3	1:B:157:TYR:HB2	1.82	0.61
1:B:295:MET:HE3	1:B:297:LEU:HD11	1.82	0.61
1:A:12:TYR:C	1:A:13:GLN:HE21	2.09	0.60
1:A:441:MET:HE1	1:A:547:SER:CB	2.27	0.60
1:A:322:TYR:O	1:A:326:THR:HG23	2.01	0.60
1:A:199:LEU:HD13	1:A:396:LEU:HD12	1.84	0.60
1:B:289:GLY:CA	1:B:290:ASP:HB2	2.32	0.60
1:B:402:LEU:HD21	1:B:409:VAL:HG12	1.83	0.60
1:B:226:HIS:H	1:B:250:ASN:HB3	1.66	0.59
1:B:449:MET:HA	1:B:454:PHE:CD1	2.35	0.59
1:A:444:ASP:CG	1:A:552[A]:ARG:HH12	2.11	0.59
1:B:63:GLY:O	1:B:66:TYR:N	2.36	0.58
1:A:385:HIS:CD2	1:A:386:ILE:HG12	2.38	0.58
1:A:289:GLY:CA	1:A:290:ASP:HB2	2.34	0.58
1:B:333:ARG:HG2	1:B:337:THR:HB	1.85	0.58
1:A:424:PHE:HD1	1:A:532:PRO:HB3	1.67	0.58
1:A:411:ASP:OD1	3:A:703:HOH:O	2.17	0.57
1:A:449:MET:HE1	1:A:490:LEU:HB3	1.86	0.57
1:A:519:ASP:OD2	3:A:704:HOH:O	2.17	0.57
1:B:99:VAL:O	1:B:103:ILE:HG13	2.04	0.57
1:B:449:MET:HG2	1:B:454:PHE:CE1	2.39	0.57
1:B:244:PRO:HB2	1:B:246:ASN:OD1	2.04	0.57
1:A:334:SER:HA	1:A:355:THR:HG22	1.88	0.56
1:B:141:GLU:HA	1:B:144:THR:CG2	2.31	0.56
1:A:99:VAL:O	1:A:103:ILE:HG13	2.07	0.55
1:B:291:ARG:O	1:B:389:LYS:HE2	2.07	0.54
1:B:400:SER:O	1:B:404:THR:HG23	2.07	0.54
1:B:62:ASP:O	1:B:93:ILE:HG12	2.07	0.54
1:A:56:THR:O	1:A:109:ILE:HG22	2.08	0.54
1:A:405:ARG:NH2	1:A:407:GLN:HE22	2.03	0.54
1:A:551:GLU:OE1	1:A:551:GLU:N	2.39	0.53
1:A:96:THR:HB	1:A:113:ILE:HD13	1.89	0.53
1:B:348:THR:C	1:B:350:ILE:H	2.14	0.53
1:A:349:LYS:NZ	1:B:203:PHE:O	2.42	0.53
1:A:37:GLU:OE2	1:A:37:GLU:N	2.34	0.52
1:A:449:MET:HA	1:A:454:PHE:CD2	2.44	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:469:GLU:HB2	1:A:495:THR:HG22	1.92	0.52
1:B:433:VAL:HA	1:B:555:ARG:NH2	2.24	0.52
1:A:49:PRO:HA	1:A:52:ARG:HG3	1.92	0.52
1:A:72:GLN:O	1:A:76:ARG:HG3	2.10	0.52
1:B:333:ARG:CG	1:B:337:THR:HB	2.40	0.52
1:B:356:PRO:HD3	1:B:476:TYR:CG	2.45	0.52
1:A:445:LEU:O	1:A:448:LEU:HB2	2.10	0.51
1:A:438:ALA:O	1:A:441:MET:HB3	2.09	0.51
1:B:342:ASP:HA	1:B:352:LEU:HD13	1.93	0.51
1:A:502:PHE:CE1	1:A:516:LEU:HD13	2.45	0.51
1:A:302:PHE:CE1	1:A:410:GLU:HG3	2.45	0.51
1:B:289:GLY:HA3	1:B:290:ASP:HB2	1.94	0.50
1:A:355:THR:HG23	1:A:356:PRO:O	2.12	0.50
1:A:500:ILE:HD11	1:A:539:LEU:HD22	1.93	0.50
1:B:56:THR:HG21	1:B:85:ARG:NH2	2.25	0.50
1:B:226:HIS:N	1:B:250:ASN:HB3	2.26	0.49
1:A:466:TYR:HB3	1:A:494:PHE:CD1	2.47	0.49
1:B:200:ARG:HD3	1:B:240:GLU:OE1	2.13	0.48
1:B:473:ASN:HD21	1:B:487:ASN:CA	2.15	0.48
1:B:211:LEU:HD21	1:B:218:LEU:HD13	1.96	0.48
1:A:362:PHE:O	1:A:366:MET:HG3	2.13	0.48
1:B:297:LEU:HD23	1:B:303:PHE:HA	1.96	0.48
1:B:359:TRP:CH2	1:B:389:LYS:HB3	2.49	0.47
1:B:192:VAL:HG22	1:B:232:TYR:CD2	2.49	0.47
1:B:503:ARG:HG2	1:B:517:TYR:HE1	1.79	0.47
1:A:196:ALA:HB2	1:A:236:ILE:HD11	1.96	0.47
1:A:385:HIS:NE2	1:A:386:ILE:HG12	2.31	0.46
1:B:366:MET:CE	1:B:384:ASP:HA	2.37	0.46
1:A:43:ILE:O	1:A:46:THR:HG22	2.16	0.46
1:A:318:PHE:HB2	2:A:602:SO4:O1	2.16	0.45
1:B:366:MET:HE1	1:B:386:ILE:O	2.16	0.45
1:B:531:ASP:O	1:B:535:MET:HG2	2.17	0.45
1:B:70:ALA:O	1:B:74:ILE:HG13	2.17	0.45
1:A:102:ILE:O	1:A:106:ILE:HG12	2.16	0.45
1:A:445:LEU:O	1:A:449:MET:HG3	2.17	0.44
1:A:428:TYR:CD2	1:A:558:PRO:HG3	2.53	0.44
1:A:461:ALA:HA	1:A:462:ASN:HA	1.66	0.44
1:B:17:PRO:HG2	1:B:144:THR:OG1	2.18	0.44
1:B:211:LEU:HD13	1:B:403:ALA:HA	1.98	0.44
1:A:20:SER:N	3:A:705:HOH:O	2.21	0.43
1:B:548:GLN:O	1:B:552:ARG:N	2.51	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:13:GLN:N	1:B:13:GLN:CD	2.77	0.43
1:A:4:ILE:HG23	1:A:80:ALA:HB1	1.99	0.43
1:A:289:GLY:HA3	1:A:290:ASP:HB2	1.99	0.43
1:B:52:ARG:NH1	1:B:81:ASN:HD22	2.16	0.43
1:B:342:ASP:OD1	1:B:342:ASP:N	2.51	0.43
1:A:462:ASN:C	1:A:464:LYS:H	2.27	0.43
1:A:291:ARG:O	1:A:389:LYS:CE	2.65	0.43
1:A:285:ALA:HA	1:A:295:MET:O	2.19	0.43
1:B:276:MET:HE3	1:B:276:MET:HB3	1.78	0.42
1:A:56:THR:HA	1:A:85:ARG:O	2.19	0.42
1:A:321:PRO:HB3	1:B:349:LYS:HD3	2.01	0.42
1:A:333:ARG:HD2	1:A:337:THR:HB	2.00	0.42
1:A:390:ASP:HB3	1:A:393:TRP:HB3	2.01	0.42
1:A:85:ARG:HA	1:A:185:THR:O	2.19	0.42
1:B:59:VAL:HG22	1:B:88:ILE:HG12	2.02	0.42
1:B:433:VAL:HA	1:B:555:ARG:HH21	1.84	0.42
1:A:458:GLN:HA	1:A:466:TYR:O	2.20	0.42
1:B:29:PHE:CE2	1:B:127:PHE:HD2	2.37	0.42
1:B:285:ALA:HA	1:B:295:MET:O	2.21	0.41
1:A:348:THR:HG23	1:A:350:ILE:N	2.15	0.41
1:B:49:PRO:HA	1:B:52:ARG:HG3	2.02	0.41
1:A:478:ASP:HB3	1:A:481:ASP:OD1	2.21	0.41
1:B:56:THR:HB	1:B:85:ARG:HE	1.86	0.41
1:B:493:ILE:HA	1:B:499:ARG:HG2	2.03	0.41
1:B:289:GLY:N	1:B:290:ASP:HB2	2.36	0.41
1:B:282:ASP:OD1	1:B:282:ASP:N	2.53	0.40
1:B:298:GLY:N	1:B:302:PHE:O	2.49	0.40
1:B:96:THR:HB	1:B:113:ILE:HD13	2.04	0.40
1:A:355:THR:HG21	1:A:362:PHE:CE1	2.56	0.40
1:B:103:ILE:HG23	1:B:108:ALA:HB3	2.03	0.40
1:B:494:PHE:N	1:B:494:PHE:CD2	2.90	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	527/562 (94%)	499 (95%)	25 (5%)	3 (1%)	21	34
1	B	518/562 (92%)	490 (95%)	23 (4%)	5 (1%)	12	20
All	All	1045/1124 (93%)	989 (95%)	48 (5%)	8 (1%)	16	27

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	215	PRO
1	A	290	ASP
1	B	290	ASP
1	B	349	LYS
1	B	215	PRO
1	B	461	ALA
1	B	463	ASP
1	A	461	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	334/463 (72%)	331 (99%)	3 (1%)	70	82
1	B	287/463 (62%)	283 (99%)	4 (1%)	59	76
All	All	621/926 (67%)	614 (99%)	7 (1%)	68	80

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	213	SER
1	A	329[A]	ARG
1	A	329[B]	ARG
1	B	56	THR
1	B	67	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	326	THR
1	B	369	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	13	GLN
1	A	15	GLN
1	A	226	HIS
1	A	294	ASN
1	A	407	GLN
1	B	41	GLN
1	B	81	ASN
1	B	416	HIS
1	B	473	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	603	-	4,4,4	0.25	0	6,6,6	0.19	0
2	SO4	A	604	-	4,4,4	0.27	0	6,6,6	0.26	0
2	SO4	A	602	-	4,4,4	0.32	0	6,6,6	0.54	0
2	SO4	B	601	-	4,4,4	0.35	0	6,6,6	0.37	0
2	SO4	A	601	-	4,4,4	0.43	0	6,6,6	0.38	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	602	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	535/562 (95%)	0.36	25 (4%)	36 28	30, 71, 106, 119	2 (0%)
1	B	528/562 (93%)	0.68	51 (9%)	13 10	57, 86, 135, 153	0
All	All	1063/1124 (94%)	0.52	76 (7%)	22 16	30, 78, 119, 153	2 (0%)

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	63	GLY	4.6
1	A	62	ASP	3.6
1	B	17	PRO	3.5
1	B	461	ALA	3.5
1	B	147	ILE	3.5
1	B	2	VAL	3.5
1	A	461	ALA	3.4
1	B	315	ALA	3.4
1	A	66	TYR	3.3
1	B	433	VAL	3.2
1	B	518	ILE	3.2
1	A	438	ALA	3.2
1	A	63	GLY	3.1
1	A	510	ALA	3.1
1	B	38	ASN	3.0
1	B	126	ASP	3.0
1	B	459	PHE	2.9
1	B	536	LEU	2.9
1	B	539	LEU	2.9
1	A	154	ILE	2.9
1	B	40	ILE	2.8
1	A	127	PHE	2.8
1	A	147	ILE	2.8
1	B	436	GLU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	514	ILE	2.8
1	B	31	SER	2.8
1	B	252	VAL	2.7
1	B	154	ILE	2.6
1	A	464	LYS	2.6
1	B	502	PHE	2.6
1	B	304	VAL	2.6
1	B	532	PRO	2.6
1	B	9	THR	2.5
1	A	253	PRO	2.5
1	A	348	THR	2.5
1	B	20	SER	2.5
1	B	543	ALA	2.5
1	A	1	MET	2.5
1	B	251	CYS	2.5
1	A	19	THR	2.4
1	A	505	SER	2.4
1	B	432	GLU	2.4
1	A	368	ALA	2.4
1	B	471	ALA	2.4
1	B	143	ILE	2.4
1	B	186	VAL	2.4
1	A	268	TYR	2.3
1	B	504	LEU	2.3
1	A	289	GLY	2.3
1	A	74	ILE	2.3
1	B	67	MET	2.3
1	B	462	ASN	2.3
1	B	556	THR	2.2
1	B	529	ASN	2.2
1	A	451	ASP	2.2
1	B	14	ASP	2.2
1	B	500	ILE	2.2
1	B	553	THR	2.2
1	B	490	LEU	2.2
1	B	467	THR	2.2
1	A	116	ALA	2.1
1	B	19	THR	2.1
1	A	10	GLN	2.1
1	B	250	ASN	2.1
1	B	445	LEU	2.1
1	A	480	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	454	PHE	2.1
1	B	440	LYS	2.1
1	A	326	THR	2.1
1	B	562	THR	2.1
1	B	41	GLN	2.1
1	B	528	ILE	2.1
1	B	165	VAL	2.1
1	A	46	THR	2.0
1	B	405	ARG	2.0
1	B	449	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	SO4	A	604	5/5	0.77	0.26	80,80,80,80	5
2	SO4	B	601	5/5	0.85	0.13	95,95,95,95	5
2	SO4	A	602	5/5	0.87	0.17	61,61,61,61	5
2	SO4	A	603	5/5	0.91	0.17	74,74,74,74	5
2	SO4	A	601	5/5	0.93	0.17	70,70,70,70	5

6.5 Other polymers [i](#)

There are no such residues in this entry.