



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:47 PM UTC

PDB ID : 1HUO / pdb_00001huo
Title : CRYSTAL STRUCTURE OF DNA POLYMERASE BETA COMPLEXED
WITH DNA AND CR-TMPPCP
Authors : Arndt, J.W.; Gong, W.; Zhong, X.; Showalter, A.K.; Liu, J.; Lin, Z.; Paxson,
C.; Tsai, M.-D.; Chan, M.K.
Deposited on : 2001-01-04
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	C	11	55% 18% 27%
1	T	11	18% 36% 18% 27%
2	D	7	14% 71% 14%
2	P	7	100%
3	A	335	57% 36% . .
3	B	335	58% 34% . .

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 5991 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called 5'-D(*AP*AP*TP*AP*GP*GP*CP*GP*TP*CP*G)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	T	8	Total	C	N	O	P	0	0	0
			167	78	33	48	8			
1	C	8	Total	C	N	O	P	0	0	0
			167	78	33	48	8			

- Molecule 2 is a DNA chain called 5'-D(P*CP*GP*AP*CP*GP*CP*C)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	P	7	Total	C	N	O	P	0	0	0
			141	66	27	41	7			
2	D	7	Total	C	N	O	P	0	0	0
			141	66	27	41	7			


- Molecule 3 is a protein called DNA POLYMERASE BETA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	325	Total	C	N	O	S	0	0	0
			2598	1639	457	493	9			
3	B	325	Total	C	N	O	S	0	0	0
			2598	1639	457	493	9			

- Molecule 4 is CHROMIUM ION (CCD ID: CR) (formula: Cr).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cr	0	0
			1	1		
4	B	1	Total	Cr	0	0
			1	1		

- Molecule 5 is PHOSPHOMETHYL PHOSPHONIC ACID DEOXYTHYMIDYLATE ESTER (CCD ID: TTE) (formula: C₁₁H₁₉N₂O₁₃P₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
5	A	1	Total 29	C 11	N 2	O 13	P 3	0	0
5	B	1	Total 29	C 11	N 2	O 13	P 3	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	T	4	Total O 4 4	0	0
6	P	6	Total O 6 6	0	0
6	C	9	Total O 9 9	0	0
6	D	6	Total O 6 6	0	0
6	A	45	Total O 45 45	0	0
6	B	49	Total O 49 49	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: 5'-D(*AP*AP*TP*AP*GP*GP*CP*GP*TP*CP*G)-3'

Chain T: 



- Molecule 1: 5'-D(*AP*AP*TP*AP*GP*GP*CP*GP*TP*CP*G)-3'

Chain C: 




- Molecule 2: 5'-D(P*CP*GP*AP*CP*GP*CP*C)-3'

Chain P: 



- Molecule 2: 5'-D(P*CP*GP*AP*CP*GP*CP*C)-3'


Chain D: 




- Molecule 3: DNA POLYMERASE BETA

Chain A: 





• Molecule 3: DNA POLYMERASE BETA



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	105.91Å 56.16Å 86.06Å 90.00° 107.25° 90.00°	Depositor
Resolution (Å)	20.00 – 2.60	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-2.60)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.226 , 0.288	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5991	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CR, TTE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	1.27	1/187 (0.5%)	1.76	2/287 (0.7%)
1	T	1.31	0/187	2.03	7/287 (2.4%)
2	D	1.73	4/157 (2.5%)	2.32	9/239 (3.8%)
2	P	1.52	2/157 (1.3%)	2.45	12/239 (5.0%)
3	A	0.51	0/2645	1.02	9/3562 (0.3%)
3	B	0.50	0/2645	0.98	10/3562 (0.3%)
All	All	0.69	7/5978 (0.1%)	1.21	49/8176 (0.6%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	7
1	T	0	6
2	D	0	7
2	P	0	7
All	All	0	27

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1	DC	C5'-C4'	6.98	1.66	1.52
2	D	4	DC	O3'-P	-6.68	1.51	1.61
2	P	1	DC	C5'-C4'	5.83	1.63	1.52
2	D	1	DC	C4'-C3'	5.66	1.64	1.52
2	D	1	DC	P-O5'	5.64	1.71	1.60
1	C	10	DC	C4'-O4'	-5.62	1.34	1.45
2	P	1	DC	C4'-C3'	5.09	1.62	1.52

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	1	DC	P-O5'-C5'	9.88	134.81	120.00
2	P	1	DC	O5'-C5'-C4'	9.28	124.72	110.80
2	D	1	DC	C2'-C3'-O3'	-9.18	97.74	111.50
2	P	1	DC	C2'-C3'-O3'	-9.02	97.97	111.50
2	P	2	DG	O3'-P-O5'	-8.70	90.94	104.00
3	A	29	VAL	N-CA-C	8.21	118.87	111.81
2	P	1	DC	O4'-C1'-N1	8.12	120.58	108.40
1	T	6	DG	P-O5'-C5'	-7.82	108.27	120.00
2	P	2	DG	N3-C2-N2	7.31	130.66	119.70
3	A	223	PHE	N-CA-C	-6.93	102.19	111.96
2	D	1	DC	O5'-C5'-C4'	6.72	120.89	110.80
1	T	5	DG	O3'-P-O5'	-6.68	93.98	104.00
2	P	3	DA	P-O5'-C5'	-6.59	110.11	120.00
3	A	316	GLU	N-CA-C	-6.58	104.11	111.28
3	B	223	PHE	N-CA-C	-6.56	102.70	111.96
3	B	109	SER	N-CA-C	6.44	118.10	111.14
3	A	105	GLY	N-CA-C	-6.43	106.26	113.79
1	T	9	DT	C5'-C4'-C3'	-6.31	105.43	114.90
2	P	1	DC	P-O5'-C5'	6.28	129.42	120.00
2	D	2	DG	N3-C2-N2	6.21	129.01	119.70
3	B	28	ASN	N-CA-C	6.17	117.80	111.14
1	T	9	DT	O3'-P-O5'	-6.14	94.78	104.00
3	B	272	PHE	N-CA-C	6.04	120.11	112.87
2	D	5	DG	O4'-C1'-C2'	-6.02	97.38	106.40
3	A	170	ASP	CA-C-N	5.99	125.54	119.19
3	A	170	ASP	C-N-CA	5.99	125.54	119.19
1	T	8	DG	N9-C1'-C2'	5.74	122.10	113.50
3	B	79	THR	N-CA-C	-5.72	102.83	110.55
1	C	8	DG	N3-C2-N2	5.69	128.24	119.70
2	D	1	DC	O4'-C1'-N1	5.63	116.85	108.40
3	A	16	THR	N-CA-C	-5.62	104.54	111.40
2	P	5	DG	P-O5'-C5'	5.60	128.41	120.00
3	A	267	CYS	N-CA-C	-5.57	105.21	111.28
1	T	7	DC	P-O5'-C5'	-5.52	111.71	120.00
3	B	20	VAL	N-CA-C	-5.48	105.38	110.53
2	D	5	DG	O3'-P-O5'	-5.47	95.80	104.00
3	B	58	GLU	N-CA-C	-5.42	105.29	111.14
1	T	4	DA	P-O5'-C5'	-5.38	111.92	120.00
3	B	267	CYS	N-CA-C	-5.32	105.48	111.28
2	P	2	DG	N1-C2-N2	-5.31	108.34	116.30
2	P	1	DC	P-O3'-C3'	5.27	128.10	120.20
2	D	1	DC	N1-C1'-C2'	-5.23	105.65	113.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	4	DC	N3-C4-N4	5.22	125.73	117.90
2	P	1	DC	C5'-C4'-C3'	5.21	122.71	114.90
3	B	170	ASP	CA-C-N	5.05	124.84	119.28
3	B	170	ASP	C-N-CA	5.05	124.84	119.28
2	D	1	DC	N3-C4-N4	5.04	125.47	117.90
1	C	4	DA	P-O5'-C5'	-5.03	112.46	120.00
3	A	265	TYR	N-CA-C	5.03	117.14	111.11

There are no chirality outliers.

All (27) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	10	DC	Sidechain
1	C	11	DG	Sidechain
1	C	5	DG	Sidechain
1	C	6	DG	Sidechain
1	C	7	DC	Sidechain
1	C	8	DG	Sidechain
1	C	9	DT	Sidechain
2	D	1	DC	Sidechain
2	D	2	DG	Sidechain
2	D	3	DA	Sidechain
2	D	4	DC	Sidechain
2	D	5	DG	Sidechain
2	D	6	DC	Sidechain
2	D	7	DC	Sidechain
2	P	1	DC	Sidechain
2	P	2	DG	Sidechain
2	P	3	DA	Sidechain
2	P	4	DC	Sidechain
2	P	5	DG	Sidechain
2	P	6	DC	Sidechain
2	P	7	DC	Sidechain
1	T	10	DC	Sidechain
1	T	11	DG	Sidechain
1	T	5	DG	Sidechain
1	T	6	DG	Sidechain
1	T	7	DC	Sidechain
1	T	8	DG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	167	0	90	0	0
1	T	167	0	90	3	0
2	D	141	0	78	4	0
2	P	141	0	78	4	0
3	A	2598	0	2604	95	0
3	B	2598	0	2604	96	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	29	0	15	7	0
5	B	29	0	15	6	0
6	A	45	0	0	4	0
6	B	49	0	0	4	0
6	C	9	0	0	0	0
6	D	6	0	0	0	0
6	P	6	0	0	0	0
6	T	4	0	0	0	0
All	All	5991	0	5574	204	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (204) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:338:TTE:O4'	5:A:338:TTE:C4'	1.64	1.38
5:B:338:TTE:O4'	5:B:338:TTE:C4'	1.64	1.27
3:B:300:PRO:HD3	3:B:311:LEU:HD23	1.58	0.83
3:A:125:LEU:HD23	3:A:140:LEU:HD13	1.62	0.80
3:A:323:ILE:HG13	3:A:325:TRP:HB2	1.63	0.80
3:A:192:ASP:HB3	3:A:272:PHE:CE1	2.16	0.79
3:A:169:LEU:HD21	3:A:213:ARG:HB3	1.65	0.77
3:B:236:MET:HE3	3:B:254:ARG:NH2	2.00	0.77
3:B:18:MET:HE1	3:B:76:PHE:HB2	1.65	0.77
3:A:150:ILE:HG12	3:A:253:ARG:HD2	1.68	0.76
3:A:183:ARG:HD3	3:A:274:GLY:O	1.86	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:293:ILE:HG12	3:A:298:ILE:HD13	1.68	0.74
3:B:18:MET:HE2	3:B:82:LEU:HB2	1.70	0.73
3:B:229:SER:HB2	3:B:236:MET:HB2	1.67	0.73
3:A:18:MET:HE1	3:A:76:PHE:HB2	1.70	0.73
3:A:256:ASP:HB2	6:A:1004:HOH:O	1.87	0.72
5:A:338:TTE:H6	5:A:338:TTE:H3'	1.72	0.72
3:B:20:VAL:HG13	3:B:40:ARG:HH12	1.56	0.69
3:B:293:ILE:HG12	3:B:298:ILE:HD13	1.76	0.68
3:B:129:GLU:HB3	3:B:137:ARG:HD2	1.76	0.68
3:A:297:THR:HB	3:A:310:PRO:HB3	1.75	0.67
3:B:150:ILE:HG21	3:B:155:MET:SD	2.33	0.67
2:D:7:DC:C2'	5:B:338:TTE:H5'2	2.24	0.67
3:B:152:ARG:HH22	3:B:184:GLY:HA2	1.60	0.67
2:P:7:DC:H2'	5:A:338:TTE:H5'2	1.77	0.66
3:A:153:GLU:HA	3:A:156:LEU:HD12	1.77	0.66
3:A:194:LEU:HD11	3:A:260:ILE:CG1	2.26	0.66
3:A:229:SER:HB2	3:A:236:MET:HB2	1.78	0.65
3:A:291:PHE:HA	3:A:300:PRO:HA	1.77	0.65
3:B:158:MET:HE1	3:B:253:ARG:HG3	1.79	0.64
3:B:271:TYR:HA	3:B:279:ASN:HD21	1.63	0.64
3:B:60:LYS:HA	3:B:65:VAL:HG22	1.80	0.64
3:B:151:PRO:HG2	3:B:154:GLU:HB2	1.80	0.64
3:A:174:ILE:HB	3:A:196:THR:HG22	1.79	0.63
3:B:28:ASN:HD22	3:B:98:ASN:ND2	1.96	0.63
3:B:106:ILE:HG23	3:B:110:ALA:HB3	1.81	0.63
3:A:18:MET:HE2	3:A:82:LEU:HB2	1.81	0.62
3:B:99:PHE:O	3:B:102:ARG:HB2	2.00	0.61
3:B:81:LYS:NZ	3:B:81:LYS:HB3	2.15	0.60
2:P:7:DC:C2'	5:A:338:TTE:H5'2	2.31	0.60
3:A:152:ARG:HH11	3:A:152:ARG:HG3	1.66	0.60
3:A:275:SER:HB3	3:A:278:PHE:HB3	1.83	0.59
3:A:60:LYS:HA	3:A:65:VAL:HG22	1.85	0.59
3:B:82:LEU:O	3:B:86:GLU:HG2	2.02	0.59
3:B:122:LEU:HD23	3:B:126:ARG:NH1	2.18	0.59
3:B:129:GLU:HB3	3:B:137:ARG:CD	2.33	0.59
3:A:164:ASN:O	3:A:167:LYS:HG2	2.03	0.58
3:A:278:PHE:HE1	3:A:328:ARG:HD3	1.67	0.58
3:B:201:THR:HG22	3:B:202:SER:H	1.68	0.58
3:B:208:PRO:HB3	3:B:232:GLU:HG2	1.84	0.58
3:A:320:PHE:CD2	3:A:327:TYR:HA	2.37	0.58
3:B:193:VAL:HG13	3:B:257:ILE:HG12	1.84	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:194:LEU:HD11	3:B:260:ILE:HG13	1.84	0.58
3:A:22:LEU:HD13	3:A:39:TYR:HE2	1.68	0.57
3:B:154:GLU:HA	3:B:157:GLN:HE21	1.69	0.57
2:D:7:DC:H2''	5:B:338:TTE:H5'2	1.85	0.57
3:A:194:LEU:HD11	3:A:260:ILE:HG12	1.87	0.57
3:A:18:MET:CE	3:A:82:LEU:HB2	2.35	0.57
3:A:158:MET:HE1	3:A:253:ARG:HG3	1.86	0.56
3:B:271:TYR:HA	3:B:279:ASN:ND2	2.20	0.56
3:A:15:ILE:O	3:A:19:LEU:HG	2.06	0.55
3:B:174:ILE:HB	3:B:196:THR:CG2	2.36	0.55
3:A:299:ARG:HG2	3:A:299:ARG:HH11	1.71	0.55
3:A:164:ASN:HA	3:A:167:LYS:HE2	1.89	0.55
3:A:261:PRO:HG2	3:A:264:GLN:NE2	2.22	0.55
3:A:330:PRO:HD3	3:A:333:ARG:NH2	2.23	0.54
3:B:182:ARG:HD3	3:B:273:THR:OG1	2.07	0.54
3:B:112:ARG:HH11	3:B:112:ARG:HG3	1.72	0.54
3:A:53:ILE:HG21	3:A:59:ALA:HB2	1.88	0.54
3:A:177:VAL:HG13	3:A:177:VAL:O	2.09	0.53
3:B:18:MET:CE	3:B:82:LEU:HB2	2.37	0.53
5:A:338:TTE:H6	5:A:338:TTE:C3'	2.37	0.53
3:A:67:THR:O	3:A:71:GLU:HG3	2.09	0.53
3:A:194:LEU:HD11	3:A:260:ILE:HG13	1.89	0.53
3:A:275:SER:HB3	3:A:278:PHE:CB	2.39	0.53
3:B:49:TYR:CE1	3:B:62:LEU:HD11	2.44	0.53
2:P:6:DC:H2''	2:P:7:DC:H5'	1.91	0.52
3:A:28:ASN:HD22	3:A:98:ASN:ND2	2.07	0.52
3:B:211:LEU:HD23	3:B:231:GLY:O	2.10	0.52
3:B:132:LEU:HB2	3:B:137:ARG:HG2	1.92	0.52
3:B:193:VAL:CG1	3:B:257:ILE:HG12	2.40	0.51
3:A:143:PHE:O	3:A:147:GLU:HG2	2.10	0.51
3:A:315:SER:HB2	3:A:317:GLN:OE1	2.11	0.51
3:B:86:GLU:O	3:B:90:GLN:HG3	2.11	0.51
3:A:22:LEU:O	3:A:26:GLU:HG2	2.09	0.51
3:B:169:LEU:HD21	3:B:213:ARG:HB3	1.93	0.51
3:A:158:MET:O	3:A:162:VAL:HG23	2.11	0.51
3:A:266:TYR:CE2	3:A:315:SER:HA	2.45	0.51
3:A:291:PHE:HB3	3:A:298:ILE:HD11	1.92	0.51
3:A:49:TYR:CD1	3:A:62:LEU:HD11	2.46	0.51
3:B:85:LEU:O	3:B:89:ARG:HG3	2.11	0.51
3:B:152:ARG:HB2	3:B:186:GLU:O	2.11	0.51
3:A:299:ARG:HB3	3:A:310:PRO:HA	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:285:HIS:O	3:A:288:GLU:HB3	2.12	0.50
2:D:7:DC:H2'	5:B:338:TTE:H5'2	1.91	0.50
5:B:338:TTE:H3'	5:B:338:TTE:H6	1.92	0.50
3:B:129:GLU:O	3:B:137:ARG:HD3	2.12	0.50
3:A:163:LEU:HD12	3:A:175:ALA:HB3	1.93	0.50
3:B:164:ASN:O	3:B:168:LYS:HG3	2.12	0.50
3:B:277:ILE:HG22	3:B:281:ASN:HD21	1.76	0.50
3:B:107:GLY:O	3:B:108:PRO:C	2.55	0.49
2:D:5:DG:H2''	2:D:6:DC:O5'	2.11	0.49
3:A:300:PRO:HD3	3:A:311:LEU:HD23	1.94	0.49
3:B:201:THR:HG22	3:B:202:SER:N	2.26	0.49
3:A:81:LYS:HB3	3:A:81:LYS:NZ	2.26	0.49
3:B:158:MET:CE	3:B:253:ARG:HG3	2.42	0.49
3:A:134:HIS:CE1	3:A:138:ILE:HD11	2.47	0.49
3:A:150:ILE:O	3:A:187:SER:HA	2.11	0.49
3:B:135:HIS:CD2	3:B:228:LEU:HD22	2.48	0.48
3:B:166:VAL:HG13	3:B:173:TYR:HB3	1.94	0.48
3:A:68:LYS:O	3:A:72:LYS:HG3	2.13	0.48
3:B:125:LEU:HG	3:B:132:LEU:HD11	1.94	0.48
3:B:276:ASP:HB3	5:B:338:TTE:C5	2.43	0.48
3:B:150:ILE:HG12	3:B:253:ARG:HD2	1.96	0.48
3:B:122:LEU:HD23	3:B:126:ARG:HH12	1.79	0.47
3:A:112:ARG:HG3	3:A:112:ARG:HH11	1.80	0.47
3:B:69:ILE:O	3:B:73:ILE:HG13	2.14	0.47
3:B:103:VAL:HG22	3:B:143:PHE:HD1	1.80	0.47
3:B:177:VAL:O	3:B:177:VAL:HG13	2.14	0.47
3:A:99:PHE:CD2	3:A:99:PHE:C	2.93	0.47
3:A:283:ARG:O	3:A:287:LEU:HD12	2.15	0.47
3:A:236:MET:HE3	3:A:254:ARG:NH2	2.29	0.47
3:B:22:LEU:HG	3:B:85:LEU:HD13	1.96	0.47
3:B:311:LEU:HD13	3:B:312:PRO:HD2	1.96	0.47
3:A:282:MET:HE2	3:A:293:ILE:HD13	1.97	0.47
3:B:206:LYS:O	3:B:208:PRO:HD3	2.15	0.47
3:A:22:LEU:HD13	3:A:39:TYR:CE2	2.50	0.46
3:B:279:ASN:O	3:B:283:ARG:HG3	2.15	0.46
3:B:297:THR:HB	3:B:310:PRO:HB3	1.97	0.46
3:B:174:ILE:HB	3:B:196:THR:HG22	1.97	0.46
3:B:323:ILE:HG13	3:B:325:TRP:HB2	1.98	0.46
3:B:152:ARG:HH11	3:B:152:ARG:HG3	1.79	0.46
3:B:300:PRO:HD3	3:B:311:LEU:CD2	2.39	0.46
3:A:154:GLU:O	3:A:158:MET:HG3	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:195:LEU:HD21	3:A:214:VAL:HG21	1.96	0.46
3:A:76:PHE:O	3:A:79:THR:O	2.34	0.46
3:A:178:CYS:HA	3:A:182:ARG:HB2	1.98	0.46
3:B:192:ASP:HB3	3:B:272:PHE:CZ	2.51	0.45
3:A:114:LEU:O	3:A:119:ILE:HB	2.16	0.45
3:B:209:LYS:HB2	6:B:1025:HOH:O	2.16	0.45
3:A:273:THR:O	3:A:274:GLY:C	2.60	0.45
3:A:278:PHE:CE1	3:A:328:ARG:HD3	2.51	0.45
3:B:53:ILE:HG22	3:B:54:LYS:N	2.32	0.44
3:A:49:TYR:CE1	3:A:62:LEU:HD11	2.52	0.44
3:A:112:ARG:HG3	3:A:112:ARG:NH1	2.33	0.44
3:B:154:GLU:HG2	3:B:157:GLN:NE2	2.33	0.44
3:B:158:MET:O	3:B:162:VAL:HG23	2.17	0.44
3:A:299:ARG:HG2	3:A:299:ARG:NH1	2.32	0.44
3:B:18:MET:CE	3:B:76:PHE:HB2	2.41	0.44
3:A:152:ARG:HH12	3:A:184:GLY:C	2.26	0.44
3:B:204:SER:OG	3:B:207:GLN:OE1	2.36	0.44
3:B:103:VAL:HG22	3:B:143:PHE:CD1	2.53	0.44
3:B:239:CYS:SG	3:B:255:ILE:HB	2.58	0.43
3:B:240:GLN:HG2	3:B:241:LEU:N	2.34	0.43
3:A:60:LYS:O	3:A:60:LYS:HG2	2.17	0.43
3:B:182:ARG:HH11	3:B:273:THR:HG21	1.82	0.43
3:B:298:ILE:O	3:B:311:LEU:HB2	2.18	0.43
3:B:294:ASN:HB2	3:B:299:ARG:HH12	1.83	0.43
3:A:267:CYS:HB3	3:A:295:GLU:C	2.44	0.43
3:A:276:ASP:N	3:A:276:ASP:OD1	2.51	0.43
3:B:49:TYR:HA	3:B:50:PRO:HD3	1.75	0.43
3:B:177:VAL:HG21	3:B:191:MET:HE2	2.01	0.43
3:A:103:VAL:HG22	3:A:143:PHE:CD1	2.54	0.42
3:B:254:ARG:HB3	3:B:254:ARG:NH1	2.34	0.42
1:T:9:DT:H2''	1:T:10:DC:C6	2.54	0.42
3:A:170:ASP:HA	3:A:171:PRO:HD3	1.86	0.42
3:A:205:SER:O	3:A:206:LYS:HB2	2.19	0.42
3:B:221:VAL:HG12	3:B:221:VAL:O	2.19	0.42
3:A:123:GLU:OE2	3:A:127:LYS:HE3	2.20	0.42
3:B:142:TYR:O	3:B:143:PHE:C	2.61	0.42
3:A:83:ARG:HB2	6:A:1000:HOH:O	2.19	0.42
1:T:8:DG:H4'	3:A:229:SER:HB3	2.01	0.42
3:B:112:ARG:HG3	3:B:112:ARG:NH1	2.34	0.42
3:B:178:CYS:HA	3:B:182:ARG:HB2	2.00	0.42
3:A:152:ARG:HH11	3:A:152:ARG:CG	2.29	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:34:HIS:HD2	6:B:1023:HOH:O	2.02	0.42
3:B:210:LEU:HD23	3:B:210:LEU:HA	1.93	0.42
3:A:18:MET:HE2	3:A:82:LEU:CB	2.49	0.42
3:A:158:MET:CE	3:A:253:ARG:HG3	2.49	0.42
3:A:221:VAL:O	3:A:221:VAL:HG12	2.19	0.42
3:A:146:PHE:CE2	3:A:254:ARG:HG2	2.55	0.41
3:B:24:ASN:HB3	6:B:1022:HOH:O	2.20	0.41
3:B:123:GLU:O	3:B:127:LYS:HG3	2.20	0.41
3:B:166:VAL:CG1	3:B:173:TYR:HB3	2.49	0.41
1:T:5:DG:OP1	3:A:292:THR:HG23	2.20	0.41
3:B:81:LYS:HB3	3:B:81:LYS:HZ3	1.82	0.41
3:B:205:SER:O	3:B:206:LYS:HB2	2.19	0.41
3:A:27:LYS:HB3	3:A:27:LYS:HE2	1.75	0.41
3:B:48:LYS:O	3:B:49:TYR:C	2.63	0.41
2:P:7:DC:H5"	3:A:254:ARG:NH2	2.36	0.41
3:A:85:LEU:HA	3:A:85:LEU:HD12	1.81	0.41
3:B:73:ILE:O	3:B:77:LEU:HD22	2.20	0.41
3:B:236:MET:HE3	3:B:254:ARG:HH21	1.84	0.41
3:A:89:ARG:HA	6:A:1017:HOH:O	2.19	0.41
3:A:177:VAL:HA	3:A:192:ASP:O	2.21	0.41
3:A:302:GLY:HA3	6:A:1020:HOH:O	2.21	0.41
3:A:45:VAL:HG11	3:A:63:PRO:O	2.20	0.41
3:A:115:VAL:HA	3:A:119:ILE:O	2.21	0.40
3:A:266:TYR:CD2	3:A:315:SER:HA	2.57	0.40
3:A:276:ASP:HB3	5:A:338:TTE:C5	2.51	0.40
3:B:92:ASP:HB3	6:B:1005:HOH:O	2.21	0.40
3:B:211:LEU:HB2	3:B:259:LEU:HD22	2.04	0.40
3:A:180:SER:HB3	5:A:338:TTE:HCC2	2.03	0.40
3:B:197:HIS:HA	3:B:198:PRO:HD3	1.98	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	323/335 (96%)	293 (91%)	24 (7%)	6 (2%)	6	13
3	B	323/335 (96%)	288 (89%)	30 (9%)	5 (2%)	8	18
All	All	646/670 (96%)	581 (90%)	54 (8%)	11 (2%)	7	15

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	331	LYS
3	B	143	PHE
3	B	274	GLY
3	B	331	LYS
3	A	274	GLY
3	B	78	ALA
3	A	178	CYS
3	A	304	THR
3	A	330	PRO
3	B	330	PRO
3	A	303	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	283/296 (96%)	263 (93%)	20 (7%)	13	31
3	B	283/296 (96%)	266 (94%)	17 (6%)	17	37
All	All	566/592 (96%)	529 (94%)	37 (6%)	15	35

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	51	HIS
3	A	62	LEU
3	A	65	VAL
3	A	67	THR
3	A	77	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A	81	LYS
3	A	92	ASP
3	A	93	THR
3	A	95	SER
3	A	123	GLU
3	A	137	ARG
3	A	152	ARG
3	A	163	LEU
3	A	176	THR
3	A	193	VAL
3	A	207	GLN
3	A	272	PHE
3	A	298	ILE
3	A	324	GLN
3	A	325	TRP
3	B	62	LEU
3	B	65	VAL
3	B	67	THR
3	B	77	LEU
3	B	81	LYS
3	B	93	THR
3	B	108	PRO
3	B	122	LEU
3	B	125	LEU
3	B	152	ARG
3	B	193	VAL
3	B	269	VAL
3	B	272	PHE
3	B	298	ILE
3	B	311	LEU
3	B	324	GLN
3	B	325	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	98	ASN
3	A	134	HIS
3	A	159	GLN
3	A	199	ASN
3	A	248	ASN
3	A	264	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	B	31	GLN
3	B	98	ASN
3	B	135	HIS
3	B	157	GLN
3	B	159	GLN
3	B	207	GLN
3	B	264	GLN
3	B	281	ASN
3	B	324	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	TTE	B	338	4	28,30,30	2.97	13 (46%)	42,47,47	2.81	15 (35%)
5	TTE	A	338	4	28,30,30	2.89	11 (39%)	42,47,47	2.74	14 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	TTE	B	338	4	-	6/19/34/34	0/2/2/2
5	TTE	A	338	4	-	6/19/34/34	0/2/2/2

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	338	TTE	O4'-C4'	8.97	1.64	1.45
5	B	338	TTE	O4'-C4'	8.88	1.64	1.45
5	A	338	TTE	PG-O1G	6.39	1.63	1.50
5	B	338	TTE	PG-O1G	6.04	1.62	1.50
5	A	338	TTE	PB-O1B	4.73	1.62	1.51
5	B	338	TTE	PB-O1B	4.50	1.62	1.51
5	B	338	TTE	PB-O3A	4.32	1.63	1.58
5	A	338	TTE	C4-C5	4.02	1.51	1.44
5	A	338	TTE	C1'-N1	-3.63	1.39	1.48
5	B	338	TTE	C4-C5	3.60	1.50	1.44
5	A	338	TTE	PG-O3G	3.37	1.62	1.55
5	B	338	TTE	C1'-N1	-3.31	1.39	1.48
5	A	338	TTE	C2-N3	-3.20	1.32	1.38
5	B	338	TTE	PG-O3G	3.16	1.62	1.55
5	B	338	TTE	O4'-C1'	-2.80	1.36	1.42
5	B	338	TTE	C2-N3	-2.80	1.33	1.38
5	A	338	TTE	O4'-C1'	-2.73	1.36	1.42
5	B	338	TTE	PA-O1A	2.73	1.60	1.50
5	B	338	TTE	PG-O2G	2.65	1.60	1.55
5	B	338	TTE	PA-O3A	2.61	1.62	1.59
5	A	338	TTE	PA-O1A	2.58	1.59	1.50
5	A	338	TTE	PG-O2G	2.43	1.60	1.55
5	B	338	TTE	C2-N1	-2.35	1.34	1.38
5	A	338	TTE	C2-N1	-2.24	1.35	1.38

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	338	TTE	O3G-PG-O2G	10.46	137.77	107.96
5	A	338	TTE	O3G-PG-O2G	10.18	136.96	107.96
5	A	338	TTE	O2B-PB-CC	7.27	136.85	106.73
5	B	338	TTE	O2B-PB-CC	7.18	136.47	106.73
5	B	338	TTE	N3-C2-N1	5.42	121.94	114.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	338	TTE	N3-C2-N1	5.28	121.76	114.89
5	A	338	TTE	O1G-PG-CC	-4.47	101.63	111.37
5	B	338	TTE	O3G-PG-O1G	-4.45	100.87	112.39
5	B	338	TTE	O1G-PG-CC	-4.29	102.02	111.37
5	A	338	TTE	O3G-PG-O1G	-3.96	102.14	112.39
5	B	338	TTE	C2'-C3'-C4'	3.59	110.09	102.80
5	A	338	TTE	O4'-C4'-C3'	-3.58	97.49	105.65
5	B	338	TTE	O4'-C4'-C3'	-3.46	97.77	105.65
5	A	338	TTE	O4'-C1'-N1	3.41	113.92	107.86
5	B	338	TTE	O4'-C1'-N1	3.25	113.63	107.86
5	B	338	TTE	C6-N1-C2	-3.03	118.28	121.30
5	B	338	TTE	O2G-PG-O1G	-3.01	104.59	112.39
5	A	338	TTE	C2'-C3'-C4'	3.01	108.91	102.80
5	A	338	TTE	O2G-PG-O1G	-2.93	104.82	112.39
5	A	338	TTE	C6-N1-C2	-2.68	118.63	121.30
5	B	338	TTE	O1B-PB-CC	-2.52	102.41	109.05
5	B	338	TTE	O2-C2-N1	-2.48	119.57	122.80
5	B	338	TTE	C4-N3-C2	-2.41	124.17	127.34
5	A	338	TTE	C4-N3-C2	-2.37	124.24	127.34
5	A	338	TTE	O2-C2-N1	-2.19	119.94	122.80
5	A	338	TTE	O1B-PB-CC	-2.11	103.50	109.05
5	B	338	TTE	O3G-PG-CC	-2.08	101.36	106.40
5	A	338	TTE	O4-C4-C5	-2.04	122.59	124.92
5	B	338	TTE	O4-C4-C5	-2.02	122.60	124.92

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
5	A	338	TTE	C5'-O5'-PA-O1A
5	A	338	TTE	C5'-O5'-PA-O2A
5	A	338	TTE	C5'-O5'-PA-O3A
5	A	338	TTE	PB-CC-PG-O3G
5	B	338	TTE	C5'-O5'-PA-O1A
5	B	338	TTE	C5'-O5'-PA-O3A
5	B	338	TTE	PB-CC-PG-O3G
5	A	338	TTE	C3'-C4'-C5'-O5'
5	A	338	TTE	O4'-C4'-C5'-O5'
5	B	338	TTE	C3'-C4'-C5'-O5'
5	B	338	TTE	O4'-C4'-C5'-O5'
5	B	338	TTE	C5'-O5'-PA-O2A


There are no ring outliers.

2 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	338	TTE	6	0
5	A	338	TTE	7	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.