



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2026 – 08:07 PM UTC

PDB ID : 3HWG / pdb_00003hwg
Title : Crystal structure of Siderocalin (NGAL, Lipocalin 2) complexed with Fe-TrenCam-hopo2
Authors : Clifton, M.C.
Deposited on : 2009-06-17
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	198	10% 78% 9% • 12%
1	B	198	47% 74% 10% • 16%
1	C	198	7% 78% 8% • 12%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	NA	A	187	-	-	-	X
5	NA	C	189	-	-	-	X

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 4456 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Neutrophil gelatinase-associated lipocalin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	175	Total	C	N	O	S	0	2	0
			1391	909	229	249	4			
1	B	167	Total	C	N	O	S	0	0	0
			1251	825	204	218	4			
1	C	174	Total	C	N	O	S	0	5	0
			1408	919	232	253	4			


There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	87	SER	CYS	engineered mutation	UNP P80188
B	87	SER	CYS	engineered mutation	UNP P80188
C	87	SER	CYS	engineered mutation	UNP P80188

- Molecule 2 is FE (III) ION (CCD ID: FE) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Fe	0	0
			1	1		
2	B	1	Total	Fe	0	0
			1	1		
2	C	1	Total	Fe	0	0
			1	1		

- Molecule 3 is N,N'-{[(2-{[(2,3-dihydroxyphenyl)carbonyl]amino}ethyl)imino]diethane-2,1-diyl}bis(1-hydroxy-6-oxo-1,6-dihydropyridine-2 -carboxamide) (CCD ID: QED) (formula: C₂₅H₂₈N₆O₉).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			40	25	6	9		
3	B	1	Total	C	N	O	0	0
			40	25	6	9		
3	C	1	Total	C	N	O	0	0
			40	25	6	9		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0

- Molecule 5 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	4	Total Na 4 4	0	0
5	C	4	Total Na 4 4	0	0

- Molecule 6 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		
6	B	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		
6	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	C	1	Total	Cl	0	0
			1	1		

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	66	Total	O	0	0
			66	66		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	19	Total	O	0	0
			19	19		
8	C	82	Total	O	0	0
			82	82		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Neutrophil gelatinase-associated lipocalin



- Molecule 1: Neutrophil gelatinase-associated lipocalin



- Molecule 1: Neutrophil gelatinase-associated lipocalin



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	114.08Å 114.08Å 118.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.93 – 2.19 46.93 – 2.19	Depositor EDS
% Data completeness (in resolution range)	99.8 (46.93-2.19) 99.8 (46.93-2.19)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.06 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.242 , 0.268 0.241 , 0.264	Depositor DCC
R_{free} test set	3868 reflections (9.53%)	wwPDB-VP
Wilson B-factor (Å ²)	37.7	Xtriage
Anisotropy	0.038	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 43.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.013 for -h,l,k 0.008 for -l,-k,-h	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4456	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: QED, SO4, FE, GOL, NA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/1434	0.59	0/1947
1	B	0.38	0/1283	0.59	0/1740
1	C	0.38	0/1460	0.60	0/1985
All	All	0.38	0/4177	0.59	0/5672

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1391	0	1356	12	0
1	B	1251	0	1158	14	0
1	C	1408	0	1382	12	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
3	A	40	0	24	0	0
3	B	40	0	24	4	0
3	C	40	0	24	2	0
4	A	30	0	40	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	6	0	8	0	0
4	C	36	0	48	0	0
5	A	4	0	0	0	0
5	C	4	0	0	0	0
6	A	15	0	0	1	0
6	B	5	0	0	0	0
6	C	15	0	0	0	0
7	C	1	0	0	0	0
8	A	66	0	0	0	0
8	B	19	0	0	0	0
8	C	82	0	0	0	0
All	All	4456	0	4064	42	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (42) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:34:VAL:HG21	1:B:144:LEU:HD12	1.77	0.66
1:B:133:PHE:CE2	1:B:161:LEU:HD21	2.34	0.62
1:C:125:LYS:HZ2	3:C:180:QED:C9	2.14	0.61
1:B:47:ASP:N	1:B:48:PRO:HD3	2.17	0.60
1:A:140:ARG:HG2	1:C:23:GLN:NE2	2.18	0.59
1:B:52:TYR:HB3	1:B:70:LEU:HD13	1.84	0.59
1:B:133:PHE:HE2	1:B:161:LEU:HD21	1.66	0.58
1:C:65[B]:ASN:OD1	1:C:80:ILE:HD11	2.04	0.58
1:C:33:VAL:HG21	1:C:52:TYR:CE2	2.40	0.56
1:B:33:VAL:HG21	1:B:52:TYR:CE2	2.40	0.55
3:B:180:QED:H12A	3:B:180:QED:O7	2.06	0.55
1:A:52:TYR:HB3	1:A:70:LEU:HD13	1.90	0.53
1:B:66:VAL:HG21	1:B:83:PHE:CD1	2.45	0.52
1:A:33:VAL:HG21	1:A:52:TYR:CE2	2.46	0.51
1:A:13:LEU:O	1:A:109:ARG:NH2	2.45	0.50
1:C:31:TRP:CE3	1:C:138:TYR:HB3	2.46	0.50
1:A:52:TYR:CB	1:A:70:LEU:HD13	2.42	0.50
1:C:136:THR:HG21	1:C:138:TYR:CZ	2.48	0.48
1:C:135:ILE:HD12	1:C:135:ILE:N	2.29	0.48
1:B:34:VAL:HG21	1:B:144:LEU:CD1	2.44	0.48
1:B:34:VAL:HA	1:B:51:MET:HE2	1.96	0.47
1:C:119:ALA:HB3	1:C:138:TYR:HB2	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:136:THR:HG21	6:A:192:SO4:O1	2.16	0.46
1:B:47:ASP:N	1:B:48:PRO:CD	2.78	0.46
1:A:81:ARG:HB2	1:A:94:LEU:HD11	1.97	0.46
3:B:180:QED:H22	3:B:180:QED:H13	1.83	0.45
1:B:25:ASN:HA	1:B:58:LEU:HD12	1.98	0.45
3:B:180:QED:O7	3:B:180:QED:C12	2.65	0.44
3:B:180:QED:H21A	3:B:180:QED:H16	1.81	0.44
1:A:31:TRP:CE3	1:A:138:TYR:HB3	2.54	0.43
3:C:180:QED:O30	3:C:180:QED:C16	2.67	0.43
1:A:69:VAL:C	1:A:70:LEU:HD22	2.44	0.42
1:C:31:TRP:CZ3	1:C:140:ARG:HG2	2.55	0.41
1:C:157:LYS:NZ	1:C:163:GLU:HG2	2.36	0.41
1:A:69:VAL:O	1:A:69:VAL:HG13	2.20	0.41
1:B:41:ILE:O	1:B:165:HIS:ND1	2.54	0.41
1:A:135:ILE:N	1:A:135:ILE:HD12	2.36	0.41
1:B:36:LEU:HD22	1:B:41:ILE:HG13	2.02	0.41
1:C:52:TYR:HA	1:C:176:ILE:HG21	2.02	0.40
1:A:119:ALA:HB3	1:A:138:TYR:HB2	2.01	0.40
1:B:31:TRP:CE3	1:B:138:TYR:HB3	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	175/198 (88%)	169 (97%)	6 (3%)	0	100	100
1	B	159/198 (80%)	155 (98%)	4 (2%)	0	100	100
1	C	177/198 (89%)	174 (98%)	3 (2%)	0	100	100
All	All	511/594 (86%)	498 (98%)	13 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	146/176 (83%)	136 (93%)	10 (7%)	14	17
1	B	117/176 (66%)	113 (97%)	4 (3%)	32	44
1	C	152/176 (86%)	145 (95%)	7 (5%)	24	32
All	All	415/528 (79%)	394 (95%)	21 (5%)	23	27

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	THR
1	A	34	VAL
1	A	36	LEU
1	A	43[A]	ARG
1	A	43[B]	ARG
1	A	45	ASP
1	A	62	LYS
1	A	70	LEU
1	A	109	ARG
1	A	140	ARG
1	B	36	LEU
1	B	58	LEU
1	B	137	LEU
1	B	140	ARG
1	C	4	THR
1	C	58	LEU
1	C	116[A]	ASN
1	C	116[B]	ASN
1	C	136	THR
1	C	137	LEU
1	C	140	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	GLN
1	A	116	ASN
1	C	49	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 34 ligands modelled in this entry, 12 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	QED	C	180	2	42,42,42	3.01	6 (14%)	51,57,57	2.01	15 (29%)
4	GOL	C	184	-	5,5,5	0.45	0	5,5,5	0.34	0
6	SO4	C	192	-	4,4,4	0.21	0	6,6,6	0.10	0
4	GOL	C	182	-	5,5,5	0.39	0	5,5,5	0.18	0
6	SO4	A	192	-	4,4,4	0.25	0	6,6,6	0.17	0
6	SO4	C	194	-	4,4,4	0.24	0	6,6,6	0.08	0
4	GOL	A	182	-	5,5,5	0.40	0	5,5,5	0.13	0
6	SO4	A	191	-	4,4,4	0.23	0	6,6,6	0.09	0
3	QED	B	180	2	42,42,42	3.22	6 (14%)	51,57,57	2.03	15 (29%)
4	GOL	A	181	-	5,5,5	0.38	0	5,5,5	0.22	0
6	SO4	A	190	-	4,4,4	0.27	0	6,6,6	0.06	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	A	185	-	5,5,5	0.40	0	5,5,5	0.10	0
3	QED	A	180	2	42,42,42	3.15	6 (14%)	51,57,57	1.80	9 (17%)
4	GOL	A	184	-	5,5,5	0.36	0	5,5,5	0.14	0
4	GOL	C	185	-	5,5,5	0.39	0	5,5,5	0.25	0
4	GOL	C	187	-	5,5,5	0.36	0	5,5,5	0.26	0
4	GOL	C	183	-	5,5,5	0.38	0	5,5,5	0.26	0
6	SO4	C	193	-	4,4,4	0.25	0	6,6,6	0.07	0
4	GOL	A	183	-	5,5,5	0.37	0	5,5,5	0.31	0
4	GOL	B	181	-	5,5,5	0.38	0	5,5,5	0.24	0
6	SO4	B	182	-	4,4,4	0.23	0	6,6,6	0.07	0
4	GOL	C	186	-	5,5,5	0.41	0	5,5,5	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	C	182	-	-	2/4/4/4	-
3	QED	A	180	2	-	16/30/30/30	0/3/3/3
3	QED	C	180	2	-	12/30/30/30	0/3/3/3
4	GOL	A	182	-	-	2/4/4/4	-
4	GOL	A	184	-	-	4/4/4/4	-
4	GOL	A	183	-	-	0/4/4/4	-
4	GOL	C	185	-	-	0/4/4/4	-
3	QED	B	180	2	-	12/30/30/30	0/3/3/3
4	GOL	C	187	-	-	2/4/4/4	-
4	GOL	C	184	-	-	2/4/4/4	-
4	GOL	A	181	-	-	0/4/4/4	-
4	GOL	B	181	-	-	0/4/4/4	-
4	GOL	C	183	-	-	2/4/4/4	-
4	GOL	C	186	-	-	3/4/4/4	-
4	GOL	A	185	-	-	4/4/4/4	-

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	180	QED	C35-N34	-13.20	1.34	1.39
3	B	180	QED	C35-N34	-12.14	1.34	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	180	QED	C35-N34	-12.09	1.34	1.39
3	B	180	QED	C26-N25	-11.48	1.35	1.39
3	A	180	QED	C26-N25	-10.69	1.35	1.39
3	C	180	QED	C26-N25	-10.31	1.35	1.39
3	B	180	QED	C3-C2	7.93	1.49	1.40
3	A	180	QED	C3-C2	7.10	1.48	1.40
3	C	180	QED	C3-C2	6.97	1.48	1.40
3	B	180	QED	C1-C2	5.27	1.50	1.41
3	B	180	QED	O30-N25	4.78	1.44	1.38
3	B	180	QED	O39-N34	4.62	1.43	1.38
3	A	180	QED	O30-N25	4.56	1.43	1.38
3	C	180	QED	C1-C2	4.41	1.48	1.41
3	C	180	QED	O30-N25	4.38	1.43	1.38
3	A	180	QED	O39-N34	4.31	1.43	1.38
3	A	180	QED	C1-C2	4.24	1.48	1.41
3	C	180	QED	O39-N34	4.22	1.43	1.38

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	180	QED	C41-C18-N17	6.59	129.57	117.20
3	B	180	QED	C1-C9-N11	6.40	129.76	117.32
3	A	180	QED	C41-C18-N17	5.85	128.18	117.20
3	A	180	QED	C15-N14-C13	4.85	123.00	111.44
3	C	180	QED	O19-C18-N17	-4.71	114.85	123.35
3	B	180	QED	C21-N14-C13	4.51	122.17	111.44
3	A	180	QED	C21-N14-C13	4.09	121.17	111.44
3	C	180	QED	C15-N14-C13	3.95	120.85	111.44
3	B	180	QED	O10-C9-N11	-3.85	115.09	122.59
3	C	180	QED	C21-N14-C13	3.85	120.61	111.44
3	C	180	QED	C13-C12-N11	-3.82	104.19	111.56
3	A	180	QED	O19-C18-N17	-3.78	116.52	123.35
3	B	180	QED	C12-N11-C9	3.74	130.56	122.11
3	B	180	QED	O39-N34-C35	3.73	119.42	116.75
3	B	180	QED	C21-N14-C15	3.46	119.69	111.44
3	A	180	QED	O39-N34-C35	3.21	119.06	116.75
3	B	180	QED	O10-C9-C1	-3.21	115.14	121.03
3	C	180	QED	C21-N14-C15	2.97	118.52	111.44
3	B	180	QED	O30-N25-C26	2.90	118.83	116.75
3	C	180	QED	O39-N34-C35	2.89	118.83	116.75
3	C	180	QED	C16-N17-C18	2.84	128.70	122.47
3	B	180	QED	C38-C33-N34	2.79	120.58	118.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	180	QED	C38-C33-N34	2.75	120.55	118.48
3	B	180	QED	C15-N14-C13	2.67	117.80	111.44
3	A	180	QED	C16-N17-C18	2.60	128.17	122.47
3	B	180	QED	C6-C1-C2	-2.56	116.28	118.76
3	C	180	QED	C16-C15-N14	-2.38	107.03	112.84
3	B	180	QED	C1-C2-C3	-2.37	118.55	119.99
3	C	180	QED	C6-C1-C9	2.33	124.73	118.53
3	B	180	QED	C2-C1-C9	2.27	128.03	120.44
3	A	180	QED	O19-C18-C41	-2.22	115.30	120.24
3	C	180	QED	C18-C41-N25	2.21	126.55	122.27
3	C	180	QED	C38-C33-N34	2.17	120.11	118.48
3	B	180	QED	C13-C12-N11	-2.16	107.39	111.56
3	C	180	QED	C29-C41-C18	-2.15	115.25	119.27
3	C	180	QED	O19-C18-C41	-2.10	115.57	120.24
3	A	180	QED	C1-C2-C3	-2.02	118.76	119.99
3	B	180	QED	C29-C41-N25	2.02	120.00	118.48
3	C	180	QED	O31-C26-C27	-2.01	118.65	124.35

There are no chirality outliers.

All (61) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	180	QED	O19-C18-N17-C16
3	A	180	QED	C41-C18-N17-C16
3	B	180	QED	N23-C24-C33-C38
3	B	180	QED	O32-C24-C33-N34
3	B	180	QED	O32-C24-C33-C38
3	C	180	QED	O19-C18-N17-C16
3	C	180	QED	C41-C18-N17-C16
4	A	182	GOL	C1-C2-C3-O3
4	A	184	GOL	O1-C1-C2-C3
4	A	184	GOL	C1-C2-C3-O3
4	C	182	GOL	C1-C2-C3-O3
4	C	183	GOL	C1-C2-C3-O3
4	C	186	GOL	O1-C1-C2-C3
3	A	180	QED	C12-C13-N14-C15
3	B	180	QED	C22-C21-N14-C13
3	C	180	QED	C22-C21-N14-C13
3	A	180	QED	N11-C12-C13-N14
3	B	180	QED	O10-C9-N11-C12
3	B	180	QED	C1-C9-N11-C12
4	C	186	GOL	O1-C1-C2-O2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
3	A	180	QED	N14-C15-C16-N17
3	B	180	QED	C16-C15-N14-C21
3	A	180	QED	C22-C21-N14-C13
4	A	185	GOL	O1-C1-C2-C3
4	A	185	GOL	C1-C2-C3-O3
4	C	184	GOL	C1-C2-C3-O3
3	A	180	QED	O32-C24-C33-C38
3	C	180	QED	O32-C24-C33-C38
3	A	180	QED	N23-C24-C33-N34
3	A	180	QED	N23-C24-C33-C38
3	A	180	QED	O32-C24-C33-N34
3	B	180	QED	N23-C24-C33-N34
3	C	180	QED	N23-C24-C33-N34
3	C	180	QED	N23-C24-C33-C38
3	C	180	QED	O32-C24-C33-N34
4	A	182	GOL	O2-C2-C3-O3
4	A	184	GOL	O2-C2-C3-O3
4	A	185	GOL	O1-C1-C2-O2
3	B	180	QED	N14-C15-C16-N17
4	A	185	GOL	O2-C2-C3-O3
4	C	182	GOL	O2-C2-C3-O3
4	C	183	GOL	O2-C2-C3-O3
3	C	180	QED	C2-C1-C9-O10
4	C	184	GOL	O2-C2-C3-O3
3	C	180	QED	C16-C15-N14-C21
3	B	180	QED	C12-C13-N14-C21
4	A	184	GOL	O1-C1-C2-O2
4	C	187	GOL	O2-C2-C3-O3
4	C	187	GOL	C1-C2-C3-O3
3	A	180	QED	C2-C1-C9-O10
3	C	180	QED	C12-C13-N14-C21
3	C	180	QED	C2-C1-C9-N11
3	A	180	QED	N17-C18-C41-N25
3	A	180	QED	O19-C18-C41-N25
3	C	180	QED	N14-C15-C16-N17
3	A	180	QED	C2-C1-C9-N11
3	B	180	QED	N14-C21-C22-N23
4	C	186	GOL	C1-C2-C3-O3
3	A	180	QED	O19-C18-C41-C29
3	A	180	QED	N17-C18-C41-C29
3	B	180	QED	N11-C12-C13-N14


There are no ring outliers.


3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	180	QED	2	0
6	A	192	SO4	1	0
3	B	180	QED	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	175/198 (88%)	0.98	20 (11%) 10 7	22, 34, 44, 48	3 (1%)
1	B	167/198 (84%)	2.33	93 (55%) 0 0	45, 54, 62, 65	0
1	C	174/198 (87%)	0.48	14 (8%) 18 16	13, 25, 38, 46	5 (2%)
All	All	516/594 (86%)	1.24	127 (24%) 2 1	13, 35, 60, 65	8 (1%)

All (127) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	45	ASP	6.4
1	B	167	VAL	5.2
1	A	4	THR	5.0
1	B	69	VAL	4.8
1	B	176	ILE	4.4
1	B	146	SER	4.3
1	B	8	ILE	4.3
1	B	94	LEU	4.2
1	B	42	LEU	4.1
1	B	145	THR	4.1
1	A	42	LEU	4.1
1	A	178	GLY	4.1
1	B	172	ILE	4.1
1	C	4	THR	4.1
1	B	79	TRP	4.0
1	B	55	ILE	4.0
1	A	97	ILE	3.8
1	B	25	ASN	3.8
1	B	5	SER	3.7
1	B	38	GLY	3.7
1	B	144	LEU	3.7
1	B	58	LEU	3.6
1	B	103	LEU	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	99	SER	3.6
1	B	159	LEU	3.5
1	B	92	PHE	3.5
1	B	31	TRP	3.5
1	B	136	THR	3.5
1	B	28	GLN	3.5
1	B	13	LEU	3.4
1	B	77	ASP	3.4
1	B	48	PRO	3.3
1	B	62	LYS	3.3
1	B	141	THR	3.3
1	B	78	TYR	3.3
1	B	116	ASN	3.3
1	B	177	ASP	3.3
1	B	53	ALA	3.2
1	B	52	TYR	3.1
1	B	115	TYR	3.1
1	B	67	THR	3.1
1	B	6	ASP	3.1
1	A	98	LYS	3.0
1	B	137	LEU	3.0
1	B	32	TYR	3.0
1	B	91	GLU	2.9
1	A	96	ASN	2.9
1	B	160	GLY	2.9
1	B	164	ASN	2.9
1	B	148	LEU	2.8
1	B	63	SER	2.8
1	B	131	GLU	2.8
1	B	166	ILE	2.8
1	B	24	ASP	2.8
1	B	47	ASP	2.8
1	B	168	PHE	2.8
1	B	34	VAL	2.8
1	B	80	ILE	2.8
1	C	79	TRP	2.8
1	C	96	ASN	2.7
1	B	87	SER	2.7
1	B	56	TYR	2.7
1	B	82	THR	2.7
1	B	135	ILE	2.7
1	A	128	GLN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	163	GLU	2.7
1	C	80	ILE	2.7
1	C	6	ASP	2.7
1	B	151	ASN	2.7
1	B	132	TYR	2.6
1	B	173	ASP	2.6
1	A	93	THR	2.6
1	A	6	ASP	2.6
1	B	76	CYS	2.6
1	B	114	ASN	2.6
1	A	79	TRP	2.6
1	B	117	GLN	2.5
1	B	140	ARG	2.5
1	B	33	VAL	2.5
1	A	100	TYR	2.5
1	A	77	ASP	2.5
1	B	43	ARG	2.5
1	B	97	ILE	2.5
1	B	163	GLU	2.5
1	B	74	LYS	2.5
1	C	147	GLU	2.4
1	B	158	SER	2.4
1	B	128	GLN	2.4
1	C	77	ASP	2.4
1	B	93	THR	2.4
1	B	174	GLN	2.4
1	B	120	MET	2.3
1	B	84	VAL	2.3
1	B	171	PRO	2.3
1	C	42	LEU	2.3
1	A	47	ASP	2.3
1	B	66	VAL	2.3
1	A	173	ASP	2.3
1	B	70	LEU	2.3
1	B	161	LEU	2.3
1	C	46	LYS	2.3
1	B	143	GLU	2.3
1	B	121	VAL	2.3
1	B	9	PRO	2.3
1	B	65	ASN	2.3
1	B	138	TYR	2.3
1	C	163	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	95	GLY	2.2
1	B	68	SER	2.2
1	B	81	ARG	2.2
1	A	177	ASP	2.2
1	B	21	ASN	2.2
1	B	107	LEU	2.1
1	B	85	PRO	2.1
1	B	73	LYS	2.1
1	B	64	TYR	2.1
1	B	89	PRO	2.1
1	B	71	PHE	2.1
1	C	144	LEU	2.1
1	B	12	PRO	2.1
1	B	27	PHE	2.1
1	C	47	ASP	2.0
1	A	80	ILE	2.0
1	C	176	ILE	2.0
1	A	147	GLU	2.0
1	B	126	VAL	2.0
1	C	44	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	NA	A	187	1/1	0.24	0.40	77,77,77,77	0
5	NA	C	189	1/1	0.45	0.41	72,72,72,72	0
4	GOL	B	181	6/6	0.53	0.24	41,41,41,42	6

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GOL	A	182	6/6	0.59	0.24	73,73,74,74	0
4	GOL	C	187	6/6	0.59	0.27	50,50,50,50	0
4	GOL	C	185	6/6	0.65	0.23	73,73,73,73	0
4	GOL	C	186	6/6	0.66	0.18	43,44,44,45	0
5	NA	A	189	1/1	0.66	0.17	41,41,41,41	0
4	GOL	A	184	6/6	0.66	0.19	46,47,47,47	0
4	GOL	C	183	6/6	0.68	0.28	58,58,58,59	0
5	NA	A	188	1/1	0.70	0.24	50,50,50,50	0
4	GOL	C	184	6/6	0.72	0.26	67,67,67,68	0
5	NA	A	186	1/1	0.72	0.23	62,62,62,62	0
4	GOL	A	183	6/6	0.73	0.20	71,71,72,72	0
4	GOL	C	182	6/6	0.73	0.38	87,87,87,87	0
5	NA	C	190	1/1	0.73	0.24	42,42,42,42	0
6	SO4	A	190	5/5	0.73	0.33	107,107,107,107	0
6	SO4	B	182	5/5	0.74	0.18	77,77,77,77	0
4	GOL	A	181	6/6	0.76	0.23	63,64,64,64	0
3	QED	B	180	40/40	0.78	0.16	57,63,64,65	0
4	GOL	A	185	6/6	0.80	0.20	47,47,48,48	0
5	NA	C	188	1/1	0.80	0.18	55,55,55,55	0
6	SO4	C	193	5/5	0.84	0.21	82,82,82,82	5
6	SO4	C	194	5/5	0.84	0.11	83,83,83,83	0
6	SO4	A	191	5/5	0.85	0.23	64,64,64,65	5
3	QED	C	180	40/40	0.87	0.14	31,42,48,50	0
5	NA	C	191	1/1	0.88	0.45	54,54,54,54	1
6	SO4	C	192	5/5	0.88	0.19	41,41,42,43	0
3	QED	A	180	40/40	0.89	0.14	35,43,47,47	0
7	CL	C	181	1/1	0.90	0.10	57,57,57,57	0
6	SO4	A	192	5/5	0.91	0.15	39,40,40,41	0
2	FE	B	179	1/1	0.97	0.06	56,56,56,56	0
2	FE	C	179	1/1	0.99	0.04	29,29,29,29	0
2	FE	A	179	1/1	1.00	0.01	28,28,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around QED B 180:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around QED C 180:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around QED A 180:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.