



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 12:50 AM UTC

PDB ID : 6HW0 / pdb_00006hw0
Title : Yeast 20S proteasome in complex with 7
Authors : Huber, E.M.; Groll, M.
Deposited on : 2018-10-11
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.
















Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3866 (2.80-2.80)
Clashscore	190562	4276 (2.80-2.80)
Ramachandran outliers	187476	4196 (2.80-2.80)
Sidechain outliers	187428	4198 (2.80-2.80)
RSRZ outliers	180081	3869 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	98%
1	O	250	98%
2	B	258	90% 5% 5%
2	P	258	2% 90% 5% 5%
3	C	254	90% 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	
4	D	260	
4	R	260	
5	E	234	
5	S	234	
6	F	288	
6	T	288	
7	G	252	
7	U	252	
8	H	232	
8	V	232	
9	I	205	
9	W	205	
10	J	198	
10	X	198	
11	K	212	
11	Y	212	
12	L	222	
12	Z	222	
13	M	246	
13	a	246	
14	N	196	
14	b	196	

2 Entry composition

There are 18 unique types of molecules in this entry. The entry contains 49848 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	222	Total	C	N	O	S	0	0	0
			1684	1061	293	323	7			
8	V	222	Total	C	N	O	S	0	0	0
			1684	1061	293	323	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			
11	Y	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			

- Molecule 15 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	G	1	Total	Mg	0	0
			1	1		
15	I	2	Total	Mg	0	0
			2	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	K	1	Total	Mg	0	0
			1	1		
15	L	1	Total	Mg	0	0
			1	1		
15	N	1	Total	Mg	0	0
			1	1		
15	X	1	Total	Mg	0	0
			1	1		
15	Z	1	Total	Mg	0	0
			1	1		

- Molecule 16 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	1	Total	Cl	0	0
			1	1		
16	U	1	Total	Cl	0	0
			1	1		

- Molecule 17 is {N}-[(2 {S})-1-[(2 {S})-1-[(2 {S})-1-[4-(aminomethyl)phenyl]-4-methylsulfonyl-butan-2-yl]amino]-4-methyl-1-oxidanylidene-pentan-2-yl]amino]-4-methyl-1-oxidanylidene-pentan-2-yl]pyrazine-2-carboxamide (CCD ID: GQQ) (formula: C₂₉H₄₄N₆O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
17	H	1	Total	C	N	O	S	0	0
			41	29	6	5	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
17	K	1	Total 41	C 29	N 6	O 5	S 1	0	0
17	V	1	Total 41	C 29	N 6	O 5	S 1	0	0
17	Y	1	Total 41	C 29	N 6	O 5	S 1	0	0



- Molecule 18 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	A	12	Total 12	O 12	0	0
18	B	20	Total 20	O 20	0	0
18	C	9	Total 9	O 9	0	0
18	D	10	Total 10	O 10	0	0
18	E	7	Total 7	O 7	0	0
18	F	19	Total 19	O 19	0	0
18	G	11	Total 11	O 11	0	0
18	H	17	Total 17	O 17	0	0
18	I	10	Total 10	O 10	0	0
18	J	15	Total 15	O 15	0	0
18	K	14	Total 14	O 14	0	0
18	L	20	Total 20	O 20	0	0
18	M	19	Total 19	O 19	0	0
18	N	11	Total 11	O 11	0	0
18	O	5	Total 5	O 5	0	0
18	P	13	Total 13	O 13	0	0


Continued on next page...

Continued from previous page...



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	Q	7	Total 7	O 7	0	0
18	R	9	Total 9	O 9	0	0
18	S	9	Total 9	O 9	0	0
18	T	20	Total 20	O 20	0	0
18	U	17	Total 17	O 17	0	0
18	V	12	Total 12	O 12	0	0
18	W	6	Total 6	O 6	0	0
18	X	20	Total 20	O 20	0	0
18	Y	14	Total 14	O 14	0	0
18	Z	18	Total 18	O 18	0	0
18	a	19	Total 19	O 19	0	0
18	b	15	Total 15	O 15	0	0



- Molecule 4: Proteasome subunit alpha type-5



- Molecule 4: Proteasome subunit alpha type-5





- Molecule 5: Proteasome subunit alpha type-6




- Molecule 5: Proteasome subunit alpha type-6



- Molecule 6: Probable proteasome subunit alpha type-7



- Molecule 6: Probable proteasome subunit alpha type-7




- Molecule 7: Proteasome subunit alpha type-1





- Molecule 7: Proteasome subunit alpha type-1



- Molecule 8: Proteasome subunit beta type-2




- Molecule 8: Proteasome subunit beta type-2



- Molecule 9: Proteasome subunit beta type-3




- Molecule 9: Proteasome subunit beta type-3



- Molecule 10: Proteasome subunit beta type-4



- Molecule 10: Proteasome subunit beta type-4



- Molecule 11: Proteasome subunit beta type-5




- Molecule 11: Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6



- Molecule 12: Proteasome subunit beta type-6



- Molecule 13: Proteasome subunit beta type-7




- Molecule 13: Proteasome subunit beta type-7

Chain a:

93%

• 5%



• Molecule 14: Proteasome subunit beta type-1

Chain N:

96%

• •



• Molecule 14: Proteasome subunit beta type-1

Chain b:

96%

• •



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	137.30Å 299.66Å 145.35Å 90.00° 113.43° 90.00°	Depositor
Resolution (Å)	15.00 – 2.80 15.00 – 2.80	Depositor EDS
% Data completeness (in resolution range)	95.7 (15.00-2.80) 95.7 (15.00-2.80)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.66 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.174 , 0.206 0.178 , 0.208	Depositor DCC
R_{free} test set	12608 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	60.4	Xtriage
Anisotropy	0.275	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 51.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	49848	wwPDB-VP
Average B, all atoms (Å ²)	69.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CL, GQQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/1952	0.80	0/2642
1	O	0.56	0/1952	0.80	0/2642
2	B	0.55	0/1934	0.78	0/2618
2	P	0.54	0/1934	0.78	0/2618
3	C	0.56	0/1910	0.83	1/2586 (0.0%)
3	Q	0.56	0/1910	0.83	1/2586 (0.0%)
4	D	0.54	0/1837	0.80	0/2475
4	R	0.53	0/1837	0.79	0/2475
5	E	0.54	0/1800	0.78	0/2433
5	S	0.55	0/1800	0.78	0/2433
6	F	0.55	0/1932	0.80	0/2609
6	T	0.55	0/1932	0.80	0/2609
7	G	0.54	0/1945	0.78	0/2634
7	U	0.54	0/1945	0.77	0/2634
8	H	0.51	0/1715	0.77	0/2326
8	V	0.52	0/1715	0.77	0/2326
9	I	0.50	0/1611	0.79	0/2174
9	W	0.51	0/1611	0.79	0/2174
10	J	0.52	0/1589	0.77	0/2142
10	X	0.52	0/1589	0.78	0/2142
11	K	0.49	0/1681	0.77	0/2274
11	Y	0.49	0/1681	0.76	0/2274
12	L	0.51	0/1795	0.76	0/2420
12	Z	0.52	0/1795	0.75	0/2420
13	M	0.53	0/1855	0.78	0/2514
13	a	0.53	0/1855	0.78	0/2514
14	N	0.49	0/1541	0.77	0/2087
14	b	0.49	0/1541	0.77	0/2087
All	All	0.53	0/50194	0.78	2/67868 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	Q	201	VAL	N-CA-C	6.90	116.99	110.30
3	C	201	VAL	N-CA-C	6.88	116.97	110.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	1	0
1	O	1915	0	1929	1	0
2	B	1904	0	1904	2	0
2	P	1904	0	1904	2	0
3	C	1881	0	1895	5	0
3	Q	1881	0	1895	6	0
4	D	1813	0	1797	0	0
4	R	1813	0	1797	1	0
5	E	1773	0	1775	1	0
5	S	1773	0	1775	2	0
6	F	1892	0	1883	2	0
6	T	1892	0	1883	2	0
7	G	1907	0	1901	2	0
7	U	1907	0	1901	1	0
8	H	1684	0	1687	9	0
8	V	1684	0	1687	7	0
9	I	1581	0	1574	5	0
9	W	1581	0	1574	4	0
10	J	1561	0	1569	3	0
10	X	1561	0	1569	3	0
11	K	1644	0	1594	8	0
11	Y	1644	0	1594	6	0
12	L	1757	0	1711	3	0
12	Z	1757	0	1711	4	0
13	M	1824	0	1832	0	0
13	a	1824	0	1832	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
14	N	1512	0	1481	4	0
14	b	1512	0	1481	4	0
15	G	1	0	0	0	0
15	I	2	0	0	0	0
15	K	1	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	X	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	H	41	0	0	0	0
17	K	41	0	0	1	0
17	V	41	0	0	0	0
17	Y	41	0	0	0	0
18	A	12	0	0	0	0
18	B	20	0	0	0	0
18	C	9	0	0	0	0
18	D	10	0	0	0	0
18	E	7	0	0	0	0
18	F	19	0	0	0	0
18	G	11	0	0	0	0
18	H	17	0	0	0	0
18	I	10	0	0	0	0
18	J	15	0	0	0	0
18	K	14	0	0	0	0
18	L	20	0	0	0	0
18	M	19	0	0	0	0
18	N	11	0	0	0	0
18	O	5	0	0	0	0
18	P	13	0	0	0	0
18	Q	7	0	0	1	0
18	R	9	0	0	0	0
18	S	9	0	0	0	0
18	T	20	0	0	0	0
18	U	17	0	0	0	0
18	V	12	0	0	0	0
18	W	6	0	0	0	0
18	X	20	0	0	0	0
18	Y	14	0	0	0	0
18	Z	18	0	0	0	0
18	a	19	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
18	b	15	0	0	0	0
All	All	49848	0	49064	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:H:3:ILE:HG21	8:H:44:ALA:HB1	1.71	0.72
8:V:3:ILE:HG21	8:V:44:ALA:HB1	1.74	0.69
11:K:100:MET:HE3	11:K:127:PHE:HB2	1.77	0.67
11:Y:100:MET:HE3	11:Y:127:PHE:HB2	1.78	0.65
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.65	0.61
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.65	0.60
11:K:4:LEU:HD12	11:K:140:LEU:HD22	1.85	0.58
12:L:13:LEU:HD13	12:L:150:LEU:HD21	1.86	0.58
12:Z:13:LEU:HD13	12:Z:150:LEU:HD21	1.86	0.57
14:b:49:ALA:O	14:b:53:GLN:HB2	2.05	0.56
6:T:123:ASN:HD22	6:T:124:SER:N	2.04	0.56
6:F:123:ASN:HD22	6:F:124:SER:N	2.05	0.54
14:N:49:ALA:O	14:N:53:GLN:HB2	2.07	0.54
8:H:3:ILE:HD11	8:H:46:ALA:HB2	1.89	0.53
6:T:123:ASN:HD22	6:T:123:ASN:C	2.17	0.53
11:K:53:GLN:O	11:K:57:THR:OG1	2.28	0.52
11:Y:53:GLN:O	11:Y:57:THR:OG1	2.27	0.52
2:B:95:GLN:HE22	9:I:71:ASN:HD22	1.58	0.52
8:V:3:ILE:HD11	8:V:46:ALA:HB2	1.90	0.52
14:b:152:VAL:HA	14:b:175:MET:HE1	1.91	0.52
10:J:67:TYR:CE1	10:J:75:LEU:HD13	2.46	0.51
6:F:123:ASN:HD22	6:F:123:ASN:C	2.18	0.51
11:Y:4:LEU:HD22	11:Y:140:LEU:HD22	1.93	0.51
8:H:50:ALA:CB	9:I:126:ILE:HG23	2.41	0.51
11:K:99:THR:HG22	11:K:115:VAL:HB	1.93	0.51
14:N:152:VAL:HA	14:N:175:MET:HE1	1.92	0.51
10:X:67:TYR:CE1	10:X:75:LEU:HD13	2.46	0.50
11:Y:99:THR:HG22	11:Y:115:VAL:HB	1.93	0.50
8:H:36:ARG:HG3	8:H:42:TRP:CZ2	2.47	0.49
14:N:161:GLN:HE21	14:b:136:GLY:HA2	1.75	0.49
5:S:87:LEU:HD21	5:S:107:ALA:HB1	1.95	0.49
8:V:36:ARG:HG3	8:V:42:TRP:CZ2	2.47	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
11:K:37:ILE:HG23	11:K:60:GLY:HA2	1.95	0.48
14:N:136:GLY:HA2	14:b:161:GLN:HE21	1.79	0.47
11:Y:37:ILE:HG23	11:Y:60:GLY:HA2	1.97	0.47
5:S:92:ASN:HD21	12:Z:70:ASN:ND2	2.13	0.47
5:E:87:LEU:HD21	5:E:107:ALA:HB1	1.96	0.46
8:H:3:ILE:CG2	8:H:44:ALA:HB1	2.42	0.46
8:V:50:ALA:CB	9:W:126:ILE:HG23	2.46	0.46
3:Q:169:VAL:HG23	3:Q:196:SER:HB2	1.99	0.45
10:J:174:MET:HA	10:X:174:MET:HA	1.98	0.45
2:P:95:GLN:HE22	9:W:71:ASN:HD22	1.64	0.44
1:A:55:LEU:HD12	7:G:170:THR:HG23	1.98	0.44
3:C:38:ASN:C	3:C:38:ASN:HD22	2.25	0.44
11:Y:16:VAL:HG21	11:Y:34:VAL:HG23	1.99	0.44
8:H:139:GLU:OE1	13:a:187:ARG:NH1	2.46	0.44
3:C:169:VAL:HG23	3:C:196:SER:HB2	1.99	0.44
3:Q:38:ASN:HD22	3:Q:38:ASN:C	2.26	0.43
11:K:4:LEU:CD2	11:K:15:ALA:HB3	2.48	0.43
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.18	0.43
12:L:8:ASN:HA	12:L:30:ILE:O	2.19	0.43
11:K:16:VAL:HG21	11:K:34:VAL:HG23	1.99	0.43
11:K:1:THR:HB	17:K:301:GQQ:O30	2.19	0.42
8:V:52:THR:O	8:V:56:THR:HB	2.20	0.42
3:C:201:VAL:O	3:C:202:GLN:CB	2.68	0.42
8:V:3:ILE:CG2	8:V:44:ALA:HB1	2.45	0.42
8:H:52:THR:O	8:H:56:THR:HB	2.20	0.42
3:Q:52:LEU:N	18:Q:301:HOH:O	2.49	0.42
12:Z:133:ARG:C	12:Z:134:GLU:HG3	2.44	0.42
9:W:20:VAL:HG13	9:W:118:PRO:HB3	2.03	0.41
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.68	0.41
2:B:146:GLN:HG2	3:C:57:ILE:HG21	2.02	0.41
8:H:19:ARG:NH1	8:H:167:LEU:O	2.54	0.41
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.03	0.41
9:I:98:ARG:O	9:I:126:ILE:HD11	2.21	0.41
9:W:98:ARG:O	9:W:126:ILE:HD11	2.21	0.41
12:L:133:ARG:C	12:L:134:GLU:HG3	2.46	0.41
1:O:122:THR:HG22	2:P:128:ARG:HH21	1.85	0.41
7:G:23:PHE:O	7:G:26:THR:HB	2.21	0.40
3:Q:9:PHE:H	4:R:15:GLN:HE22	1.69	0.40
8:H:104:ASP:HB2	8:H:105:PRO:HD2	2.04	0.40
10:J:16:ALA:HB2	10:J:161:LEU:HD21	2.02	0.40
9:I:10:ILE:HG21	9:I:141:ALA:HB3	2.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:V:19:ARG:NH1	8:V:167:LEU:O	2.54	0.40
10:X:16:ALA:HB2	10:X:161:LEU:HD21	2.02	0.40
7:U:23:PHE:O	7:U:26:THR:HB	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	241 (97%)	7 (3%)	0	100	100
1	O	248/250 (99%)	241 (97%)	7 (3%)	0	100	100
2	B	242/258 (94%)	233 (96%)	7 (3%)	2 (1%)	16	44
2	P	242/258 (94%)	233 (96%)	7 (3%)	2 (1%)	16	44
3	C	238/254 (94%)	231 (97%)	5 (2%)	2 (1%)	16	44
3	Q	238/254 (94%)	231 (97%)	5 (2%)	2 (1%)	16	44
4	D	231/260 (89%)	225 (97%)	6 (3%)	0	100	100
4	R	231/260 (89%)	225 (97%)	6 (3%)	0	100	100
5	E	229/234 (98%)	221 (96%)	8 (4%)	0	100	100
5	S	229/234 (98%)	221 (96%)	8 (4%)	0	100	100
6	F	241/288 (84%)	237 (98%)	4 (2%)	0	100	100
6	T	241/288 (84%)	237 (98%)	4 (2%)	0	100	100
7	G	239/252 (95%)	235 (98%)	4 (2%)	0	100	100
7	U	239/252 (95%)	235 (98%)	4 (2%)	0	100	100
8	H	220/232 (95%)	214 (97%)	6 (3%)	0	100	100
8	V	220/232 (95%)	214 (97%)	6 (3%)	0	100	100
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	190 (98%)	2 (1%)	1 (0%)	24	55
10	X	193/198 (98%)	190 (98%)	2 (1%)	1 (0%)	24	55
11	K	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
11	Y	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
12	L	220/222 (99%)	217 (99%)	3 (1%)	0	100	100
12	Z	220/222 (99%)	216 (98%)	4 (2%)	0	100	100
13	M	231/246 (94%)	220 (95%)	11 (5%)	0	100	100
13	a	231/246 (94%)	220 (95%)	11 (5%)	0	100	100
14	N	194/196 (99%)	187 (96%)	7 (4%)	0	100	100
14	b	194/196 (99%)	187 (96%)	7 (4%)	0	100	100
All	All	6276/6614 (95%)	6103 (97%)	163 (3%)	10 (0%)	43	72

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
2	P	51	VAL
3	Q	202	GLN
10	J	2	ASP
10	X	2	ASP
2	B	221	ASP
3	C	205	ALA
2	P	221	ASP
3	Q	205	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	205 (98%)	4 (2%)	50	81

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	O	209/209 (100%)	205 (98%)	4 (2%)	50	81
2	B	203/216 (94%)	195 (96%)	8 (4%)	28	64
2	P	203/216 (94%)	195 (96%)	8 (4%)	28	64
3	C	212/226 (94%)	205 (97%)	7 (3%)	33	69
3	Q	212/226 (94%)	206 (97%)	6 (3%)	38	73
4	D	194/215 (90%)	185 (95%)	9 (5%)	24	58
4	R	194/215 (90%)	185 (95%)	9 (5%)	24	58
5	E	190/193 (98%)	184 (97%)	6 (3%)	34	70
5	S	190/193 (98%)	184 (97%)	6 (3%)	34	70
6	F	201/239 (84%)	194 (96%)	7 (4%)	32	67
6	T	201/239 (84%)	194 (96%)	7 (4%)	32	67
7	G	206/210 (98%)	199 (97%)	7 (3%)	32	68
7	U	206/210 (98%)	199 (97%)	7 (3%)	32	68
8	H	181/190 (95%)	173 (96%)	8 (4%)	25	59
8	V	181/190 (95%)	173 (96%)	8 (4%)	25	59
9	I	172/173 (99%)	170 (99%)	2 (1%)	63	87
9	W	172/173 (99%)	170 (99%)	2 (1%)	63	87
10	J	173/175 (99%)	171 (99%)	2 (1%)	63	87
10	X	173/175 (99%)	170 (98%)	3 (2%)	53	83
11	K	169/169 (100%)	165 (98%)	4 (2%)	43	77
11	Y	169/169 (100%)	164 (97%)	5 (3%)	36	72
12	L	185/185 (100%)	179 (97%)	6 (3%)	34	70
12	Z	185/185 (100%)	179 (97%)	6 (3%)	34	70
13	M	199/208 (96%)	195 (98%)	4 (2%)	48	80
13	a	199/208 (96%)	195 (98%)	4 (2%)	48	80
14	N	162/162 (100%)	159 (98%)	3 (2%)	50	81
14	b	162/162 (100%)	159 (98%)	3 (2%)	50	81
All	All	5312/5540 (96%)	5157 (97%)	155 (3%)	37	73

All (155) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	61	LEU
1	A	122	THR
1	A	157	PHE
2	B	50	LYS
2	B	52	THR
2	B	55	LEU
2	B	58	GLN
2	B	79	LEU
2	B	114	LEU
2	B	184	LYS
2	B	191	LEU
3	C	4	ARG
3	C	38	ASN
3	C	77	ASN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	203	THR
4	D	20	LEU
4	D	40	LEU
4	D	99	ILE
4	D	176	LEU
4	D	193	LEU
4	D	197	LYS
4	D	214	ILE
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	54	GLU
5	E	71	LEU
5	E	174	THR
5	E	188	LEU
6	F	14	ASP
6	F	68	ARG
6	F	123	ASN
6	F	172	LEU
6	F	181	GLU
6	F	206	LYS
6	F	221	ASN
7	G	83	ASN
7	G	115	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	G	125	MET
7	G	166	GLN
7	G	181	LYS
7	G	235	ARG
7	G	236	LEU
8	H	3	ILE
8	H	22	GLN
8	H	34	LEU
8	H	36	ARG
8	H	56	THR
8	H	68	LEU
8	H	114	HIS
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
10	J	144	LEU
10	J	174	MET
11	K	35	ILE
11	K	57	THR
11	K	99	THR
11	K	106	ARG
12	L	1	GLN
12	L	23	LEU
12	L	49	ASN
12	L	136	CYS
12	L	150	LEU
12	L	167	LYS
13	M	43	ILE
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
14	N	9	LYS
14	N	53	GLN
14	N	119	VAL
1	O	17	LYS
1	O	61	LEU
1	O	122	THR
1	O	157	PHE
2	P	50	LYS
2	P	52	THR
2	P	55	LEU
2	P	58	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	P	79	LEU
2	P	114	LEU
2	P	184	LYS
2	P	191	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	77	ASN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
4	R	20	LEU
4	R	40	LEU
4	R	99	ILE
4	R	176	LEU
4	R	193	LEU
4	R	197	LYS
4	R	214	ILE
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	54	GLU
5	S	71	LEU
5	S	174	THR
5	S	188	LEU
6	T	14	ASP
6	T	68	ARG
6	T	123	ASN
6	T	172	LEU
6	T	181	GLU
6	T	206	LYS
6	T	221	ASN
7	U	83	ASN
7	U	115	LEU
7	U	125	MET
7	U	166	GLN
7	U	181	LYS
7	U	235	ARG
7	U	236	LEU
8	V	3	ILE
8	V	22	GLN
8	V	34	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	V	36	ARG
8	V	56	THR
8	V	68	LEU
8	V	114	HIS
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU
10	X	75	LEU
10	X	144	LEU
10	X	174	MET
11	Y	4	LEU
11	Y	35	ILE
11	Y	57	THR
11	Y	99	THR
11	Y	106	ARG
12	Z	1	GLN
12	Z	23	LEU
12	Z	49	ASN
12	Z	136	CYS
12	Z	150	LEU
12	Z	167	LYS
13	a	43	ILE
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
14	b	9	LYS
14	b	53	GLN
14	b	119	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (149) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	149	GLN
2	B	20	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	176	GLN
2	B	232	GLN
3	C	17	GLN
3	C	38	ASN
3	C	77	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN
3	C	233	GLN
4	D	15	GLN
4	D	91	HIS
4	D	100	ASN
4	D	106	GLN
4	D	160	ASN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	147	GLN
5	E	151	ASN
5	E	184	ASN
5	E	209	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
7	G	167	GLN
7	G	175	ASN
8	H	30	ASN
8	H	86	HIS
8	H	165	ASN
8	H	172	ASN
8	H	189	ASN
9	I	63	ASN
9	I	88	GLN
10	J	37	GLN
10	J	55	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	J	63	ASN
10	J	78	GLN
10	J	146	HIS
10	J	147	HIS
11	K	9	GLN
11	K	24	ASN
11	K	85	ASN
11	K	133	GLN
11	K	143	ASN
11	K	176	ASN
11	K	208	ASN
12	L	3	ASN
12	L	70	ASN
12	L	158	ASN
13	M	48	ASN
13	M	102	GLN
13	M	108	ASN
13	M	179	ASN
13	M	213	GLN
14	N	38	HIS
14	N	69	GLN
14	N	141	ASN
14	N	161	GLN
2	P	20	GLN
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
2	P	124	HIS
2	P	176	GLN
2	P	232	GLN
3	Q	38	ASN
3	Q	77	ASN
3	Q	115	GLN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
3	Q	233	GLN
4	R	15	GLN
4	R	91	HIS
4	R	100	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	R	160	ASN
4	R	225	ASN
5	S	68	HIS
5	S	92	ASN
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	147	GLN
5	S	151	ASN
5	S	165	GLN
5	S	184	ASN
5	S	209	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
7	U	167	GLN
7	U	175	ASN
8	V	30	ASN
8	V	86	HIS
8	V	165	ASN
8	V	172	ASN
8	V	189	ASN
9	W	88	GLN
10	X	37	GLN
10	X	55	GLN
10	X	63	ASN
10	X	78	GLN
10	X	146	HIS
10	X	147	HIS
11	Y	9	GLN
11	Y	85	ASN
11	Y	143	ASN
11	Y	176	ASN
11	Y	208	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	3	ASN
12	Z	70	ASN
12	Z	79	HIS
12	Z	158	ASN
12	Z	159	GLN
13	a	48	ASN
13	a	102	GLN
13	a	108	ASN
13	a	179	ASN
14	b	38	HIS
14	b	69	GLN
14	b	141	ASN
14	b	161	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 10 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
17	GQQ	Y	301	11	42,42,42	1.95	10 (23%)	55,57,57	1.61	14 (25%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	GQQ	H	301	8	42,42,42	1.97	10 (23%)	55,57,57	1.60	13 (23%)
17	GQQ	K	301	11	42,42,42	1.91	9 (21%)	55,57,57	1.67	13 (23%)
17	GQQ	V	301	8	42,42,42	1.97	10 (23%)	55,57,57	1.58	11 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	GQQ	Y	301	11	-	5/44/44/44	0/2/2/2
17	GQQ	H	301	8	-	3/44/44/44	0/2/2/2
17	GQQ	K	301	11	-	5/44/44/44	0/2/2/2
17	GQQ	V	301	8	-	3/44/44/44	0/2/2/2

All (39) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	Y	301	GQQ	C16-C17	-5.83	1.37	1.51
17	K	301	GQQ	C16-C17	-5.65	1.38	1.51
17	H	301	GQQ	C16-C17	-5.19	1.39	1.51
17	V	301	GQQ	C16-C17	-5.18	1.39	1.51
17	Y	301	GQQ	O29-S27	4.48	1.53	1.44
17	H	301	GQQ	O29-S27	4.46	1.53	1.44
17	K	301	GQQ	O29-S27	4.41	1.53	1.44
17	V	301	GQQ	O30-S27	4.40	1.53	1.44
17	V	301	GQQ	O29-S27	4.33	1.52	1.44
17	K	301	GQQ	O30-S27	4.33	1.52	1.44
17	V	301	GQQ	C26-S27	4.31	1.83	1.78
17	H	301	GQQ	C26-S27	4.25	1.83	1.78
17	K	301	GQQ	C1-N2	4.15	1.43	1.34
17	H	301	GQQ	O30-S27	4.14	1.52	1.44
17	Y	301	GQQ	O30-S27	4.12	1.52	1.44
17	K	301	GQQ	C6-C7	-3.96	1.39	1.50
17	V	301	GQQ	C6-C7	-3.86	1.39	1.50
17	Y	301	GQQ	C1-N2	3.84	1.42	1.34
17	H	301	GQQ	C6-C7	-3.79	1.40	1.50
17	Y	301	GQQ	C6-C7	-3.75	1.40	1.50
17	H	301	GQQ	C1-N2	3.47	1.41	1.34
17	H	301	GQQ	C25-C26	3.45	1.55	1.52
17	V	301	GQQ	C1-N2	3.42	1.41	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	Y	301	GQQ	C4-N6	3.35	1.41	1.34
17	Y	301	GQQ	C3-N2	3.33	1.43	1.33
17	V	301	GQQ	C25-C26	3.32	1.55	1.52
17	K	301	GQQ	C3-N2	3.30	1.43	1.33
17	K	301	GQQ	C4-N6	3.27	1.41	1.34
17	H	301	GQQ	C4-N6	3.16	1.41	1.34
17	Y	301	GQQ	C21-C20	-3.11	1.40	1.51
17	H	301	GQQ	C3-N2	3.05	1.42	1.33
17	H	301	GQQ	C21-C20	-3.04	1.40	1.51
17	V	301	GQQ	C21-C20	-3.03	1.40	1.51
17	K	301	GQQ	C21-C20	-3.02	1.40	1.51
17	V	301	GQQ	C4-N6	3.02	1.40	1.34
17	V	301	GQQ	C3-N2	2.98	1.42	1.33
17	Y	301	GQQ	C25-C26	2.92	1.55	1.52
17	Y	301	GQQ	C26-S27	2.73	1.81	1.78
17	K	301	GQQ	C25-C26	2.33	1.54	1.52

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	H	301	GQQ	O30-S27-O29	-4.40	108.96	117.22
17	V	301	GQQ	O30-S27-O29	-4.40	108.96	117.22
17	Y	301	GQQ	O30-S27-O29	-4.17	109.40	117.22
17	K	301	GQQ	O30-S27-O29	-3.97	109.77	117.22
17	K	301	GQQ	C4-N6-C6	3.95	122.02	116.93
17	H	301	GQQ	C4-N6-C6	3.86	121.91	116.93
17	Y	301	GQQ	C4-N6-C6	3.74	121.75	116.93
17	K	301	GQQ	O29-S27-C26	-3.59	105.74	108.33
17	V	301	GQQ	C12-C13-N14	-3.53	109.11	116.63
17	V	301	GQQ	C4-N6-C6	3.51	121.46	116.93
17	Y	301	GQQ	C40-C9-C10	-3.51	102.27	110.59
17	K	301	GQQ	C40-C9-C10	-3.48	102.33	110.59
17	H	301	GQQ	C12-C13-N14	-3.44	109.30	116.63
17	K	301	GQQ	C6-C1-N2	-3.12	117.89	121.97
17	V	301	GQQ	C16-C17-C24	3.04	126.56	120.90
17	H	301	GQQ	C16-C17-C24	3.01	126.51	120.90
17	K	301	GQQ	C25-C15-N14	-2.91	105.73	110.50
17	Y	301	GQQ	O29-S27-C26	-2.86	106.27	108.33
17	H	301	GQQ	C16-C17-C18	-2.85	115.59	120.90
17	V	301	GQQ	C32-C12-C13	-2.85	103.83	110.59
17	V	301	GQQ	C16-C17-C18	-2.84	115.61	120.90
17	K	301	GQQ	C4-C3-N2	-2.80	118.48	121.96

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	H	301	GQQ	C32-C12-C13	-2.79	103.97	110.59
17	H	301	GQQ	O30-S27-C26	2.69	110.27	108.33
17	Y	301	GQQ	C25-C15-N14	-2.69	106.09	110.50
17	Y	301	GQQ	C4-C3-N2	-2.67	118.64	121.96
17	Y	301	GQQ	C16-C17-C24	-2.65	115.96	120.90
17	K	301	GQQ	C16-C17-C24	-2.62	116.04	120.90
17	Y	301	GQQ	C6-C1-N2	-2.57	118.61	121.97
17	V	301	GQQ	O29-S27-C28	-2.48	106.56	108.87
17	Y	301	GQQ	C16-C17-C18	2.47	125.50	120.90
17	K	301	GQQ	C16-C17-C18	2.45	125.46	120.90
17	K	301	GQQ	C28-S27-C26	2.43	114.32	105.28
17	K	301	GQQ	C3-N2-C1	2.42	121.09	116.85
17	V	301	GQQ	C28-S27-C26	2.40	114.21	105.28
17	H	301	GQQ	C28-S27-C26	2.32	113.92	105.28
17	V	301	GQQ	O30-S27-C26	2.29	109.98	108.33
17	V	301	GQQ	C13-C12-N11	2.22	117.11	111.11
17	Y	301	GQQ	C28-S27-C26	2.22	113.52	105.28
17	H	301	GQQ	C13-C12-N11	2.21	117.08	111.11
17	K	301	GQQ	C32-C12-C13	-2.19	105.40	110.59
17	K	301	GQQ	C9-C10-N11	-2.18	111.97	116.63
17	Y	301	GQQ	C9-C10-N11	-2.16	112.02	116.63
17	H	301	GQQ	C4-C3-N2	-2.16	119.27	121.96
17	Y	301	GQQ	C3-N2-C1	2.11	120.55	116.85
17	Y	301	GQQ	C32-C12-C13	-2.11	105.60	110.59
17	H	301	GQQ	O29-S27-C28	-2.09	106.92	108.87
17	H	301	GQQ	C3-C4-N6	-2.07	119.27	122.19
17	H	301	GQQ	O31-C13-N14	2.03	126.59	122.96
17	V	301	GQQ	O31-C13-N14	2.02	126.56	122.96
17	Y	301	GQQ	O39-C10-N11	2.01	126.56	122.96

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	K	301	GQQ	C25-C26-S27-O29
17	K	301	GQQ	C25-C26-S27-O30
17	Y	301	GQQ	C25-C26-S27-O29
17	Y	301	GQQ	C25-C26-S27-O30
17	H	301	GQQ	C15-C16-C17-C24
17	V	301	GQQ	C15-C16-C17-C24
17	H	301	GQQ	C15-C16-C17-C18
17	V	301	GQQ	C15-C16-C17-C18

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
17	H	301	GQQ	C25-C26-S27-C28
17	K	301	GQQ	C25-C26-S27-C28
17	V	301	GQQ	C25-C26-S27-C28
17	Y	301	GQQ	C25-C26-S27-C28
17	K	301	GQQ	C15-C16-C17-C18
17	Y	301	GQQ	C15-C16-C17-C18
17	K	301	GQQ	C15-C16-C17-C24
17	Y	301	GQQ	C15-C16-C17-C24


There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	K	301	GQQ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.51	2 (0%) 82 75	42, 60, 102, 155	0
1	O	250/250 (100%)	-0.46	2 (0%) 82 75	46, 68, 111, 152	0
2	B	244/258 (94%)	-0.40	1 (0%) 88 84	43, 64, 113, 169	0
2	P	244/258 (94%)	-0.35	5 (2%) 65 56	47, 71, 116, 162	0
3	C	240/254 (94%)	-0.42	1 (0%) 88 84	44, 71, 134, 159	0
3	Q	240/254 (94%)	-0.19	3 (1%) 75 66	52, 82, 164, 193	0
4	D	235/260 (90%)	-0.45	1 (0%) 88 84	48, 71, 103, 146	0
4	R	235/260 (90%)	-0.44	0 100 100	48, 72, 114, 158	0
5	E	231/234 (98%)	-0.40	0 100 100	48, 73, 111, 153	0
5	S	231/234 (98%)	-0.28	1 (0%) 88 84	48, 73, 119, 149	0
6	F	243/288 (84%)	-0.43	3 (1%) 76 68	41, 64, 114, 151	0
6	T	243/288 (84%)	-0.37	3 (1%) 76 68	38, 67, 121, 149	0
7	G	241/252 (95%)	-0.51	0 100 100	41, 61, 105, 150	0
7	U	241/252 (95%)	-0.56	0 100 100	43, 60, 95, 123	0
8	H	222/232 (95%)	-0.42	0 100 100	46, 60, 99, 133	0
8	V	222/232 (95%)	-0.39	3 (1%) 73 64	47, 63, 104, 145	0
9	I	204/205 (99%)	-0.68	0 100 100	42, 57, 85, 111	0
9	W	204/205 (99%)	-0.63	0 100 100	43, 61, 92, 117	0
10	J	195/198 (98%)	-0.64	1 (0%) 87 82	39, 58, 87, 128	0
10	X	195/198 (98%)	-0.66	1 (0%) 87 82	44, 61, 91, 142	0
11	K	212/212 (100%)	-0.67	0 100 100	42, 59, 91, 115	0
11	Y	212/212 (100%)	-0.60	1 (0%) 87 82	42, 58, 89, 117	0
12	L	222/222 (100%)	-0.63	0 100 100	41, 61, 97, 119	0
12	Z	222/222 (100%)	-0.60	0 100 100	38, 58, 93, 110	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.64	1 (0%) 88 84	39, 58, 85, 95	0
13	a	233/246 (94%)	-0.65	1 (0%) 88 84	36, 55, 81, 101	0
14	N	196/196 (100%)	-0.67	0 100 100	30, 52, 84, 110	0
14	b	196/196 (100%)	-0.65	0 100 100	33, 54, 86, 107	0
All	All	6336/6614 (95%)	-0.50	30 (0%) 87 82	30, 63, 109, 193	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	O	1	MET	5.4
10	X	1	MET	5.3
2	P	51	VAL	4.0
3	Q	50	LEU	3.9
10	J	1	MET	3.8
2	B	219	ALA	3.7
6	F	202	ASP	3.6
1	A	1	MET	3.5
11	Y	212	GLY	3.0
6	T	178	HIS	2.9
8	V	218	VAL	2.9
3	Q	205	ALA	2.8
2	P	52	THR	2.8
2	P	219	ALA	2.7
13	M	1	THR	2.6
4	D	240	ALA	2.5
1	O	231	LYS	2.4
6	T	243	ILE	2.4
8	V	42	TRP	2.4
8	V	196	ARG	2.4
13	a	1	THR	2.4
6	F	178	HIS	2.3
3	C	204	GLY	2.3
1	A	201	GLU	2.2
2	P	218	GLY	2.2
3	Q	51	LYS	2.1
5	S	52	ALA	2.1
6	F	176	VAL	2.1
6	T	205	GLU	2.1
2	P	1	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
17	GQQ	V	301	41/41	0.82	0.13	35,68,86,90	0
17	GQQ	K	301	41/41	0.91	0.10	32,51,62,71	0
17	GQQ	H	301	41/41	0.92	0.11	48,74,85,96	0
17	GQQ	Y	301	41/41	0.93	0.09	34,53,61,70	0
15	MG	Z	301	1/1	0.96	0.05	65,65,65,65	0
15	MG	I	301	1/1	0.97	0.10	69,69,69,69	0
15	MG	X	201	1/1	0.98	0.13	46,46,46,46	0
15	MG	N	201	1/1	0.98	0.04	51,51,51,51	0
16	CL	G	302	1/1	0.99	0.07	47,47,47,47	0
16	CL	U	301	1/1	0.99	0.06	51,51,51,51	0
15	MG	L	301	1/1	0.99	0.08	82,82,82,82	0
15	MG	G	301	1/1	0.99	0.03	55,55,55,55	0
15	MG	I	302	1/1	0.99	0.03	65,65,65,65	0
15	MG	K	302	1/1	0.99	0.06	77,77,77,77	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GQQ V 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GQQ K 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GQQ H 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GQQ Y 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.