



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 06:05 PM UTC

PDB ID : 6HWE / pdb_00006hwe
Title : Yeast 20S proteasome beta2-G45A mutant in complex with carfilzomib
Authors : Huber, E.M.; Groll, M.
Deposited on : 2018-10-11
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	3% 98% .
1	O	250	4% 98% .
2	B	258	5% 88% 7% 5%
2	P	258	5% 89% 5% 5%
3	C	254	6% 88% 6% . 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Q	254	
4	D	260	
4	R	260	
5	E	234	
5	S	234	
6	F	288	
6	T	288	
7	G	252	
7	U	252	
8	H	232	
8	V	232	
9	I	205	
9	W	205	
10	J	198	
10	X	198	
11	K	212	
11	Y	212	
12	L	222	
12	Z	222	
13	M	246	
13	a	246	
14	N	196	
14	b	196	

2 Entry composition

There are 20 unique types of molecules in this entry. The entry contains 52005 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	226	Total	C	N	O	S	0	0	0
			1720	1083	298	332	7			
8	V	226	Total	C	N	O	S	0	0	0
			1720	1083	298	332	7			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
H	45	ALA	GLY	engineered mutation	UNP P25043
V	45	ALA	GLY	engineered mutation	UNP P25043

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			
11	Y	212	Total	C	N	O	S	0	0	0
			1644	1045	280	312	7			

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			


- Molecule 15 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	G	1	Total Mg 1 1	0	0
15	I	2	Total Mg 2 2	0	0
15	K	1	Total Mg 1 1	0	0
15	L	1	Total Mg 1 1	0	0
15	N	1	Total Mg 1 1	0	0
15	W	1	Total Mg 1 1	0	0
15	Z	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (CCD ID: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0

- Molecule 17 is (2 {S})- {N}-[(2 {S})-1-[(3 {R},4 {S})-2,6-dimethyl-2,3-bis(oxidanyl)heptan-4-yl]amino]-1-oxidanylidene-3-phenyl-propan-2-yl]-4-methyl-2-[(2 {S})-2-(2-morpholin-4-ylethanoylamino)-4-phenyl-butanoyl]amino]pentanamide (CCD ID: GWZ) (formula: C₄₀H₆₁N₅O₇).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
17	H	1	Total	C	N	O	0	0
			52	40	5	7		
17	K	1	Total	C	N	O	0	0
			52	40	5	7		
17	N	1	Total	C	N	O	0	0
			52	40	5	7		
17	V	1	Total	C	N	O	0	0
			52	40	5	7		
17	Y	1	Total	C	N	O	0	0
			52	40	5	7		
17	b	1	Total	C	N	O	0	0
			52	40	5	7		

- Molecule 18 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
18	H	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	K	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	V	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
18	Y	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 19 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
19	N	1	Total	O	S	0	0
			5	4	1		
19	b	1	Total	O	S	0	0
			5	4	1		

- Molecule 20 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	A	123	Total	O	0	0
			123	123		
20	B	76	Total	O	0	0
			76	76		
20	C	61	Total	O	0	0
			61	61		
20	D	59	Total	O	0	0
			59	59		
20	E	34	Total	O	0	0
			34	34		
20	F	74	Total	O	0	0
			74	74		
20	G	98	Total	O	0	0
			98	98		
20	H	108	Total	O	0	0
			108	108		
20	I	84	Total	O	0	0
			84	84		
20	J	88	Total	O	0	0
			88	88		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	K	103	Total 103	O 103	0	0
20	L	104	Total 104	O 104	0	0
20	M	113	Total 113	O 113	0	0
20	N	94	Total 94	O 94	0	0
20	O	70	Total 70	O 70	0	0
20	P	55	Total 55	O 55	0	0
20	Q	43	Total 43	O 43	0	0
20	R	56	Total 56	O 56	0	0
20	S	39	Total 39	O 39	0	0
20	T	66	Total 66	O 66	0	0
20	U	104	Total 104	O 104	0	0
20	V	72	Total 72	O 72	0	0
20	W	66	Total 66	O 66	0	0
20	X	83	Total 83	O 83	0	0
20	Y	81	Total 81	O 81	0	0
20	Z	100	Total 100	O 100	0	0
20	a	114	Total 114	O 114	0	0
20	b	89	Total 89	O 89	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2





- Molecule 2: Proteasome subunit alpha type-3



- Molecule 2: Proteasome subunit alpha type-3



- Molecule 3: Proteasome subunit alpha type-4



Chain Q:



Chain D:




Chain R:




Chain E:






Chain S:



Chain F:



- Molecule 6: Probable proteasome subunit alpha type-7



- Molecule 7: Proteasome subunit alpha type-1



- Molecule 7: Proteasome subunit alpha type-1



- Molecule 8: Proteasome subunit beta type-2




- Molecule 8: Proteasome subunit beta type-2



- Molecule 9: Proteasome subunit beta type-3




- Molecule 9: Proteasome subunit beta type-3

Chain W:  96%





- Molecule 10: Proteasome subunit beta type-4

Chain J:  92% 6% ..




- Molecule 10: Proteasome subunit beta type-4

Chain X:  92% 6% ..





- Molecule 11: Proteasome subunit beta type-5

Chain K:  92% 6% .




- Molecule 11: Proteasome subunit beta type-5

Chain Y:  93% 6%




- Molecule 12: Proteasome subunit beta type-6

Chain L:  91% 9%




- Molecule 12: Proteasome subunit beta type-6

Chain Z:  91% 8%




- Molecule 13: Proteasome subunit beta type-7

Chain M:  91% 5%



- Molecule 13: Proteasome subunit beta type-7

Chain a:  91% 5%




- Molecule 14: Proteasome subunit beta type-1

Chain N:  93% 2% 7%



- Molecule 14: Proteasome subunit beta type-1

Chain b:  93% 2% 7%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	136.78Å 300.17Å 145.49Å 90.00° 113.29° 90.00°	Depositor
Resolution (Å)	15.00 – 2.30 15.00 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.1 (15.00-2.30) 98.1 (15.00-2.30)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.40 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.204 , 0.231 0.208 , 0.233	Depositor DCC
R_{free} test set	23307 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	42.0	Xtriage
Anisotropy	0.671	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 54.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	52005	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, GWZ, MES, MG, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.58	0/1952	0.81	0/2642
1	O	0.58	0/1952	0.81	0/2642
2	B	0.59	0/1934	0.82	0/2618
2	P	0.60	0/1934	0.83	0/2618
3	C	0.59	0/1910	0.82	1/2586 (0.0%)
3	Q	0.59	0/1910	0.82	1/2586 (0.0%)
4	D	0.56	0/1837	0.81	0/2475
4	R	0.56	0/1837	0.81	0/2475
5	E	0.58	0/1800	0.77	0/2433
5	S	0.58	0/1800	0.78	0/2433
6	F	0.58	0/1932	0.80	0/2609
6	T	0.58	0/1932	0.81	0/2609
7	G	0.56	0/1945	0.79	0/2634
7	U	0.56	0/1945	0.78	0/2634
8	H	0.53	0/1751	0.81	0/2375
8	V	0.53	0/1751	0.80	0/2375
9	I	0.54	0/1611	0.78	0/2174
9	W	0.54	0/1611	0.79	0/2174
10	J	0.56	0/1589	0.79	0/2142
10	X	0.56	0/1589	0.80	0/2142
11	K	0.52	0/1681	0.88	3/2274 (0.1%)
11	Y	0.50	0/1681	0.89	3/2274 (0.1%)
12	L	0.55	0/1795	0.78	0/2420
12	Z	0.55	0/1795	0.78	0/2420
13	M	0.57	0/1855	0.79	0/2514
13	a	0.57	0/1855	0.80	0/2514
14	N	0.53	0/1541	0.78	1/2087 (0.0%)
14	b	0.52	0/1541	0.80	1/2087 (0.0%)
All	All	0.56	0/50266	0.81	10/67966 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
11	K	0	1
11	Y	0	1
All	All	0	2

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	Y	73	ARG	NE-CZ-NH1	-10.59	110.91	121.50
11	K	73	ARG	NE-CZ-NH2	-10.52	109.73	119.20
11	Y	73	ARG	NE-CZ-NH2	10.38	128.54	119.20
11	K	73	ARG	CD-NE-CZ	9.93	138.30	124.40
11	Y	73	ARG	CD-NE-CZ	8.18	135.85	124.40
11	K	73	ARG	NE-CZ-NH1	6.45	127.95	121.50
14	N	115	LEU	N-CA-C	5.13	117.54	111.33
14	b	115	LEU	N-CA-C	5.08	117.20	111.11
3	Q	201	VAL	N-CA-C	5.04	115.76	110.62
3	C	201	VAL	N-CA-C	5.03	115.75	110.62

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
11	K	73	ARG	Sidechain
11	Y	73	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	1	0
1	O	1915	0	1929	2	0
2	B	1904	0	1904	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	P	1904	0	1904	5	0
3	C	1881	0	1895	6	0
3	Q	1881	0	1895	4	0
4	D	1813	0	1797	3	0
4	R	1813	0	1797	2	0
5	E	1773	0	1775	5	0
5	S	1773	0	1775	5	0
6	F	1892	0	1883	3	0
6	T	1892	0	1883	3	0
7	G	1907	0	1901	3	0
7	U	1907	0	1901	3	0
8	H	1720	0	1718	3	0
8	V	1720	0	1718	2	0
9	I	1581	0	1574	5	0
9	W	1581	0	1574	5	0
10	J	1561	0	1569	6	0
10	X	1561	0	1569	6	0
11	K	1644	0	1592	10	0
11	Y	1644	0	1592	8	0
12	L	1757	0	1711	10	0
12	Z	1757	0	1711	9	0
13	M	1824	0	1832	5	0
13	a	1824	0	1832	5	0
14	N	1512	0	1478	7	0
14	b	1512	0	1478	7	0
15	G	1	0	0	0	0
15	I	2	0	0	0	0
15	K	1	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	W	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	H	52	0	0	1	0
17	K	52	0	0	2	0
17	N	52	0	0	0	0
17	V	52	0	0	1	0
17	Y	52	0	0	2	0
17	b	52	0	0	0	0
18	H	12	0	13	0	0
18	K	12	0	13	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
18	V	12	0	13	0	0
18	Y	12	0	13	0	0
19	N	5	0	0	0	0
19	b	5	0	0	0	0
20	A	123	0	0	0	0
20	B	76	0	0	0	0
20	C	61	0	0	0	0
20	D	59	0	0	0	0
20	E	34	0	0	0	0
20	F	74	0	0	0	0
20	G	98	0	0	0	0
20	H	108	0	0	0	0
20	I	84	0	0	0	0
20	J	88	0	0	0	0
20	K	103	0	0	0	0
20	L	104	0	0	0	0
20	M	113	0	0	2	0
20	N	94	0	0	1	0
20	O	70	0	0	0	0
20	P	55	0	0	0	0
20	Q	43	0	0	0	0
20	R	56	0	0	0	0
20	S	39	0	0	0	0
20	T	66	0	0	0	0
20	U	104	0	0	0	0
20	V	72	0	0	0	0
20	W	66	0	0	0	0
20	X	83	0	0	0	0
20	Y	81	0	0	0	0
20	Z	100	0	0	0	0
20	a	114	0	0	2	0
20	b	89	0	0	1	0
All	All	52005	0	49168	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:S:92:ASN:HD21	12:Z:70:ASN:HD21	1.29	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:92:ASN:HD21	12:L:70:ASN:HD21	1.30	0.78
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.50	0.76
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.53	0.73
2:B:95:GLN:HE22	9:I:71:ASN:HD22	1.36	0.71
2:P:95:GLN:HE22	9:W:71:ASN:HD22	1.40	0.69
5:S:92:ASN:HD21	12:Z:70:ASN:ND2	1.91	0.69
5:S:12:PHE:H	6:T:19:GLN:HE22	1.40	0.68
5:E:12:PHE:H	6:F:19:GLN:HE22	1.42	0.68
5:E:92:ASN:HD21	12:L:70:ASN:ND2	1.93	0.66
2:B:12:PHE:H	3:C:17:GLN:HE22	1.42	0.66
1:O:12:PHE:H	2:P:20:GLN:HE22	1.44	0.66
5:S:92:ASN:ND2	12:Z:70:ASN:HD21	1.94	0.66
5:E:92:ASN:ND2	12:L:70:ASN:HD21	1.96	0.64
3:C:160:GLN:HE21	3:C:160:GLN:HA	1.62	0.63
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.64	0.62
11:K:209:ASN:O	9:W:37:ASN:ND2	2.33	0.62
3:Q:9:PHE:H	4:R:15:GLN:HE22	1.47	0.62
1:A:12:PHE:H	2:B:20:GLN:HE22	1.49	0.61
2:B:145:TYR:OH	2:B:217:LYS:N	2.35	0.60
9:I:37:ASN:ND2	11:Y:209:ASN:O	2.34	0.60
2:P:145:TYR:OH	2:P:217:LYS:N	2.35	0.59
6:F:123:ASN:HD22	6:F:124:SER:N	2.00	0.59
12:Z:42:LYS:HD2	12:Z:55:ASN:HD22	1.68	0.58
12:L:42:LYS:HD2	12:L:55:ASN:HD22	1.69	0.58
6:T:123:ASN:HD22	6:T:124:SER:N	2.00	0.58
8:H:22:GLN:HE21	17:H:301:GWZ:C5	2.18	0.56
11:K:4:LEU:HD23	11:K:161:ILE:HD11	1.86	0.56
7:U:23:PHE:O	7:U:26:THR:HB	2.05	0.55
13:a:190:ARG:NH2	20:a:301:HOH:O	2.38	0.55
3:C:9:PHE:H	4:D:15:GLN:HE22	1.53	0.55
2:P:95:GLN:NE2	9:W:71:ASN:HD22	2.04	0.55
2:B:95:GLN:NE2	9:I:71:ASN:HD22	2.05	0.54
10:J:50:ALA:O	11:K:91:LYS:NZ	2.40	0.54
8:V:22:GLN:HE21	17:V:301:GWZ:C5	2.20	0.54
11:K:142:SER:OG	10:X:143:LEU:HD21	2.07	0.54
13:M:2:GLN:NE2	20:M:301:HOH:O	2.40	0.54
10:X:50:ALA:O	11:Y:91:LYS:NZ	2.39	0.54
14:b:152:VAL:HA	14:b:175:MET:HE1	1.89	0.54
14:N:152:VAL:HA	14:N:175:MET:HE1	1.90	0.54
7:G:23:PHE:O	7:G:26:THR:HB	2.08	0.54
11:K:176:ASN:ND2	11:K:190:ASN:HD22	2.06	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
17:K:301:GWZ:C3	12:L:108:HIS:HE1	2.22	0.53
12:L:13:LEU:HD13	12:L:150:LEU:HD21	1.91	0.53
7:G:61:SER:OG	7:G:215:GLU:OE2	2.24	0.52
11:Y:176:ASN:ND2	11:Y:190:ASN:HD22	2.07	0.52
6:T:123:ASN:HD22	6:T:123:ASN:C	2.18	0.52
14:N:13:ILE:HG21	14:N:175:MET:HE2	1.92	0.51
12:Z:13:LEU:HD13	12:Z:150:LEU:HD21	1.91	0.50
6:F:123:ASN:HD22	6:F:123:ASN:C	2.19	0.50
14:N:136:GLY:HA2	14:b:161:GLN:HE21	1.78	0.48
14:N:161:GLN:HE21	14:b:136:GLY:HA2	1.78	0.48
10:J:143:LEU:HD21	11:Y:142:SER:OG	2.13	0.48
2:P:12:PHE:H	3:Q:17:GLN:HE22	1.62	0.48
14:b:13:ILE:HG21	14:b:175:MET:HE2	1.95	0.48
9:I:36:SER:HB2	10:J:126:VAL:HG11	1.95	0.47
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.96	0.47
10:X:3:ILE:HG23	10:X:18:SER:HB3	1.97	0.46
11:Y:176:ASN:HD21	11:Y:190:ASN:HD22	1.64	0.46
14:N:35:THR:HG22	20:N:322:HOH:O	2.15	0.46
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.97	0.46
13:M:156:ARG:HH11	8:V:165:ASN:HD22	1.64	0.46
11:K:176:ASN:HD21	11:K:190:ASN:HD22	1.64	0.45
13:a:232:LYS:NZ	20:a:302:HOH:O	2.49	0.45
10:J:3:ILE:HG23	10:J:18:SER:HB3	1.97	0.45
9:W:36:SER:HB2	10:X:126:VAL:HG11	1.99	0.45
5:S:87:LEU:HD21	5:S:107:ALA:HB1	1.97	0.45
5:E:87:LEU:HD21	5:E:107:ALA:HB1	1.97	0.45
12:Z:13:LEU:CD1	12:Z:150:LEU:HD21	2.47	0.45
12:L:13:LEU:CD1	12:L:150:LEU:HD21	2.46	0.45
14:N:35:THR:HG21	13:a:228:TYR:HE2	1.82	0.45
13:M:190:ARG:NH2	20:M:303:HOH:O	2.49	0.45
13:M:228:TYR:HE2	14:b:35:THR:HG21	1.82	0.45
11:K:4:LEU:HD23	11:K:161:ILE:CD1	2.47	0.44
17:Y:301:GWZ:C3	12:Z:108:HIS:HE1	2.31	0.44
2:B:146:GLN:HG2	3:C:57:ILE:HG21	2.00	0.43
10:J:36:ARG:NH1	10:J:58:GLU:OE2	2.50	0.43
7:G:167:GLN:HE21	7:G:171:THR:HG23	1.83	0.43
10:X:36:ARG:NH1	10:X:58:GLU:OE2	2.51	0.43
9:I:10:ILE:HG21	9:I:141:ALA:HB3	2.01	0.43
8:H:165:ASN:HD22	13:a:156:ARG:HH11	1.67	0.43
3:Q:198:LEU:HA	3:Q:201:VAL:HG12	2.01	0.43
3:C:198:LEU:HA	3:C:201:VAL:HG12	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
12:L:8:ASN:HA	12:L:30:ILE:O	2.19	0.43
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.49	0.42
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.50	0.42
14:N:171:GLY:HA2	13:a:219:TRP:CH2	2.54	0.42
11:Y:37:ILE:HB	11:Y:41:LEU:HB3	2.01	0.42
2:B:124:HIS:HB3	3:C:124:VAL:HG12	2.02	0.42
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.19	0.42
11:K:37:ILE:HB	11:K:41:LEU:HB3	2.02	0.42
12:L:3:ASN:HD22	12:L:4:PRO:HD2	1.84	0.42
8:H:19:ARG:NH1	8:H:167:LEU:O	2.52	0.41
11:Y:87:VAL:HG12	11:Y:97:MET:HE1	2.03	0.41
13:M:219:TRP:CH2	14:b:171:GLY:HA2	2.55	0.41
2:B:145:TYR:HH	2:B:217:LYS:N	2.18	0.41
1:O:83:ARG:HE	7:U:114:ASN:ND2	2.19	0.41
7:U:61:SER:OG	7:U:215:GLU:OE2	2.25	0.41
11:K:87:VAL:HG12	11:K:97:MET:HE1	2.03	0.40
9:W:10:ILE:HG21	9:W:141:ALA:HB3	2.02	0.40
14:b:35:THR:HG22	20:b:323:HOH:O	2.21	0.40
4:D:91:HIS:HB3	4:D:99:ILE:HG21	2.03	0.40
11:Y:22:ALA:HB1	17:Y:301:GWZ:C5	2.51	0.40
11:K:22:ALA:HB1	17:K:301:GWZ:C5	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	242 (98%)	6 (2%)	0	100	100
1	O	248/250 (99%)	241 (97%)	7 (3%)	0	100	100
2	B	242/258 (94%)	235 (97%)	7 (3%)	0	100	100
2	P	242/258 (94%)	234 (97%)	8 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	238/254 (94%)	235 (99%)	2 (1%)	1 (0%)	30	38
3	Q	238/254 (94%)	235 (99%)	2 (1%)	1 (0%)	30	38
4	D	231/260 (89%)	228 (99%)	3 (1%)	0	100	100
4	R	231/260 (89%)	227 (98%)	4 (2%)	0	100	100
5	E	229/234 (98%)	222 (97%)	7 (3%)	0	100	100
5	S	229/234 (98%)	222 (97%)	7 (3%)	0	100	100
6	F	241/288 (84%)	237 (98%)	4 (2%)	0	100	100
6	T	241/288 (84%)	238 (99%)	3 (1%)	0	100	100
7	G	239/252 (95%)	236 (99%)	3 (1%)	0	100	100
7	U	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
8	H	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
8	V	224/232 (97%)	218 (97%)	6 (3%)	0	100	100
9	I	202/205 (98%)	194 (96%)	8 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	189 (98%)	4 (2%)	0	100	100
10	X	193/198 (98%)	189 (98%)	4 (2%)	0	100	100
11	K	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
11	Y	210/212 (99%)	206 (98%)	4 (2%)	0	100	100
12	L	220/222 (99%)	214 (97%)	5 (2%)	1 (0%)	24	31
12	Z	220/222 (99%)	214 (97%)	5 (2%)	1 (0%)	24	31
13	M	231/246 (94%)	223 (96%)	8 (4%)	0	100	100
13	a	231/246 (94%)	223 (96%)	8 (4%)	0	100	100
14	N	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
14	b	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
All	All	6284/6614 (95%)	6136 (98%)	144 (2%)	4 (0%)	48	60

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	204	GLY
3	Q	204	GLY
12	L	166	GLY
12	Z	166	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	205 (98%)	4 (2%)	50	69
1	O	209/209 (100%)	205 (98%)	4 (2%)	50	69
2	B	203/216 (94%)	193 (95%)	10 (5%)	22	34
2	P	203/216 (94%)	194 (96%)	9 (4%)	25	38
3	C	212/226 (94%)	202 (95%)	10 (5%)	23	35
3	Q	212/226 (94%)	202 (95%)	10 (5%)	23	35
4	D	194/215 (90%)	182 (94%)	12 (6%)	16	24
4	R	194/215 (90%)	183 (94%)	11 (6%)	18	27
5	E	190/193 (98%)	185 (97%)	5 (3%)	40	59
5	S	190/193 (98%)	184 (97%)	6 (3%)	34	51
6	F	201/239 (84%)	193 (96%)	8 (4%)	28	42
6	T	201/239 (84%)	194 (96%)	7 (4%)	32	48
7	G	206/210 (98%)	198 (96%)	8 (4%)	28	43
7	U	206/210 (98%)	198 (96%)	8 (4%)	28	43
8	H	185/190 (97%)	178 (96%)	7 (4%)	29	44
8	V	185/190 (97%)	178 (96%)	7 (4%)	29	44
9	I	172/173 (99%)	169 (98%)	3 (2%)	53	72
9	W	172/173 (99%)	169 (98%)	3 (2%)	53	72
10	J	173/175 (99%)	168 (97%)	5 (3%)	37	55
10	X	173/175 (99%)	168 (97%)	5 (3%)	37	55
11	K	169/169 (100%)	164 (97%)	5 (3%)	36	53
11	Y	169/169 (100%)	163 (96%)	6 (4%)	31	47
12	L	185/185 (100%)	176 (95%)	9 (5%)	22	34
12	Z	185/185 (100%)	176 (95%)	9 (5%)	22	34
13	M	199/208 (96%)	194 (98%)	5 (2%)	42	60
13	a	199/208 (96%)	194 (98%)	5 (2%)	42	60

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
14	N	162/162 (100%)	157 (97%)	5 (3%)	35	52
14	b	162/162 (100%)	157 (97%)	5 (3%)	35	52
All	All	5320/5540 (96%)	5129 (96%)	191 (4%)	31	47

All (191) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	THR
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	50	LYS
2	B	51	VAL
2	B	52	THR
2	B	55	LEU
2	B	79	LEU
2	B	102	ASN
2	B	113	ARG
2	B	191	LEU
2	B	224	VAL
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	52	LEU
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	240	GLU
4	D	20	LEU
4	D	40	LEU
4	D	51	LEU
4	D	60	VAL
4	D	99	ILE
4	D	125	LEU
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	55	LEU
5	E	71	LEU
5	E	188	LEU
6	F	68	ARG
6	F	117	GLN
6	F	123	ASN
6	F	171	GLU
6	F	172	LEU
6	F	181	GLU
6	F	221	ASN
6	F	240	GLN
7	G	13	GLU
7	G	26	THR
7	G	83	ASN
7	G	115	LEU
7	G	122	ARG
7	G	125	MET
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN
8	H	34	LEU
8	H	55	VAL
8	H	68	LEU
8	H	127	LEU
8	H	144	GLN
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
9	I	182	TRP
10	J	3	ILE
10	J	35	THR
10	J	90	LYS
10	J	99	GLN
10	J	110	LYS
11	K	4	LEU
11	K	9	GLN
11	K	35	ILE
11	K	195	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	K	209	ASN
12	L	18	GLU
12	L	23	LEU
12	L	49	ASN
12	L	106	TYR
12	L	130	SER
12	L	136	CYS
12	L	150	LEU
12	L	172	LEU
12	L	173	LYS
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	187	ARG
14	N	9	LYS
14	N	22	THR
14	N	107	LYS
14	N	119	VAL
14	N	178	LEU
1	O	2	THR
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	50	LYS
2	P	52	THR
2	P	55	LEU
2	P	79	LEU
2	P	102	ASN
2	P	113	ARG
2	P	191	LEU
2	P	224	VAL
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	52	LEU
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	Q	240	GLU
4	R	20	LEU
4	R	40	LEU
4	R	60	VAL
4	R	99	ILE
4	R	125	LEU
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	55	LEU
5	S	56	SER
5	S	71	LEU
5	S	188	LEU
6	T	117	GLN
6	T	123	ASN
6	T	171	GLU
6	T	172	LEU
6	T	181	GLU
6	T	221	ASN
6	T	240	GLN
7	U	13	GLU
7	U	26	THR
7	U	83	ASN
7	U	115	LEU
7	U	122	ARG
7	U	125	MET
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN
8	V	34	LEU
8	V	55	VAL
8	V	68	LEU
8	V	127	LEU
8	V	144	GLN
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	W	182	TRP
10	X	3	ILE
10	X	35	THR
10	X	90	LYS
10	X	99	GLN
10	X	110	LYS
11	Y	4	LEU
11	Y	9	GLN
11	Y	35	ILE
11	Y	73	ARG
11	Y	195	GLU
11	Y	209	ASN
12	Z	18	GLU
12	Z	23	LEU
12	Z	49	ASN
12	Z	106	TYR
12	Z	130	SER
12	Z	136	CYS
12	Z	150	LEU
12	Z	172	LEU
12	Z	173	LYS
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	187	ARG
14	b	9	LYS
14	b	22	THR
14	b	107	LYS
14	b	119	VAL
14	b	178	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (165) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	176	GLN
2	B	232	GLN
3	C	17	GLN
3	C	38	ASN
3	C	53	GLN
3	C	77	ASN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN
3	C	165	ASN
3	C	233	GLN
4	D	15	GLN
4	D	91	HIS
4	D	106	GLN
4	D	160	ASN
4	D	225	ASN
5	E	68	HIS
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	151	ASN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	143	HIS
6	F	191	GLN
6	F	240	GLN
7	G	27	ASN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	167	GLN
7	G	175	ASN
8	H	22	GLN
8	H	30	ASN
8	H	57	GLN
8	H	66	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	H	114	HIS
8	H	165	ASN
8	H	172	ASN
8	H	189	ASN
9	I	63	ASN
9	I	168	GLN
10	J	55	GLN
10	J	63	ASN
10	J	78	GLN
11	K	9	GLN
11	K	85	ASN
11	K	176	ASN
11	K	190	ASN
11	K	209	ASN
12	L	1	GLN
12	L	3	ASN
12	L	36	ASN
12	L	49	ASN
12	L	55	ASN
12	L	70	ASN
12	L	79	HIS
12	L	108	HIS
12	L	152	ASN
12	L	153	GLN
12	L	158	ASN
12	L	159	GLN
12	L	197	GLN
13	M	48	ASN
13	M	102	GLN
13	M	108	ASN
13	M	149	HIS
13	M	179	ASN
14	N	69	GLN
14	N	141	ASN
14	N	161	GLN
2	P	20	GLN
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
2	P	176	GLN
2	P	232	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	Q	17	GLN
3	Q	38	ASN
3	Q	77	ASN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
3	Q	165	ASN
3	Q	233	GLN
4	R	15	GLN
4	R	91	HIS
4	R	146	GLN
4	R	160	ASN
4	R	225	ASN
5	S	59	GLN
5	S	68	HIS
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	143	HIS
6	T	191	GLN
6	T	240	GLN
7	U	27	ASN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	167	GLN
7	U	175	ASN
8	V	22	GLN
8	V	35	HIS
8	V	57	GLN
8	V	114	HIS
8	V	165	ASN
9	W	63	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	W	88	GLN
9	W	168	GLN
10	X	55	GLN
10	X	63	ASN
10	X	78	GLN
10	X	86	GLN
11	Y	9	GLN
11	Y	85	ASN
11	Y	176	ASN
11	Y	209	ASN
12	Z	1	GLN
12	Z	3	ASN
12	Z	36	ASN
12	Z	49	ASN
12	Z	70	ASN
12	Z	79	HIS
12	Z	108	HIS
12	Z	152	ASN
12	Z	153	GLN
12	Z	158	ASN
12	Z	159	GLN
12	Z	197	GLN
13	a	48	ASN
13	a	102	GLN
13	a	108	ASN
13	a	149	HIS
13	a	179	ASN
13	a	194	ASN
13	a	213	GLN
14	b	69	GLN
14	b	141	ASN
14	b	161	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 10 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	GWZ	b	201	14	54,54,54	1.27	3 (5%)	72,73,73	1.02	1 (1%)
19	SO4	N	203	-	4,4,4	0.39	0	6,6,6	0.08	0
18	MES	H	302	-	12,12,12	2.34	1 (8%)	15,16,16	1.46	2 (13%)
17	GWZ	V	301	8	54,54,54	1.27	5 (9%)	72,73,73	1.27	4 (5%)
17	GWZ	H	301	8	54,54,54	1.30	5 (9%)	72,73,73	1.25	3 (4%)
18	MES	K	303	-	12,12,12	2.36	1 (8%)	15,16,16	1.29	2 (13%)
18	MES	V	302	-	12,12,12	2.29	1 (8%)	15,16,16	1.22	2 (13%)
17	GWZ	K	301	11	54,54,54	1.25	4 (7%)	72,73,73	1.12	4 (5%)
17	GWZ	Y	301	11	54,54,54	1.27	3 (5%)	72,73,73	1.14	4 (5%)
19	SO4	b	202	-	4,4,4	0.38	0	6,6,6	0.18	0
17	GWZ	N	201	14	54,54,54	1.18	3 (5%)	72,73,73	0.97	1 (1%)
18	MES	Y	302	-	12,12,12	2.31	1 (8%)	15,16,16	1.20	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	GWZ	b	201	14	-	2/59/67/67	0/3/3/3
18	MES	H	302	-	-	2/6/14/14	0/1/1/1
17	GWZ	V	301	8	-	6/59/67/67	0/3/3/3
17	GWZ	H	301	8	-	6/59/67/67	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	MES	K	303	-	-	2/6/14/14	0/1/1/1
18	MES	V	302	-	-	5/6/14/14	0/1/1/1
17	GWZ	K	301	11	-	1/59/67/67	0/3/3/3
17	GWZ	Y	301	11	-	1/59/67/67	0/3/3/3
17	GWZ	N	201	14	-	2/59/67/67	0/3/3/3
18	MES	Y	302	-	-	2/6/14/14	0/1/1/1

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
18	K	303	MES	C8-S	-7.99	1.66	1.77
18	Y	302	MES	C8-S	-7.78	1.66	1.77
18	H	302	MES	C8-S	-7.76	1.66	1.77
18	V	302	MES	C8-S	-7.68	1.66	1.77
17	b	201	GWZ	C32-C33	-5.14	1.39	1.51
17	K	301	GWZ	C32-C33	-5.13	1.39	1.51
17	N	201	GWZ	C32-C33	-5.01	1.39	1.51
17	Y	301	GWZ	C32-C33	-4.99	1.39	1.51
17	H	301	GWZ	C32-C33	-4.93	1.39	1.51
17	V	301	GWZ	C32-C33	-4.79	1.40	1.51
17	K	301	GWZ	C13-C14	-4.66	1.38	1.51
17	Y	301	GWZ	C13-C14	-4.62	1.38	1.51
17	b	201	GWZ	C58-C51	4.47	1.59	1.52
17	H	301	GWZ	C58-C51	4.25	1.59	1.52
17	V	301	GWZ	C58-C51	4.24	1.59	1.52
17	Y	301	GWZ	C58-C51	4.18	1.59	1.52
17	b	201	GWZ	C13-C14	-4.09	1.40	1.51
17	H	301	GWZ	C13-C14	-4.01	1.40	1.51
17	N	201	GWZ	C13-C14	-4.00	1.40	1.51
17	V	301	GWZ	C13-C14	-3.92	1.40	1.51
17	K	301	GWZ	C58-C51	3.48	1.58	1.52
17	H	301	GWZ	C51-C47	3.37	1.61	1.54
17	N	201	GWZ	C58-C51	3.12	1.57	1.52
17	V	301	GWZ	C51-C47	3.09	1.60	1.54
17	H	301	GWZ	C59-C51	2.38	1.56	1.52
17	K	301	GWZ	C43-C42	2.27	1.56	1.53
17	V	301	GWZ	C59-C51	2.24	1.56	1.52

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	H	301	GWZ	C59-C51-C58	-6.48	101.06	110.52
17	V	301	GWZ	C59-C51-C58	-6.47	101.08	110.52
17	Y	301	GWZ	C58-C51-C47	3.69	118.23	111.27
17	K	301	GWZ	C58-C51-C47	3.51	117.88	111.27
18	Y	302	MES	O3S-S-C8	3.15	112.17	106.00
17	V	301	GWZ	C58-C51-C47	2.99	116.91	111.27
18	V	302	MES	O3S-S-C8	2.91	111.71	106.00
17	H	301	GWZ	C58-C51-C47	2.90	116.73	111.27
17	b	201	GWZ	C20-C11-N10	-2.90	103.28	111.11
17	N	201	GWZ	C20-C11-N10	-2.78	103.58	111.11
18	K	303	MES	O1S-S-C8	2.74	110.87	106.73
17	K	301	GWZ	C7-N4-C5	2.65	115.27	111.14
18	H	302	MES	O1S-S-C8	2.60	110.66	106.73
17	Y	301	GWZ	C7-N4-C5	2.40	114.87	111.14
18	H	302	MES	O2S-S-C8	2.34	110.26	106.73
17	Y	301	GWZ	C23-C28-N30	-2.31	111.69	116.63
18	K	303	MES	O3S-S-C8	2.30	110.51	106.00
17	V	301	GWZ	C59-C51-C47	2.25	115.51	111.27
17	V	301	GWZ	O60-C51-C58	2.22	112.78	107.90
17	H	301	GWZ	C59-C51-C47	2.22	115.46	111.27
17	K	301	GWZ	C33-C32-C31	-2.21	107.47	113.36
17	K	301	GWZ	C23-C28-N30	-2.19	111.96	116.63
17	Y	301	GWZ	C33-C32-C31	-2.07	107.85	113.36
18	V	302	MES	O1S-S-C8	2.04	109.81	106.73

There are no chirality outliers.

All (29) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	H	301	GWZ	C42-C47-C51-C58
17	H	301	GWZ	C42-C47-C51-C59
17	H	301	GWZ	C42-C47-C51-O60
17	H	301	GWZ	O48-C47-C51-C58
17	H	301	GWZ	O48-C47-C51-C59
17	H	301	GWZ	O48-C47-C51-O60
17	K	301	GWZ	C8-C7-N4-C5
17	V	301	GWZ	C42-C47-C51-C58
17	V	301	GWZ	C42-C47-C51-C59
17	V	301	GWZ	C42-C47-C51-O60
17	V	301	GWZ	O48-C47-C51-C58
17	V	301	GWZ	O48-C47-C51-C59
17	V	301	GWZ	O48-C47-C51-O60
17	Y	301	GWZ	C8-C7-N4-C5

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
18	H	302	MES	N4-C7-C8-S
18	V	302	MES	C7-C8-S-O1S
18	V	302	MES	C7-C8-S-O3S
18	K	303	MES	C8-C7-N4-C3
18	K	303	MES	C8-C7-N4-C5
18	V	302	MES	C8-C7-N4-C3
18	V	302	MES	C8-C7-N4-C5
18	V	302	MES	C7-C8-S-O2S
17	b	201	GWZ	N10-C11-C20-N22
17	b	201	GWZ	N10-C11-C20-O21
17	N	201	GWZ	N10-C11-C20-N22
17	N	201	GWZ	N10-C11-C20-O21
18	H	302	MES	C8-C7-N4-C5
18	Y	302	MES	C8-C7-N4-C3
18	Y	302	MES	C8-C7-N4-C5



There are no ring outliers.


4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	V	301	GWZ	1	0
17	H	301	GWZ	1	0
17	K	301	GWZ	2	0
17	Y	301	GWZ	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	0.16	8 (3%) 50 52	35, 50, 88, 115	0
1	O	250/250 (100%)	0.27	11 (4%) 39 41	39, 59, 100, 130	0
2	B	244/258 (94%)	0.30	12 (4%) 35 36	34, 54, 96, 120	0
2	P	244/258 (94%)	0.34	14 (5%) 29 31	37, 58, 97, 128	0
3	C	240/254 (94%)	0.23	14 (5%) 29 31	33, 57, 112, 152	0
3	Q	240/254 (94%)	0.63	30 (12%) 8 9	40, 70, 148, 196	0
4	D	235/260 (90%)	0.12	8 (3%) 48 50	38, 58, 87, 132	0
4	R	235/260 (90%)	0.39	13 (5%) 30 32	44, 63, 99, 138	0
5	E	231/234 (98%)	0.35	9 (3%) 43 45	43, 62, 98, 119	0
5	S	231/234 (98%)	0.49	15 (6%) 25 27	43, 65, 110, 131	0
6	F	243/288 (84%)	0.18	9 (3%) 45 48	32, 55, 97, 119	0
6	T	243/288 (84%)	0.32	14 (5%) 29 31	33, 60, 108, 139	0
7	G	241/252 (95%)	0.05	6 (2%) 58 60	33, 50, 84, 133	0
7	U	241/252 (95%)	0.03	6 (2%) 58 60	36, 51, 83, 120	0
8	H	226/232 (97%)	0.11	4 (1%) 67 69	38, 43, 71, 140	0
8	V	226/232 (97%)	0.14	3 (1%) 75 76	38, 44, 76, 152	0
9	I	204/205 (99%)	-0.19	0 100 100	29, 44, 71, 90	0
9	W	204/205 (99%)	-0.16	1 (0%) 87 87	30, 48, 72, 91	0
10	J	195/198 (98%)	0.05	7 (3%) 46 48	31, 48, 72, 96	0
10	X	195/198 (98%)	0.03	8 (4%) 41 43	34, 50, 74, 104	0
11	K	212/212 (100%)	-0.14	2 (0%) 81 82	30, 46, 71, 87	0
11	Y	212/212 (100%)	-0.11	1 (0%) 87 87	26, 47, 72, 88	0
12	L	222/222 (100%)	-0.11	3 (1%) 73 75	33, 48, 77, 97	0
12	Z	222/222 (100%)	-0.14	2 (0%) 81 82	34, 45, 76, 96	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.12	1 (0%)	88 89	30, 47, 70, 82	0
13	a	233/246 (94%)	-0.17	2 (0%)	81 82	28, 44, 65, 79	0
14	N	196/196 (100%)	-0.14	3 (1%)	72 73	26, 43, 70, 87	0
14	b	196/196 (100%)	-0.15	4 (2%)	65 66	26, 45, 71, 88	0
All	All	6344/6614 (95%)	0.11	210 (3%)	49 51	26, 51, 95, 196	0

All (210) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	Q	50	LEU	6.8
4	R	113	LEU	6.0
10	X	1	MET	6.0
2	B	218	GLY	5.1
6	T	243	ILE	5.1
10	J	1	MET	4.9
3	Q	52	LEU	4.3
1	A	1	MET	4.3
3	Q	234	ILE	4.2
2	B	217	LYS	4.2
6	T	205	GLU	4.1
6	T	204	LYS	4.0
2	P	51	VAL	4.0
3	C	50	LEU	4.0
1	O	1	MET	3.9
1	O	209	ILE	3.9
8	V	223	ILE	3.9
2	B	51	VAL	3.9
1	O	249	ALA	3.9
3	Q	205	ALA	3.8
13	a	1	THR	3.8
8	V	224	GLN	3.7
2	P	218	GLY	3.7
1	O	2	THR	3.7
2	B	220	ASN	3.6
13	M	1	THR	3.6
3	Q	49	THR	3.6
10	J	163	LEU	3.5
2	B	52	THR	3.5
8	H	208	GLY	3.4
2	P	56	LEU	3.4
10	J	25	ILE	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	O	55	LEU	3.3
4	D	240	ALA	3.3
1	A	227	ILE	3.3
2	P	222	GLY	3.3
5	S	207	VAL	3.3
1	O	53	SER	3.2
4	R	112	ALA	3.2
1	A	55	LEU	3.2
2	B	219	ALA	3.2
3	Q	206	LYS	3.2
10	X	25	ILE	3.2
3	C	52	LEU	3.2
6	T	215	CYS	3.1
12	L	136	CYS	3.1
6	F	215	CYS	3.1
4	D	241	ALA	3.1
3	Q	51	LYS	3.1
7	U	242	GLN	3.1
14	N	116	GLY	3.1
1	A	249	ALA	3.1
3	Q	232	THR	3.0
3	Q	48	SER	2.9
3	Q	236	GLN	2.9
3	Q	240	GLU	2.9
5	E	55	LEU	2.9
1	A	226	GLY	2.8
5	E	121	SER	2.8
8	H	224	GLN	2.8
10	X	163	LEU	2.8
2	P	219	ALA	2.8
6	T	241	LYS	2.8
2	P	52	THR	2.8
14	b	103	ASP	2.8
5	S	210	LEU	2.8
6	T	55	LEU	2.8
4	R	241	ALA	2.8
6	F	178	HIS	2.8
7	U	182	ILE	2.8
6	T	14	ASP	2.8
10	X	194	ASP	2.8
4	R	240	ALA	2.8
6	F	176	VAL	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
8	H	223	ILE	2.7
3	C	236	GLN	2.7
3	Q	204	GLY	2.7
6	T	201	GLU	2.7
5	S	175	LEU	2.7
7	G	237	VAL	2.7
1	A	2	THR	2.7
7	U	203	ASP	2.7
14	b	116	GLY	2.7
3	C	238	LYS	2.7
5	S	52	ALA	2.7
3	Q	227	ILE	2.7
4	R	233	LYS	2.7
6	T	183	LEU	2.7
5	S	209	ASN	2.7
4	D	242	GLU	2.7
4	R	239	GLU	2.7
3	Q	200	VAL	2.6
3	Q	57	ILE	2.6
11	K	147	ASP	2.6
10	J	143	LEU	2.6
3	Q	184	ALA	2.6
4	R	1	ASP	2.6
6	F	55	LEU	2.6
3	C	240	GLU	2.6
3	Q	169	VAL	2.6
5	S	173	ARG	2.5
4	R	125	LEU	2.5
2	B	221	ASP	2.5
8	V	226	GLU	2.5
1	O	61	LEU	2.5
3	Q	221	ALA	2.5
1	O	54	PRO	2.5
4	D	99	ILE	2.5
12	L	106	TYR	2.5
2	P	180	LYS	2.5
2	P	220	ASN	2.5
1	O	56	ALA	2.5
1	A	202	GLY	2.5
3	Q	183	PRO	2.5
4	R	99	ILE	2.4
5	E	181	ILE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
7	G	3	TYR	2.4
3	C	206	LYS	2.4
5	E	209	ASN	2.4
14	N	195	GLN	2.4
3	C	186	VAL	2.4
7	U	179	LYS	2.4
3	Q	198	LEU	2.4
3	Q	239	GLN	2.4
7	G	242	GLN	2.4
14	b	195	GLN	2.4
3	C	204	GLY	2.4
4	D	3	GLY	2.4
3	C	49	THR	2.4
6	F	2	THR	2.4
12	Z	136	CYS	2.4
3	Q	225	GLU	2.4
10	X	172	MET	2.4
2	B	55	LEU	2.4
10	J	149	ARG	2.4
14	N	103	ASP	2.3
3	Q	175	LYS	2.3
10	X	149	ARG	2.3
1	O	250	LEU	2.3
7	G	236	LEU	2.3
2	B	62	THR	2.3
2	P	93	HIS	2.3
6	F	243	ILE	2.3
3	Q	238	LYS	2.3
5	E	230	ALA	2.3
5	E	207	VAL	2.3
5	S	49	LYS	2.3
7	U	183	ASP	2.3
3	C	224	SER	2.3
3	C	231	VAL	2.3
3	Q	231	VAL	2.3
5	S	48	LEU	2.2
10	J	194	ASP	2.2
12	L	165	ASN	2.2
3	C	51	LYS	2.2
6	T	53	LYS	2.2
5	S	179	ILE	2.2
2	P	55	LEU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	228	PRO	2.2
3	Q	53	GLN	2.2
4	D	236	LYS	2.2
7	U	24	LYS	2.2
5	E	174	THR	2.2
3	Q	223	SER	2.2
6	T	54	LEU	2.2
2	B	1	GLY	2.2
5	S	54	GLU	2.2
14	b	192	GLU	2.2
5	S	195	ALA	2.2
3	C	48	SER	2.2
9	W	1	SER	2.2
5	S	178	PHE	2.2
6	T	244	ASN	2.2
2	P	1	GLY	2.2
2	B	54	THR	2.2
5	E	173	ARG	2.1
3	Q	192	LEU	2.1
10	J	174	MET	2.1
10	X	174	MET	2.1
2	P	223	GLU	2.1
5	E	179	ILE	2.1
1	O	240	SER	2.1
2	P	60	THR	2.1
4	R	114	ARG	2.1
5	S	121	SER	2.1
6	F	59	LYS	2.1
7	G	230	GLU	2.1
10	X	143	LEU	2.1
4	D	224	ASP	2.1
6	F	203	ASN	2.1
13	a	69	ASP	2.1
11	Y	142	SER	2.1
2	B	205	LEU	2.1
2	P	243	ILE	2.1
6	F	236	ILE	2.1
4	R	157	TYR	2.1
3	C	201	VAL	2.1
4	R	116	GLY	2.1
8	H	207	ARG	2.1
11	K	208	ASN	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
12	Z	172	LEU	2.0
4	D	214	ILE	2.0
5	S	181	ILE	2.0
3	Q	58	THR	2.0
6	T	239	ALA	2.0
7	G	240	ALA	2.0
3	Q	222	LEU	2.0
4	R	190	LEU	2.0
5	S	171	LEU	2.0
6	T	207	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
18	MES	V	302	12/12	0.85	0.46	94,145,153,154	12
15	MG	I	302	1/1	0.87	0.13	76,76,76,76	0
18	MES	H	302	12/12	0.89	0.39	85,141,150,151	12
15	MG	K	302	1/1	0.91	0.13	90,90,90,90	0
18	MES	K	303	12/12	0.92	0.32	58,101,104,105	12
15	MG	W	301	1/1	0.92	0.16	71,71,71,71	0
17	GWZ	b	201	52/52	0.93	0.10	24,35,113,117	0
15	MG	I	301	1/1	0.93	0.10	81,81,81,81	0
17	GWZ	V	301	52/52	0.93	0.10	41,51,98,101	0
17	GWZ	Y	301	52/52	0.93	0.09	25,33,83,87	0
18	MES	Y	302	12/12	0.93	0.31	55,101,104,104	12
17	GWZ	H	301	52/52	0.94	0.10	41,52,104,106	0
17	GWZ	N	201	52/52	0.94	0.10	24,32,113,116	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
15	MG	Z	301	1/1	0.94	0.11	82,82,82,82	0
15	MG	G	301	1/1	0.95	0.08	72,72,72,72	0
17	GWZ	K	301	52/52	0.95	0.08	26,34,86,93	0
19	SO4	N	203	5/5	0.96	0.13	53,77,97,101	5
19	SO4	b	202	5/5	0.96	0.12	55,84,93,99	5
15	MG	N	202	1/1	0.97	0.07	58,58,58,58	0
15	MG	L	301	1/1	0.98	0.06	60,60,60,60	0
16	CL	G	302	1/1	0.98	0.03	48,48,48,48	0
16	CL	U	301	1/1	0.99	0.05	56,56,56,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around GWZ b 201:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GWZ V 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GWZ Y 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GWZ H 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GWZ N 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GWZ K 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.