



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2026 – 10:57 AM UTC

PDB ID : 1HZJ / pdb_00001hzj
Title : HUMAN UDP-GALACTOSE 4-EPIMERASE: ACCOMMODATION OF UD
P-N-ACETYLGLUCOSAMINE WITHIN THE ACTIVE SITE
Authors : Thoden, J.B.; Wohlers, T.M.; Fridovich-Keil, J.L.; Holden, H.M.
Deposited on : 2001-01-25
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	348	% 86% 12% ..
1	B	348	5% 69% 26% ..

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 6484 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-GALACTOSE 4-EPIMERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	345	Total	C	N	O	S	0	5	0
			2689	1704	468	502	15			
1	B	345	Total	C	N	O	S	0	6	0
			2690	1703	468	503	16			

- Molecule 2 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Cl	0	0
			2	2		
2	B	1	Total	Cl	0	0
			1	1		

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		

- Molecule 4 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
4	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 5 is URIDINE-DIPHOSPHATE-N-ACETYLGLUCOSAMINE (CCD ID: UD1) (formula: C₁₇H₂₇N₃O₁₇P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	1
			43	19	4	18	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	0
			39	17	3	17	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	579	Total	O	0	0
			579	579		
6	B	352	Total	O	0	0
			352	352		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: UDP-GALACTOSE 4-EPIMERASE



• Molecule 1: UDP-GALACTOSE 4-EPIMERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	63.40Å 88.90Å 118.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.50 30.00 – 1.50	Depositor EDS
% Data completeness (in resolution range)	97.0 (30.00-1.50) 97.0 (30.00-1.50)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.66 (at 1.50Å)	Xtriage
Refinement program	TNT	Depositor
R, R_{free}	0.184 , 0.227 0.178 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	14.5	Xtriage
Anisotropy	0.301	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 85.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6484	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.10% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UD1, NAD, MG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.02	1/2766 (0.0%)	1.36	11/3741 (0.3%)
1	B	1.00	1/2771 (0.0%)	1.51	28/3749 (0.7%)
All	All	1.01	2/5537 (0.0%)	1.44	39/7490 (0.5%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	316	GLU	C-N	-5.69	1.25	1.33
1	A	96	GLU	CD-OE2	5.40	1.35	1.25

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	316	GLU	O-C-N	-16.44	104.34	122.09
1	B	316	GLU	CA-C-O	14.88	136.02	120.70
1	B	240	ASP	CA-CB-CG	7.49	120.09	112.60
1	A	70	GLN	N-CA-CB	-7.14	99.30	109.94
1	B	324	LEU	N-CA-C	6.76	120.03	109.96
1	B	92	LYS	N-CA-C	6.73	123.05	113.02
1	B	215	VAL	N-CA-C	-6.65	104.28	110.53
1	A	186	PHE	CA-CB-CG	-6.61	107.19	113.80
1	A	46	PRO	N-CA-C	-6.60	100.88	111.38
1	B	4	LYS	N-CA-C	6.60	119.24	110.53
1	B	323	ALA	CA-C-N	6.50	130.63	121.02
1	B	323	ALA	C-N-CA	6.50	130.63	121.02
1	A	251	HIS	CA-CB-CG	-6.40	107.40	113.80
1	B	58	ARG	CD-NE-CZ	5.79	132.51	124.40
1	A	87	HIS	N-CA-C	5.79	118.80	107.57
1	B	125	LYS	N-CA-C	5.52	119.55	112.26
1	A	310	ASN	N-CA-C	-5.51	97.60	109.01

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	46	PRO	N-CA-C	-5.50	102.63	111.38
1	B	201	PRO	N-CA-CB	5.50	108.13	103.35
1	A	208	LEU	N-CA-C	5.43	116.88	111.07
1	A	309	ALA	N-CA-C	5.40	117.84	110.55
1	B	309	ALA	N-CA-C	5.33	118.41	110.52
1	B	186	PHE	CA-CB-CG	-5.32	108.48	113.80
1	B	108	ASN	N-CA-C	5.32	116.93	111.03
1	A	164	ILE	N-CA-CB	5.26	116.70	110.55
1	A	340	ASN	CA-C-N	5.24	125.55	119.47
1	A	340	ASN	C-N-CA	5.24	125.55	119.47
1	B	186	PHE	CB-CA-C	5.23	120.83	110.42
1	B	30	VAL	N-CA-CB	5.21	118.41	111.64
1	B	209	MET	N-CA-C	5.19	119.81	112.75
1	B	70	GLN	CA-C-N	5.17	125.83	119.99
1	B	70	GLN	C-N-CA	5.17	125.83	119.99
1	B	30	VAL	CA-C-N	-5.16	116.44	123.10
1	B	30	VAL	C-N-CA	-5.16	116.44	123.10
1	B	202	GLN	CB-CA-C	5.16	118.26	109.75
1	B	93	ALA	N-CA-C	5.11	117.06	108.73
1	B	155	ASN	O-C-N	5.08	126.33	121.71
1	B	128	VAL	N-CA-CB	5.06	118.21	111.64
1	B	310	ASN	N-CA-CB	5.02	118.19	110.12

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2689	0	2650	24	0
1	B	2690	0	2644	77	0
2	A	2	0	0	1	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
4	A	44	0	26	1	0
4	B	44	0	26	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	43	0	10	0	0
5	B	39	0	25	3	0
6	A	579	0	0	6	0
6	B	352	0	0	11	0
All	All	6484	0	5381	104	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (104) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:316:GLU:HA	6:B:1743:HOH:O	1.80	0.81
1:B:65:MET:HE2	1:B:72:ALA:HB1	1.63	0.79
1:B:125:LYS:HD3	1:B:178:TRP:NE1	2.00	0.76
1:B:2:ALA:N	1:B:81[B]:SER:HB2	2.03	0.73
1:B:2:ALA:N	1:B:81[A]:SER:HB2	2.03	0.73
4:B:900:NAD:C4N	5:B:901:UD1:H4'	2.18	0.73
1:B:291:LYS:HD3	1:B:291:LYS:H	1.53	0.73
1:B:210:PRO:O	1:B:214:GLN:HG3	1.91	0.70
4:B:900:NAD:O7N	5:B:901:UD1:H2'	1.92	0.70
1:B:83:MET:HE1	1:B:259:LYS:HE2	1.73	0.70
1:B:140:GLN:NE2	1:B:149:PRO:HG2	2.07	0.69
1:B:316:GLU:O	6:B:1743:HOH:O	2.11	0.69
1:B:83:MET:HE1	1:B:259:LYS:CE	2.24	0.68
1:B:316:GLU:C	6:B:1743:HOH:O	2.36	0.68
1:A:106:ARG:HD3	1:B:117:GLU:OE1	1.96	0.66
1:B:126:ASN:HB3	1:B:258:LEU:HD13	1.78	0.65
1:A:134[B]:THR:HG21	6:A:1775:HOH:O	1.98	0.64
1:B:83:MET:HE1	1:B:259:LYS:NZ	2.13	0.64
1:B:291:LYS:H	1:B:291:LYS:CD	2.10	0.63
1:B:178:TRP:O	1:B:263:GLY:HA2	2.00	0.62
1:B:22:LEU:HD23	1:B:252:ILE:CD1	2.29	0.61
1:B:315:GLN:HG2	1:B:321:THR:CG2	2.30	0.61
1:B:315:GLN:HG2	1:B:321:THR:HG22	1.83	0.61
1:A:70:GLN:HB3	6:A:1983:HOH:O	2.01	0.61
1:B:272:GLY:HA2	1:B:309:ALA:O	2.02	0.60
1:B:316:GLU:CA	6:B:1743:HOH:O	2.42	0.60
1:B:140:GLN:HE22	1:B:149:PRO:HG2	1.67	0.59
1:B:125:LYS:HD3	1:B:178:TRP:CD1	2.38	0.58
1:B:55:LEU:HD11	1:B:196[B]:CYS:SG	2.43	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:105:TYR:O	1:B:109:LEU:HB2	2.07	0.55
1:B:65:MET:HE1	1:B:72:ALA:O	2.06	0.55
1:B:67:ILE:HD12	1:B:111:GLY:HA3	1.90	0.54
1:B:65:MET:CE	1:B:72:ALA:HB1	2.37	0.54
1:B:35:PHE:CZ	1:B:40:ARG:HG2	2.43	0.54
1:B:83:MET:HE1	1:B:259:LYS:HZ1	1.75	0.52
1:B:119:MET:HB3	1:B:124:VAL:O	2.10	0.52
1:B:271:THR:O	6:B:1965:HOH:O	2.18	0.51
1:A:179:ASN:HD21	1:A:261:GLN:NE2	2.08	0.51
1:A:314:ALA:O	1:A:318:LEU:HB2	2.10	0.51
1:B:186:PHE:O	1:B:188:PRO:HD3	2.10	0.50
1:B:92:LYS:HA	1:B:157:TYR:CE2	2.47	0.50
1:B:110[A]:THR:HG21	6:B:1459:HOH:O	2.12	0.50
1:A:240:ASP:HB2	1:A:308:TYR:HA	1.95	0.49
1:B:165:GLU:O	1:B:169:ARG:HG3	2.12	0.48
1:A:94:VAL:HG13	1:A:155:ASN:CG	2.39	0.48
1:B:291:LYS:CD	1:B:291:LYS:N	2.76	0.48
1:A:63[B]:GLU:OE2	6:A:1767:HOH:O	2.20	0.48
1:B:153:CYS:HB2	1:B:159:LYS:HG3	1.96	0.48
1:B:319:GLY:HA3	6:B:2031:HOH:O	2.13	0.48
1:B:10:GLY:HA3	1:B:31:VAL:HG13	1.97	0.47
1:B:70:GLN:O	1:B:74:GLN:HG3	2.14	0.47
1:B:240:ASP:HB2	1:B:308:TYR:HA	1.96	0.47
1:B:186:PHE:CE2	1:B:309:ALA:HB2	2.50	0.47
1:B:223:LEU:HG	1:B:224:ASN:N	2.27	0.46
1:A:186:PHE:O	1:A:188:PRO:HD3	2.15	0.46
1:A:155:ASN:OD1	1:A:157:TYR:HB3	2.16	0.46
1:B:190:GLY:H	1:B:333:LEU:HD12	1.80	0.46
1:A:325:GLY:C	1:A:329:MET:HE3	2.41	0.46
4:B:900:NAD:O1N	4:B:900:NAD:N7N	2.48	0.46
1:B:35:PHE:CE2	1:B:40:ARG:HA	2.51	0.45
1:A:189:THR:HG21	1:A:241:TYR:HD1	1.82	0.45
1:B:71:GLY:O	1:B:75:ARG:HG3	2.17	0.44
1:A:4:LYS:HE2	2:A:952:CL:CL	2.55	0.44
1:B:39:PHE:HE1	6:B:1644:HOH:O	2.01	0.44
1:B:188:PRO:HB3	1:B:247:LEU:CD1	2.48	0.44
1:B:119:MET:HE1	1:B:127:LEU:HB2	1.98	0.44
1:A:97:SER:O	1:A:156:PRO:HG2	2.18	0.43
1:B:139:PRO:HG2	1:B:306:ALA:O	2.18	0.43
1:A:144:LEU:HD23	1:A:148:HIS:CD2	2.53	0.43
1:A:61:GLU:HG2	6:A:1506:HOH:O	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:295:LYS:HD3	1:A:297:VAL:CG1	2.49	0.43
1:B:213:SER:OG	1:B:337:GLN:OE1	2.35	0.43
1:B:204:ILE:HG23	1:B:211:TYR:HE1	1.84	0.43
1:B:83:MET:CE	1:B:259:LYS:NZ	2.81	0.43
1:B:138:ASN:ND2	6:B:1297:HOH:O	2.47	0.43
1:A:100:LYS:HE3	1:A:103:ASP:OD1	2.19	0.43
1:B:8:THR:O	1:B:88:PHE:HB2	2.18	0.43
1:A:23:LEU:HD11	1:A:60:VAL:HG22	2.00	0.42
1:B:96:GLU:HG3	1:B:100:LYS:HD3	2.00	0.42
1:B:233:GLU:O	1:B:233:GLU:HG2	2.15	0.42
1:B:67:ILE:HD12	1:B:111:GLY:CA	2.49	0.42
1:B:315:GLN:O	1:B:319:GLY:HA2	2.20	0.42
1:A:100:LYS:HE3	1:A:100:LYS:HB3	1.87	0.42
1:A:316:GLU:HG2	6:A:1815:HOH:O	2.19	0.42
1:A:51:ARG:HD3	6:A:1500:HOH:O	2.19	0.42
1:B:185:TYR:HB2	4:B:900:NAD:C5N	2.50	0.41
1:A:272:GLY:HA2	1:A:309:ALA:O	2.20	0.41
1:B:50:ARG:HH11	1:B:50:ARG:HG2	1.85	0.41
1:B:44:SER:HB2	6:B:1911:HOH:O	2.20	0.41
1:B:207:ASN:OD1	1:B:210:PRO:HG2	2.20	0.41
1:B:3:GLU:HG2	1:B:4:LYS:N	2.35	0.41
1:B:83:MET:HB2	1:B:83:MET:HE3	1.76	0.41
1:B:207:ASN:HB3	5:B:901:UD1:H8'2	2.02	0.41
1:B:312:SER:O	1:B:315:GLN:HB3	2.20	0.41
1:B:230:TYR:C	1:B:232:THR:H	2.28	0.41
1:B:240:ASP:HB2	1:B:308:TYR:CB	2.50	0.40
1:B:277:VAL:O	1:B:281:VAL:HG23	2.21	0.40
1:A:187:ASN:O	1:A:189:THR:HG23	2.21	0.40
1:B:301:GLU:HB2	6:B:1207:HOH:O	2.21	0.40
1:B:3:GLU:HG2	1:B:4:LYS:H	1.85	0.40
1:B:184:ARG:CZ	1:B:266:ILE:HG21	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	348/348 (100%)	339 (97%)	8 (2%)	1 (0%)	36	17
1	B	349/348 (100%)	336 (96%)	11 (3%)	2 (1%)	21	6
All	All	697/696 (100%)	675 (97%)	19 (3%)	3 (0%)	30	12

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	231	ASP
1	A	40	ARG
1	B	41	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	283/282 (100%)	278 (98%)	5 (2%)	51	24
1	B	284/282 (101%)	274 (96%)	10 (4%)	32	7
All	All	567/564 (100%)	552 (97%)	15 (3%)	42	13

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	74	GLN
1	A	189	THR
1	A	291[A]	LYS
1	A	291[B]	LYS
1	A	295	LYS
1	B	40	ARG
1	B	44	SER
1	B	58	ARG
1	B	59	SER
1	B	63	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	138	ASN
1	B	173	GLN
1	B	233	GLU
1	B	291	LYS
1	B	333	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	GLN
1	A	114	GLN
1	A	202	GLN
1	A	261	GLN
1	A	339	GLN
1	B	74	GLN
1	B	122	HIS
1	B	140	GLN
1	B	173	GLN
1	B	202	GLN
1	B	315	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 4 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	UD1	B	901	-	40,41,41	1.39	3 (7%)	59,62,62	1.05	5 (8%)
4	NAD	A	400	-	46,48,48	1.43	8 (17%)	64,73,73	1.70	8 (12%)
5	UD1	A	401[A]	-	40,41,41	1.02	1 (2%)	59,62,62	1.01	4 (6%)
4	NAD	B	900	-	46,48,48	1.76	8 (17%)	64,73,73	1.92	11 (17%)
5	UD1	A	401[B]	-	40,41,41	1.04	2 (5%)	59,62,62	0.98	3 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	UD1	B	901	-	-	3/26/63/63	0/3/3/3
4	NAD	A	400	-	-	6/30/62/62	0/5/5/5
5	UD1	A	401[A]	-	-	4/26/63/63	0/3/3/3
4	NAD	B	900	-	-	7/30/62/62	0/5/5/5
5	UD1	A	401[B]	-	-	7/26/63/63	0/3/3/3

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	901	UD1	PA-O3A	6.92	1.67	1.59
4	B	900	NAD	PA-O3	-6.51	1.52	1.59
5	A	401[A]	UD1	PA-O3A	4.61	1.64	1.59
5	A	401[B]	UD1	PA-O3A	4.61	1.64	1.59
4	B	900	NAD	C4N-C3N	4.19	1.45	1.39
4	B	900	NAD	PN-O3	4.10	1.63	1.59
4	A	400	NAD	PA-O3	-3.72	1.55	1.59
4	A	400	NAD	C4N-C3N	3.69	1.45	1.39
4	A	400	NAD	C3N-C7N	3.66	1.56	1.50
4	B	900	NAD	C2N-C3N	-3.49	1.33	1.39
4	A	400	NAD	PN-O3	3.12	1.62	1.59
4	A	400	NAD	C2A-N1A	3.01	1.39	1.33
4	B	900	NAD	C6N-N1N	2.77	1.41	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	900	NAD	C2N-N1N	-2.74	1.32	1.35
4	B	900	NAD	C2A-N1A	2.70	1.38	1.33
4	B	900	NAD	C5N-C4N	2.48	1.43	1.38
5	B	901	UD1	C6-C5	-2.44	1.29	1.35
4	A	400	NAD	C2N-N1N	2.39	1.37	1.35
5	B	901	UD1	PB-O1'	2.18	1.65	1.59
4	A	400	NAD	C2A-N3A	-2.10	1.30	1.33
5	A	401[B]	UD1	C2'-N2'	2.01	1.49	1.45
4	A	400	NAD	C6N-N1N	2.01	1.39	1.35

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	400	NAD	C5N-C4N-C3N	-7.78	112.72	120.36
4	B	900	NAD	C6N-N1N-C2N	7.25	128.04	121.88
4	B	900	NAD	C5N-C4N-C3N	-6.85	113.63	120.36
4	A	400	NAD	C6N-C5N-C4N	6.74	129.16	119.45
4	B	900	NAD	C5N-C6N-N1N	-5.43	112.98	120.38
4	A	400	NAD	C5N-C6N-N1N	-5.28	113.19	120.38
4	B	900	NAD	O7N-C7N-C3N	4.59	125.21	119.60
4	B	900	NAD	C2N-N1N-C1D	-3.71	110.95	119.13
4	B	900	NAD	C4N-C3N-C7N	3.19	129.74	121.06
4	B	900	NAD	C2N-C3N-C7N	-3.04	110.68	119.46
4	B	900	NAD	C4D-O4D-C1D	-2.96	107.21	109.92
4	B	900	NAD	C3N-C7N-N7N	-2.84	114.24	117.74
5	B	901	UD1	C2'-N2'-C7'	-2.66	116.89	123.11
5	A	401[A]	UD1	C2'-N2'-C7'	-2.52	117.20	123.11
5	A	401[A]	UD1	O3A-PB-O1B	-2.40	103.48	110.70
5	A	401[B]	UD1	O3A-PB-O1B	-2.40	103.48	110.70
4	A	400	NAD	C6N-N1N-C2N	2.39	123.91	121.88
4	A	400	NAD	C2N-C3N-C4N	2.38	121.02	118.26
5	A	401[A]	UD1	O5'-C1'-O1'	-2.30	108.36	111.36
5	A	401[B]	UD1	O5'-C1'-O1'	-2.30	108.36	111.36
4	B	900	NAD	C6N-C5N-C4N	2.28	122.74	119.45
5	A	401[B]	UD1	C8'-C7'-N2'	2.22	119.80	116.12
5	B	901	UD1	C3'-C2'-N2'	-2.21	106.55	110.62
5	B	901	UD1	O5'-C1'-O1'	-2.20	108.48	111.36
5	B	901	UD1	C8'-C7'-N2'	2.15	119.68	116.12
4	A	400	NAD	O4B-C1B-C2B	-2.12	102.08	106.62
5	A	401[A]	UD1	C8'-C7'-N2'	2.11	119.62	116.12
4	B	900	NAD	N6A-C6A-N1A	2.11	123.08	118.38
5	B	901	UD1	O5'-C5'-C4'	-2.10	105.92	109.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	400	NAD	C3N-C7N-N7N	2.09	120.32	117.74
4	A	400	NAD	O7N-C7N-N7N	-2.09	119.60	122.62

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	400	NAD	C5D-O5D-PN-O2N
4	A	400	NAD	O4D-C1D-N1N-C2N
4	B	900	NAD	C5B-O5B-PA-O2A
4	B	900	NAD	O4D-C1D-N1N-C2N
5	A	401[A]	UD1	C1'-O1'-PB-O3A
5	A	401[B]	UD1	C3'-C2'-N2'-C7'
5	A	401[B]	UD1	C1'-O1'-PB-O3A
5	B	901	UD1	C1'-O1'-PB-O3A
5	A	401[B]	UD1	O7'-C7'-N2'-C2'
5	A	401[B]	UD1	C8'-C7'-N2'-C2'
5	A	401[A]	UD1	PA-O3A-PB-O1B
5	A	401[B]	UD1	PA-O3A-PB-O1B
5	B	901	UD1	PB-O3A-PA-O5B
5	A	401[A]	UD1	C1'-O1'-PB-O2B
5	A	401[B]	UD1	C1'-O1'-PB-O2B
4	A	400	NAD	C5D-O5D-PN-O3
4	B	900	NAD	C5B-O5B-PA-O1A
4	B	900	NAD	C5B-O5B-PA-O3
4	B	900	NAD	PA-O3-PN-O2N
4	A	400	NAD	O4D-C1D-N1N-C6N
4	B	900	NAD	O4D-C1D-N1N-C6N
4	A	400	NAD	PA-O3-PN-O2N
5	A	401[A]	UD1	C1'-O1'-PB-O1B
5	A	401[B]	UD1	C1'-O1'-PB-O1B
5	B	901	UD1	C1'-O1'-PB-O1B
4	A	400	NAD	PA-O3-PN-O1N
4	B	900	NAD	PA-O3-PN-O1N

There are no ring outliers.

3 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	901	UD1	3	0
4	A	400	NAD	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	900	NAD	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	345/348 (99%)	-0.45	4 (1%) 76 80	7, 15, 35, 98	5 (1%)
1	B	345/348 (99%)	0.32	17 (4%) 35 38	11, 24, 57, 98	6 (1%)
All	All	690/696 (99%)	-0.06	21 (3%) 52 56	7, 19, 51, 98	11 (1%)

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	346	THR	6.1
1	B	39	PHE	5.7
1	A	345	GLY	4.6
1	A	153	CYS	4.5
1	B	296	VAL	4.4
1	B	2	ALA	4.1
1	B	43	GLY	4.1
1	A	154	THR	3.5
1	B	35	PHE	3.4
1	B	227	GLY	3.3
1	B	346	THR	3.2
1	B	345	GLY	3.1
1	B	229[A]	ASP	3.0
1	B	44	SER	3.0
1	B	294	TYR	2.9
1	B	38	ALA	2.8
1	B	41	GLY	2.6
1	B	42	GLY	2.5
1	B	118	ILE	2.3
1	B	231	ASP	2.3
1	B	292	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CL	A	950	1/1	0.97	0.11	25,25,25,25	0
3	MG	A	960	1/1	0.97	0.09	37,37,37,37	0
4	NAD	B	900	44/44	0.97	0.09	15,20,95,100	0
5	UD1	B	901	39/39	0.97	0.06	12,18,28,34	0
2	CL	B	951	1/1	0.98	0.08	22,22,22,22	0
5	UD1	A	401[A]	39/39	0.98	0.06	8,18,48,71	4
5	UD1	A	401[B]	39/39	0.98	0.06	8,18,99,100	4
4	NAD	A	400	44/44	0.98	0.04	6,11,18,22	0
2	CL	A	952	1/1	0.99	0.07	24,24,24,24	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NAD B 900:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UD1 B 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around UD1 A 401 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around UD1 A 401 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.