



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:15 PM UTC

PDB ID : 4HZU / pdb_00004hzu
Title : Structure of a bacterial energy-coupling factor transporter
Authors : Wang, T.L.; Fu, G.B.; Pan, X.J.; Shi, Y.G.
Deposited on : 2012-11-15
Resolution : 3.53 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.53 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1008 (3.58-3.50)
Clashscore	190562	1062 (3.58-3.50)
Ramachandran outliers	187476	1033 (3.58-3.50)
Sidechain outliers	187428	1034 (3.58-3.50)
RSRZ outliers	180081	1007 (3.58-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	290	2% 72% 24% ..
2	A	279	4% 59% 34% ..
3	T	266	3% 62% 23% .. 10%
4	S	166	2% 71% 24% ..

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7437 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Energy-coupling factor transporter ATP-binding protein EcfA 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	B	284	Total	C	N	O	S	0	0	0
			2217	1399	389	418	11			

- Molecule 2 is a protein called Energy-coupling factor transporter ATP-binding protein EcfA 2.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	A	273	Total	C	N	O	S	0	0	0
			2096	1316	362	411	7			

- Molecule 3 is a protein called Energy-coupling factor transporter transmembrane protein EcfT.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	T	240	Total	C	N	O	S	0	0	0
			1917	1272	318	315	12			

- Molecule 4 is a protein called Predicted membrane protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	S	164	Total	C	N	O	S	0	0	0
			1207	801	197	201	8			



● Molecule 4: Predicted membrane protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	79.97Å 148.69Å 154.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.69 – 3.53 48.69 – 3.53	Depositor EDS
% Data completeness (in resolution range)	96.8 (48.69-3.53) 96.8 (48.69-3.53)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.65 (at 3.57Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8_1069)	Depositor
R, R_{free}	0.241 , 0.292 0.243 , 0.290	Depositor DCC
R_{free} test set	1157 reflections (4.96%)	wwPDB-VP
Wilson B-factor (Å ²)	134.2	Xtriage
Anisotropy	0.193	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 71.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.009 for -h,l,k	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	7437	wwPDB-VP
Average B, all atoms (Å ²)	142.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	0.28	0/2262	0.70	2/3071 (0.1%)
2	A	0.30	0/2129	0.74	2/2895 (0.1%)
3	T	0.35	0/1964	0.83	4/2662 (0.2%)
4	S	0.35	0/1232	0.92	4/1681 (0.2%)
All	All	0.32	0/7587	0.79	12/10309 (0.1%)

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	T	87	SER	CA-C-N	-8.32	109.44	119.84
3	T	87	SER	C-N-CA	-8.32	109.44	119.84
2	A	20	ALA	CA-C-N	6.51	127.98	119.84
2	A	20	ALA	C-N-CA	6.51	127.98	119.84
4	S	71	THR	N-CA-C	6.43	117.95	111.07
3	T	40	ASN	CA-C-N	6.36	133.15	121.70
3	T	40	ASN	C-N-CA	6.36	133.15	121.70
4	S	162	LYS	CA-C-N	6.28	127.69	119.84
4	S	162	LYS	C-N-CA	6.28	127.69	119.84
1	B	260	ARG	N-CA-C	5.40	116.85	111.07
4	S	39	LEU	N-CA-C	-5.38	106.69	113.20
1	B	204	HIS	N-CA-C	-5.12	108.30	114.75

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2217	0	2195	45	0
2	A	2096	0	2094	72	0
3	T	1917	0	1995	50	0
4	S	1207	0	1311	26	0
All	All	7437	0	7595	172	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:S:36:ILE:HG23	4:S:143:GLN:HG3	1.61	0.82
4:S:38:THR:HG22	4:S:41:GLU:HB3	1.64	0.78
2:A:230:ARG:HG2	2:A:233:GLN:HB2	1.71	0.73
4:S:28:ILE:HB	4:S:36:ILE:HB	1.72	0.71
3:T:35:VAL:O	3:T:116:ARG:NH1	2.24	0.70
2:A:36:LEU:HD11	2:A:211:LEU:HD13	1.75	0.68
3:T:32:ILE:HG23	4:S:75:VAL:HG12	1.76	0.68
3:T:88:PRO:HA	3:T:103:THR:HG22	1.75	0.67
2:A:212:VAL:HB	2:A:220:ASP:HB3	1.77	0.67
4:S:5:SER:HB3	4:S:8:GLU:HB3	1.75	0.67
3:T:39:ASN:O	3:T:43:SER:OG	2.15	0.65
2:A:166:GLU:HB3	2:A:169:SER:HB2	1.79	0.64
1:B:89:MET:HG2	1:B:168:VAL:HB	1.79	0.63
1:B:285:ARG:NH1	2:A:277:SER:OG	2.32	0.63
2:A:80:ARG:HD3	3:T:225:ALA:HA	1.79	0.63
4:S:128:PHE:HB3	4:S:129:GLY:HA3	1.80	0.62
2:A:33:GLY:O	2:A:187:ARG:NH1	2.33	0.62
1:B:54:ASN:ND2	1:B:89:MET:SD	2.74	0.61
1:B:55:ALA:HB1	1:B:80:LEU:HD13	1.83	0.60
2:A:93:GLN:NE2	2:A:147:GLN:OE1	2.34	0.60
2:A:64:VAL:HB	2:A:71:LEU:HD12	1.83	0.60
2:A:90:PRO:HB2	2:A:146:LYS:HB2	1.84	0.59
2:A:220:ASP:OD1	2:A:221:GLU:N	2.36	0.58
1:B:216:VAL:HB	1:B:233:VAL:HG21	1.86	0.57
1:B:64:ILE:HB	1:B:71:ILE:HB	1.87	0.56
3:T:87:SER:H	3:T:88:PRO:HD3	1.69	0.56
2:A:35:TRP:HB3	2:A:208:ASP:H	1.71	0.56
2:A:97:ALA:HB1	3:T:134:LEU:HD11	1.87	0.56
2:A:151:LEU:HD23	2:A:182:ILE:HD11	1.88	0.56
2:A:94:PHE:O	2:A:96:GLY:N	2.33	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:3:GLU:OE1	2:A:193:THR:OG1	2.21	0.56
3:T:226:ARG:HG3	3:T:227:GLY:H	1.71	0.55
2:A:23:LEU:HD22	2:A:26:VAL:HG21	1.88	0.55
3:T:84:LEU:O	3:T:88:PRO:HD3	2.05	0.55
2:A:91:ASP:OD2	2:A:146:LYS:NZ	2.40	0.55
3:T:210:MET:O	3:T:214:ASN:ND2	2.37	0.55
2:A:136:ARG:HE	2:A:141:LEU:HD22	1.72	0.54
3:T:231:SER:C	3:T:233:HIS:H	2.15	0.54
2:A:109:ASN:HB2	3:T:228:TYR:HA	1.89	0.53
2:A:210:VAL:HG23	2:A:224:PRO:HG3	1.89	0.53
1:B:38:ILE:HB	1:B:202:VAL:HG13	1.90	0.53
3:T:40:ASN:HA	3:T:41:ILE:HB	1.91	0.53
2:A:102:ASP:O	3:T:226:ARG:NH2	2.40	0.53
2:A:41:HIS:CD2	2:A:42:ASN:H	2.26	0.53
2:A:6:ILE:HG12	2:A:64:VAL:HG13	1.91	0.53
3:T:79:THR:HA	4:S:131:PRO:HG2	1.90	0.53
2:A:141:LEU:HB2	2:A:142:SER:HB2	1.90	0.52
3:T:85:LEU:O	3:T:90:GLY:HA3	2.09	0.52
1:B:132:VAL:HG11	1:B:157:ALA:HB2	1.91	0.52
1:B:3:ILE:HB	1:B:30:VAL:HB	1.91	0.52
1:B:112:LYS:HA	1:B:116:MET:HB3	1.92	0.52
3:T:80:VAL:HG13	3:T:110:ALA:HB1	1.92	0.52
2:A:251:LEU:HD22	2:A:256:ILE:HD12	1.92	0.51
4:S:126:LEU:N	4:S:128:PHE:O	2.43	0.51
1:B:152:ARG:NH1	1:B:172:PRO:O	2.41	0.51
2:A:70:THR:O	2:A:75:THR:OG1	2.22	0.51
4:S:84:HIS:CE1	4:S:116:MET:HE2	2.46	0.51
3:T:24:LYS:HD2	3:T:131:THR:HG22	1.93	0.51
2:A:71:LEU:HD22	2:A:72:THR:HG23	1.92	0.51
3:T:35:VAL:HG13	3:T:116:ARG:HD2	1.92	0.50
1:B:132:VAL:O	1:B:134:LEU:N	2.44	0.50
3:T:209:PHE:HZ	4:S:43:GLY:HA2	1.77	0.50
2:A:102:ASP:OD1	3:T:226:ARG:NH2	2.44	0.50
2:A:5:ILE:HB	2:A:65:THR:HG23	1.94	0.50
1:B:12:TYR:O	1:B:20:HIS:N	2.45	0.49
4:S:52:GLY:H	4:S:53:ARG:HB2	1.77	0.49
1:B:170:ASP:HA	1:B:202:VAL:HG23	1.93	0.49
1:B:279:ALA:HA	2:A:256:ILE:HD11	1.94	0.49
1:B:153:ARG:HG2	1:B:184:MET:HE1	1.95	0.49
2:A:38:ILE:HB	2:A:197:ILE:HG13	1.95	0.48
2:A:166:GLU:HA	2:A:198:THR:HG22	1.94	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:166:VAL:HG22	1:B:198:THR:HB	1.95	0.48
1:B:285:ARG:HD2	2:A:276:LEU:HB2	1.96	0.48
4:S:51:TYR:HB2	4:S:52:GLY:O	2.13	0.48
1:B:50:ILE:HG23	1:B:168:VAL:HG11	1.94	0.48
1:B:96:ASN:O	3:T:207:PRO:HB3	2.14	0.47
2:A:56:LEU:HD23	2:A:56:LEU:H	1.79	0.47
1:B:146:LEU:HD23	1:B:150:GLN:HB3	1.96	0.47
4:S:103:ARG:HA	4:S:106:LEU:HB2	1.96	0.47
2:A:182:ILE:HA	2:A:185:GLN:HG2	1.97	0.47
3:T:166:ARG:C	3:T:166:ARG:HE	2.22	0.47
2:A:201:ILE:HD11	2:A:242:PRO:HG3	1.96	0.47
3:T:87:SER:H	3:T:88:PRO:CD	2.28	0.47
2:A:4:ASN:HD21	2:A:161:ILE:HD13	1.80	0.47
1:B:82:PRO:O	1:B:85:GLN:HG3	2.14	0.47
1:B:12:TYR:HA	1:B:13:GLN:HA	1.63	0.46
2:A:95:VAL:HG12	3:T:219:LEU:HD11	1.98	0.46
3:T:44:TYR:OH	3:T:116:ARG:NH2	2.48	0.46
2:A:276:LEU:HD12	2:A:277:SER:H	1.80	0.46
3:T:40:ASN:HB3	3:T:42:TRP:N	2.29	0.46
3:T:169:PRO:HA	3:T:172:MET:HE2	1.96	0.46
1:B:262:LEU:HD21	2:A:276:LEU:HD13	1.96	0.46
2:A:92:ASN:HD22	3:T:218:ASP:HB2	1.81	0.45
1:B:104:ARG:HB2	1:B:139:ALA:HB1	1.97	0.45
3:T:40:ASN:HB3	3:T:42:TRP:H	1.81	0.45
4:S:51:TYR:N	4:S:52:GLY:HA2	2.30	0.45
1:B:63:THR:HG22	1:B:72:THR:HG22	1.98	0.45
4:S:45:TYR:O	4:S:49:ILE:HG13	2.16	0.45
4:S:64:GLY:HA2	4:S:67:ILE:HD12	1.98	0.45
2:A:151:LEU:HD12	2:A:154:ILE:HD11	2.00	0.44
3:T:179:MET:HG3	3:T:204:LEU:HD13	1.99	0.44
1:B:100:GLU:HG2	1:B:105:GLN:HB2	1.98	0.44
1:B:192:HIS:HA	1:B:197:LEU:HB3	1.99	0.44
2:A:71:LEU:HA	2:A:72:THR:HA	1.86	0.44
2:A:109:ASN:ND2	3:T:228:TYR:HD2	2.16	0.44
3:T:60:ILE:HA	3:T:61:SER:CB	2.47	0.44
3:T:65:PHE:O	3:T:69:ILE:HG13	2.17	0.44
2:A:105:PHE:CE2	3:T:228:TYR:HB3	2.53	0.44
1:B:35:TYR:CD1	1:B:213:ALA:HA	2.53	0.44
3:T:20:ASP:HB2	3:T:22:ARG:N	2.33	0.44
3:T:87:SER:C	3:T:89:ALA:HA	2.42	0.44
4:S:65:PHE:CD1	4:S:77:CYS:HB2	2.53	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:192:HIS:HB2	1:B:199:ILE:HD12	1.99	0.44
4:S:38:THR:HB	4:S:143:GLN:HG2	1.99	0.44
1:B:99:PHE:HB3	3:T:207:PRO:HG3	2.00	0.43
1:B:246:ASP:OD1	1:B:247:VAL:N	2.51	0.43
1:B:86:HIS:HE1	1:B:165:LYS:HD2	1.83	0.43
2:A:130:MET:HE1	2:A:145:GLN:HB3	1.98	0.43
4:S:57:LEU:HB2	4:S:85:GLY:O	2.17	0.43
1:B:95:GLU:OE2	1:B:152:ARG:NE	2.42	0.43
3:T:142:SER:HA	3:T:145:LYS:HE2	2.01	0.43
4:S:3:LYS:H	4:S:4:GLY:HA2	1.83	0.43
3:T:231:SER:OG	3:T:232:GLU:N	2.52	0.43
2:A:142:SER:HB3	2:A:145:GLN:HB2	1.99	0.43
1:B:41:HIS:HE2	1:B:244:GLN:HB2	1.84	0.43
1:B:268:PRO:HG3	1:B:277:TYR:HD2	1.84	0.43
3:T:23:ALA:HB1	3:T:250:TRP:CD1	2.54	0.43
1:B:104:ARG:NH1	1:B:126:ASP:OD2	2.52	0.43
2:A:55:GLY:HA3	2:A:80:ARG:HH21	1.84	0.43
2:A:145:GLN:HG2	2:A:148:ARG:NH2	2.34	0.43
2:A:112:ILE:HA	2:A:113:SER:HA	1.77	0.42
1:B:260:ARG:HB2	1:B:261:GLY:HA2	2.00	0.42
3:T:233:HIS:HA	3:T:234:ARG:HA	1.84	0.42
1:B:107:ILE:HG23	1:B:158:GLY:HA2	2.01	0.42
2:A:180:LEU:HD11	2:A:203:GLU:HG3	2.00	0.42
3:T:89:ALA:HB3	3:T:94:TYR:CZ	2.54	0.42
3:T:26:MET:HE2	3:T:143:LEU:HD22	2.01	0.42
4:S:65:PHE:CZ	4:S:69:ILE:HD11	2.54	0.42
2:A:10:HIS:HB2	2:A:61:GLN:HB2	2.00	0.42
2:A:99:VAL:HB	2:A:134:ALA:HA	2.00	0.42
3:T:132:GLN:HA	3:T:133:PRO:HD3	1.90	0.42
3:T:200:SER:O	3:T:203:PRO:HD2	2.19	0.42
2:A:108:GLU:HA	2:A:117:MET:HE1	2.01	0.42
2:A:231:GLY:O	2:A:234:LEU:HB2	2.20	0.42
1:B:250:ALA:HA	2:A:243:PHE:CZ	2.54	0.42
2:A:45:GLY:O	2:A:47:SER:N	2.53	0.42
3:T:226:ARG:HG3	3:T:227:GLY:N	2.34	0.42
2:A:94:PHE:HB3	3:T:166:ARG:NH1	2.35	0.42
2:A:263:GLN:HB3	2:A:267:GLU:HB2	2.02	0.42
2:A:94:PHE:C	2:A:96:GLY:H	2.24	0.42
2:A:110:ARG:HH22	3:T:227:GLY:HA2	1.84	0.42
4:S:86:THR:O	4:S:90:VAL:HG23	2.20	0.42
4:S:84:HIS:HE1	4:S:116:MET:HE2	1.83	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:71:LEU:HB3	2:A:72:THR:OG1	2.20	0.41
1:B:41:HIS:NE2	1:B:244:GLN:HB2	2.35	0.41
2:A:113:SER:HA	2:A:114:ARG:HH11	1.85	0.41
2:A:113:SER:H	2:A:117:MET:HE3	1.85	0.41
3:T:164:ALA:O	3:T:168:VAL:HG23	2.20	0.41
1:B:5:PHE:HB2	1:B:28:LEU:HG	2.03	0.41
4:S:163:PRO:HB2	4:S:164:ASP:H	1.74	0.41
1:B:11:THR:HB	1:B:21:THR:HG22	2.03	0.41
2:A:35:TRP:HB3	2:A:208:ASP:N	2.33	0.41
4:S:50:LEU:HD22	4:S:162:LYS:HD2	2.02	0.40
4:S:52:GLY:HA3	4:S:53:ARG:HA	1.88	0.40
2:A:67:GLY:HA2	2:A:68:GLY:HA2	1.50	0.40
2:A:86:ILE:HD11	2:A:151:LEU:HD13	2.03	0.40
1:B:55:ALA:HB2	1:B:83:LEU:HD23	2.03	0.40
1:B:89:MET:HE2	1:B:89:MET:HB3	1.79	0.40
2:A:107:LEU:HD23	2:A:157:ILE:HD13	2.03	0.40
2:A:110:ARG:NH1	2:A:157:ILE:HD12	2.37	0.40
2:A:66:VAL:HG21	2:A:83:ILE:HD11	2.04	0.40
2:A:130:MET:HE2	2:A:130:MET:HB3	1.97	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	282/290 (97%)	262 (93%)	17 (6%)	3 (1%)	11	44
2	A	269/279 (96%)	243 (90%)	16 (6%)	10 (4%)	2	21
3	T	234/266 (88%)	201 (86%)	27 (12%)	6 (3%)	4	27
4	S	162/166 (98%)	142 (88%)	15 (9%)	5 (3%)	3	24
All	All	947/1001 (95%)	848 (90%)	75 (8%)	24 (2%)	4	28

All (24) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	133	GLY
2	A	21	PRO
2	A	95	VAL
3	T	41	ILE
3	T	87	SER
4	S	162	LYS
2	A	41	HIS
2	A	46	LYS
3	T	88	PRO
4	S	50	LEU
2	A	72	THR
2	A	93	GLN
2	A	140	SER
4	S	32	ALA
4	S	163	PRO
2	A	275	SER
3	T	60	ILE
2	A	89	ASN
2	A	191	ASN
3	T	231	SER
4	S	161	LEU
3	T	262	ILE
1	B	196	GLY
1	B	115	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	233/237 (98%)	230 (99%)	3 (1%)	61	72
2	A	228/234 (97%)	209 (92%)	19 (8%)	10	35
3	T	205/230 (89%)	184 (90%)	21 (10%)	7	29
4	S	131/133 (98%)	123 (94%)	8 (6%)	17	44
All	All	797/834 (96%)	746 (94%)	51 (6%)	16	43

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	129	LEU
1	B	184	MET
1	B	202	VAL
2	A	13	TYR
2	A	35	TRP
2	A	53	LEU
2	A	57	LEU
2	A	65	THR
2	A	72	THR
2	A	95	VAL
2	A	112	ILE
2	A	114	ARG
2	A	131	THR
2	A	141	LEU
2	A	146	LYS
2	A	155	VAL
2	A	186	LEU
2	A	201	ILE
2	A	234	LEU
2	A	245	GLU
2	A	257	THR
2	A	276	LEU
3	T	20	ASP
3	T	32	ILE
3	T	35	VAL
3	T	41	ILE
3	T	47	LEU
3	T	61	SER
3	T	65	PHE
3	T	73	LEU
3	T	96	HIS
3	T	107	LEU
3	T	127	LEU
3	T	140	LEU
3	T	150	VAL
3	T	165	LEU
3	T	166	ARG
3	T	171	LEU
3	T	191	GLU
3	T	250	TRP
3	T	251	LEU
3	T	263	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	T	265	HIS
4	S	34	LYS
4	S	38	THR
4	S	39	LEU
4	S	73	TYR
4	S	106	LEU
4	S	130	TRP
4	S	141	VAL
4	S	144	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	113	ASN
2	A	93	GLN
2	A	147	GLN
3	T	197	GLN
4	S	9	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	284/290 (97%)	0.02	5 (1%) 67 39	67, 116, 172, 233	0
2	A	273/279 (97%)	0.23	11 (4%) 42 22	86, 139, 196, 257	0
3	T	240/266 (90%)	0.19	9 (3%) 44 23	92, 168, 219, 259	0
4	S	164/166 (98%)	0.25	3 (1%) 67 39	90, 139, 200, 253	0
All	All	961/1001 (96%)	0.16	28 (2%) 53 29	67, 136, 206, 259	0

All (28) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	A	49	LEU	4.2
2	A	219	VAL	4.1
1	B	220	HIS	3.8
3	T	138	THR	3.7
1	B	24	THR	3.1
4	S	73	TYR	2.8
4	S	44	ILE	2.7
3	T	123	MET	2.7
3	T	37	LEU	2.7
2	A	170	MET	2.6
2	A	88	GLN	2.6
3	T	229	GLN	2.5
1	B	106	ASP	2.3
2	A	107	LEU	2.3
1	B	108	ALA	2.3
3	T	44	TYR	2.3
2	A	74	GLU	2.2
3	T	256	GLY	2.2
2	A	9	ASP	2.2
1	B	225	MET	2.2
2	A	270	GLU	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	S	140	ASN	2.1
2	A	220	ASP	2.1
3	T	199	LYS	2.1
2	A	165	ASP	2.1
3	T	226	ARG	2.1
2	A	150	ALA	2.1
3	T	185	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.