



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 04:50 PM UTC

PDB ID : 5HZN / pdb_00005hzn
Title : Structure of NVP-AEW541 in complex with IGF-1R kinase
Authors : Cowan-Jacob, S.W.
Deposited on : 2016-02-02
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	304	
1	B	304	
1	C	304	
1	D	304	
1	E	304	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	304	 85% 12% • •
1	G	304	 87% 10% •
1	H	304	 90% 9% •

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 19906 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Insulin-like growth factor 1 receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	296	Total	C	N	O	S	0	0	0
			2359	1499	394	444	22			
1	B	296	Total	C	N	O	S	0	0	0
			2359	1499	394	444	22			
1	C	296	Total	C	N	O	S	0	0	0
			2359	1499	394	444	22			
1	D	304	Total	C	N	O	S	0	0	0
			2415	1534	404	454	23			
1	E	296	Total	C	N	O	S	0	0	0
			2359	1499	394	444	22			
1	F	296	Total	C	N	O	S	0	0	0
			2359	1499	394	444	22			
1	G	296	Total	C	N	O	S	0	0	0
			2359	1499	394	444	22			
1	H	303	Total	C	N	O	S	0	0	0
			2406	1528	402	453	23			

There are 16 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1094	ALA	GLU	engineered mutation	UNP P08069
A	1096	ALA	GLU	engineered mutation	UNP P08069
B	1094	ALA	GLU	engineered mutation	UNP P08069
B	1096	ALA	GLU	engineered mutation	UNP P08069
C	1094	ALA	GLU	engineered mutation	UNP P08069
C	1096	ALA	GLU	engineered mutation	UNP P08069
D	1094	ALA	GLU	engineered mutation	UNP P08069
D	1096	ALA	GLU	engineered mutation	UNP P08069
E	1094	ALA	GLU	engineered mutation	UNP P08069
E	1096	ALA	GLU	engineered mutation	UNP P08069
F	1094	ALA	GLU	engineered mutation	UNP P08069
F	1096	ALA	GLU	engineered mutation	UNP P08069
G	1094	ALA	GLU	engineered mutation	UNP P08069

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
G	1096	ALA	GLU	engineered mutation	UNP P08069
H	1094	ALA	GLU	engineered mutation	UNP P08069
H	1096	ALA	GLU	engineered mutation	UNP P08069

- Molecule 2 is 7-[cis-3-(azetidin-1-ylmethyl)cyclobutyl]-5-[3-(benzyloxy)phenyl]-7H-pyrrolo[2,3-d]pyrimidin-4-amine (CCD ID: 66A) (formula: C₂₇H₂₉N₅O).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			33	27	5	1		
2	B	1	Total	C	N	O	0	0
			33	27	5	1		
2	C	1	Total	C	N	O	0	0
			33	27	5	1		
2	D	1	Total	C	N	O	0	0
			33	27	5	1		
2	E	1	Total	C	N	O	0	0
			33	27	5	1		
2	F	1	Total	C	N	O	0	0
			33	27	5	1		
2	G	1	Total	C	N	O	0	0
			33	27	5	1		
2	H	1	Total	C	N	O	0	0
			33	27	5	1		

- Molecule 3 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: C₆H₁₃NO₄S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	C	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	D	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	E	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	F	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	G	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
3	H	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	C	1	Total	O	S	0	0
			5	4	1		
4	E	1	Total	O	S	0	0
			5	4	1		
4	G	1	Total	O	S	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	92	Total	O	0	0
			92	92		
5	B	42	Total	O	0	0
			42	42		
5	C	49	Total	O	0	0
			49	49		
5	D	92	Total	O	0	0
			92	92		
5	E	97	Total	O	0	0
			97	97		
5	F	43	Total	O	0	0
			43	43		
5	G	48	Total	O	0	0
			48	48		
5	H	88	Total	O	0	0
			88	88		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Insulin-like growth factor 1 receptor




- Molecule 1: Insulin-like growth factor 1 receptor




- Molecule 1: Insulin-like growth factor 1 receptor




- Molecule 1: Insulin-like growth factor 1 receptor




- Molecule 1: Insulin-like growth factor 1 receptor




- Molecule 1: Insulin-like growth factor 1 receptor



- Molecule 1: Insulin-like growth factor 1 receptor



- Molecule 1: Insulin-like growth factor 1 receptor



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	111.44Å 190.04Å 155.49Å 90.00° 90.22° 90.00°	Depositor
Resolution (Å)	30.00 – 2.20 30.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	90.6 (30.00-2.20) 89.6 (30.00-2.20)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.98 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.1.9999	Depositor
R, R_{free}	0.194 , 0.218 (Not available) , 0.247	Depositor DCC
R_{free} test set	7403 reflections (4.54%)	wwPDB-VP
Wilson B-factor (Å ²)	40.0	Xtriage
Anisotropy	0.088	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 22.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.011 for -1/2*h+1/2*k,3/2*h+1/2*k,-l 0.011 for -1/2*h-1/2*k,-3/2*h+1/2*k,-l 0.010 for 1/2*h+1/2*k,3/2*h-1/2*k,-l 0.009 for 1/2*h-1/2*k,-3/2*h-1/2*k,-l 0.467 for -h,-k,l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	19906	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, MES, 66A

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.77	1/2409 (0.0%)	0.86	1/3250 (0.0%)
1	B	0.67	2/2409 (0.1%)	0.88	2/3250 (0.1%)
1	C	0.64	1/2409 (0.0%)	0.89	2/3250 (0.1%)
1	D	0.79	4/2467 (0.2%)	0.90	3/3332 (0.1%)
1	E	0.76	1/2409 (0.0%)	0.87	2/3250 (0.1%)
1	F	0.67	2/2409 (0.1%)	0.88	2/3250 (0.1%)
1	G	0.63	1/2409 (0.0%)	0.91	1/3250 (0.0%)
1	H	0.78	4/2458 (0.2%)	0.91	1/3321 (0.0%)
All	All	0.72	16/19379 (0.1%)	0.89	14/26153 (0.1%)

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	1223	MET	SD-CE	-13.40	1.46	1.79
1	B	1223	MET	SD-CE	-11.84	1.50	1.79
1	F	1009	MET	SD-CE	-8.75	1.57	1.79
1	B	1009	MET	SD-CE	-7.80	1.60	1.79
1	D	1243	ARG	CZ-NH1	7.79	1.43	1.32
1	H	1038	MET	SD-CE	-7.29	1.61	1.79
1	D	1153	MET	SD-CE	-6.60	1.63	1.79
1	E	1153	MET	SD-CE	-6.36	1.63	1.79
1	H	1252	MET	SD-CE	-6.29	1.63	1.79
1	D	1038	MET	SD-CE	-6.02	1.64	1.79
1	A	1153	MET	SD-CE	-5.83	1.65	1.79
1	G	1153	MET	SD-CE	-5.83	1.65	1.79
1	C	1153	MET	SD-CE	-5.80	1.65	1.79
1	H	1153	MET	SD-CE	-5.54	1.65	1.79
1	H	1112	MET	SD-CE	-5.50	1.65	1.79
1	D	1252	MET	SD-CE	-5.32	1.66	1.79

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1243	ARG	NE-CZ-NH2	6.47	125.02	119.20
1	C	1159	GLU	N-CA-C	6.18	118.81	111.33
1	F	1243	ARG	NE-CZ-NH2	6.13	124.72	119.20
1	D	1039	ARG	NE-CZ-NH2	6.02	124.62	119.20
1	E	1000	ARG	N-CA-C	5.72	117.76	109.07
1	A	1000	ARG	N-CA-C	5.59	117.35	108.79
1	D	1159	GLU	N-CA-C	5.58	118.89	111.75
1	H	1159	GLU	N-CA-C	5.51	118.80	111.75
1	D	1173	VAL	N-CA-C	5.34	116.71	110.62
1	G	1083	ASP	OD1-CG-OD2	-5.28	110.24	122.90
1	F	1064	GLY	N-CA-C	5.27	118.18	110.38
1	B	1064	GLY	N-CA-C	5.20	118.08	110.38
1	C	1083	ASP	OD1-CG-OD2	-5.12	110.62	122.90
1	E	1176	MET	N-CA-C	5.08	118.50	109.96

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2359	0	2318	20	0
1	B	2359	0	2318	37	0
1	C	2359	0	2318	22	0
1	D	2415	0	2377	20	0
1	E	2359	0	2318	21	0
1	F	2359	0	2318	36	0
1	G	2359	0	2318	23	0
1	H	2406	0	2364	19	0
2	A	33	0	0	0	0
2	B	33	0	0	0	0
2	C	33	0	0	0	0
2	D	33	0	0	0	0
2	E	33	0	0	0	0
2	F	33	0	0	0	0
2	G	33	0	0	0	0
2	H	33	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	12	0	12	0	0
3	B	12	0	12	0	0
3	C	12	0	12	1	0
3	D	12	0	12	0	0
3	E	12	0	12	0	0
3	F	12	0	12	0	0
3	G	12	0	12	1	0
3	H	12	0	12	0	0
4	A	5	0	0	0	0
4	C	5	0	0	0	0
4	E	5	0	0	0	0
4	G	5	0	0	0	0
5	A	92	0	0	2	0
5	B	42	0	0	0	0
5	C	49	0	0	3	0
5	D	92	0	0	1	0
5	E	97	0	0	1	0
5	F	43	0	0	1	0
5	G	48	0	0	2	0
5	H	88	0	0	1	0
All	All	19906	0	18745	186	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (186) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:1124:ASN:OD1	1:G:1188:THR:HB	1.60	1.01
1:C:1124:ASN:OD1	1:C:1188:THR:HB	1.71	0.91
1:B:1003:GLY:H	1:B:1009:MET:HE3	1.44	0.83
1:F:1003:GLY:H	1:F:1009:MET:HE3	1.45	0.82
1:F:1124:ASN:OD1	1:F:1188:THR:OG1	2.04	0.76
1:H:1038:MET:HE1	1:H:1041:ARG:HH11	1.54	0.72
1:B:1272:ARG:HH11	1:B:1272:ARG:HG2	1.54	0.72
1:B:1001:GLU:HB3	1:B:1009:MET:HE2	1.72	0.71
1:D:1038:MET:HE1	1:D:1041:ARG:NH1	2.05	0.71
1:H:1038:MET:HE1	1:H:1041:ARG:NH1	2.05	0.71
1:F:1001:GLU:HB3	1:F:1009:MET:HE2	1.73	0.70
1:D:1038:MET:HE1	1:D:1041:ARG:HH11	1.57	0.70
1:B:1124:ASN:OD1	1:B:1188:THR:OG1	2.11	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:1272:ARG:HH11	1:F:1272:ARG:HG2	1.57	0.69
1:B:1003:GLY:H	1:B:1009:MET:CE	2.07	0.67
1:B:1219:LEU:CD2	1:B:1223:MET:HE3	2.25	0.67
1:C:1037:SER:OG	1:C:1040:GLU:HG3	1.95	0.67
1:A:1110:ILE:HD11	1:A:1237:MET:HE1	1.78	0.66
1:F:1003:GLY:H	1:F:1009:MET:CE	2.09	0.65
1:G:1037:SER:OG	1:G:1040:GLU:HG3	1.97	0.65
1:H:1038:MET:HE3	1:H:1042:ILE:HG13	1.78	0.65
1:D:1038:MET:HE3	1:D:1042:ILE:HG13	1.79	0.64
1:F:1219:LEU:CD2	1:F:1223:MET:HE3	2.27	0.64
1:E:1110:ILE:HD11	1:E:1237:MET:HE1	1.82	0.61
1:B:1038:MET:SD	1:C:1009:MET:HB2	2.41	0.61
1:B:1153:MET:HE3	1:B:1153:MET:HA	1.81	0.61
1:H:1124:ASN:HB3	5:H:1477:HOH:O	1.99	0.60
1:C:1241:LEU:HA	1:C:1244:MET:HE2	1.82	0.60
1:F:1055:ASN:OD1	1:F:1061:ARG:NH1	2.34	0.60
1:E:1124:ASN:OD1	1:E:1188:THR:HB	2.01	0.60
1:H:1043:GLU:CD	1:H:1157:ILE:HG22	2.26	0.60
1:D:1043:GLU:CD	1:D:1157:ILE:HG22	2.26	0.60
1:B:1219:LEU:CD2	1:B:1223:MET:CE	2.79	0.60
1:E:994:GLU:H	1:E:994:GLU:CD	2.08	0.60
1:A:1110:ILE:CD1	1:A:1237:MET:HE1	2.32	0.60
1:F:1181:LEU:HB3	1:F:1223:MET:HE2	1.82	0.60
1:G:1241:LEU:HA	1:G:1244:MET:HE2	1.83	0.60
1:F:1153:MET:HA	1:F:1153:MET:HE3	1.82	0.60
1:F:1038:MET:HG3	5:F:1440:HOH:O	2.03	0.59
1:C:1103:PRO:HB3	1:C:1205:LEU:HD11	1.84	0.59
1:F:1092:ARG:HH22	1:F:1207:GLU:CD	2.10	0.59
1:A:994:GLU:H	1:A:994:GLU:CD	2.08	0.59
1:A:1124:ASN:OD1	1:A:1188:THR:HB	2.03	0.59
1:F:1219:LEU:CD2	1:F:1223:MET:CE	2.81	0.58
1:G:1188:THR:HG23	5:G:1441:HOH:O	2.01	0.58
1:B:1092:ARG:HH22	1:B:1207:GLU:CD	2.11	0.58
1:B:1219:LEU:HD21	1:B:1223:MET:CE	2.33	0.58
1:B:1219:LEU:HD23	1:B:1223:MET:HE3	1.86	0.58
1:B:1055:ASN:OD1	1:B:1061:ARG:NH1	2.37	0.57
1:B:1181:LEU:HB3	1:B:1223:MET:HE2	1.86	0.57
1:E:1043:GLU:OE1	1:E:1157:ILE:HG22	2.04	0.57
1:A:1043:GLU:OE1	1:A:1157:ILE:HG22	2.04	0.57
1:E:1241:LEU:HA	1:E:1244:MET:HE3	1.86	0.57
1:D:1100:VAL:HA	1:E:1035:ALA:HB2	1.85	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1241:LEU:HD12	1:B:1244:MET:HE3	1.87	0.56
1:G:1103:PRO:HB3	1:G:1205:LEU:HD11	1.88	0.56
1:F:1109:MET:HA	1:F:1112:MET:HE3	1.88	0.55
1:H:998:MET:HG2	1:H:1029:ILE:HD13	1.88	0.55
1:F:1219:LEU:HD21	1:F:1223:MET:CE	2.36	0.55
1:F:1038:MET:SD	1:G:1009:MET:HB2	2.47	0.55
1:F:1219:LEU:HD21	1:F:1223:MET:HE1	1.88	0.55
1:E:1110:ILE:CD1	1:E:1237:MET:HE1	2.37	0.55
1:F:1241:LEU:HD12	1:F:1244:MET:HE3	1.89	0.55
1:F:1043:GLU:HG2	1:F:1157:ILE:HG22	1.88	0.55
1:F:1219:LEU:HD23	1:F:1223:MET:HE3	1.88	0.54
1:C:1188:THR:HG23	5:C:1442:HOH:O	2.07	0.54
1:E:1043:GLU:CD	1:E:1157:ILE:HG22	2.33	0.54
1:D:998:MET:HG2	1:D:1029:ILE:HD13	1.89	0.54
1:E:991:VAL:HG11	1:E:996:ILE:HD11	1.91	0.53
1:F:1235:PRO:HG2	1:F:1238:LEU:HD12	1.91	0.52
1:B:1272:ARG:NH1	1:B:1278:TYR:CE1	2.77	0.52
1:B:1043:GLU:HG2	1:B:1157:ILE:HG22	1.91	0.52
1:B:1003:GLY:N	1:B:1009:MET:CE	2.72	0.52
1:A:1153:MET:HE1	1:D:1158:TYR:CE1	2.44	0.51
1:B:1235:PRO:HG2	1:B:1238:LEU:HD12	1.92	0.51
1:E:1158:TYR:HB3	1:E:1162:TYR:HB2	1.93	0.51
1:F:1272:ARG:NH1	1:F:1278:TYR:CE1	2.78	0.51
1:A:1043:GLU:CD	1:A:1157:ILE:HG22	2.36	0.51
1:F:1003:GLY:N	1:F:1009:MET:CE	2.73	0.51
1:H:1130:HIS:O	1:H:1131:ARG:HB2	2.11	0.51
1:A:1241:LEU:HA	1:A:1244:MET:HE3	1.92	0.51
1:C:1038:MET:HE2	1:C:1042:ILE:HG13	1.94	0.50
1:E:991:VAL:CG1	1:E:996:ILE:HD11	2.42	0.50
1:C:1153:MET:CE	3:C:1302:MES:H52	2.40	0.49
1:G:1038:MET:HE2	1:G:1042:ILE:HG13	1.94	0.49
1:B:1272:ARG:HG2	1:B:1272:ARG:NH1	2.26	0.49
1:F:1106:LEU:HG	1:F:1110:ILE:HD11	1.93	0.49
1:A:983:VAL:HG11	1:B:1001:GLU:HB3	1.94	0.49
1:B:1219:LEU:HD21	1:B:1223:MET:HE1	1.94	0.49
1:C:1252:MET:HG3	5:C:1438:HOH:O	2.13	0.49
1:C:1272:ARG:HA	1:C:1278:TYR:CD2	2.48	0.49
1:A:991:VAL:HG11	1:A:996:ILE:HD11	1.95	0.49
1:B:1109:MET:HA	1:B:1112:MET:HE3	1.95	0.48
1:H:1231:PRO:HB2	1:H:1234:CYS:HB2	1.95	0.48
1:B:1001:GLU:CB	1:B:1009:MET:HE2	2.41	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:1130:HIS:O	1:D:1131:ARG:HB2	2.13	0.48
1:B:1106:LEU:HG	1:B:1110:ILE:HD11	1.94	0.48
1:F:1158:TYR:HB3	1:F:1162:TYR:HB2	1.95	0.48
1:F:1272:ARG:HG2	1:F:1272:ARG:NH1	2.29	0.47
1:B:1003:GLY:N	1:B:1009:MET:HE3	2.23	0.47
1:D:1214:SER:O	1:D:1218:VAL:HG23	2.15	0.47
1:B:1158:TYR:HB3	1:B:1162:TYR:HB2	1.96	0.47
1:F:1001:GLU:CB	1:F:1009:MET:HE2	2.42	0.47
1:F:1003:GLY:N	1:F:1009:MET:HE3	2.24	0.47
1:G:1019:VAL:HB	1:G:1022:GLU:HB3	1.95	0.47
1:G:1272:ARG:HA	1:G:1278:TYR:CD2	2.50	0.47
1:A:1158:TYR:HB3	1:A:1162:TYR:HB2	1.97	0.47
1:B:1079:MET:HE1	1:B:1147:LYS:HD2	1.97	0.47
1:H:1214:SER:O	1:H:1218:VAL:HG23	2.15	0.47
1:C:1019:VAL:HB	1:C:1022:GLU:HB3	1.96	0.46
1:C:1124:ASN:CG	1:C:1188:THR:HB	2.39	0.46
1:F:1058:HIS:HA	1:F:1147:LYS:HG2	1.97	0.46
1:E:1041:ARG:HE	1:E:1070:GLN:HE22	1.64	0.46
1:F:1272:ARG:HA	1:F:1278:TYR:CD2	2.51	0.46
1:G:1153:MET:CE	3:G:1302:MES:H52	2.45	0.46
1:H:1273:GLU:HA	1:H:1273:GLU:OE1	2.16	0.46
1:A:991:VAL:CG1	1:A:996:ILE:HD11	2.47	0.45
1:C:987:ASP:OD2	1:C:1052:LYS:NZ	2.49	0.45
1:E:983:VAL:HG11	1:F:1001:GLU:HB3	1.97	0.45
1:G:1188:THR:CG2	5:G:1441:HOH:O	2.63	0.45
1:F:1079:MET:HE1	1:F:1147:LYS:HD2	1.99	0.45
1:A:1034:GLU:HG3	5:A:1429:HOH:O	2.17	0.45
1:G:1130:HIS:O	1:G:1131:ARG:HB2	2.17	0.45
1:A:1041:ARG:HE	1:A:1070:GLN:HE22	1.65	0.45
1:B:1272:ARG:HA	1:B:1278:TYR:CD2	2.52	0.45
1:C:1033:ASN:HD22	1:C:1033:ASN:H	1.64	0.45
1:D:1273:GLU:HA	1:D:1273:GLU:OE1	2.17	0.45
1:E:1143:ASP:O	1:E:1144:PHE:HB2	2.17	0.45
1:D:1231:PRO:HB2	1:D:1234:CYS:HB2	2.00	0.44
1:C:1241:LEU:HD23	1:C:1244:MET:CE	2.46	0.44
1:D:1124:ASN:HB3	5:D:1482:HOH:O	2.17	0.44
1:C:1129:VAL:O	1:C:1155:ARG:NH2	2.49	0.44
1:B:1241:LEU:HD12	1:B:1244:MET:CE	2.47	0.44
1:E:1039:ARG:HD3	1:E:1157:ILE:HD11	1.99	0.44
1:G:1241:LEU:HD23	1:G:1244:MET:CE	2.47	0.44
1:G:1124:ASN:CG	1:G:1188:THR:HB	2.38	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1193:TRP:C	1:A:1193:TRP:CD1	2.96	0.43
1:A:1240:GLU:CD	5:A:1415:HOH:O	2.61	0.43
1:B:1058:HIS:HA	1:B:1147:LYS:HG2	2.00	0.43
1:G:1033:ASN:H	1:G:1033:ASN:HD22	1.66	0.43
1:C:982:ASP:OD1	1:C:982:ASP:C	2.62	0.43
1:A:1003:GLY:HA2	1:D:983:VAL:HG13	1.99	0.43
1:A:1039:ARG:HD3	1:A:1157:ILE:HD11	1.99	0.43
1:C:1041:ARG:NH1	5:C:1401:HOH:O	2.35	0.43
1:H:1098:ASN:HA	1:H:1099:PRO:HD3	1.86	0.43
1:H:1157:ILE:HG13	1:H:1158:TYR:CD2	2.53	0.43
1:G:987:ASP:OD2	1:G:1052:LYS:NZ	2.52	0.43
1:B:1110:ILE:HD11	1:B:1237:MET:HE1	2.01	0.42
1:D:1157:ILE:HG13	1:D:1158:TYR:CD2	2.54	0.42
1:E:1174:ARG:HB2	1:E:1175:TRP:CZ3	2.55	0.42
1:F:1241:LEU:HD12	1:F:1244:MET:CE	2.48	0.42
1:B:1106:LEU:HG	1:B:1110:ILE:CD1	2.49	0.42
1:F:1022:GLU:HA	1:F:1023:PRO:HD3	1.87	0.42
1:G:1231:PRO:HB2	1:G:1234:CYS:HB2	2.02	0.42
1:H:1038:MET:CE	1:H:1041:ARG:HH11	2.29	0.42
1:C:1158:TYR:CE1	1:D:1153:MET:HE1	2.55	0.42
1:B:1122:TYR:CD1	1:B:1122:TYR:C	2.97	0.42
1:C:1130:HIS:O	1:C:1131:ARG:HB2	2.20	0.42
1:C:1231:PRO:HB2	1:C:1234:CYS:HB2	2.02	0.42
1:E:1153:MET:HE1	1:H:1158:TYR:CE1	2.53	0.42
1:G:1131:ARG:HH22	1:G:1159:GLU:CD	2.28	0.42
1:B:1234:CYS:HA	1:B:1235:PRO:HD2	1.82	0.42
1:G:982:ASP:OD1	1:G:982:ASP:C	2.63	0.42
1:E:1032:VAL:HG21	5:E:1426:HOH:O	2.19	0.41
1:E:1230:LYS:HA	1:E:1231:PRO:HD3	1.96	0.41
1:F:1106:LEU:HG	1:F:1110:ILE:CD1	2.49	0.41
1:D:1095:MET:HG3	1:E:1011:TYR:CE1	2.54	0.41
1:B:1022:GLU:HA	1:B:1023:PRO:HD3	1.87	0.41
1:A:1143:ASP:O	1:A:1144:PHE:HB2	2.20	0.41
1:D:1098:ASN:HA	1:D:1099:PRO:HD3	1.88	0.41
1:D:1283:LYS:HB3	1:D:1283:LYS:HE3	1.83	0.41
1:G:1193:TRP:CD1	1:G:1193:TRP:C	2.98	0.41
1:B:1079:MET:CE	1:B:1147:LYS:HD2	2.50	0.41
1:D:1272:ARG:HA	1:D:1278:TYR:CD2	2.56	0.41
1:G:1158:TYR:CD2	1:H:1170:LEU:HD21	2.56	0.41
1:C:1193:TRP:CD1	1:C:1193:TRP:C	2.98	0.41
1:D:1261:SER:HA	1:D:1264:LYS:HD3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:1245:CYS:O	1:H:1253:ARG:HD3	2.21	0.41
1:H:1261:SER:HA	1:H:1264:LYS:HD3	2.02	0.41
1:G:1129:VAL:O	1:G:1155:ARG:NH2	2.53	0.41
1:H:1124:ASN:OD1	1:H:1188:THR:HB	2.20	0.41
1:A:1106:LEU:HD13	1:A:1235:PRO:HG2	2.02	0.40
1:F:1031:THR:HG22	1:F:1073:LEU:CD2	2.51	0.40
1:F:1234:CYS:HA	1:F:1235:PRO:HD2	1.81	0.40
1:G:1158:TYR:CE1	1:H:1153:MET:HE1	2.55	0.40
1:E:1193:TRP:CD1	1:E:1193:TRP:C	3.00	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	292/304 (96%)	281 (96%)	11 (4%)	0	100	100
1	B	292/304 (96%)	280 (96%)	10 (3%)	2 (1%)	18	19
1	C	292/304 (96%)	277 (95%)	14 (5%)	1 (0%)	36	42
1	D	302/304 (99%)	294 (97%)	7 (2%)	1 (0%)	36	42
1	E	292/304 (96%)	282 (97%)	10 (3%)	0	100	100
1	F	292/304 (96%)	279 (96%)	11 (4%)	2 (1%)	18	19
1	G	292/304 (96%)	276 (94%)	15 (5%)	1 (0%)	36	42
1	H	301/304 (99%)	293 (97%)	7 (2%)	1 (0%)	36	42
All	All	2355/2432 (97%)	2262 (96%)	85 (4%)	8 (0%)	36	42

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	1023	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	1023	PRO
1	C	1023	PRO
1	G	1023	PRO
1	D	1166	GLY
1	H	1166	GLY
1	B	1166	GLY
1	F	1166	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	256/263 (97%)	249 (97%)	7 (3%)	39	53
1	B	121/263 (46%)	116 (96%)	5 (4%)	27	37
1	H	244/263 (93%)	242 (99%)	2 (1%)	73	85
All	All	621/789 (79%)	607 (98%)	14 (2%)	44	59

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	994	GLU
1	A	1070	GLN
1	A	1107	SER
1	A	1157	ILE
1	A	1160	THR
1	A	1185	VAL
1	A	1208	GLN
1	B	983	VAL
1	B	998	MET
1	B	1032	VAL
1	B	1038	MET
1	B	1089	ARG
1	H	1157	ILE
1	H	1211	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1046	ASN
1	A	1068	GLN
1	B	1046	ASN
1	H	1068	GLN
1	H	1070	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	66A	C	1301	-	36,38,38	1.91	4 (11%)	44,54,54	3.35	10 (22%)
4	SO4	C	1303	-	4,4,4	0.25	0	6,6,6	0.21	0
3	MES	A	1302	-	12,12,12	1.89	1 (8%)	15,16,16	2.21	3 (20%)
3	MES	H	1302	-	12,12,12	1.89	1 (8%)	15,16,16	2.25	3 (20%)
2	66A	H	1301	-	36,38,38	1.99	5 (13%)	44,54,54	3.48	11 (25%)
2	66A	F	1301	-	36,38,38	1.91	4 (11%)	44,54,54	3.51	10 (22%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	66A	E	1301	-	36,38,38	1.74	3 (8%)	44,54,54	3.60	12 (27%)
3	MES	B	1302	-	12,12,12	2.11	1 (8%)	15,16,16	2.18	4 (26%)
3	MES	G	1302	-	12,12,12	2.03	1 (8%)	15,16,16	2.28	5 (33%)
3	MES	C	1302	-	12,12,12	2.00	1 (8%)	15,16,16	2.28	5 (33%)
2	66A	G	1301	-	36,38,38	1.94	4 (11%)	44,54,54	3.35	12 (27%)
4	SO4	G	1303	-	4,4,4	0.28	0	6,6,6	0.24	0
3	MES	D	1302	-	12,12,12	1.78	1 (8%)	15,16,16	2.23	3 (20%)
3	MES	E	1302	-	12,12,12	1.87	1 (8%)	15,16,16	2.22	4 (26%)
2	66A	D	1301	-	36,38,38	1.98	4 (11%)	44,54,54	3.58	13 (29%)
2	66A	A	1301	-	36,38,38	1.79	3 (8%)	44,54,54	3.69	14 (31%)
4	SO4	E	1303	-	4,4,4	0.26	0	6,6,6	0.22	0
2	66A	B	1301	-	36,38,38	1.96	3 (8%)	44,54,54	3.40	10 (22%)
4	SO4	A	1303	-	4,4,4	0.25	0	6,6,6	0.20	0
3	MES	F	1302	-	12,12,12	2.05	1 (8%)	15,16,16	2.20	4 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	66A	C	1301	-	-	0/15/31/31	0/6/6/6
2	66A	G	1301	-	-	0/15/31/31	0/6/6/6
2	66A	D	1301	-	-	2/15/31/31	0/6/6/6
2	66A	A	1301	-	-	2/15/31/31	0/6/6/6
3	MES	A	1302	-	-	4/6/14/14	0/1/1/1
2	66A	B	1301	-	-	0/15/31/31	0/6/6/6
3	MES	H	1302	-	-	4/6/14/14	0/1/1/1
3	MES	G	1302	-	-	2/6/14/14	0/1/1/1
3	MES	F	1302	-	-	1/6/14/14	0/1/1/1
2	66A	H	1301	-	-	1/15/31/31	0/6/6/6
2	66A	F	1301	-	-	0/15/31/31	0/6/6/6
2	66A	E	1301	-	-	2/15/31/31	0/6/6/6
3	MES	D	1302	-	-	4/6/14/14	0/1/1/1
3	MES	B	1302	-	-	1/6/14/14	0/1/1/1
3	MES	C	1302	-	-	1/6/14/14	0/1/1/1
3	MES	E	1302	-	-	4/6/14/14	0/1/1/1

All (38) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1301	66A	C07-C02	-8.10	1.30	1.40
2	F	1301	66A	C07-C02	-8.07	1.30	1.40
2	G	1301	66A	C07-C02	-7.73	1.30	1.40
2	D	1301	66A	C07-C02	-7.72	1.30	1.40
2	H	1301	66A	C07-C02	-7.66	1.30	1.40
2	E	1301	66A	C07-C02	-7.60	1.30	1.40
2	A	1301	66A	C07-C02	-7.57	1.30	1.40
2	C	1301	66A	C07-C02	-7.53	1.31	1.40
3	B	1302	MES	C8-S	-6.97	1.67	1.77
3	F	1302	MES	C8-S	-6.72	1.68	1.77
3	G	1302	MES	C8-S	-6.61	1.68	1.77
2	H	1301	66A	C02-N03	6.52	1.46	1.34
3	C	1302	MES	C8-S	-6.50	1.68	1.77
2	D	1301	66A	C02-N03	6.46	1.46	1.34
2	G	1301	66A	C02-N03	6.10	1.45	1.34
2	C	1301	66A	C02-N03	6.07	1.45	1.34
3	A	1302	MES	C8-S	-5.97	1.69	1.77
3	E	1302	MES	C8-S	-5.95	1.69	1.77
3	H	1302	MES	C8-S	-5.92	1.69	1.77
2	B	1301	66A	C02-N03	5.72	1.45	1.34
2	F	1301	66A	C02-N03	5.66	1.45	1.34
3	D	1302	MES	C8-S	-5.54	1.69	1.77
2	A	1301	66A	C02-N03	5.19	1.44	1.34
2	E	1301	66A	C02-N03	5.05	1.43	1.34
2	B	1301	66A	C07-C06	-4.56	1.37	1.42
2	D	1301	66A	C07-C06	-4.32	1.37	1.42
2	H	1301	66A	C07-C06	-4.12	1.37	1.42
2	C	1301	66A	C07-C06	-4.03	1.37	1.42
2	G	1301	66A	C07-C06	-3.91	1.38	1.42
2	F	1301	66A	C07-C06	-3.88	1.38	1.42
2	A	1301	66A	C07-C06	-3.72	1.38	1.42
2	E	1301	66A	C07-C06	-3.23	1.38	1.42
2	H	1301	66A	C09-C08	2.89	1.40	1.37
2	G	1301	66A	C09-C08	2.84	1.40	1.37
2	C	1301	66A	C09-C08	2.69	1.40	1.37
2	D	1301	66A	C09-C08	2.52	1.39	1.37
2	F	1301	66A	C25-N01	2.05	1.50	1.46
2	H	1301	66A	C25-N01	2.02	1.50	1.46

All (123) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	1301	66A	C06-C07-C02	13.59	125.92	115.74
2	D	1301	66A	C06-C07-C02	13.22	125.64	115.74
2	H	1301	66A	C06-C07-C02	13.17	125.60	115.74
2	B	1301	66A	C06-C07-C02	12.88	125.38	115.74
2	C	1301	66A	C06-C07-C02	11.99	124.72	115.74
2	A	1301	66A	C08-C09-N01	-11.77	105.61	110.54
2	G	1301	66A	C06-C07-C02	11.66	124.47	115.74
2	E	1301	66A	C06-C07-C02	11.46	124.33	115.74
2	E	1301	66A	C08-C09-N01	-11.46	105.74	110.54
2	A	1301	66A	C06-C07-C02	11.32	124.22	115.74
2	E	1301	66A	C07-C02-N01	10.20	116.14	108.67
2	A	1301	66A	C07-C02-N01	10.19	116.13	108.67
2	B	1301	66A	C08-C09-N01	-10.04	106.34	110.54
2	G	1301	66A	C08-C09-N01	-10.02	106.35	110.54
2	D	1301	66A	C08-C09-N01	-10.00	106.35	110.54
2	F	1301	66A	C08-C09-N01	-9.79	106.44	110.54
2	C	1301	66A	C08-C09-N01	-9.75	106.46	110.54
2	F	1301	66A	C07-C02-N01	9.37	115.53	108.67
2	D	1301	66A	C07-C02-N01	9.26	115.45	108.67
2	H	1301	66A	C07-C02-N01	9.24	115.43	108.67
2	H	1301	66A	C07-C02-N03	-9.21	117.19	126.97
2	B	1301	66A	C07-C02-N01	9.17	115.38	108.67
2	F	1301	66A	C07-C02-N03	-9.16	117.25	126.97
2	D	1301	66A	C07-C02-N03	-9.14	117.27	126.97
2	G	1301	66A	C07-C02-N01	9.12	115.34	108.67
2	H	1301	66A	C08-C09-N01	-9.03	106.76	110.54
2	C	1301	66A	C07-C02-N01	8.91	115.19	108.67
2	C	1301	66A	C07-C02-N03	-8.37	118.09	126.97
2	B	1301	66A	C07-C02-N03	-8.35	118.11	126.97
2	G	1301	66A	C07-C02-N03	-8.23	118.24	126.97
2	E	1301	66A	C07-C02-N03	-7.74	118.75	126.97
2	A	1301	66A	C07-C02-N03	-7.71	118.79	126.97
3	G	1302	MES	C5-N4-C3	6.07	121.91	108.84
2	C	1301	66A	C27-C29-N30	-5.91	104.69	114.06
3	C	1302	MES	C5-N4-C3	5.85	121.45	108.84
3	H	1302	MES	C5-N4-C3	5.84	121.43	108.84
3	B	1302	MES	C5-N4-C3	5.76	121.26	108.84
3	A	1302	MES	C5-N4-C3	5.72	121.17	108.84
3	E	1302	MES	C5-N4-C3	5.70	121.11	108.84
3	F	1302	MES	C5-N4-C3	5.64	121.00	108.84
3	D	1302	MES	C5-N4-C3	5.47	120.61	108.84
2	A	1301	66A	C07-C08-C09	5.26	109.12	106.03
2	G	1301	66A	C27-C29-N30	-5.16	105.88	114.06

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	1301	66A	C07-C08-C09	5.12	109.03	106.03
2	D	1301	66A	N03-C04-N05	-4.79	121.33	128.58
2	A	1301	66A	C27-C29-N30	-4.78	106.48	114.06
2	G	1301	66A	N03-C04-N05	-4.65	121.54	128.58
2	D	1301	66A	C07-C08-C09	4.62	108.74	106.03
2	H	1301	66A	N03-C04-N05	-4.58	121.65	128.58
2	F	1301	66A	C27-C29-N30	-4.53	106.87	114.06
3	D	1302	MES	C7-N4-C3	4.53	123.31	111.24
2	A	1301	66A	N03-C04-N05	-4.50	121.76	128.58
2	C	1301	66A	N03-C04-N05	-4.47	121.82	128.58
2	E	1301	66A	N03-C04-N05	-4.44	121.86	128.58
2	B	1301	66A	N03-C04-N05	-4.29	122.09	128.58
2	A	1301	66A	C15-C10-C08	-4.23	115.69	120.98
2	E	1301	66A	C27-C29-N30	-4.21	107.39	114.06
2	H	1301	66A	C27-C29-N30	-4.20	107.40	114.06
3	H	1302	MES	C7-N4-C3	4.18	122.39	111.24
3	A	1302	MES	C7-N4-C3	4.15	122.29	111.24
2	F	1301	66A	N03-C04-N05	-4.08	122.41	128.58
3	D	1302	MES	O3S-S-C8	4.00	113.83	106.00
2	D	1301	66A	C27-C29-N30	-3.93	107.82	114.06
2	F	1301	66A	C07-C08-C09	3.90	108.32	106.03
2	H	1301	66A	C07-C08-C09	3.82	108.27	106.03
3	E	1302	MES	C7-N4-C3	3.77	121.29	111.24
3	H	1302	MES	O1S-S-C8	3.77	112.42	106.73
2	A	1301	66A	C07-C06-N05	-3.73	115.29	118.64
2	E	1301	66A	C07-C06-N05	-3.73	115.29	118.64
2	E	1301	66A	C07-C06-N24	3.66	128.23	123.40
2	A	1301	66A	C07-C06-N24	3.62	128.18	123.40
2	B	1301	66A	C27-C29-N30	-3.61	108.33	114.06
2	B	1301	66A	C07-C08-C09	3.48	108.07	106.03
3	E	1302	MES	O1S-S-C8	3.46	111.96	106.73
3	B	1302	MES	C7-N4-C3	3.37	120.21	111.24
3	F	1302	MES	C7-N4-C3	3.35	120.15	111.24
2	D	1301	66A	C07-C06-N05	-3.32	115.66	118.64
2	E	1301	66A	C15-C10-C08	-3.22	116.95	120.98
3	G	1302	MES	O1S-S-C8	3.18	111.54	106.73
2	C	1301	66A	C07-C08-C09	3.17	107.89	106.03
3	C	1302	MES	C7-N4-C3	3.07	119.42	111.24
2	G	1301	66A	C07-C08-C09	3.04	107.82	106.03
3	A	1302	MES	O3S-S-C8	3.04	111.95	106.00
3	G	1302	MES	C7-N4-C3	3.03	119.33	111.24
2	B	1301	66A	C07-C06-N05	-3.02	115.93	118.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	1302	MES	O2S-S-C8	3.01	111.28	106.73
3	C	1302	MES	O1S-S-C8	3.01	111.27	106.73
3	C	1302	MES	C7-N4-C5	2.96	119.12	111.24
3	C	1302	MES	O3S-S-C8	2.89	111.65	106.00
3	F	1302	MES	C7-N4-C5	2.86	118.85	111.24
3	G	1302	MES	C7-N4-C5	2.82	118.76	111.24
2	H	1301	66A	C02-N01-C09	-2.82	106.91	108.08
2	G	1301	66A	C07-C06-N05	-2.78	116.14	118.64
2	H	1301	66A	C07-C06-N05	-2.78	116.14	118.64
3	B	1302	MES	C7-N4-C5	2.74	118.53	111.24
2	A	1301	66A	C04-N05-C06	2.71	123.18	118.73
2	H	1301	66A	C33-C32-C31	2.70	92.01	88.69
2	D	1301	66A	C33-C32-C31	2.61	91.90	88.69
2	A	1301	66A	C10-C08-C09	-2.61	119.29	124.37
2	E	1301	66A	C04-N05-C06	2.60	123.01	118.73
3	B	1302	MES	O3S-S-C8	2.52	110.94	106.00
2	F	1301	66A	C33-C32-C31	2.51	91.77	88.69
2	C	1301	66A	C07-C06-N05	-2.49	116.40	118.64
2	D	1301	66A	C15-C10-C08	-2.48	117.88	120.98
2	F	1301	66A	C07-C06-N05	-2.45	116.44	118.64
3	G	1302	MES	O3S-S-C8	2.43	110.75	106.00
2	B	1301	66A	C33-C32-C31	2.41	91.65	88.69
2	G	1301	66A	C33-C32-C31	2.40	91.63	88.69
2	C	1301	66A	C33-C32-C31	2.38	91.61	88.69
3	E	1302	MES	C7-N4-C5	2.37	117.56	111.24
2	D	1301	66A	C04-N03-C02	2.36	117.59	111.83
2	G	1301	66A	C04-N05-C06	2.30	122.51	118.73
2	H	1301	66A	C04-N03-C02	2.30	117.44	111.83
2	D	1301	66A	C04-N05-C06	2.26	122.44	118.73
2	F	1301	66A	C04-N03-C02	2.22	117.26	111.83
2	A	1301	66A	C33-C32-C31	2.16	91.34	88.69
2	C	1301	66A	C04-N03-C02	2.16	117.10	111.83
2	G	1301	66A	C04-N03-C02	2.16	117.10	111.83
2	D	1301	66A	C02-N01-C09	-2.11	107.20	108.08
2	E	1301	66A	C10-C08-C09	-2.09	120.31	124.37
2	G	1301	66A	C15-C10-C08	-2.04	118.43	120.98
2	B	1301	66A	C04-N03-C02	2.02	116.76	111.83
2	A	1301	66A	C04-N03-C02	2.00	116.72	111.83

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1302	MES	C8-C7-N4-C3
3	A	1302	MES	C7-C8-S-O1S
3	D	1302	MES	C8-C7-N4-C3
3	D	1302	MES	C7-C8-S-O1S
3	D	1302	MES	C7-C8-S-O2S
3	E	1302	MES	C8-C7-N4-C3
3	E	1302	MES	C7-C8-S-O2S
3	H	1302	MES	C8-C7-N4-C3
3	A	1302	MES	C7-C8-S-O3S
3	D	1302	MES	C7-C8-S-O3S
3	E	1302	MES	C7-C8-S-O3S
2	A	1301	66A	C11-C12-O16-C17
3	B	1302	MES	C8-C7-N4-C5
3	C	1302	MES	C8-C7-N4-C5
3	F	1302	MES	C8-C7-N4-C5
2	A	1301	66A	C13-C12-O16-C17
3	H	1302	MES	C7-C8-S-O3S
3	A	1302	MES	C7-C8-S-O2S
3	E	1302	MES	C7-C8-S-O1S
3	H	1302	MES	C7-C8-S-O1S
3	H	1302	MES	C7-C8-S-O2S
2	D	1301	66A	C11-C12-O16-C17
2	E	1301	66A	C11-C12-O16-C17
3	G	1302	MES	C8-C7-N4-C3
3	G	1302	MES	C8-C7-N4-C5
2	D	1301	66A	C13-C12-O16-C17
2	E	1301	66A	C13-C12-O16-C17
2	H	1301	66A	C11-C12-O16-C17


There are no ring outliers.



2 monomers are involved in 2 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	G	1302	MES	1	0
3	C	1302	MES	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring


in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	296/304 (97%)	-1.29	0 100 100	28, 44, 62, 72	0
1	B	296/304 (97%)	-1.19	0 100 100	30, 46, 64, 74	0
1	C	296/304 (97%)	-1.19	0 100 100	29, 46, 65, 74	0
1	D	304/304 (100%)	-1.29	0 100 100	27, 44, 63, 73	0
1	E	296/304 (97%)	-1.29	0 100 100	28, 44, 62, 73	0
1	F	296/304 (97%)	-1.21	0 100 100	30, 46, 64, 73	0
1	G	296/304 (97%)	-1.22	0 100 100	29, 45, 65, 74	0
1	H	303/304 (99%)	-1.30	0 100 100	27, 44, 62, 74	0
All	All	2383/2432 (97%)	-1.25	0 100 100	27, 45, 64, 74	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	MES	C	1302	12/12	0.97	0.06	52,59,69,69	0
3	MES	B	1302	12/12	0.98	0.06	85,87,91,91	0
3	MES	F	1302	12/12	0.98	0.05	74,78,84,84	0
3	MES	G	1302	12/12	0.98	0.05	53,59,71,71	0
2	66A	E	1301	33/33	0.99	0.04	30,35,48,49	0
2	66A	F	1301	33/33	0.99	0.04	39,43,51,52	0
2	66A	G	1301	33/33	0.99	0.04	42,45,51,51	0
2	66A	H	1301	33/33	0.99	0.04	37,40,50,50	0
3	MES	A	1302	12/12	0.99	0.05	45,50,59,60	0
2	66A	A	1301	33/33	0.99	0.04	31,36,48,49	0
2	66A	B	1301	33/33	0.99	0.04	35,43,50,51	0
3	MES	D	1302	12/12	0.99	0.05	52,57,67,68	0
3	MES	E	1302	12/12	0.99	0.04	49,55,60,61	0
2	66A	C	1301	33/33	0.99	0.05	43,45,53,53	0
2	66A	D	1301	33/33	0.99	0.04	37,40,48,49	0
3	MES	H	1302	12/12	0.99	0.04	52,56,69,69	0
4	SO4	A	1303	5/5	0.99	0.03	86,87,88,89	0
4	SO4	C	1303	5/5	0.99	0.05	64,65,67,67	0
4	SO4	E	1303	5/5	0.99	0.04	87,87,89,90	0
4	SO4	G	1303	5/5	0.99	0.04	61,61,61,62	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 66A E 1301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 66A F 1301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 66A G 1301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 66A H 1301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 66A A 1301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 66A B 1301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 66A C 1301:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 66A D 1301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.