



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 11:34 AM UTC

PDB ID : 6HZY / pdb_00006hzy
Title : Crystal structure of a bacterial fucosidase with inhibitor FucPUG
Authors : Wu, L.; Davies, G.J.; Stubbs, K.A.; Coyle, T.; Debowski, A.W.
Deposited on : 2018-10-24
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5551 (1.70-1.70)
Clashscore	190562	5924 (1.70-1.70)
Ramachandran outliers	187476	5846 (1.70-1.70)
Sidechain outliers	187428	5846 (1.70-1.70)
RSRZ outliers	180081	5554 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	475	
1	B	475	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	EDO	B	602	-	-	X	-
4	SO4	B	610	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 8107 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-L-fucosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	438	Total	C	N	O	S	0	3	0
			3604	2315	611	661	17			
1	B	437	Total	C	N	O	S	0	3	0
			3596	2311	610	658	17			

There are 42 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	10	MET	-	initiating methionine	UNP Q8A3I4
A	11	GLY	-	expression tag	UNP Q8A3I4
A	12	SER	-	expression tag	UNP Q8A3I4
A	13	HIS	-	expression tag	UNP Q8A3I4
A	14	HIS	-	expression tag	UNP Q8A3I4
A	15	HIS	-	expression tag	UNP Q8A3I4
A	16	HIS	-	expression tag	UNP Q8A3I4
A	17	HIS	-	expression tag	UNP Q8A3I4
A	18	HIS	-	expression tag	UNP Q8A3I4
A	19	SER	-	expression tag	UNP Q8A3I4
A	20	SER	-	expression tag	UNP Q8A3I4
A	21	GLY	-	expression tag	UNP Q8A3I4
A	22	LEU	-	expression tag	UNP Q8A3I4
A	23	GLU	-	expression tag	UNP Q8A3I4
A	24	VAL	-	expression tag	UNP Q8A3I4
A	25	LEU	-	expression tag	UNP Q8A3I4
A	26	PHE	-	expression tag	UNP Q8A3I4
A	27	GLN	-	expression tag	UNP Q8A3I4
A	28	GLY	-	expression tag	UNP Q8A3I4
A	29	PRO	-	expression tag	UNP Q8A3I4
A	30	ALA	-	expression tag	UNP Q8A3I4
B	10	MET	-	initiating methionine	UNP Q8A3I4
B	11	GLY	-	expression tag	UNP Q8A3I4
B	12	SER	-	expression tag	UNP Q8A3I4
B	13	HIS	-	expression tag	UNP Q8A3I4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	14	HIS	-	expression tag	UNP Q8A3I4
B	15	HIS	-	expression tag	UNP Q8A3I4
B	16	HIS	-	expression tag	UNP Q8A3I4
B	17	HIS	-	expression tag	UNP Q8A3I4
B	18	HIS	-	expression tag	UNP Q8A3I4
B	19	SER	-	expression tag	UNP Q8A3I4
B	20	SER	-	expression tag	UNP Q8A3I4
B	21	GLY	-	expression tag	UNP Q8A3I4
B	22	LEU	-	expression tag	UNP Q8A3I4
B	23	GLU	-	expression tag	UNP Q8A3I4
B	24	VAL	-	expression tag	UNP Q8A3I4
B	25	LEU	-	expression tag	UNP Q8A3I4
B	26	PHE	-	expression tag	UNP Q8A3I4
B	27	GLN	-	expression tag	UNP Q8A3I4
B	28	GLY	-	expression tag	UNP Q8A3I4
B	29	PRO	-	expression tag	UNP Q8A3I4
B	30	ALA	-	expression tag	UNP Q8A3I4

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is [({Z})-[(3 {S},4 {R},5 {S},6 {S})-6-methyl-3,4,5-tris(oxidanyl)oxan-2-ylidene amino] {N}-phenylcarbamate (CCD ID: GYZ) (formula: C₁₃H₁₆N₂O₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			21	13	2	6		
3	B	1	Total	C	N	O	0	0
			21	13	2	6		

- Molecule 4 is SULFATE ION (CCD ID: SO₄) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	O	S	0	0
			5	4	1		
4	A	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	429	Total	O	0	0
			429	429		
5	B	333	Total	O	0	0
			333	333		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Alpha-L-fucosidase



• Molecule 1: Alpha-L-fucosidase



4 Data and refinement statistics

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	104.92Å 84.60Å 121.74Å 90.00° 109.00° 90.00°	Depositor
Resolution (Å)	49.65 – 1.70 49.65 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.1 (49.65-1.70) 98.3 (49.65-1.70)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.75 (at 1.70Å)	Xtriage
Refinement program	REFMAC 5.8.0232	Depositor
R, R_{free}	0.208 , 0.254 (Not available) , 0.290	Depositor DCC
R_{free} test set	5431 reflections (3.09%)	wwPDB-VP
Wilson B-factor (Å ²)	26.8	Xtriage
Anisotropy	0.702	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 33.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8107	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.90% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GYZ, EDO, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.06	0/3711	1.29	3/5028 (0.1%)
1	B	1.08	2/3703 (0.1%)	1.34	3/5017 (0.1%)
All	All	1.07	2/7414 (0.0%)	1.31	6/10045 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	364	LYS	C-O	-5.45	1.17	1.24
1	B	279	LEU	C-O	5.33	1.30	1.23

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	385	ASP	CA-CB-CG	6.90	119.50	112.60
1	A	150	THR	CA-C-N	5.75	128.63	120.53
1	A	150	THR	C-N-CA	5.75	128.63	120.53
1	B	462	PRO	N-CA-C	-5.56	102.36	111.15
1	A	323	SER	N-CA-C	-5.34	106.72	113.18
1	B	371	GLY	CA-C-O	-5.03	115.57	120.75

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	263	LEU	Peptide
1	B	263	LEU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3604	0	3488	26	0
1	B	3596	0	3484	60	0
2	A	44	0	66	9	0
2	B	24	0	35	7	0
3	A	21	0	0	1	0
3	B	21	0	0	0	0
4	A	20	0	0	2	0
4	B	15	0	0	3	0
5	A	429	0	0	10	1
5	B	333	0	0	9	1
All	All	8107	0	7073	90	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (90) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:440:ILE:HD12	1:B:455:PRO:HA	1.50	0.93
2:A:511:EDO:O2	5:A:601:HOH:O	1.95	0.85
1:A:372:LYS:HE2	5:A:922:HOH:O	1.76	0.85
1:A:214:LYS:O	1:A:218:THR:HG23	1.85	0.75
1:B:440:ILE:CD1	1:B:455:PRO:HA	2.15	0.75
2:A:506:EDO:H11	5:A:637:HOH:O	1.87	0.73
1:B:433:LEU:HD13	1:B:455:PRO:CG	2.18	0.73
1:B:434:LEU:O	5:B:701:HOH:O	2.07	0.72
1:B:171:GLU:HG2	2:B:602:EDO:C2	2.25	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:262:ARG:NH2	4:B:610:SO4:S	2.71	0.64
1:B:433:LEU:HD11	1:B:459:PRO:HG3	1.80	0.64
1:B:176:HIS:CG	1:B:225:ASP:HB3	2.33	0.64
1:B:455:PRO:HD3	1:B:465:ILE:HD11	1.81	0.61
1:B:459:PRO:HB2	1:B:463:TYR:HB3	1.82	0.61
1:B:171:GLU:HG2	2:B:602:EDO:H21	1.83	0.60
1:A:288:GLU:OE1	3:A:512:GYZ:N17	2.37	0.58
1:A:176:HIS:CG	1:A:225:ASP:HB3	2.38	0.58
1:B:214:LYS:O	1:B:218:THR:HG23	2.05	0.57
1:B:171:GLU:HG2	2:B:602:EDO:H22	1.87	0.56
1:A:322:TRP:HB2	2:A:509:EDO:H11	1.88	0.55
1:B:312:PRO:HG2	1:B:315:GLN:HB2	1.89	0.55
1:B:320:LYS:NZ	5:B:710:HOH:O	2.39	0.55
1:B:109:PRO:HD2	1:B:156:TYR:CG	2.41	0.55
1:B:433:LEU:HD11	1:B:459:PRO:CG	2.38	0.53
1:B:359:PHE:CZ	2:B:603:EDO:H22	2.43	0.53
5:A:1010:HOH:O	1:B:443:VAL:HG21	2.09	0.53
1:B:427:THR:HG23	5:B:756:HOH:O	2.08	0.53
1:B:171:GLU:CG	2:B:602:EDO:H22	2.39	0.52
2:A:506:EDO:C1	5:A:637:HOH:O	2.54	0.52
1:B:432:THR:HG23	1:B:437:GLY:O	2.09	0.52
1:B:454:VAL:HB	1:B:455:PRO:CD	2.40	0.51
1:B:126:THR:HG22	1:B:128:TYR:O	2.11	0.51
1:B:196:LYS:NZ	5:B:712:HOH:O	2.44	0.51
1:B:178:TYR:C	1:B:178:TYR:CD1	2.89	0.50
2:A:509:EDO:C2	5:A:604:HOH:O	2.59	0.50
1:A:252[B]:GLU:OE1	5:A:602:HOH:O	2.20	0.49
1:A:335:ASP:OD2	2:A:501:EDO:H12	2.11	0.49
1:B:433:LEU:HD21	5:B:759:HOH:O	2.11	0.49
1:A:311:ILE:HB	1:A:312:PRO:HD3	1.95	0.49
1:B:459:PRO:HB2	1:B:463:TYR:CB	2.42	0.49
1:B:171:GLU:CG	2:B:602:EDO:C2	2.90	0.49
1:A:436:THR:OG1	1:A:438:GLU:HG2	2.12	0.49
1:B:296:LYS:NZ	5:B:715:HOH:O	2.45	0.49
1:B:214:LYS:HE3	1:B:249:MET:SD	2.53	0.48
1:B:459:PRO:HG2	1:B:463:TYR:CG	2.47	0.48
1:B:429:GLU:N	1:B:429:GLU:OE2	2.46	0.48
1:B:433:LEU:HD13	1:B:455:PRO:CB	2.44	0.48
1:A:184:TRP:CG	4:A:513:SO4:O1	2.67	0.47
1:B:312:PRO:HG3	1:B:322:TRP:CE2	2.50	0.47
1:B:430:LYS:HG2	1:B:431:ALA:H	1.79	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:459:PRO:HG2	1:B:463:TYR:CD1	2.49	0.47
1:B:262:ARG:NH2	4:B:610:SO4:O2	2.49	0.46
1:A:178:TYR:C	1:A:178:TYR:CD1	2.94	0.46
1:A:210:ASP:O	1:A:214:LYS:HG3	2.15	0.46
1:B:151:VAL:O	1:B:154:THR:OG1	2.22	0.46
1:B:431:ALA:HB3	1:B:440:ILE:HB	1.98	0.46
1:A:341:VAL:HG21	1:A:381:VAL:HG13	1.98	0.46
1:A:459:PRO:HG2	1:A:463:TYR:CD1	2.52	0.45
1:A:414:TYR:HB3	1:B:462:PRO:HD3	1.97	0.45
1:B:167:ALA:O	2:B:602:EDO:O1	2.34	0.45
1:A:110:THR:O	5:A:603:HOH:O	2.21	0.45
1:B:431:ALA:HA	1:B:466:GLN:O	2.16	0.45
1:B:311:ILE:HB	1:B:312:PRO:HD3	1.98	0.44
1:B:433:LEU:HD13	1:B:455:PRO:HG3	1.98	0.44
1:A:336:ARG:NH2	4:A:515:SO4:S	2.88	0.44
1:B:455:PRO:CD	1:B:465:ILE:HD11	2.47	0.44
1:B:440:ILE:CG2	1:B:453:SER:O	2.66	0.43
1:A:393:ASP:OD1	2:A:506:EDO:H21	2.19	0.43
1:B:374:MET:HE1	1:B:381:VAL:HB	2.00	0.43
1:B:425:GLY:O	1:B:471:ALA:HA	2.18	0.43
1:B:430:LYS:HD2	1:B:439:ASP:OD1	2.18	0.43
1:A:288:GLU:OE2	1:A:308[A]:CYS:SG	2.76	0.42
1:B:375:ASN:HB2	5:B:958:HOH:O	2.18	0.42
1:A:372:LYS:CE	5:A:922:HOH:O	2.52	0.42
1:B:422:THR:HB	1:B:426:ILE:HB	2.02	0.42
1:B:461:GLU:O	1:B:462:PRO:C	2.60	0.42
1:B:457:LYS:NZ	5:B:731:HOH:O	2.52	0.41
1:A:120:MET:HB3	2:A:503:EDO:H21	2.02	0.41
1:B:123:GLU:HB2	5:B:709:HOH:O	2.20	0.41
1:A:312:PRO:HG3	1:A:322:TRP:CE2	2.55	0.41
1:A:140:CYS:HB3	1:A:142:TRP:CE3	2.56	0.41
1:B:336:ARG:HB3	1:B:347:MET:HE3	2.02	0.41
1:B:433:LEU:HD13	1:B:455:PRO:HB3	2.03	0.41
1:A:386:TYR:CZ	1:A:388:GLY:HA2	2.56	0.41
2:A:509:EDO:O2	5:A:604:HOH:O	2.22	0.40
1:B:441:THR:O	1:B:453:SER:CB	2.69	0.40
1:A:433:LEU:HD13	1:A:455:PRO:HG3	2.03	0.40
1:B:262:ARG:NH2	4:B:610:SO4:O4	2.54	0.40
1:B:293:ASP:HA	1:B:294:PRO:HD3	1.92	0.40
1:A:130:LYS:HE2	1:A:227:TRP:CD1	2.57	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:B:731:HOH:O	5:B:759:HOH:O[2_555]	2.08	0.12
5:A:651:HOH:O	5:A:861:HOH:O[2_454]	2.19	0.01

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	439/475 (92%)	427 (97%)	12 (3%)	0	100	100
1	B	438/475 (92%)	422 (96%)	16 (4%)	0	100	100
All	All	877/950 (92%)	849 (97%)	28 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	376/403 (93%)	370 (98%)	6 (2%)	55	41
1	B	375/403 (93%)	368 (98%)	7 (2%)	50	34
All	All	751/806 (93%)	738 (98%)	13 (2%)	53	38

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	64	PHE
1	A	178	TYR
1	A	237	LYS
1	A	320	LYS
1	A	438	GLU
1	A	456	LYS
1	B	64	PHE
1	B	102	LYS
1	B	267	ASP
1	B	320	LYS
1	B	429	GLU
1	B	430	LYS
1	B	441	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	169	ASN
1	B	375	ASN
1	B	411	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

26 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	EDO	A	509	-	3,3,3	0.30	0	2,2,2	0.31	0
2	EDO	A	504	-	3,3,3	0.20	0	2,2,2	0.06	0
2	EDO	A	508	-	3,3,3	0.11	0	2,2,2	0.19	0
2	EDO	B	604	-	3,3,3	0.19	0	2,2,2	0.36	0
2	EDO	A	506	-	3,3,3	0.64	0	2,2,2	0.41	0
2	EDO	B	603	-	3,3,3	0.24	0	2,2,2	0.54	0
3	GYZ	B	607	-	19,22,22	1.97	2 (10%)	20,30,30	1.34	3 (15%)
4	SO4	B	608	-	4,4,4	0.32	0	6,6,6	0.18	0
2	EDO	B	606	-	3,3,3	0.08	0	2,2,2	0.03	0
4	SO4	A	514	-	4,4,4	0.33	0	6,6,6	0.10	0
3	GYZ	A	512	-	19,22,22	1.81	1 (5%)	20,30,30	1.62	4 (20%)
2	EDO	A	510	-	3,3,3	0.15	0	2,2,2	0.02	0
2	EDO	B	605	-	3,3,3	0.27	0	2,2,2	0.17	0
2	EDO	A	511	-	3,3,3	0.03	0	2,2,2	0.24	0
2	EDO	A	501	-	3,3,3	0.64	0	2,2,2	0.32	0
2	EDO	A	507	-	3,3,3	0.06	0	2,2,2	0.13	0
4	SO4	A	516	-	4,4,4	0.36	0	6,6,6	0.09	0
2	EDO	A	505	-	3,3,3	0.12	0	2,2,2	0.13	0
2	EDO	A	503	-	3,3,3	0.12	0	2,2,2	0.29	0
4	SO4	B	610	-	4,4,4	0.32	0	6,6,6	0.10	0
4	SO4	A	513	-	4,4,4	0.34	0	6,6,6	0.12	0
2	EDO	A	502	-	3,3,3	0.15	0	2,2,2	0.13	0
2	EDO	B	601	-	3,3,3	0.17	0	2,2,2	0.43	0
2	EDO	B	602	-	3,3,3	0.71	0	2,2,2	0.59	0
4	SO4	B	609	-	4,4,4	0.27	0	6,6,6	0.09	0
4	SO4	A	515	-	4,4,4	0.37	0	6,6,6	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	509	-	-	1/1/1/1	-
2	EDO	A	504	-	-	0/1/1/1	-
2	EDO	A	508	-	-	1/1/1/1	-
2	EDO	B	604	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	506	-	-	0/1/1/1	-
2	EDO	B	603	-	-	1/1/1/1	-
3	GYZ	B	607	-	-	0/6/29/29	0/2/2/2
2	EDO	B	606	-	-	0/1/1/1	-
3	GYZ	A	512	-	-	0/6/29/29	0/2/2/2
2	EDO	A	510	-	-	1/1/1/1	-
2	EDO	B	605	-	-	1/1/1/1	-
2	EDO	A	511	-	-	1/1/1/1	-
2	EDO	A	501	-	-	0/1/1/1	-
2	EDO	A	507	-	-	1/1/1/1	-
2	EDO	A	505	-	-	0/1/1/1	-
2	EDO	A	503	-	-	0/1/1/1	-
2	EDO	A	502	-	-	0/1/1/1	-
2	EDO	B	601	-	-	0/1/1/1	-
2	EDO	B	602	-	-	0/1/1/1	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	607	GYZ	O14-N12	-7.56	1.27	1.44
3	A	512	GYZ	O14-N12	-7.01	1.28	1.44
3	B	607	GYZ	C18-N17	-2.03	1.37	1.41

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	607	GYZ	C10-C5-C4	3.59	119.66	113.08
3	A	512	GYZ	O11-C5-C10	2.92	111.03	106.20
3	A	512	GYZ	C10-C5-C4	2.80	118.21	113.08
3	B	607	GYZ	O8-C3-C2	-2.49	104.72	109.64
3	B	607	GYZ	O9-C4-C3	-2.41	104.70	110.38
3	A	512	GYZ	O8-C3-C2	-2.31	105.06	109.64
3	A	512	GYZ	O6-C2-C3	2.07	114.83	110.53

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	507	EDO	O1-C1-C2-O2
2	A	509	EDO	O1-C1-C2-O2
2	A	511	EDO	O1-C1-C2-O2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	510	EDO	O1-C1-C2-O2
2	B	603	EDO	O1-C1-C2-O2
2	B	605	EDO	O1-C1-C2-O2
2	A	508	EDO	O1-C1-C2-O2
2	B	604	EDO	O1-C1-C2-O2

There are no ring outliers.

11 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	509	EDO	3	0
2	A	506	EDO	3	0
2	B	603	EDO	1	0
3	A	512	GYZ	1	0
2	A	511	EDO	1	0
2	A	501	EDO	1	0
2	A	503	EDO	1	0
4	B	610	SO4	3	0
4	A	513	SO4	1	0
2	B	602	EDO	6	0
4	A	515	SO4	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	438/475 (92%)	0.55	15 (3%) 48 52	10, 28, 43, 71	3 (0%)
1	B	437/475 (92%)	0.92	53 (12%) 8 8	12, 30, 50, 77	3 (0%)
All	All	875/950 (92%)	0.73	68 (7%) 19 20	10, 29, 48, 77	6 (0%)

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	37	PRO	5.0
1	B	442	VAL	4.9
1	A	36	ILE	4.9
1	B	428	VAL	4.4
1	A	289	ARG	4.3
1	B	454	VAL	4.1
1	A	287	TYR	4.1
1	B	467	LEU	3.8
1	A	286	GLY	3.7
1	B	380	ALA	3.7
1	B	434	LEU	3.7
1	B	469	VAL	3.6
1	B	472	ALA	3.6
1	B	464	VAL	3.6
1	B	471	ALA	3.5
1	B	437	GLY	3.5
1	B	455	PRO	3.3
1	B	439	ASP	3.3
1	B	433	LEU	3.2
1	B	440	ILE	3.2
1	B	425	GLY	3.1
1	B	443	VAL	3.0
1	B	431	ALA	3.0
1	B	286	GLY	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	465	ILE	2.9
1	B	37	PRO	2.9
1	B	287	TYR	2.8
1	B	149	TYR	2.8
1	B	377	TYR	2.8
1	B	429	GLU	2.8
1	B	435	THR	2.8
1	B	406	TYR	2.7
1	B	36	ILE	2.7
1	B	288	GLU	2.7
1	B	460	GLY	2.7
1	B	470	ARG	2.7
1	A	277	GLY	2.6
1	B	405	VAL	2.6
1	B	375	ASN	2.6
1	B	308[A]	CYS	2.5
1	A	218	THR	2.5
1	B	458	ASN	2.4
1	B	453	SER	2.4
1	A	253	LEU	2.4
1	B	165	VAL	2.4
1	B	79	GLY	2.3
1	A	242	TRP	2.3
1	A	290	ARG	2.3
1	A	38	LEU	2.3
1	A	141	LEU	2.3
1	B	457	LYS	2.3
1	A	473	LYS	2.3
1	B	382	TYR	2.3
1	A	40	TYR	2.2
1	B	409	VAL	2.2
1	B	253	LEU	2.1
1	B	402	ASN	2.1
1	B	427	THR	2.1
1	B	468	LYS	2.1
1	B	38	LEU	2.1
1	B	446	THR	2.1
1	B	447	ARG	2.1
1	B	52	ALA	2.0
1	B	81	VAL	2.0
1	A	249	MET	2.0
1	B	114	ALA	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	420	VAL	2.0
1	B	456	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	EDO	A	508	4/4	0.75	0.21	40,40,41,41	4
4	SO4	B	610	5/5	0.75	0.17	55,57,60,67	5
4	SO4	B	608	5/5	0.77	0.13	48,48,50,58	0
4	SO4	B	609	5/5	0.81	0.15	61,67,75,76	0
2	EDO	B	603	4/4	0.82	0.17	31,36,37,43	0
2	EDO	A	511	4/4	0.82	0.27	23,25,26,28	4
3	GYZ	A	512	21/21	0.83	0.18	23,31,69,69	21
2	EDO	A	505	4/4	0.83	0.19	54,55,59,62	0
4	SO4	A	514	5/5	0.84	0.12	46,46,49,51	5
3	GYZ	B	607	21/21	0.84	0.17	23,28,54,55	21
2	EDO	A	510	4/4	0.85	0.20	46,47,48,50	4
4	SO4	A	513	5/5	0.85	0.12	65,66,74,76	0
2	EDO	A	504	4/4	0.85	0.12	42,43,46,51	0
4	SO4	A	515	5/5	0.86	0.20	37,37,44,45	5
2	EDO	A	509	4/4	0.87	0.16	25,25,26,26	4
2	EDO	A	503	4/4	0.88	0.13	35,39,41,48	0
2	EDO	A	507	4/4	0.89	0.12	38,40,40,40	0
2	EDO	B	604	4/4	0.89	0.11	38,46,47,51	0
4	SO4	A	516	5/5	0.90	0.10	43,48,50,53	5
2	EDO	B	606	4/4	0.90	0.12	33,34,35,37	4
2	EDO	A	506	4/4	0.90	0.20	25,30,33,43	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	EDO	B	605	4/4	0.90	0.13	41,43,46,50	0
2	EDO	B	601	4/4	0.91	0.17	31,32,37,40	0
2	EDO	A	502	4/4	0.92	0.11	46,46,48,50	0
2	EDO	A	501	4/4	0.92	0.12	26,27,27,29	0
2	EDO	B	602	4/4	0.95	0.08	18,21,21,21	4

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers ⓘ

There are no such residues in this entry.