



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2026 – 12:44 PM UTC

PDB ID : 2I0B / pdb_00002i0b
Title : Crystal structure of the GluR6 ligand binding core ELKQ mutant dimer at 1.96 Angstroms Resolution
Authors : Mayer, M.L.
Deposited on : 2006-08-10
Resolution : 1.96 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.96 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	259	7% 78% 19% ..
1	B	259	3% 79% 17% ..
1	C	259	12% 77% 20% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	B	601[B]	-	-	X	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6865 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Glutamate receptor, ionotropic kainate 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	254	Total	C	N	O	S	0	13	0
			2124	1351	350	410	13			
1	B	257	Total	C	N	O	S	0	11	0
			2125	1350	353	408	14			
1	C	255	Total	C	N	O	S	0	1	0
			2038	1300	340	385	13			

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	cloning artifact	UNP P42260
A	98	GLU	LYS	engineered mutation	UNP P42260
A	118	GLY	-	linker	UNP P42260
A	119	THR	-	linker	UNP P42260
A	233	LEU	ILE	engineered mutation	UNP P42260
A	237	LYS	GLN	engineered mutation	UNP P42260
A	241	GLN	GLU	engineered mutation	UNP P42260
B	1	GLY	-	cloning artifact	UNP P42260
B	98	GLU	LYS	engineered mutation	UNP P42260
B	118	GLY	-	linker	UNP P42260
B	119	THR	-	linker	UNP P42260
B	233	LEU	ILE	engineered mutation	UNP P42260
B	237	LYS	GLN	engineered mutation	UNP P42260
B	241	GLN	GLU	engineered mutation	UNP P42260
C	1	GLY	-	cloning artifact	UNP P42260
C	98	GLU	LYS	engineered mutation	UNP P42260
C	118	GLY	-	linker	UNP P42260
C	119	THR	-	linker	UNP P42260
C	233	LEU	ILE	engineered mutation	UNP P42260
C	237	LYS	GLN	engineered mutation	UNP P42260
C	241	GLN	GLU	engineered mutation	UNP P42260

- Molecule 2 is GLUTAMIC ACID (CCD ID: GLU) (formula: C₅H₉NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			10	5	1	4		
2	B	1	Total	C	N	O	0	0
			10	5	1	4		
2	C	1	Total	C	N	O	0	0
			10	5	1	4		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	O S	0	1
			10	8 2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	217	Total 217	O 217	0	1
4	B	223	Total 223	O 223	0	1
4	C	98	Total 98	O 98	0	1


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glutamate receptor, ionotropic kainate 2



- Molecule 1: Glutamate receptor, ionotropic kainate 2



- Molecule 1: Glutamate receptor, ionotropic kainate 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	94.22Å 94.22Å 219.84Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.96 30.00 – 1.96	Depositor EDS
% Data completeness (in resolution range)	100.0 (30.00-1.96) 99.9 (30.00-1.96)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.14 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.172 , 0.211 0.173 , 0.209	Depositor DCC
R_{free} test set	3696 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	30.2	Xtriage
Anisotropy	0.022	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6865	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.89	0/2162	1.02	1/2913 (0.0%)
1	B	0.87	0/2163	1.01	3/2913 (0.1%)
1	C	0.62	0/2076	0.94	1/2797 (0.0%)
All	All	0.80	0/6401	0.99	5/8623 (0.1%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	2	SER	N-CA-C	7.18	120.07	110.88
1	A	180	ARG	CG-CD-NE	-6.30	98.13	112.00
1	B	150	SER	N-CA-C	5.71	118.60	110.10
1	B	192	SER	N-CA-C	5.23	117.72	111.71
1	C	200	GLN	N-CA-C	-5.04	106.90	113.16

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2124	0	2113	51	0
1	B	2125	0	2117	63	0
1	C	2038	0	2045	44	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	10	0	5	0	0
2	B	10	0	5	0	0
2	C	10	0	5	0	0
3	B	10	0	0	3	0
4	A	217	0	0	12	1
4	B	223	0	0	6	1
4	C	98	0	0	3	0
All	All	6865	0	6290	147	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (147) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:253:ARG:O	1:C:253:ARG:HD2	1.59	1.02
1:C:228:ARG:NH1	4:C:308:HOH:O	2.14	0.81
1:C:239:GLN:NE2	4:C:376:HOH:O	2.18	0.76
1:B:190[A]:MET:HG3	1:B:195:ILE:HG13	1.67	0.76
1:A:116:ARG:NH2	1:A:185:ASP:OD1	2.20	0.74
1:B:202:ASN:HD22	1:B:204:ASN:H	1.36	0.74
1:B:18:LEU:HD21	1:B:33:GLU:CG	2.19	0.72
1:B:66:ASP:OD1	1:B:66:ASP:N	2.22	0.72
1:C:168:SER:O	1:C:180:ARG:NH1	2.25	0.70
1:B:243:LYS:HA	1:B:246:MET:CE	2.22	0.69
1:B:243:LYS:HA	1:B:246:MET:HE2	1.74	0.68
1:C:95:VAL:HG13	1:C:149:LYS:NZ	2.09	0.68
1:C:161:PHE:CZ	1:C:165:ARG:HD2	2.28	0.68
1:B:18:LEU:HD21	1:B:33:GLU:HG3	1.75	0.68
1:C:70:GLN:HE21	1:C:76:ARG:HH12	1.41	0.68
1:A:64:GLN:OE1	4:A:513:HOH:O	2.13	0.66
1:A:4:ARG:HD2	1:A:48:GLY:O	1.94	0.66
1:A:166:ARG:HG3	1:A:170:LEU:HD12	1.76	0.65
1:A:129:LYS:HE2	4:A:455:HOH:O	1.95	0.65
1:B:147:PHE:CE1	1:B:189[A]:LEU:HD13	2.32	0.65
1:B:200:GLN:NE2	1:B:256:GLY:O	2.29	0.65
1:B:228:ARG:NH1	4:B:695:HOH:O	2.28	0.65
1:A:13:GLU:OE2	4:A:507:HOH:O	2.15	0.64
1:B:237:LYS:CE	4:B:744:HOH:O	2.46	0.63
1:B:18:LEU:CD2	1:B:33:GLU:CG	2.77	0.63
1:C:95:VAL:HG13	1:C:149:LYS:HZ3	1.65	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:ILE:HD13	1:B:116[B]:ARG:HD3	1.82	0.61
1:A:237:LYS:O	1:A:240[A]:GLU:HG2	2.00	0.61
1:C:167:GLN:OE1	1:C:167:GLN:N	2.27	0.60
1:C:243:LYS:HA	1:C:246:MET:HE3	1.83	0.60
1:B:116[B]:ARG:NH2	1:B:185:ASP:OD2	2.34	0.60
1:C:161:PHE:CE1	1:C:165:ARG:HD2	2.37	0.59
1:A:249[B]:GLU:HG3	4:A:399:HOH:O	2.02	0.59
1:B:236:LEU:CD1	1:C:97:GLU:HG3	2.32	0.58
1:A:252:TRP:O	1:A:253:ARG:C	2.46	0.58
1:C:20:LYS:HE2	1:C:30:ASP:O	2.03	0.58
1:A:129:LYS:CE	4:A:455:HOH:O	2.52	0.58
1:B:97:GLU:HG3	1:C:236:LEU:CD1	2.34	0.58
1:B:237:LYS:HE2	4:B:744:HOH:O	2.02	0.58
1:B:101:ASP:OD1	1:B:223[A]:MET:SD	2.62	0.57
1:B:243:LYS:HG2	1:B:246:MET:CE	2.34	0.57
1:B:97:GLU:HG3	1:C:236:LEU:HD11	1.86	0.57
1:B:202:ASN:ND2	1:B:204:ASN:H	2.02	0.57
1:B:18:LEU:CD2	1:B:33:GLU:HG2	2.35	0.56
1:C:88:ALA:HB1	1:C:89:PRO:HD2	1.87	0.56
1:B:200:GLN:HA	1:B:200:GLN:OE1	2.06	0.55
1:B:147:PHE:CZ	1:B:189[A]:LEU:HD13	2.41	0.55
1:A:47[A]:LEU:CD1	4:A:477:HOH:O	2.54	0.55
1:A:213:ASP:OD2	1:A:215:LYS:HE2	2.07	0.55
1:A:152:ILE:HD13	1:B:116[B]:ARG:HG2	1.88	0.55
1:C:252:TRP:O	1:C:253:ARG:C	2.50	0.54
1:B:190[A]:MET:CG	1:B:195:ILE:HG13	2.37	0.54
1:A:190:MET:HE2	1:A:194:THR:HB	1.89	0.54
1:C:70:GLN:NE2	1:C:76:ARG:HH12	2.06	0.53
1:A:88:ALA:HB1	1:A:89:PRO:HD2	1.91	0.53
1:B:202:ASN:HD22	1:B:202:ASN:C	2.16	0.52
1:A:213:ASP:HB2	1:B:179[A]:GLN:OE1	2.10	0.52
1:C:134:GLU:OE1	1:C:180:ARG:NH2	2.42	0.52
1:B:209:GLY:O	4:B:815:HOH:O	2.19	0.52
1:B:88:ALA:HB1	1:B:89:PRO:HD2	1.92	0.51
1:C:14:GLU:HG3	1:C:18:LEU:HD11	1.91	0.51
1:C:190:MET:HE2	1:C:194:THR:HB	1.93	0.51
1:B:253:ARG:O	1:B:255:ASN:N	2.41	0.51
1:B:232:THR:OG1	3:B:601[B]:SO4:O1	2.17	0.51
1:B:214:SER:HB2	4:B:803:HOH:O	2.11	0.50
1:B:190[A]:MET:CG	1:B:195:ILE:CG1	2.90	0.50
1:C:253:ARG:O	1:C:253:ARG:CD	2.47	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:95:VAL:CG1	1:C:149:LYS:NZ	2.75	0.50
1:C:4:ARG:HG2	1:C:5:SER:O	2.11	0.50
1:B:18:LEU:CD2	1:B:33:GLU:HG3	2.39	0.50
1:B:200:GLN:HG2	1:B:254:GLY:HA2	1.94	0.49
1:A:15:PRO:HA	1:A:18[B]:LEU:HD11	1.93	0.49
1:A:190:MET:HG3	1:A:195:ILE:CG1	2.42	0.49
1:C:254:GLY:O	1:C:255:ASN:HB3	2.13	0.49
1:A:243:LYS:HA	1:A:246:MET:HE2	1.95	0.49
1:B:243:LYS:HA	1:B:246:MET:HE3	1.94	0.48
1:A:4:ARG:HB2	4:A:482:HOH:O	2.14	0.48
1:C:39:LEU:HB2	1:C:247:MET:HE1	1.95	0.48
1:C:122:ASP:O	1:C:122:ASP:OD1	2.32	0.47
1:B:175:GLU:O	1:B:179[A]:GLN:HG2	2.14	0.47
1:A:14:GLU:HG3	1:A:18[B]:LEU:HD21	1.96	0.47
1:A:253:ARG:HH11	1:A:253:ARG:HB3	1.80	0.47
1:C:95:VAL:CG1	1:C:149:LYS:HZ2	2.28	0.47
1:A:249[B]:GLU:OE2	4:A:511:HOH:O	2.21	0.46
1:A:253:ARG:C	1:A:255:ASN:H	2.23	0.46
1:B:158:MET:CE	1:B:189[A]:LEU:HD11	2.46	0.46
1:B:256:GLY:O	1:B:257:CYS:HB2	2.16	0.46
1:A:129:LYS:CD	1:A:129:LYS:C	2.89	0.46
1:C:28:GLY:O	1:C:31:ARG:HG3	2.16	0.46
1:A:109:LEU:HD13	1:A:191:GLU:HB3	1.98	0.45
1:C:190:MET:HG3	1:C:195:ILE:HG13	1.97	0.45
1:C:20:LYS:HG2	1:C:33:GLU:CD	2.42	0.45
1:B:109:LEU:HB3	1:B:193:THR:HG23	1.97	0.45
1:A:152:ILE:HD13	1:B:116[B]:ARG:CD	2.46	0.45
1:B:4:ARG:HH22	1:B:84:ASP:CG	2.25	0.45
1:B:190[A]:MET:HG3	1:B:195:ILE:CG1	2.43	0.45
1:C:200:GLN:HA	1:C:200:GLN:OE1	2.17	0.45
1:B:158:MET:HE2	1:B:189[A]:LEU:HD11	1.98	0.44
1:B:180:ARG:CD	4:B:817:HOH:O	2.65	0.44
1:A:39:LEU:HB2	1:A:247:MET:HE1	1.99	0.44
1:A:152:ILE:HD13	1:B:116[B]:ARG:CG	2.48	0.44
1:B:200:GLN:HE21	1:B:254:GLY:C	2.25	0.44
1:A:126:ASP:O	1:A:129:LYS:HD2	2.18	0.44
1:B:21:LYS:HA	1:B:21:LYS:HD3	1.71	0.44
1:B:243:LYS:HG2	1:B:246:MET:HE1	1.99	0.44
1:C:130:GLN:NE2	1:C:133:ILE:HB	2.33	0.44
1:A:4:ARG:CB	4:A:482:HOH:O	2.66	0.44
1:A:157:LYS:CG	4:A:375:HOH:O	2.65	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:253:ARG:HA	1:B:253:ARG:HD2	1.80	0.44
1:B:18:LEU:HD22	1:B:18:LEU:C	2.42	0.43
1:A:213:ASP:OD2	1:A:215:LYS:CE	2.66	0.43
1:C:254:GLY:O	1:C:255:ASN:CB	2.66	0.43
1:B:236:LEU:HD11	1:C:97:GLU:HG3	2.01	0.43
1:C:99:VAL:O	1:C:223[B]:MET:HG3	2.19	0.43
1:A:177:GLY:O	1:A:181:VAL:HG23	2.17	0.43
1:A:13:GLU:CD	1:A:174:ASN:HD22	2.27	0.43
1:B:132:LYS:HB3	1:B:132:LYS:HE2	1.69	0.43
1:B:252:TRP:O	1:B:253:ARG:C	2.62	0.43
1:A:246:MET:HE3	4:A:456:HOH:O	2.19	0.43
1:B:13:GLU:CD	1:B:174:ASN:HD22	2.25	0.43
1:C:134:GLU:O	1:C:186:TYR:HA	2.18	0.43
1:A:58:ASP:OD1	1:A:73:GLY:HA2	2.19	0.42
1:A:192:SER:O	1:A:196:GLU:HG3	2.19	0.42
1:C:190:MET:HG3	1:C:195:ILE:CG1	2.49	0.42
1:A:140:ASP:HA	1:A:144[A]:MET:CE	2.49	0.42
1:A:157:LYS:HG3	4:A:375:HOH:O	2.18	0.42
1:A:243:LYS:HA	1:A:246:MET:CE	2.49	0.42
1:B:190[B]:MET:HE3	1:B:190[B]:MET:HB2	1.82	0.42
1:A:107:MET:HE2	1:A:248:LYS:HD2	2.00	0.42
1:C:15:PRO:HG3	1:C:197:PHE:CD1	2.54	0.42
1:A:190:MET:HE1	1:A:194:THR:CG2	2.49	0.42
1:C:26:LEU:HD22	1:C:30:ASP:OD2	2.20	0.42
1:A:152:ILE:CD1	1:B:116[B]:ARG:HG2	2.49	0.41
1:C:174:ASN:O	1:C:178:ILE:HG13	2.20	0.41
1:C:116:ARG:O	4:C:395:HOH:O	2.22	0.41
1:A:47[A]:LEU:HD11	1:A:230:LYS:HB3	2.01	0.41
1:B:18:LEU:CD2	1:B:18:LEU:C	2.93	0.41
1:A:253:ARG:C	1:A:255:ASN:N	2.78	0.41
1:C:201:ARG:HH21	1:C:253:ARG:NE	2.19	0.41
1:B:213:ASP:OD1	1:B:213:ASP:C	2.63	0.41
1:B:229:ASP:OD1	3:B:601[B]:SO4:O3	2.38	0.41
1:A:245:HIS:CD2	1:B:25:PRO:HG3	2.56	0.41
1:C:159:TRP:HA	1:C:162:MET:HE3	2.02	0.41
1:A:253:ARG:O	1:A:255:ASN:N	2.46	0.40
1:A:12:LEU:HD11	1:A:19:PHE:CE1	2.56	0.40
1:A:201:ARG:NH2	1:A:253:ARG:HB2	2.36	0.40
1:B:228:ARG:NH1	3:B:601[A]:SO4:O3	2.54	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:508:HOH:O	4:B:814:HOH:O[6_455]	1.95	0.25

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	265/259 (102%)	258 (97%)	7 (3%)	0	100	100
1	B	266/259 (103%)	261 (98%)	3 (1%)	2 (1%)	16	8
1	C	254/259 (98%)	244 (96%)	8 (3%)	2 (1%)	16	8
All	All	785/777 (101%)	763 (97%)	18 (2%)	4 (0%)	24	16

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	253	ARG
1	B	253	ARG
1	B	254	GLY
1	C	254	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	234/225 (104%)	229 (98%)	5 (2%)	47	41
1	B	233/225 (104%)	224 (96%)	9 (4%)	28	18
1	C	222/225 (99%)	217 (98%)	5 (2%)	44	38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	689/675 (102%)	670 (97%)	19 (3%)	39 30

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	47[A]	LEU
1	A	47[B]	LEU
1	A	109	LEU
1	A	129	LYS
1	A	253	ARG
1	B	18	LEU
1	B	47	LEU
1	B	66	ASP
1	B	109	LEU
1	B	131	THR
1	B	180	ARG
1	B	202	ASN
1	B	211	LEU
1	B	237	LYS
1	C	18	LEU
1	C	109	LEU
1	C	205	LEU
1	C	211	LEU
1	C	253	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	174	ASN
1	A	245	HIS
1	B	174	ASN
1	B	200	GLN
1	B	202	ASN
1	B	204	ASN
1	B	245	HIS
1	C	70	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GLU	B	302	-	8,9,9	1.16	1 (12%)	8,11,11	1.21	1 (12%)
2	GLU	A	301	-	8,9,9	1.19	0	8,11,11	1.05	1 (12%)
2	GLU	C	303	-	8,9,9	1.12	1 (12%)	8,11,11	0.98	0
3	SO4	B	601[B]	-	4,4,4	0.26	0	6,6,6	0.44	0
3	SO4	B	601[A]	-	4,4,4	0.22	0	6,6,6	0.25	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLU	B	302	-	-	0/9/9/9	-
2	GLU	A	301	-	-	0/9/9/9	-
2	GLU	C	303	-	-	2/9/9/9	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	303	GLU	OXT-C	-2.27	1.23	1.30
2	B	302	GLU	OXT-C	-2.14	1.23	1.30

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	302	GLU	OXT-C-O	-2.28	118.90	124.08
2	A	301	GLU	OXT-C-O	-2.06	119.41	124.08

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	303	GLU	O-C-CA-CB
2	C	303	GLU	OXT-C-CA-CB

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	601[B]	SO4	2	0
3	B	601[A]	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	254/259 (98%)	0.39	18 (7%)	22 25	9, 23, 43, 61	13 (5%)
1	B	257/259 (99%)	0.13	9 (3%)	47 53	10, 24, 39, 63	11 (4%)
1	C	255/259 (98%)	1.14	31 (12%)	8 10	16, 39, 51, 59	1 (0%)
All	All	766/777 (98%)	0.55	58 (7%)	20 22	9, 28, 48, 63	25 (3%)

All (58) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	254	GLY	6.0
1	A	255	ASN	6.0
1	A	256	GLY	5.0
1	C	255	ASN	4.6
1	C	257	CYS	4.6
1	B	255	ASN	3.8
1	A	254	GLY	3.5
1	B	257	CYS	3.5
1	C	152	ILE	3.5
1	C	253	ARG	3.2
1	A	257	CYS	3.2
1	A	200	GLN	3.1
1	B	1	GLY	3.0
1	A	253	ARG	3.0
1	B	66	ASP	3.0
1	C	186	TYR	3.0
1	A	203	CYS	2.9
1	C	212	ILE	2.9
1	B	167	GLN	2.9
1	C	131	THR	2.8
1	A	67	VAL	2.8
1	B	253	ARG	2.7
1	C	133	ILE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	203	CYS	2.6
1	C	256	GLY	2.6
1	C	107	MET	2.6
1	C	53	ILE	2.6
1	C	27	TYR	2.5
1	C	69	GLY	2.5
1	A	25	PRO	2.5
1	B	254	GLY	2.5
1	C	109	LEU	2.5
1	A	153[A]	SER	2.5
1	C	67	VAL	2.5
1	A	152	ILE	2.4
1	A	183	THR	2.4
1	C	102	PHE	2.4
1	C	120	PRO	2.3
1	C	94	TYR	2.3
1	C	106	PHE	2.3
1	B	203	CYS	2.3
1	B	165	ARG	2.2
1	C	105	PRO	2.2
1	C	7	ILE	2.2
1	A	179	GLN	2.2
1	C	47	LEU	2.2
1	C	5	SER	2.2
1	C	246	MET	2.2
1	A	66	ASP	2.1
1	C	198	VAL	2.1
1	C	200	GLN	2.1
1	A	168[A]	SER	2.1
1	C	151	LYS	2.1
1	A	175	GLU	2.1
1	C	223[A]	MET	2.1
1	A	27	TYR	2.1
1	C	3	ASN	2.1
1	A	166	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GLU	C	303	10/10	0.91	0.10	33,35,39,40	0
3	SO4	B	601[A]	5/5	0.92	0.13	44,45,46,46	5
3	SO4	B	601[B]	5/5	0.92	0.13	41,41,42,42	5
2	GLU	B	302	10/10	0.96	0.07	24,25,28,29	0
2	GLU	A	301	10/10	0.97	0.10	20,24,27,27	0

6.5 Other polymers [i](#)

There are no such residues in this entry.