



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:27 PM UTC

PDB ID : 2I0E / pdb_00002i0e
Title : Structure of catalytic domain of human protein kinase C beta II complexed with a bisindolylmaleimide inhibitor
Authors : Grodsky, N.B.; Love, R.L.
Deposited on : 2006-08-10
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	353	
1	B	353	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5293 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein Kinase C-beta II.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	329	Total	C	N	O	P	S	0	0	0
			2672	1721	434	495	3	19			
1	B	302	Total	C	N	O	P	S	0	0	0
			2440	1578	390	452	2	18			

There are 64 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	500	TPO	THR	modified residue	UNP P05771
A	?	-	ARG	SEE REMARK 999	UNP P05771
A	622	CYS	ASP	SEE REMARK 999	UNP P05771
A	623	GLY	LYS	SEE REMARK 999	UNP P05771
A	625	ASN	ASP	SEE REMARK 999	UNP P05771
A	626	ALA	THR	SEE REMARK 999	UNP P05771
A	627	GLU	SER	SEE REMARK 999	UNP P05771
A	631	ARG	LYS	SEE REMARK 999	UNP P05771
A	632	PHE	GLU	SEE REMARK 999	UNP P05771
A	636	HIS	GLN	SEE REMARK 999	UNP P05771
A	638	PRO	VAL	SEE REMARK 999	UNP P05771
A	639	VAL	GLU	SEE REMARK 999	UNP P05771
A	641	TPO	THR	modified residue	UNP P05771
A	643	PRO	THR	SEE REMARK 999	UNP P05771
A	645	GLN	LYS	SEE REMARK 999	UNP P05771
A	646	GLU	LEU	SEE REMARK 999	UNP P05771
A	647	VAL	PHE	SEE REMARK 999	UNP P05771
A	649	ARG	MET	SEE REMARK 999	UNP P05771
A	651	ILE	LEU	SEE REMARK 999	UNP P05771
A	654	SER	ASN	SEE REMARK 999	UNP P05771
A	657	GLU	ALA	SEE REMARK 999	UNP P05771
A	660	SEP	SER	modified residue	UNP P05771
A	661	PHE	TYR	SEE REMARK 999	UNP P05771
A	662	VAL	THR	SEE REMARK 999	UNP P05771
A	664	SER	PRO	SEE REMARK 999	UNP P05771

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	667	LEU	VAL	SEE REMARK 999	UNP P05771
A	668	LYS	ILE	SEE REMARK 999	UNP P05771
A	669	PRO	ASN	SEE REMARK 999	UNP P05771
A	670	GLU	VAL	SEE REMARK 999	UNP P05771
A	671	VAL	-	SEE REMARK 999	UNP P05771
A	672	LYS	-	SEE REMARK 999	UNP P05771
A	673	SER	-	SEE REMARK 999	UNP P05771
B	500	TPO	THR	modified residue	UNP P05771
B	?	-	ARG	SEE REMARK 999	UNP P05771
B	622	CYS	ASP	SEE REMARK 999	UNP P05771
B	623	GLY	LYS	SEE REMARK 999	UNP P05771
B	625	ASN	ASP	SEE REMARK 999	UNP P05771
B	626	ALA	THR	SEE REMARK 999	UNP P05771
B	627	GLU	SER	SEE REMARK 999	UNP P05771
B	631	ARG	LYS	SEE REMARK 999	UNP P05771
B	632	PHE	GLU	SEE REMARK 999	UNP P05771
B	636	HIS	GLN	SEE REMARK 999	UNP P05771
B	638	PRO	VAL	SEE REMARK 999	UNP P05771
B	639	VAL	GLU	SEE REMARK 999	UNP P05771
B	641	TPO	THR	modified residue	UNP P05771
B	643	PRO	THR	SEE REMARK 999	UNP P05771
B	645	GLN	LYS	SEE REMARK 999	UNP P05771
B	646	GLU	LEU	SEE REMARK 999	UNP P05771
B	647	VAL	PHE	SEE REMARK 999	UNP P05771
B	649	ARG	MET	SEE REMARK 999	UNP P05771
B	651	ILE	LEU	SEE REMARK 999	UNP P05771
B	654	SER	ASN	SEE REMARK 999	UNP P05771
B	657	GLU	ALA	SEE REMARK 999	UNP P05771
B	660	SEP	SER	modified residue	UNP P05771
B	661	PHE	TYR	SEE REMARK 999	UNP P05771
B	662	VAL	THR	SEE REMARK 999	UNP P05771
B	664	SER	PRO	SEE REMARK 999	UNP P05771
B	667	LEU	VAL	SEE REMARK 999	UNP P05771
B	668	LYS	ILE	SEE REMARK 999	UNP P05771
B	669	PRO	ASN	SEE REMARK 999	UNP P05771
B	670	GLU	VAL	SEE REMARK 999	UNP P05771
B	671	VAL	-	SEE REMARK 999	UNP P05771
B	672	LYS	-	SEE REMARK 999	UNP P05771
B	673	SER	-	SEE REMARK 999	UNP P05771

- Molecule 2 is 3-{1-[3-(DIMETHYLAMINO)PROPYL]-2-METHYL-1H-INDOL-3-YL}-4-(2-METHYL-1H-INDOL-3-YL)-1H-PYRROLE-2,5-DIONE (CCD ID: PDS) (formula: C₂₇H₂₈N₄O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			33	27	4	2		
2	B	1	Total	C	N	O	0	0
			33	27	4	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	63	Total	O	0	0
			63	63		
3	B	52	Total	O	0	0
			52	52		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: Protein Kinase C-beta II

Chain A: 



• Molecule 1: Protein Kinase C-beta II

Chain B: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	93.10Å 131.42Å 83.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.60	Depositor
% Data completeness (in resolution range)	99.9 (30.00-2.60)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.235 , 0.290	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5293	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, SEP, PDS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	0/2707	0.93	3/3644 (0.1%)
1	B	0.58	0/2479	0.92	4/3336 (0.1%)
All	All	0.59	0/5186	0.93	7/6980 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	504	THR	CA-C-N	8.65	130.65	119.84
1	A	504	THR	C-N-CA	8.65	130.65	119.84
1	B	462	ILE	N-CA-C	7.28	118.37	108.17
1	A	462	ILE	N-CA-C	7.21	118.87	108.48
1	B	556	HIS	N-CA-C	6.51	120.48	110.20
1	B	424	ASN	N-CA-C	6.09	119.10	111.24
1	B	415	ARG	N-CA-C	5.11	117.15	109.23

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	461	GLY	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2672	0	2606	49	0
1	B	2440	0	2391	38	0
2	A	33	0	28	1	0
2	B	33	0	28	0	0
3	A	63	0	0	2	0
3	B	52	0	0	0	0
All	All	5293	0	5053	87	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:635:ARG:HG3	1:A:635:ARG:HH21	1.02	1.13
1:A:635:ARG:HG3	1:A:635:ARG:NH2	1.83	0.85
1:A:428:LEU:HD21	1:A:534:MET:HE3	1.58	0.85
1:A:635:ARG:HH21	1:A:635:ARG:CG	1.91	0.81
1:A:428:LEU:HD21	1:A:534:MET:CE	2.16	0.74
1:B:350:LYS:HB2	1:B:355:LYS:HG3	1.72	0.71
1:A:428:LEU:CD2	1:A:534:MET:HE3	2.22	0.69
1:A:511:GLU:OE2	1:A:521:SER:HB3	1.98	0.63
1:A:394:LEU:HD22	1:A:420:MET:HE1	1.81	0.62
1:B:544:GLU:CD	1:B:544:GLU:H	2.07	0.62
1:A:508:ILE:CD1	1:A:512:ILE:HG12	2.31	0.61
1:A:367:LEU:HD21	1:A:624:ARG:HD3	1.84	0.59
1:A:545:ASP:HB3	1:A:548:GLU:H	1.68	0.57
1:A:339:LEU:HD11	1:A:344:PHE:CZ	2.40	0.56
1:A:434:GLN:HG3	1:A:435:VAL:HG13	1.88	0.56
1:A:457:LEU:HD22	1:A:462:ILE:HD12	1.87	0.56
1:B:509:ALA:O	1:B:513:ILE:HG23	2.06	0.56
1:B:450:ILE:HG13	1:B:480:ILE:HD13	1.87	0.55
1:B:460:LYS:HB2	1:B:462:ILE:HG23	1.89	0.54
1:A:641:TPO:H	1:A:641:TPO:P	2.30	0.54
1:A:446:TYR:CB	1:A:534:MET:HE1	2.37	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:375:LYS:NZ	1:A:412:THR:O	2.40	0.53
1:B:508:ILE:CD1	1:B:513:ILE:HG22	2.39	0.53
1:A:340:THR:HG22	1:A:362:LYS:NZ	2.24	0.52
1:A:502:CYS:H	1:A:512:ILE:HD11	1.73	0.52
1:A:468:LYS:NZ	1:A:504:THR:HG21	2.24	0.52
1:A:415:ARG:NH1	1:A:640:LEU:HD22	2.25	0.52
1:A:531:LEU:HD22	1:A:535:LEU:HD22	1.92	0.52
1:A:428:LEU:HD22	1:A:472:VAL:CG2	2.41	0.51
1:B:401:PRO:CB	1:B:611:LYS:HE2	2.40	0.51
1:B:508:ILE:HD12	1:B:513:ILE:HG22	1.94	0.50
1:B:411:GLN:OE1	1:B:656:PHE:HB2	2.11	0.50
1:B:572:CYS:HB2	1:B:576:MET:HE2	1.93	0.50
1:A:404:THR:HG22	1:A:485:PHE:HE2	1.77	0.49
1:B:501:PHE:HA	1:B:512:ILE:HD12	1.94	0.49
1:B:432:ILE:HD11	1:B:437:ARG:HA	1.95	0.49
1:A:508:ILE:HD11	1:A:512:ILE:HG12	1.94	0.49
1:B:476:SER:O	1:B:619:PRO:HD2	2.13	0.48
1:B:372:ILE:HG12	1:B:417:TYR:CD2	2.49	0.48
1:B:604:ASP:HB3	1:B:607:LYS:HG2	1.96	0.48
1:A:457:LEU:HB3	1:A:462:ILE:HD13	1.95	0.48
1:B:610:ARG:HD2	1:B:612:GLU:OE2	2.15	0.47
1:B:344:PHE:HB3	1:B:357:MET:CE	2.45	0.46
1:B:438:PHE:CD2	1:B:534:MET:HE2	2.51	0.46
1:A:404:THR:HG21	3:A:58:HOH:O	2.15	0.46
1:B:561:PRO:HD2	1:B:564:MET:HE3	1.98	0.46
1:A:427:ASP:HA	1:A:473:MET:HA	1.98	0.46
1:B:374:LYS:HD2	1:B:377:VAL:HG21	1.98	0.46
1:A:446:TYR:HB2	1:A:534:MET:HE1	1.98	0.45
1:A:544:GLU:N	1:A:548:GLU:OE1	2.46	0.45
1:A:376:ASP:O	1:A:380:GLN:HB2	2.17	0.45
1:A:635:ARG:NH2	1:A:635:ARG:CG	2.61	0.45
1:B:438:PHE:CE2	1:B:534:MET:HE2	2.51	0.45
1:A:508:ILE:HG13	1:A:512:ILE:HG23	1.99	0.45
1:B:339:LEU:C	1:B:341:ASP:H	2.24	0.45
1:A:624:ARG:HA	1:A:624:ARG:HD2	1.78	0.44
1:A:375:LYS:O	1:A:379:ILE:HG13	2.17	0.44
1:A:508:ILE:HD11	1:A:513:ILE:HG23	1.99	0.44
2:A:901:PDS:H24	2:A:901:PDS:C1	2.48	0.44
1:A:414:ASP:OD1	1:A:414:ASP:N	2.48	0.43
1:B:411:GLN:HG3	1:B:416:LEU:HD23	2.00	0.43
1:B:438:PHE:CD2	1:B:534:MET:HB2	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:493:TRP:CH2	1:B:460:LYS:HB3	2.54	0.43
1:B:462:ILE:O	1:B:462:ILE:HG13	2.16	0.43
1:B:544:GLU:CD	1:B:544:GLU:N	2.76	0.43
1:B:401:PRO:HB2	1:B:611:LYS:HE2	2.00	0.43
1:A:339:LEU:CD1	1:A:344:PHE:CZ	3.02	0.43
1:B:444:VAL:HG12	1:B:599:PHE:CZ	2.54	0.42
1:A:508:ILE:HD12	1:A:512:ILE:HG12	2.00	0.42
1:A:668:LYS:HA	1:A:669:PRO:HD3	1.87	0.42
1:B:432:ILE:HD13	1:B:534:MET:HA	2.02	0.42
1:B:438:PHE:HD2	1:B:534:MET:HB2	1.84	0.42
1:A:371:LYS:HB3	1:A:418:PHE:HB2	2.02	0.41
1:B:374:LYS:HD2	1:B:377:VAL:CG2	2.50	0.41
1:B:344:PHE:HB3	1:B:357:MET:HE3	2.03	0.41
1:B:463:ILE:CG1	1:B:489:LYS:HB3	2.51	0.41
1:A:424:ASN:C	1:A:424:ASN:OD1	2.63	0.41
1:A:511:GLU:O	1:A:516:GLN:HB2	2.21	0.41
1:A:340:THR:HG22	1:A:362:LYS:HZ2	1.84	0.41
1:A:432:ILE:O	1:A:436:GLY:N	2.54	0.41
1:A:611:LYS:HA	3:A:22:HOH:O	2.21	0.41
1:B:487:MET:HE3	1:B:487:MET:HB2	1.92	0.40
1:A:391:LYS:HZ1	1:A:659:PHE:C	2.30	0.40
1:B:579:HIS:HA	1:B:580:PRO:HD2	1.92	0.40
1:A:409:CYS:HB2	1:A:661:PHE:HB3	2.02	0.40
1:B:439:LYS:O	1:B:440:GLU:C	2.63	0.40
1:B:562:LYS:HA	1:B:562:LYS:HD3	1.82	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	322/353 (91%)	307 (95%)	12 (4%)	3 (1%)	14	30

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	296/353 (84%)	283 (96%)	10 (3%)	3 (1%)	12	28
All	All	618/706 (88%)	590 (96%)	22 (4%)	6 (1%)	12	28

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	362	LYS
1	A	362	LYS
1	B	382	ASP
1	B	573	LYS
1	A	643	PRO
1	A	520	LYS

5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

5 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	TPO	A	641	1	8,10,11	1.07	1 (12%)	10,14,16	1.23	0
1	TPO	B	500	1	8,10,11	0.68	0	10,14,16	1.25	1 (10%)
1	SEP	B	660	1	8,9,10	1.78	2 (25%)	7,12,14	1.27	1 (14%)
1	SEP	A	660	1	8,9,10	1.75	3 (37%)	7,12,14	1.07	0
1	TPO	A	500	1	8,10,11	0.67	0	10,14,16	1.08	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	641	1	-	5/9/11/13	-
1	TPO	B	500	1	-	1/9/11/13	-
1	SEP	B	660	1	-	5/6/8/10	-
1	SEP	A	660	1	-	3/6/8/10	-
1	TPO	A	500	1	-	1/9/11/13	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	660	SEP	P-O1P	3.91	1.62	1.50
1	A	660	SEP	P-O1P	3.65	1.61	1.50
1	A	641	TPO	P-OG1	2.21	1.63	1.59
1	A	660	SEP	P-O2P	2.13	1.62	1.54
1	A	660	SEP	P-O3P	2.09	1.62	1.54
1	B	660	SEP	P-O2P	2.05	1.62	1.54

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	500	TPO	O3P-P-O2P	2.57	117.43	107.80
1	B	660	SEP	OG-CB-CA	2.56	110.64	108.14
1	A	500	TPO	O3P-P-O2P	2.11	115.72	107.80

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	500	TPO	O-C-CA-CB
1	A	641	TPO	N-CA-CB-CG2
1	A	641	TPO	N-CA-CB-OG1
1	A	641	TPO	C-CA-CB-CG2
1	A	641	TPO	O-C-CA-CB
1	A	660	SEP	N-CA-CB-OG
1	A	660	SEP	C-CA-CB-OG
1	B	660	SEP	CB-OG-P-O3P
1	B	660	SEP	CB-OG-P-O1P
1	B	660	SEP	CB-OG-P-O2P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	B	660	SEP	CA-CB-OG-P
1	A	641	TPO	CG2-CB-OG1-P
1	B	500	TPO	CB-OG1-P-O2P
1	A	660	SEP	CA-CB-OG-P
1	B	660	SEP	C-CA-CB-OG

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	641	TPO	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PDS	A	901	-	37,37,37	2.31	21 (56%)	49,55,55	1.27	6 (12%)
2	PDS	B	902	-	37,37,37	2.30	20 (54%)	49,55,55	1.13	5 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PDS	A	901	-	-	2/14/30/30	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PDS	B	902	-	-	3/14/30/30	0/5/5/5

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	901	PDS	C18-C23	5.12	1.47	1.41
2	B	902	PDS	C18-C23	5.06	1.47	1.41
2	A	901	PDS	C3-C7	4.91	1.47	1.41
2	B	902	PDS	C3-C7	4.60	1.47	1.41
2	A	901	PDS	C16-C8	3.57	1.45	1.38
2	B	902	PDS	C16-C8	3.43	1.44	1.38
2	A	901	PDS	C24-C18	3.34	1.45	1.39
2	B	902	PDS	C15-C7	3.23	1.44	1.39
2	B	902	PDS	C28-C23	3.19	1.44	1.39
2	B	902	PDS	C29-C24	3.16	1.44	1.38
2	B	902	PDS	C12-N13	3.00	1.45	1.38
2	B	902	PDS	C21-C16	2.98	1.44	1.38
2	A	901	PDS	C21-C16	2.95	1.44	1.38
2	B	902	PDS	C24-C18	2.94	1.44	1.39
2	A	901	PDS	C12-N13	2.94	1.44	1.38
2	B	902	PDS	C6-N13	2.92	1.44	1.38
2	A	901	PDS	C15-C7	2.91	1.44	1.39
2	A	901	PDS	C29-C24	2.87	1.43	1.38
2	B	902	PDS	C21-C15	2.86	1.43	1.38
2	A	901	PDS	C6-N13	2.82	1.44	1.38
2	A	901	PDS	C28-C23	2.78	1.44	1.39
2	A	901	PDS	C8-C3	2.76	1.44	1.39
2	A	901	PDS	C21-C15	2.72	1.43	1.38
2	B	902	PDS	C8-C3	2.60	1.43	1.39
2	B	902	PDS	C11-C19	2.38	1.44	1.39
2	A	901	PDS	C10-C4	-2.34	1.46	1.49
2	A	901	PDS	C11-C5	2.31	1.54	1.47
2	A	901	PDS	C1-C2	2.31	1.54	1.47
2	A	901	PDS	C11-C19	2.21	1.43	1.39
2	A	901	PDS	C31-C28	2.20	1.42	1.38
2	B	902	PDS	C3-C1	-2.18	1.41	1.46
2	B	902	PDS	C11-C5	2.15	1.53	1.47
2	B	902	PDS	C31-C29	2.15	1.43	1.38
2	B	902	PDS	C1-C2	2.15	1.53	1.47
2	A	901	PDS	C1-C4	2.14	1.44	1.38
2	A	901	PDS	C3-C1	-2.09	1.41	1.46
2	B	902	PDS	C31-C28	2.09	1.42	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	902	PDS	C1-C4	2.09	1.44	1.38
2	A	901	PDS	C7-N9	-2.07	1.35	1.39
2	B	902	PDS	C10-C4	-2.07	1.46	1.49
2	A	901	PDS	C31-C29	2.00	1.42	1.38

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	901	PDS	C11-C19-N25	3.30	110.53	108.79
2	A	901	PDS	C12-N13-C6	3.21	114.77	111.36
2	B	902	PDS	C17-N9-C4	2.97	129.59	124.72
2	B	902	PDS	C7-N9-C4	-2.84	107.65	109.17
2	A	901	PDS	C17-N9-C4	2.82	129.34	124.72
2	A	901	PDS	C7-N9-C4	-2.31	107.94	109.17
2	B	902	PDS	C1-C4-N9	2.28	110.62	109.17
2	A	901	PDS	C1-C4-N9	2.23	110.59	109.17
2	B	902	PDS	C11-C19-N25	2.15	109.92	108.79
2	A	901	PDS	O14-C6-N13	2.10	130.01	125.08
2	B	902	PDS	O14-C6-N13	2.08	129.95	125.08

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	902	PDS	N9-C17-C22-C27
2	B	902	PDS	C17-C22-C27-N30
2	A	901	PDS	C17-C22-C27-N30
2	A	901	PDS	C22-C27-N30-C33
2	B	902	PDS	C22-C27-N30-C33


There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	901	PDS	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.

Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.