



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 02:19 PM UTC

PDB ID : 3I26 / pdb_00003i26
Title : Structure of bovine torovirus Hemagglutinin-Esterase
Authors : Zeng, Q.H.; Huizinga, E.G.
Deposited on : 2009-06-29
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.










Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R _{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	384	
1	B	384	
1	C	384	
1	D	384	
2	E	4	
2	M	4	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	F	2	 100%
3	J	2	 50% 50%
3	K	2	 50% 50%
3	N	2	 100%
3	O	2	 100%
4	G	4	 50% 50%
5	H	5	 20% 80%
6	I	3	 33% 67%
6	L	3	 33% 67%
7	P	7	 71% 29%

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 13255 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin-esterase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	365	Total	C	N	O	S	0	0	0
			2862	1821	455	559	27			
1	B	364	Total	C	N	O	S	0	0	0
			2855	1819	454	555	27			
1	C	358	Total	C	N	O	S	0	0	0
			2813	1795	447	544	27			
1	D	369	Total	C	N	O	S	0	0	0
			2889	1837	460	565	27			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	393	ASP	-	expression tag	UNP P0C0V9
A	394	PRO	-	expression tag	UNP P0C0V9
A	395	LEU	-	expression tag	UNP P0C0V9
A	396	VAL	-	expression tag	UNP P0C0V9
A	397	PRO	-	expression tag	UNP P0C0V9
A	398	ARG	-	expression tag	UNP P0C0V9
B	393	ASP	-	expression tag	UNP P0C0V9
B	394	PRO	-	expression tag	UNP P0C0V9
B	395	LEU	-	expression tag	UNP P0C0V9
B	396	VAL	-	expression tag	UNP P0C0V9
B	397	PRO	-	expression tag	UNP P0C0V9
B	398	ARG	-	expression tag	UNP P0C0V9
C	393	ASP	-	expression tag	UNP P0C0V9
C	394	PRO	-	expression tag	UNP P0C0V9
C	395	LEU	-	expression tag	UNP P0C0V9
C	396	VAL	-	expression tag	UNP P0C0V9
C	397	PRO	-	expression tag	UNP P0C0V9
C	398	ARG	-	expression tag	UNP P0C0V9
D	393	ASP	-	expression tag	UNP P0C0V9
D	394	PRO	-	expression tag	UNP P0C0V9
D	395	LEU	-	expression tag	UNP P0C0V9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	396	VAL	-	expression tag	UNP P0C0V9
D	397	PRO	-	expression tag	UNP P0C0V9
D	398	ARG	-	expression tag	UNP P0C0V9

- Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	4	Total	C	N	O	0	0	0
			50	28	2	20			
2	M	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	F	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	J	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	K	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	N	2	Total	C	N	O	0	0	0
			28	16	2	10			
3	O	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	G	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	H	5	Total	C	N	O	0	0	0
			61	34	2	25			

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	I	3	Total	C	N	O	0	0	0
			39	22	2	15			
6	L	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	P	7	Total	C	N	O	0	0	0
			83	46	2	35			

- Molecule 8 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	A	1	Total	C	N	O	0	0
			14	8	1	5		
8	B	1	Total	C	N	O	0	0
			14	8	1	5		
8	D	1	Total	C	N	O	0	0
			14	8	1	5		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	415	Total	O	0	0
			415	415		
9	B	440	Total	O	0	0
			440	440		
9	C	87	Total	O	0	0
			87	87		
9	D	326	Total	O	0	0
			326	326		



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Hemagglutinin-esterase



- Molecule 1: Hemagglutinin-esterase



- Molecule 1: Hemagglutinin-esterase



- Molecule 1: Hemagglutinin-esterase




- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  50% 50%




- Molecule 2: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  25% 75%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50% 50%




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  50% 50%




- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  100%

NAG1
NAG2

- Molecule 4: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  50% 50%

NAG1
NAG2
BMA3
MAN4

- Molecule 5: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  20% 80%

NAG1
NAG2
BMA3
MAN4
MAN5

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  33% 67%

NAG1
NAG2
BMA3

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  33% 67%

NAG1
NAG2
BMA3

- Molecule 7: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  71% 29%

NAG1
NAG2
BMA3
MAN4
MAN5
MAN6
MAN7

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	67.79Å 113.43Å 273.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.16 – 1.80 48.16 – 1.80	Depositor EDS
% Data completeness (in resolution range)	95.1 (48.16-1.80) 95.4 (48.16-1.80)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.67 (at 1.79Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, R_{free}	0.188 , 0.218 (Not available) , 0.231	Depositor DCC
R_{free} test set	9422 reflections (4.79%)	wwPDB-VP
Wilson B-factor (Å ²)	19.5	Xtriage
Anisotropy	0.053	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 41.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.41$, $\langle L^2 \rangle = 0.23$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13255	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.76	0/2949	0.81	1/4021 (0.0%)
1	B	0.78	0/2943	0.83	1/4014 (0.0%)
1	C	0.56	0/2900	0.69	0/3954
1	D	0.66	0/2977	0.79	2/4060 (0.0%)
All	All	0.70	0/11769	0.78	4/16049 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	27	ILE	CB-CA-C	-9.44	100.59	110.88
1	A	381	SER	N-CA-C	5.22	117.05	111.36
1	D	211	GLY	CA-C-N	5.10	130.88	121.70
1	D	211	GLY	C-N-CA	5.10	130.88	121.70

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	381	SER	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2862	0	2668	7	0
1	B	2855	0	2671	11	0
1	C	2813	0	2635	15	0
1	D	2889	0	2697	11	0
2	E	50	0	43	0	0
2	M	50	0	43	0	0
3	F	28	0	25	0	0
3	J	28	0	25	0	0
3	K	28	0	25	0	0
3	N	28	0	25	0	0
3	O	28	0	25	0	0
4	G	50	0	43	0	0
5	H	61	0	52	0	0
6	I	39	0	34	0	0
6	L	39	0	34	0	0
7	P	83	0	70	0	0
8	A	28	0	26	0	0
8	B	14	0	13	0	0
8	D	14	0	13	0	0
9	A	415	0	0	1	0
9	B	440	0	0	1	0
9	C	87	0	0	0	0
9	D	326	0	0	1	0
All	All	13255	0	11167	44	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (44) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:27:ILE:HG22	1:B:27:ILE:O	1.79	0.80
1:D:211:GLY:HA3	1:D:212:SER:CB	2.13	0.77
1:C:16:THR:HG23	1:C:16:THR:O	1.87	0.74
1:D:211:GLY:HA3	1:D:212:SER:HB2	1.74	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:27:ILE:O	1:B:27:ILE:CG2	2.46	0.64
1:C:98:VAL:HG22	1:C:290:TRP:CE2	2.41	0.55
1:C:148:LEU:HD22	1:C:151:LEU:HD12	1.90	0.53
1:A:280:THR:HG23	9:A:703:HOH:O	2.08	0.52
1:A:25:GLY:HA2	1:A:340:LEU:HD23	1.94	0.49
1:D:211:GLY:HA3	1:D:212:SER:HB3	1.91	0.49
1:C:16:THR:O	1:C:16:THR:CG2	2.59	0.49
1:A:21:TYR:O	1:A:351:GLY:HA3	2.11	0.49
1:D:194:LYS:NZ	9:D:997:HOH:O	2.46	0.49
1:C:32:CYS:HB2	1:C:87:ASN:ND2	2.29	0.47
1:A:169:ALA:C	1:A:170:LEU:HD12	2.39	0.47
1:D:169:ALA:C	1:D:170:LEU:HD12	2.40	0.47
1:B:167:ARG:O	1:B:266:VAL:HA	2.16	0.46
1:C:279:ILE:HD12	1:C:281:VAL:CG2	2.45	0.46
1:C:171:LEU:HD13	1:C:177:THR:HG21	1.97	0.46
1:D:70:LEU:HD23	1:D:70:LEU:C	2.41	0.45
1:D:250:PHE:CD2	1:D:250:PHE:C	2.96	0.44
1:D:211:GLY:CA	1:D:212:SER:CB	2.92	0.44
1:C:196:LEU:C	1:C:196:LEU:HD23	2.43	0.43
1:B:342:ARG:HD3	9:B:529:HOH:O	2.17	0.43
1:C:171:LEU:CD1	1:C:177:THR:HG21	2.48	0.43
1:A:98:VAL:HG22	1:A:290:TRP:CE2	2.54	0.43
1:C:79:SER:O	1:C:104:LYS:NZ	2.52	0.43
1:B:196:LEU:C	1:B:196:LEU:HD23	2.44	0.42
1:C:31:TRP:CZ3	1:C:340:LEU:HD22	2.54	0.42
1:C:93:VAL:HG21	1:C:340:LEU:HD21	2.02	0.42
1:A:318:TYR:CZ	1:A:330:ASP:HB2	2.55	0.41
1:B:63:LYS:HA	1:B:63:LYS:HD3	1.96	0.41
1:D:374:PHE:CE1	1:D:376:LYS:HB2	2.55	0.41
1:C:279:ILE:HD12	1:C:281:VAL:HG23	2.02	0.41
1:C:362:MET:HG2	1:C:364:TYR:CZ	2.55	0.41
1:B:98:VAL:HG22	1:B:290:TRP:CE2	2.56	0.41
1:B:365:GLU:HB3	1:B:366:PRO:HA	2.02	0.41
1:A:167:ARG:O	1:A:266:VAL:HA	2.21	0.41
1:B:250:PHE:C	1:B:250:PHE:CD2	2.98	0.40
1:B:33:GLY:HA2	1:B:93:VAL:O	2.21	0.40
1:B:101:SER:HB3	1:B:102:PRO:CD	2.51	0.40
1:C:130:MET:HE3	1:C:194:LYS:HG3	2.03	0.40
1:D:78:SER:O	1:D:79:SER:CB	2.70	0.40
1:D:98:VAL:HG22	1:D:290:TRP:CE2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/344 (81%)	276 (99%)	4 (1%)	59	52
1	B	326/344 (95%)	320 (98%)	6 (2%)	51	43
1	C	321/344 (93%)	314 (98%)	7 (2%)	45	34
1	D	330/344 (96%)	326 (99%)	4 (1%)	63	57
All	All	1257/1376 (91%)	1236 (98%)	21 (2%)	53	45

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	143	GLN
1	A	194	LYS
1	A	239	THR
1	A	384	GLU
1	B	16	THR
1	B	63	LYS
1	B	170	LEU
1	B	178	SER
1	B	194	LYS
1	B	342	ARG
1	C	178	SER
1	C	179	VAL
1	C	180	GLN
1	C	255	THR
1	C	279	ILE
1	C	293	GLN
1	C	342	ARG
1	D	79	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	236	ILE
1	D	250	PHE
1	D	276	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	159	ASN
1	B	159	ASN
1	B	161	GLN
1	B	302	GLN
1	C	141	GLN
1	C	152	GLN
1	C	338	GLN
1	C	343	ASN
1	D	338	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

40 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	E	1	1,2	14,14,15	0.63	1 (7%)	17,19,21	1.58	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	E	2	2	14,14,15	0.71	0	17,19,21	0.99	1 (5%)
2	BMA	E	3	2	11,11,12	0.39	0	15,15,17	0.62	0
2	MAN	E	4	2	11,11,12	0.59	0	15,15,17	0.99	0
3	NAG	F	1	1,3	14,14,15	0.89	0	17,19,21	1.47	2 (11%)
3	NAG	F	2	3	14,14,15	0.46	0	17,19,21	2.22	3 (17%)
4	NAG	G	1	1,4	14,14,15	0.58	0	17,19,21	0.88	1 (5%)
4	NAG	G	2	4	14,14,15	0.45	0	17,19,21	1.09	1 (5%)
4	BMA	G	3	4	11,11,12	0.50	0	15,15,17	0.79	0
4	MAN	G	4	4	11,11,12	0.57	0	15,15,17	0.60	0
5	NAG	H	1	1,5	14,14,15	0.67	0	17,19,21	1.13	1 (5%)
5	NAG	H	2	5	14,14,15	0.61	0	17,19,21	1.14	1 (5%)
5	BMA	H	3	5	11,11,12	0.45	0	15,15,17	0.94	0
5	MAN	H	4	5	11,11,12	0.60	0	15,15,17	0.91	1 (6%)
5	MAN	H	5	5	11,11,12	0.54	0	15,15,17	0.99	1 (6%)
6	NAG	I	1	1,6	14,14,15	0.60	0	17,19,21	1.59	4 (23%)
6	NAG	I	2	6	14,14,15	0.47	0	17,19,21	1.05	0
6	BMA	I	3	6	11,11,12	0.53	0	15,15,17	1.11	1 (6%)
3	NAG	J	1	1,3	14,14,15	0.67	0	17,19,21	0.82	0
3	NAG	J	2	3	14,14,15	0.51	0	17,19,21	1.18	1 (5%)
3	NAG	K	1	1,3	14,14,15	0.64	0	17,19,21	0.99	1 (5%)
3	NAG	K	2	3	14,14,15	0.53	0	17,19,21	0.98	0
6	NAG	L	1	1,6	14,14,15	0.50	0	17,19,21	0.95	1 (5%)
6	NAG	L	2	6	14,14,15	0.59	0	17,19,21	1.06	0
6	BMA	L	3	6	11,11,12	0.49	0	15,15,17	0.83	1 (6%)
2	NAG	M	1	1,2	14,14,15	0.59	0	17,19,21	0.89	0
2	NAG	M	2	2	14,14,15	0.71	0	17,19,21	0.94	1 (5%)
2	BMA	M	3	2	11,11,12	0.52	0	15,15,17	2.46	5 (33%)
2	MAN	M	4	2	11,11,12	0.50	0	15,15,17	0.72	1 (6%)
3	NAG	N	1	1,3	14,14,15	0.56	0	17,19,21	1.13	1 (5%)
3	NAG	N	2	3	14,14,15	0.49	0	17,19,21	1.36	3 (17%)
3	NAG	O	1	1,3	14,14,15	0.41	0	17,19,21	1.57	3 (17%)
3	NAG	O	2	3	14,14,15	0.46	0	17,19,21	1.31	1 (5%)
7	NAG	P	1	1,7	14,14,15	0.58	0	17,19,21	1.12	2 (11%)
7	NAG	P	2	7	14,14,15	0.70	0	17,19,21	1.09	0
7	BMA	P	3	7	11,11,12	0.35	0	15,15,17	1.02	0
7	MAN	P	4	7	11,11,12	0.68	0	15,15,17	0.90	0
7	MAN	P	5	7	11,11,12	0.56	0	15,15,17	0.82	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	MAN	P	6	7	11,11,12	0.52	0	15,15,17	0.82	1 (6%)
7	MAN	P	7	7	11,11,12	0.57	0	15,15,17	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	E	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	BMA	E	3	2	-	2/2/19/22	0/1/1/1
2	MAN	E	4	2	-	1/2/19/22	0/1/1/1
3	NAG	F	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	F	2	3	-	2/6/23/26	0/1/1/1
4	NAG	G	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	G	2	4	-	0/6/23/26	0/1/1/1
4	BMA	G	3	4	-	1/2/19/22	0/1/1/1
4	MAN	G	4	4	-	2/2/19/22	0/1/1/1
5	NAG	H	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	H	2	5	-	0/6/23/26	0/1/1/1
5	BMA	H	3	5	-	0/2/19/22	0/1/1/1
5	MAN	H	4	5	-	1/2/19/22	0/1/1/1
5	MAN	H	5	5	-	0/2/19/22	0/1/1/1
6	NAG	I	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	I	2	6	-	0/6/23/26	0/1/1/1
6	BMA	I	3	6	-	1/2/19/22	0/1/1/1
3	NAG	J	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	J	2	3	-	0/6/23/26	0/1/1/1
3	NAG	K	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	K	2	3	-	0/6/23/26	0/1/1/1
6	NAG	L	1	1,6	-	0/6/23/26	0/1/1/1
6	NAG	L	2	6	-	0/6/23/26	0/1/1/1
6	BMA	L	3	6	-	1/2/19/22	0/1/1/1
2	NAG	M	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	M	2	2	-	1/6/23/26	0/1/1/1
2	BMA	M	3	2	-	2/2/19/22	0/1/1/1
2	MAN	M	4	2	-	1/2/19/22	0/1/1/1
3	NAG	N	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	N	2	3	-	0/6/23/26	0/1/1/1
3	NAG	O	1	1,3	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	O	2	3	-	0/6/23/26	0/1/1/1
7	NAG	P	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	P	2	7	-	0/6/23/26	0/1/1/1
7	BMA	P	3	7	-	1/2/19/22	0/1/1/1
7	MAN	P	4	7	-	0/2/19/22	0/1/1/1
7	MAN	P	5	7	-	2/2/19/22	0/1/1/1
7	MAN	P	6	7	-	0/2/19/22	0/1/1/1
7	MAN	P	7	7	-	2/2/19/22	1/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	1	NAG	O5-C1	-2.02	1.40	1.43

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	2	NAG	C1-O5-C5	7.77	122.60	112.19
2	M	3	BMA	C1-O5-C5	7.53	122.27	112.19
2	E	1	NAG	C1-O5-C5	4.88	118.73	112.19
3	O	1	NAG	C1-O5-C5	4.26	117.89	112.19
3	J	2	NAG	C1-O5-C5	3.81	117.30	112.19
6	I	1	NAG	C1-O5-C5	3.58	116.98	112.19
6	L	1	NAG	C1-O5-C5	3.38	116.71	112.19
2	M	3	BMA	C3-C4-C5	3.33	116.27	110.23
4	G	2	NAG	O5-C1-C2	-3.09	106.51	111.29
3	N	2	NAG	C1-O5-C5	2.86	116.01	112.19
3	F	2	NAG	O5-C5-C4	2.85	117.76	110.83
5	H	5	MAN	C1-O5-C5	2.81	115.95	112.19
7	P	1	NAG	C1-C2-N2	2.81	114.86	110.43
3	F	2	NAG	C4-C3-C2	-2.80	106.91	111.02
3	F	1	NAG	O5-C1-C2	-2.68	107.14	111.29
3	N	1	NAG	C2-N2-C7	2.61	126.40	122.90
3	O	1	NAG	O5-C1-C2	-2.61	107.26	111.29
3	F	1	NAG	O7-C7-C8	-2.57	117.49	122.05
2	E	2	NAG	O5-C5-C6	2.53	112.59	107.66
6	I	1	NAG	O4-C4-C5	-2.51	103.15	109.32
7	P	1	NAG	O5-C1-C2	-2.50	107.42	111.29
6	I	3	BMA	O5-C5-C6	2.41	112.36	107.66
2	M	3	BMA	O5-C5-C4	2.40	116.67	110.83
3	K	1	NAG	C2-N2-C7	-2.36	119.74	122.90
2	M	4	MAN	C1-O5-C5	2.27	115.23	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	P	6	MAN	C1-O5-C5	2.25	115.20	112.19
5	H	2	NAG	C2-N2-C7	2.23	125.89	122.90
2	E	1	NAG	O5-C1-C2	-2.23	107.85	111.29
6	L	3	BMA	C1-O5-C5	2.23	115.17	112.19
5	H	4	MAN	C1-O5-C5	2.22	115.17	112.19
3	O	1	NAG	C4-C3-C2	2.20	114.24	111.02
3	N	2	NAG	C3-C4-C5	-2.17	106.29	110.23
4	G	1	NAG	C1-O5-C5	2.16	115.08	112.19
6	I	1	NAG	O7-C7-N2	2.14	125.77	121.98
2	M	3	BMA	O5-C1-C2	2.11	115.81	110.79
3	O	2	NAG	O4-C4-C3	-2.10	105.42	110.38
6	I	1	NAG	C1-C2-N2	-2.09	107.14	110.43
5	H	1	NAG	O7-C7-C8	-2.09	118.33	122.05
2	M	3	BMA	C1-C2-C3	2.04	112.62	109.64
2	M	2	NAG	O4-C4-C3	-2.04	105.57	110.38
3	N	2	NAG	C2-N2-C7	2.01	125.60	122.90

There are no chirality outliers.

All (25) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	P	5	MAN	O5-C5-C6-O6
7	P	7	MAN	O5-C5-C6-O6
7	P	7	MAN	C4-C5-C6-O6
2	E	3	BMA	C4-C5-C6-O6
3	F	2	NAG	C4-C5-C6-O6
7	P	5	MAN	C4-C5-C6-O6
2	E	3	BMA	O5-C5-C6-O6
2	M	3	BMA	C4-C5-C6-O6
3	O	1	NAG	C4-C5-C6-O6
2	E	2	NAG	C4-C5-C6-O6
4	G	4	MAN	C4-C5-C6-O6
3	F	2	NAG	O5-C5-C6-O6
5	H	4	MAN	O5-C5-C6-O6
2	E	2	NAG	O5-C5-C6-O6
3	O	1	NAG	O5-C5-C6-O6
4	G	4	MAN	O5-C5-C6-O6
2	M	3	BMA	O5-C5-C6-O6
6	L	3	BMA	C4-C5-C6-O6
6	I	3	BMA	C4-C5-C6-O6
3	F	1	NAG	C4-C5-C6-O6
7	P	3	BMA	O5-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	M	4	MAN	C4-C5-C6-O6
4	G	3	BMA	C4-C5-C6-O6
2	M	2	NAG	C1-C2-N2-C7
2	E	4	MAN	C4-C5-C6-O6


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	P	7	MAN	C1-C2-C3-C4-C5-O5


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.
























Oligosaccharide Chain H



Oligosaccharide Chain I







5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	NAG	D	5157	1	14,14,15	0.52	0	17,19,21	1.18	1 (5%)
8	NAG	A	5157	1	14,14,15	0.48	0	17,19,21	0.92	0
8	NAG	A	5180	1	14,14,15	0.57	0	17,19,21	1.16	1 (5%)
8	NAG	B	5156	1	14,14,15	0.41	0	17,19,21	0.94	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	D	5157	1	-	1/6/23/26	0/1/1/1
8	NAG	A	5157	1	-	0/6/23/26	0/1/1/1
8	NAG	A	5180	1	-	0/6/23/26	0/1/1/1
8	NAG	B	5156	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	A	5180	NAG	C4-C3-C2	3.40	116.00	111.02
8	D	5157	NAG	O5-C1-C2	-2.51	107.40	111.29

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	B	5156	NAG	C4-C5-C6-O6
8	B	5156	NAG	O5-C5-C6-O6
8	D	5157	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	365/384 (95%)	-0.30	3 (0%) 82 83	13, 18, 26, 43	0
1	B	364/384 (94%)	-0.32	2 (0%) 87 88	13, 18, 26, 31	0
1	C	358/384 (93%)	1.12	44 (12%) 8 6	20, 33, 44, 49	0
1	D	369/384 (96%)	0.05	13 (3%) 47 47	17, 23, 32, 48	0
All	All	1456/1536 (94%)	0.13	62 (4%) 40 39	13, 21, 39, 49	0

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	236	ILE	5.6
1	D	211	GLY	5.1
1	D	237	GLY	4.4
1	D	239	THR	3.8
1	D	238	SER	3.7
1	D	235	GLN	3.5
1	C	178	SER	3.3
1	C	148	LEU	3.2
1	C	78	SER	3.2
1	C	224	SER	3.1
1	D	279	ILE	3.1
1	C	27	ILE	3.0
1	D	308	TYR	3.0
1	C	33	GLY	3.0
1	D	210	GLY	3.0
1	A	382	GLY	2.9
1	A	381	SER	2.8
1	D	212	SER	2.8
1	C	144	ALA	2.8
1	C	112	GLY	2.7
1	C	321	THR	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	16	THR	2.7
1	C	83	TYR	2.7
1	C	375	TYR	2.6
1	B	279	ILE	2.6
1	C	80	PHE	2.6
1	C	377	LEU	2.6
1	D	224	SER	2.5
1	C	308	TYR	2.5
1	C	177	THR	2.5
1	C	209	THR	2.5
1	C	153	ALA	2.4
1	C	294	TYR	2.4
1	C	157	ARG	2.4
1	D	278	ASN	2.4
1	C	234	PRO	2.3
1	C	48	MET	2.3
1	C	221	VAL	2.3
1	B	223	ASP	2.3
1	C	182	VAL	2.3
1	C	146	SER	2.2
1	C	204	HIS	2.2
1	A	384	GLU	2.2
1	C	74	TRP	2.2
1	C	261	VAL	2.2
1	C	281	VAL	2.2
1	C	41	CYS	2.1
1	C	44	PRO	2.1
1	C	170	LEU	2.1
1	C	117	ILE	2.1
1	C	97	GLY	2.1
1	D	204	HIS	2.1
1	C	34	PHE	2.1
1	C	378	PHE	2.1
1	C	191	ILE	2.1
1	C	147	SER	2.1
1	C	42	THR	2.1
1	C	81	VAL	2.1
1	C	289	ILE	2.0
1	C	363	ILE	2.0
1	C	255	THR	2.0
1	C	326	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	BMA	L	3	11/12	0.45	0.19	74,75,75,75	0
5	BMA	H	3	11/12	0.57	0.17	62,67,70,70	0
5	MAN	H	5	11/12	0.58	0.17	72,73,74,74	0
7	MAN	P	7	11/12	0.61	0.16	66,69,70,70	0
4	MAN	G	4	11/12	0.63	0.17	67,68,69,70	0
3	NAG	O	2	14/15	0.63	0.19	60,62,63,64	0
5	MAN	H	4	11/12	0.63	0.17	72,74,75,76	0
3	NAG	J	2	14/15	0.68	0.18	61,63,66,67	0
6	NAG	L	2	14/15	0.71	0.16	61,63,67,71	0
2	BMA	E	3	11/12	0.73	0.17	47,52,54,56	0
2	BMA	M	3	11/12	0.74	0.16	44,48,51,53	0
4	BMA	G	3	11/12	0.76	0.15	58,61,64,65	0
3	NAG	F	2	14/15	0.77	0.17	46,49,51,51	0
6	BMA	I	3	11/12	0.78	0.14	52,54,55,56	0
2	MAN	E	4	11/12	0.78	0.14	57,59,61,61	0
7	MAN	P	6	11/12	0.79	0.13	59,60,60,61	0
6	NAG	L	1	14/15	0.81	0.14	45,48,52,56	0
7	BMA	P	3	11/12	0.82	0.12	52,55,58,62	0
3	NAG	O	1	14/15	0.83	0.14	44,49,54,57	0
3	NAG	J	1	14/15	0.83	0.14	45,51,54,58	0
4	NAG	G	2	14/15	0.86	0.13	40,44,49,55	0
6	NAG	I	2	14/15	0.87	0.13	40,43,47,48	0
2	MAN	M	4	11/12	0.87	0.12	49,50,51,53	0
7	MAN	P	4	11/12	0.88	0.12	47,49,52,57	0
5	NAG	H	2	14/15	0.88	0.13	38,43,49,56	0
3	NAG	N	2	14/15	0.88	0.12	46,48,52,52	0
3	NAG	F	1	14/15	0.89	0.11	30,33,42,42	0
3	NAG	K	2	14/15	0.91	0.10	35,37,41,45	0
7	MAN	P	5	11/12	0.91	0.12	42,46,48,50	0
7	NAG	P	2	14/15	0.92	0.10	36,42,48,49	0
3	NAG	N	1	14/15	0.92	0.10	36,39,43,43	0
7	NAG	P	1	14/15	0.92	0.10	33,36,38,40	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAG	E	2	14/15	0.94	0.08	30,32,37,42	0
6	NAG	I	1	14/15	0.94	0.09	27,29,32,36	0
2	NAG	M	2	14/15	0.95	0.08	26,29,33,39	0
4	NAG	G	1	14/15	0.95	0.08	25,28,30,37	0
5	NAG	H	1	14/15	0.96	0.07	24,28,34,35	0
3	NAG	K	1	14/15	0.96	0.07	23,26,28,31	0
2	NAG	E	1	14/15	0.96	0.07	23,26,28,30	0
2	NAG	M	1	14/15	0.97	0.06	20,23,25,27	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain M:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain K:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain N:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain O:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around Chain I:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain L:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	NAG	A	5180	14/15	0.54	0.20	56,62,64,65	0
8	NAG	B	5156	14/15	0.68	0.17	42,48,51,52	0
8	NAG	A	5157	14/15	0.75	0.15	50,56,58,59	0
8	NAG	D	5157	14/15	0.82	0.13	44,50,53,53	0

6.5 Other polymers [i](#)

There are no such residues in this entry.