



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 07:44 AM UTC

PDB ID : 5I2Z / pdb_00005i2z
Title : Crystal structure of the catalytic domain of MMP-12 in complex with a selective sugar-conjugated triazole-linked carboxylate chelating water-soluble inhibitor (DC24).
Authors : Stura, E.A.; Rosalia, L.; Cuffaro, D.; Tepshi, L.; Ciccone, L.; Rossello, A.
Deposited on : 2016-02-09
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	159	2% 75% 21% ..
1	B	159	5% 85% 13% ..
1	C	159	5% 89% 9% ..
1	D	159	2% 86% 11% ..

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 5714 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Macrophage metalloelastase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	157	Total	C	N	O	S	0	1	0
			1242	791	218	230	3			
1	B	157	Total	C	N	O	S	0	0	0
			1234	787	216	228	3			
1	C	157	Total	C	N	O	S	0	3	0
			1264	808	221	232	3			
1	D	156	Total	C	N	O	S	0	2	0
			1244	791	218	232	3			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	105	MET	-	initiating methionine	UNP P39900
A	171	ASP	PHE	engineered mutation	UNP P39900
A	219	GLN	GLU	engineered mutation	UNP P39900
B	105	MET	-	initiating methionine	UNP P39900
B	171	ASP	PHE	engineered mutation	UNP P39900
B	219	GLN	GLU	engineered mutation	UNP P39900
C	105	MET	-	initiating methionine	UNP P39900
C	171	ASP	PHE	engineered mutation	UNP P39900
C	219	GLN	GLU	engineered mutation	UNP P39900
D	105	MET	-	initiating methionine	UNP P39900
D	171	ASP	PHE	engineered mutation	UNP P39900
D	219	GLN	GLU	engineered mutation	UNP P39900

- Molecule 2 is N-([1,1'-biphenyl]-4-yl)sulfonyl)-N-(1-[3,4,6-tri-O-acetyl-2-(acetilamino)-2-deoxy-beta-D-glucopyranosyl]-1H-1,2,3-triazol-4-yl)methyl)-D-valine (CCD ID: V24) (formula: C₃₄H₄₁N₅O₁₂S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 52	C 34	N 5	O 12	S 1	0	0
2	B	1	Total 52	C 34	N 5	O 12	S 1	0	0
2	C	1	Total 52	C 34	N 5	O 12	S 1	0	0
2	D	1	Total 52	C 34	N 5	O 12	S 1	0	0

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	2	Total Zn 2 2	0	0
3	B	2	Total Zn 2 2	0	0
3	C	2	Total Zn 2 2	0	0
3	D	2	Total Zn 2 2	0	0

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	3	Total Ca 3 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	3	Total	Ca	0	0
			3	3		
4	C	3	Total	Ca	0	0
			3	3		
4	D	3	Total	Ca	0	0
			3	3		

- Molecule 5 is S-1,2-PROPANEDIOL (CCD ID: PGO) (formula: $C_3H_8O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			5	3	2		
5	D	1	Total	C	O	0	0
			5	3	2		

- Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	D	1	Total	C	O	S	0	0
			4	2	1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	117	Total 117	O 117	0	0
8	B	110	Total 110	O 110	0	0
8	C	139	Total 140	O 140	0	1
8	D	117	Total 117	O 117	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Macrophage metalloelastase




- Molecule 1: Macrophage metalloelastase



- Molecule 1: Macrophage metalloelastase



- Molecule 1: Macrophage metalloelastase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	63.99Å 63.12Å 78.75Å 90.00° 102.37° 90.00°	Depositor
Resolution (Å)	44.41 – 2.30 44.41 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.6 (44.41-2.30) 99.8 (44.41-2.30)	Depositor EDS
R_{merge}	0.18	Depositor
R_{sym}	0.16	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.49 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.214 , 0.263 0.217 , 0.263	Depositor DCC
R_{free} test set	1371 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	25.0	Xtriage
Anisotropy	0.076	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 65.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5714	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.56 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.6217e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, V24, EDO, PGO, DMS, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.63	0/1279	0.90	2/1733 (0.1%)
1	B	0.60	0/1271	0.89	0/1722
1	C	0.62	0/1302	0.92	2/1762 (0.1%)
1	D	0.63	0/1280	0.93	0/1734
All	All	0.62	0/5132	0.91	4/6951 (0.1%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	237	PHE	CA-C-N	6.40	126.90	119.47
1	A	237	PHE	C-N-CA	6.40	126.90	119.47
1	C	186	GLY	CA-C-N	6.19	126.22	119.90
1	C	186	GLY	C-N-CA	6.19	126.22	119.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1242	0	1172	20	0
1	B	1234	0	1167	15	0
1	C	1264	0	1199	11	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1244	0	1169	11	0
2	A	52	0	0	5	0
2	B	52	0	0	3	0
2	C	52	0	0	4	0
2	D	52	0	0	3	1
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	3	0	0	0	0
4	B	3	0	0	0	0
4	C	3	0	0	0	0
4	D	3	0	0	0	0
5	A	5	0	8	0	0
5	D	5	0	8	0	0
6	C	4	0	6	0	0
7	D	4	0	6	0	0
8	A	117	0	0	3	2
8	B	110	0	0	3	0
8	C	140	0	0	3	1
8	D	117	0	0	1	1
All	All	5714	0	4735	63	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (63) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:301:V24:N49	2:A:301:V24:N27	2.19	0.88
1:A:179:GLY:HA2	2:A:301:V24:C32	2.27	0.64
1:C:180:ILE:HG23	2:C:301:V24:C22	2.28	0.63
1:B:179:GLY:HA2	2:B:301:V24:C36	2.30	0.61
1:C:219:GLN:NE2	2:C:301:V24:O19	2.32	0.59
1:D:246:ASN:ND2	8:D:402:HOH:O	2.36	0.57
1:A:151:LYS:NZ	1:A:153:ASN:OD1	2.39	0.56
2:C:301:V24:C29	2:C:301:V24:C21	2.84	0.56
1:B:179:GLY:HA2	2:B:301:V24:C38	2.36	0.56
1:C:136:LYS:NZ	8:C:401:HOH:O	2.14	0.55
1:B:159:ILE:HG23	1:B:193:GLY:O	2.07	0.54
1:C:111[B]:LYS:HD2	1:C:113[B]:TYR:H	1.73	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:116:TYR:CZ	1:B:151:LYS:HB2	2.43	0.53
1:C:139:GLN:HG2	8:C:502:HOH:O	2.09	0.53
1:B:165:ARG:HD3	1:B:200:ASP:OD1	2.09	0.53
1:D:152:ILE:HD11	1:D:157:ALA:HB2	1.90	0.53
1:A:110:ARG:NH1	8:A:412:HOH:O	2.42	0.52
1:A:200:ASP:OD2	8:A:402:HOH:O	2.19	0.51
1:B:158:ASP:OD1	8:B:601:HOH:O	2.19	0.51
1:A:110:ARG:NH2	8:A:416:HOH:O	2.45	0.49
1:A:174:PHE:HB3	1:A:198:ASP:OD2	2.13	0.49
1:D:126[B]:ASN:ND2	1:D:129:ASP:OD2	2.46	0.49
1:B:181:LEU:HD11	8:B:701:HOH:O	2.12	0.49
1:A:241:LYS:N	1:A:241:LYS:HD3	2.28	0.48
1:B:250:LEU:HB3	1:B:254:ASP:HB2	1.96	0.47
1:C:240:TYR:HD1	2:C:301:V24:C6	2.28	0.47
1:D:165:ARG:HD3	1:D:200:ASP:OD1	2.14	0.47
1:D:181:LEU:HD13	1:D:210:THR:HG21	1.96	0.47
1:D:175:ASP:N	1:D:175:ASP:OD1	2.47	0.47
1:B:116:TYR:CD2	1:B:134:ILE:HD11	2.51	0.46
1:B:219:GLN:NE2	2:B:301:V24:O19	2.43	0.46
1:A:126[A]:ASN:HB3	1:A:129:ASP:OD2	2.16	0.45
1:C:135:ARG:HG3	8:C:439:HOH:O	2.15	0.45
1:A:220:ILE:O	1:A:224:LEU:HG	2.16	0.44
1:A:237:PHE:CD1	1:A:238:PRO:HD2	2.52	0.44
1:B:151:LYS:O	8:B:602:HOH:O	2.21	0.44
1:D:122:THR:HA	1:D:123:PRO:HD3	1.86	0.44
1:D:151:LYS:NZ	1:D:153:ASN:OD1	2.51	0.44
1:A:130:VAL:O	1:A:134:ILE:HG12	2.18	0.43
1:A:175:ASP:OD1	1:A:175:ASP:N	2.49	0.43
1:C:252:ALA:HB1	1:C:256:ARG:NH2	2.32	0.43
1:B:116:TYR:CE2	1:B:134:ILE:HD11	2.54	0.43
2:A:301:V24:C29	2:A:301:V24:O14	2.66	0.43
1:C:125:MET:HE3	1:C:129:ASP:HB3	2.01	0.43
1:A:122:THR:HA	1:A:199:GLU:OE1	2.20	0.42
2:D:301:V24:O14	2:D:301:V24:C29	2.68	0.42
1:A:230:SER:O	1:A:232:PRO:HD3	2.20	0.42
1:A:197:PHE:HB3	1:A:203:TRP:CZ2	2.55	0.42
1:A:108:VAL:HB	1:A:262:TYR:CZ	2.55	0.41
1:A:129:ASP:HB3	1:A:205:THR:HG22	2.02	0.41
2:A:301:V24:C22	2:A:301:V24:C24	2.98	0.41
2:D:301:V24:O41	2:D:301:V24:N49	2.54	0.41
1:B:258:ILE:HD12	1:B:258:ILE:HA	1.96	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:256:ARG:O	1:D:260:SER:HB3	2.20	0.41
1:A:109:TRP:CH2	1:A:158:ASP:HB3	2.55	0.41
1:D:237:PHE:HA	1:D:238:PRO:HD3	1.93	0.41
1:A:234:ALA:HA	1:A:251:SER:HB3	2.02	0.41
1:B:114:ILE:O	1:B:149:PHE:HA	2.19	0.40
1:C:219:GLN:O	1:C:222:HIS:HB2	2.22	0.40
1:D:180:ILE:HD12	2:D:301:V24:C22	2.51	0.40
1:A:183:HIS:HB3	2:A:301:V24:C23	2.51	0.40
1:B:134:ILE:HD13	1:B:134:ILE:HG21	1.70	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:135:ARG:NH1	2:D:301:V24:O52[2_546]	1.96	0.24
8:A:463:HOH:O	8:A:490:HOH:O[2_545]	2.06	0.14
8:A:517:HOH:O	8:C:535:HOH:O[2_545]	2.14	0.06
8:D:502:HOH:O	8:D:504:HOH:O[2_446]	2.16	0.04

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	156/159 (98%)	153 (98%)	3 (2%)	0	100	100
1	B	155/159 (98%)	150 (97%)	5 (3%)	0	100	100
1	C	158/159 (99%)	150 (95%)	8 (5%)	0	100	100
1	D	156/159 (98%)	150 (96%)	6 (4%)	0	100	100
All	All	625/636 (98%)	603 (96%)	22 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	128/128 (100%)	120 (94%)	8 (6%)	16	23
1	B	127/128 (99%)	120 (94%)	7 (6%)	19	28
1	C	130/128 (102%)	124 (95%)	6 (5%)	24	36
1	D	128/128 (100%)	125 (98%)	3 (2%)	44	63
All	All	513/512 (100%)	489 (95%)	24 (5%)	26	35

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	110	ARG
1	A	128	GLU
1	A	136	LYS
1	A	148	LYS
1	A	150	SER
1	A	241	LYS
1	A	249	ARG
1	A	260	SER
1	B	128	GLU
1	B	134	ILE
1	B	136	LYS
1	B	150	SER
1	B	229	SER
1	B	241	LYS
1	B	256	ARG
1	C	113[A]	TYR
1	C	113[B]	TYR
1	C	136	LYS
1	C	241[A]	LYS
1	C	241[B]	LYS
1	C	253	ASP
1	D	165	ARG
1	D	249	ARG
1	D	260	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	112	HIS
1	C	119	ASN
1	C	120	ASN
1	D	119	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 28 ligands modelled in this entry, 20 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	DMS	D	307	-	3,3,3	0.63	0	3,3,3	0.84	0
2	V24	A	301	3	52,55,55	2.96	14 (26%)	75,79,79	3.06	37 (49%)
2	V24	B	301	3	52,55,55	3.06	15 (28%)	75,79,79	3.14	36 (48%)
5	PGO	A	307	-	4,4,4	0.73	0	4,4,4	0.47	0
6	EDO	C	307	-	3,3,3	0.43	0	2,2,2	0.41	0
2	V24	C	301	3	52,55,55	2.75	9 (17%)	75,79,79	3.06	33 (44%)
5	PGO	D	308	-	4,4,4	0.69	0	4,4,4	0.90	0
2	V24	D	301	3	52,55,55	2.51	10 (19%)	75,79,79	2.44	26 (34%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	V24	A	301	3	-	19/53/73/73	0/4/4/4
2	V24	B	301	3	-	15/53/73/73	0/4/4/4
5	PGO	A	307	-	-	0/2/2/2	-
6	EDO	C	307	-	-	1/1/1/1	-
2	V24	C	301	3	-	16/53/73/73	0/4/4/4
5	PGO	D	308	-	-	2/2/2/2	-
2	V24	D	301	3	-	18/53/73/73	0/4/4/4

All (48) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	V24	C10-S13	-15.23	1.56	1.76
2	C	301	V24	C10-S13	-13.15	1.58	1.76
2	A	301	V24	C10-S13	-12.68	1.59	1.76
2	D	301	V24	C10-S13	-12.12	1.60	1.76
2	C	301	V24	S13-N16	-9.27	1.49	1.63
2	B	301	V24	S13-N16	-8.57	1.50	1.63
2	A	301	V24	S13-N16	-7.53	1.52	1.63
2	A	301	V24	O15-S13	-7.09	1.35	1.43
2	D	301	V24	S13-N16	-5.98	1.54	1.63
2	D	301	V24	N26-N27	5.93	1.41	1.32
2	C	301	V24	N26-N27	5.70	1.41	1.32
2	A	301	V24	N26-N27	5.65	1.41	1.32
2	B	301	V24	O42-C43	5.41	1.47	1.35
2	C	301	V24	O41-C46	5.18	1.46	1.35
2	B	301	V24	N26-N27	5.09	1.40	1.32
2	D	301	V24	O42-C43	4.95	1.46	1.35
2	C	301	V24	O42-C43	4.76	1.45	1.35
2	A	301	V24	O41-C46	4.60	1.45	1.35
2	B	301	V24	O15-S13	-4.55	1.38	1.43
2	D	301	V24	O41-C46	4.42	1.45	1.35
2	A	301	V24	C17-C18	-4.29	1.47	1.53
2	B	301	V24	O41-C46	4.01	1.44	1.35
2	A	301	V24	O14-S13	-4.00	1.39	1.43
2	C	301	V24	N28-N27	3.82	1.40	1.35
2	A	301	V24	C51-C50	-3.65	1.43	1.50
2	A	301	V24	O42-C43	3.63	1.43	1.35
2	D	301	V24	N28-N27	3.60	1.39	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	V24	C17-C18	-3.55	1.48	1.53
2	A	301	V24	N28-N27	3.44	1.39	1.35
2	A	301	V24	C24-C25	3.37	1.54	1.50
2	B	301	V24	O14-S13	-3.33	1.40	1.43
2	C	301	V24	C29-N28	-2.94	1.30	1.34
2	A	301	V24	O37-C38	2.91	1.47	1.33
2	B	301	V24	C30-N28	2.83	1.51	1.46
2	D	301	V24	O14-S13	-2.81	1.40	1.43
2	A	301	V24	O19-C18	-2.77	1.21	1.30
2	C	301	V24	C17-C18	-2.75	1.49	1.53
2	D	301	V24	O37-C38	2.59	1.45	1.33
2	B	301	V24	O42-C34	-2.59	1.41	1.44
2	D	301	V24	C24-C25	2.45	1.53	1.50
2	D	301	V24	C17-C18	-2.37	1.50	1.53
2	B	301	V24	C1-C7	-2.35	1.43	1.49
2	B	301	V24	N28-N27	2.28	1.38	1.35
2	A	301	V24	C29-C25	2.27	1.40	1.36
2	B	301	V24	C9-C8	-2.22	1.35	1.38
2	C	301	V24	O37-C38	2.16	1.43	1.33
2	B	301	V24	O37-C38	2.10	1.43	1.33
2	B	301	V24	O19-C18	-2.10	1.23	1.30

All (132) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	V24	C30-C35-N49	11.82	129.24	111.10
2	A	301	V24	O15-S13-O14	-10.49	103.22	119.59
2	D	301	V24	O15-S13-O14	-10.30	103.52	119.59
2	B	301	V24	C34-C35-C30	-8.40	96.26	109.78
2	C	301	V24	C34-O42-C43	-7.68	105.78	117.72
2	C	301	V24	C34-C33-C32	-7.62	94.97	110.58
2	A	301	V24	O37-C36-C32	6.90	122.97	108.41
2	B	301	V24	C25-C29-N28	6.89	111.84	105.13
2	B	301	V24	O15-S13-O14	-6.86	108.88	119.59
2	C	301	V24	C33-O41-C46	-6.47	107.66	117.72
2	C	301	V24	C24-C25-C29	-6.45	118.78	129.89
2	A	301	V24	C10-S13-N16	6.34	118.41	107.36
2	A	301	V24	C25-C29-N28	6.31	111.28	105.13
2	D	301	V24	C24-N16-S13	6.22	128.13	117.79
2	A	301	V24	O14-S13-C10	-6.22	100.37	108.10
2	C	301	V24	O20-C18-C17	-6.22	114.44	123.45
2	C	301	V24	O41-C33-C34	6.21	120.61	108.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	V24	O19-C18-C17	5.76	121.46	111.92
2	C	301	V24	O15-S13-O14	-5.67	110.74	119.59
2	B	301	V24	O31-C30-C35	-5.60	101.66	109.18
2	A	301	V24	O15-S13-N16	5.60	116.76	106.97
2	B	301	V24	O42-C43-C44	5.59	121.07	111.09
2	C	301	V24	C24-C25-N26	5.45	131.41	121.75
2	C	301	V24	O31-C32-C36	5.45	117.50	106.69
2	A	301	V24	O52-C50-N49	5.29	131.33	121.98
2	C	301	V24	O42-C43-C44	5.27	120.48	111.09
2	A	301	V24	O31-C30-C35	-5.25	102.12	109.18
2	B	301	V24	O42-C34-C35	4.97	117.10	107.92
2	D	301	V24	C30-C35-N49	-4.97	103.48	111.10
2	D	301	V24	C25-C29-N28	4.92	109.92	105.13
2	C	301	V24	O42-C34-C33	4.77	117.74	108.25
2	D	301	V24	O14-S13-N16	4.74	115.27	106.97
2	A	301	V24	O42-C43-C44	4.74	119.54	111.09
2	D	301	V24	O42-C43-C44	4.62	119.33	111.09
2	A	301	V24	C32-O31-C30	4.61	121.72	112.54
2	B	301	V24	C34-O42-C43	-4.50	110.72	117.72
2	B	301	V24	C24-N16-S13	4.48	125.24	117.79
2	B	301	V24	C8-C7-C1	-4.43	113.62	121.25
2	C	301	V24	O42-C34-C35	4.40	116.05	107.92
2	C	301	V24	O41-C33-C32	4.39	116.97	108.19
2	B	301	V24	C12-C7-C8	4.31	125.39	117.68
2	C	301	V24	C34-C35-C30	-4.24	102.96	109.78
2	C	301	V24	O41-C46-C47	4.20	118.58	111.09
2	A	301	V24	C9-C8-C7	-4.14	115.81	121.12
2	B	301	V24	C29-N28-N27	-4.08	106.78	110.63
2	B	301	V24	C33-O41-C46	-4.07	111.39	117.72
2	B	301	V24	O41-C46-C47	3.97	118.18	111.09
2	C	301	V24	C18-C17-N16	3.90	117.57	110.03
2	A	301	V24	O52-C50-C51	-3.84	115.21	122.05
2	D	301	V24	O31-C30-C35	3.82	114.31	109.18
2	A	301	V24	O20-C18-C17	-3.81	117.93	123.45
2	D	301	V24	O41-C33-C34	-3.79	100.72	108.25
2	C	301	V24	O14-S13-N16	3.77	113.57	106.97
2	D	301	V24	C24-C25-N26	3.76	128.41	121.75
2	D	301	V24	O41-C46-C47	3.72	117.73	111.09
2	C	301	V24	N28-N27-N26	-3.72	103.95	107.09
2	C	301	V24	C10-S13-N16	-3.69	100.92	107.36
2	A	301	V24	O42-C43-O45	-3.69	115.87	122.99
2	A	301	V24	C18-C17-N16	3.63	117.06	110.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	301	V24	C8-C9-C10	3.62	122.96	119.44
2	A	301	V24	O41-C46-C47	3.62	117.54	111.09
2	A	301	V24	C33-O41-C46	-3.50	112.28	117.72
2	A	301	V24	C24-N16-S13	3.50	123.60	117.79
2	A	301	V24	O41-C33-C32	3.41	115.02	108.19
2	B	301	V24	C11-C12-C7	-3.35	116.83	121.12
2	B	301	V24	C34-C33-C32	-3.32	103.77	110.58
2	A	301	V24	C36-O37-C38	3.31	125.25	117.08
2	B	301	V24	O41-C33-C32	3.28	114.75	108.19
2	B	301	V24	O42-C34-C33	3.23	114.69	108.25
2	C	301	V24	O14-S13-C10	3.20	112.08	108.10
2	B	301	V24	C9-C8-C7	-3.19	117.03	121.12
2	A	301	V24	O42-C34-C33	3.16	114.54	108.25
2	B	301	V24	C24-C25-N26	3.14	127.32	121.75
2	A	301	V24	C34-O42-C43	3.11	122.55	117.72
2	D	301	V24	C34-O42-C43	-3.11	112.88	117.72
2	A	301	V24	C29-C25-N26	-3.07	104.38	108.12
2	B	301	V24	C6-C1-C2	3.04	123.12	117.68
2	D	301	V24	C24-C25-C29	-3.01	124.70	129.89
2	B	301	V24	O42-C43-O45	-3.00	117.20	122.99
2	D	301	V24	O19-C18-C17	2.99	116.87	111.92
2	A	301	V24	O31-C32-C36	2.94	112.52	106.69
2	B	301	V24	C32-O31-C30	2.92	118.36	112.54
2	B	301	V24	O15-S13-N16	2.89	112.02	106.97
2	D	301	V24	N28-N27-N26	-2.84	104.69	107.09
2	B	301	V24	C33-C34-C35	-2.80	105.32	110.55
2	A	301	V24	N28-N27-N26	-2.78	104.74	107.09
2	B	301	V24	O15-S13-C10	2.78	111.56	108.10
2	C	301	V24	O31-C32-C33	-2.75	104.04	109.72
2	C	301	V24	O42-C43-O45	-2.74	117.70	122.99
2	C	301	V24	C30-N28-N27	2.72	124.41	119.98
2	B	301	V24	O31-C32-C36	2.71	112.07	106.69
2	C	301	V24	C25-C29-N28	2.69	107.75	105.13
2	B	301	V24	O20-C18-C17	-2.69	119.56	123.45
2	A	301	V24	C36-C32-C33	-2.68	106.88	113.35
2	C	301	V24	O31-C30-N28	2.67	114.52	107.20
2	A	301	V24	O19-C18-C17	2.64	116.29	111.92
2	D	301	V24	O14-S13-C10	-2.63	104.83	108.10
2	C	301	V24	O31-C30-C35	2.62	112.71	109.18
2	D	301	V24	C11-C10-S13	2.62	122.33	119.73
2	B	301	V24	C9-C10-S13	-2.58	117.17	119.73
2	A	301	V24	C12-C7-C8	2.56	122.27	117.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	V24	C30-N28-C29	2.52	133.08	128.40
2	C	301	V24	C11-C10-S13	2.51	122.23	119.73
2	D	301	V24	O42-C43-O45	-2.46	118.25	122.99
2	A	301	V24	C30-N28-C29	2.46	132.96	128.40
2	B	301	V24	C4-C5-C6	-2.44	117.23	120.24
2	D	301	V24	O41-C46-O48	-2.41	118.33	122.99
2	C	301	V24	C33-C34-C35	-2.38	106.11	110.55
2	A	301	V24	C29-N28-N27	-2.37	108.40	110.63
2	D	301	V24	O42-C34-C35	2.36	112.28	107.92
2	B	301	V24	C3-C2-C1	-2.36	117.85	120.54
2	A	301	V24	O42-C34-C35	-2.34	103.59	107.92
2	C	301	V24	C9-C10-S13	-2.34	117.41	119.73
2	C	301	V24	C30-N28-C29	-2.32	124.09	128.40
2	D	301	V24	O15-S13-N16	2.29	110.98	106.97
2	B	301	V24	C29-C25-N26	-2.29	105.34	108.12
2	D	301	V24	C32-O31-C30	-2.28	108.00	112.54
2	D	301	V24	C10-S13-N16	2.23	111.25	107.36
2	D	301	V24	C35-N49-C50	2.23	128.33	123.11
2	B	301	V24	O37-C36-C32	2.22	113.09	108.41
2	A	301	V24	C17-N16-S13	2.20	122.86	118.39
2	A	301	V24	O15-S13-C10	2.17	110.80	108.10
2	A	301	V24	C34-C33-C32	2.12	114.92	110.58
2	A	301	V24	C21-C17-N16	2.10	116.40	112.83
2	C	301	V24	C21-C17-N16	2.08	116.36	112.83
2	D	301	V24	O20-C18-C17	-2.06	120.47	123.45
2	D	301	V24	C34-C35-N49	-2.06	107.62	110.91
2	C	301	V24	C36-C32-C33	2.04	118.28	113.35
2	D	301	V24	O37-C36-C32	2.04	112.72	108.41
2	B	301	V24	O37-C38-C39	2.03	121.00	112.38
2	B	301	V24	O41-C46-O48	-2.02	119.09	122.99
2	A	301	V24	C25-N26-N27	2.02	111.19	109.01

There are no chirality outliers.

All (71) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	V24	N16-C17-C21-C22
2	A	301	V24	C25-C24-N16-S13
2	B	301	V24	O52-C50-N49-C35
2	B	301	V24	C51-C50-N49-C35
2	B	301	V24	C30-C35-N49-C50
2	B	301	V24	C44-C43-O42-C34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	B	301	V24	O48-C46-O41-C33
2	B	301	V24	C47-C46-O41-C33
2	C	301	V24	O52-C50-N49-C35
2	C	301	V24	C51-C50-N49-C35
2	C	301	V24	O45-C43-O42-C34
2	C	301	V24	C44-C43-O42-C34
2	C	301	V24	O48-C46-O41-C33
2	C	301	V24	C47-C46-O41-C33
2	D	301	V24	C25-C24-N16-S13
2	D	301	V24	O52-C50-N49-C35
2	D	301	V24	C51-C50-N49-C35
2	A	301	V24	C47-C46-O41-C33
2	B	301	V24	O45-C43-O42-C34
2	D	301	V24	C47-C46-O41-C33
2	D	301	V24	C44-C43-O42-C34
2	B	301	V24	C33-C32-C36-O37
2	C	301	V24	O40-C38-O37-C36
2	B	301	V24	C39-C38-O37-C36
2	C	301	V24	C39-C38-O37-C36
2	A	301	V24	O52-C50-N49-C35
2	B	301	V24	O40-C38-O37-C36
2	A	301	V24	O48-C46-O41-C33
2	D	301	V24	O48-C46-O41-C33
2	D	301	V24	O45-C43-O42-C34
2	A	301	V24	O40-C38-O37-C36
2	D	301	V24	C39-C38-O37-C36
2	B	301	V24	O31-C32-C36-O37
2	A	301	V24	C51-C50-N49-C35
2	A	301	V24	C33-C34-O42-C43
2	C	301	V24	C18-C17-C21-C23
2	D	301	V24	O40-C38-O37-C36
2	A	301	V24	C39-C38-O37-C36
2	A	301	V24	C35-C34-O42-C43
2	C	301	V24	C18-C17-C21-C22
2	D	301	V24	C33-C34-O42-C43
2	D	301	V24	C35-C34-O42-C43
2	D	301	V24	C33-C32-C36-O37
2	A	301	V24	C25-C24-N16-C17
2	D	301	V24	O31-C32-C36-O37
5	D	308	PGO	O1-C1-C2-O2
5	D	308	PGO	O1-C1-C2-C3
2	D	301	V24	C9-C10-S13-O14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	301	V24	N16-C17-C18-O20
2	A	301	V24	N16-C17-C18-O19
2	B	301	V24	N16-C17-C18-O20
2	B	301	V24	N16-C17-C18-O19
2	D	301	V24	C11-C10-S13-O14
2	D	301	V24	C21-C17-C18-O19
2	B	301	V24	C34-C35-N49-C50
2	A	301	V24	C17-N16-S13-O15
2	C	301	V24	N16-C17-C18-O20
2	D	301	V24	C21-C17-C18-O20
2	C	301	V24	C6-C1-C7-C12
2	C	301	V24	C6-C1-C7-C8
2	A	301	V24	O31-C30-N28-C29
2	A	301	V24	C24-N16-S13-O15
2	A	301	V24	C21-C17-C18-O20
2	A	301	V24	C21-C17-C18-O19
2	C	301	V24	C2-C1-C7-C8
2	B	301	V24	C18-C17-C21-C23
6	C	307	EDO	O1-C1-C2-O2
2	D	301	V24	N16-C17-C18-O19
2	C	301	V24	C35-C30-N28-N27
2	C	301	V24	C35-C30-N28-C29
2	A	301	V24	C34-C35-N49-C50


There are no ring outliers.

4 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	301	V24	5	0
2	B	301	V24	3	0
2	C	301	V24	4	0
2	D	301	V24	3	1

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and


any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand V24 B 301




Bond lengths



Bond angles




Torsions




Rings


Ligand V24 C 301




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	157/159 (98%)	0.49	3 (1%) 66 68	11, 25, 44, 62	1 (0%)
1	B	157/159 (98%)	0.60	8 (5%) 33 35	11, 27, 43, 55	1 (0%)
1	C	157/159 (98%)	0.42	8 (5%) 33 35	10, 24, 41, 57	3 (1%)
1	D	156/159 (98%)	0.48	3 (1%) 66 68	11, 25, 46, 55	2 (1%)
All	All	627/636 (98%)	0.50	22 (3%) 47 49	10, 25, 44, 62	7 (1%)

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	208	GLY	4.0
1	C	113[A]	TYR	3.7
1	A	112	HIS	3.2
1	B	208	GLY	3.1
1	B	169	GLY	3.0
1	D	263	GLY	3.0
1	B	143	ASN	2.8
1	C	107	PRO	2.8
1	A	107	PRO	2.7
1	A	239	THR	2.6
1	B	227	GLY	2.6
1	C	206	HIS	2.6
1	C	109	TRP	2.5
1	D	128[A]	GLU	2.4
1	C	111[A]	LYS	2.4
1	B	166	GLY	2.3
1	B	134	ILE	2.3
1	D	126[A]	ASN	2.2
1	C	242	TYR	2.2
1	B	242	TYR	2.2
1	C	180	ILE	2.1
1	B	155	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	V24	C	301	52/52	0.59	0.22	18,51,71,73	52
2	V24	B	301	52/52	0.69	0.19	24,63,76,83	0
2	V24	D	301	52/52	0.70	0.23	14,45,60,66	52
6	EDO	C	307	4/4	0.72	0.20	43,46,46,55	0
2	V24	A	301	52/52	0.74	0.20	21,61,83,84	0
7	DMS	D	307	4/4	0.80	0.22	49,53,59,64	0
5	PGO	D	308	5/5	0.92	0.10	14,28,39,48	0
5	PGO	A	307	5/5	0.93	0.07	16,22,28,31	0
4	CA	B	305	1/1	0.94	0.07	33,33,33,33	0
4	CA	D	305	1/1	0.94	0.08	38,38,38,38	0
4	CA	C	305	1/1	0.96	0.07	31,31,31,31	0
4	CA	C	304	1/1	0.98	0.03	25,25,25,25	0
4	CA	B	304	1/1	0.99	0.02	28,28,28,28	0
3	ZN	A	302	1/1	0.99	0.02	26,26,26,26	0
4	CA	B	306	1/1	0.99	0.02	19,19,19,19	0
3	ZN	B	302	1/1	0.99	0.02	37,37,37,37	0
3	ZN	B	303	1/1	0.99	0.06	24,24,24,24	0
4	CA	C	306	1/1	0.99	0.03	21,21,21,21	0
4	CA	D	304	1/1	0.99	0.02	20,20,20,20	0
3	ZN	C	302	1/1	0.99	0.02	33,33,33,33	0
4	CA	D	306	1/1	0.99	0.05	22,22,22,22	0
3	ZN	D	302	1/1	0.99	0.03	29,29,29,29	0
4	CA	A	304	1/1	0.99	0.02	25,25,25,25	0
4	CA	A	305	1/1	0.99	0.03	21,21,21,21	0
4	CA	A	306	1/1	0.99	0.02	18,18,18,18	0
3	ZN	A	303	1/1	1.00	0.02	25,25,25,25	0
3	ZN	D	303	1/1	1.00	0.01	19,19,19,19	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ZN	C	303	1/1	1.00	0.01	17,17,17,17	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around V24 C 301:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around V24 B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around V24 D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around V24 A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.