



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 10:30 AM UTC

PDB ID : 1I3S / pdb_00001i3s
Title : THE 2.7 ANGSTROM RESOLUTION CRYSTAL STRUCTURE OF A MUTATED BACULOVIRUS P35 AFTER CASPASE CLEAVAGE
Authors : dela Cruz, W.P.; Lemongello, D.; Friesen, P.D.; Fisher, A.J.
Deposited on : 2001-02-15
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	298	 62% 29% • 5%
1	B	298	 62% 29% • 6%
1	C	298	 62% 28% • 5%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6781 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called EARLY 35 KDA PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	283	Total	C	N	O	S	0	0	0
			2238	1437	368	423	10			
1	B	281	Total	C	N	O	S	0	0	0
			2220	1423	363	425	9			
1	C	282	Total	C	N	O	S	0	0	0
			2245	1440	368	427	10			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	38	MET	GLN	conflict	UNP P08160
A	71	PRO	VAL	engineered mutation	UNP P08160
B	38	MET	GLN	conflict	UNP P08160
B	71	PRO	VAL	engineered mutation	UNP P08160
C	38	MET	GLN	conflict	UNP P08160
C	71	PRO	VAL	engineered mutation	UNP P08160

- Molecule 2 is 2,3-DIHYDROXY-1,4-DITHIOBUTANE (CCD ID: DTT) (formula: C₄H₁₀O₂S₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	S	0	0
			8	4	2	2		
2	B	1	Total	C	O	S	0	0
			8	4	2	2		
2	C	1	Total	C	O	S	0	0
			8	4	2	2		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	13	Total	O	0	0
			13	13		
3	B	25	Total	O	0	0
			25	25		
3	C	16	Total	O	0	0
			16	16		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: EARLY 35 KDA PROTEIN

Chain A: 




• Molecule 1: EARLY 35 KDA PROTEIN

Chain B: 



• Molecule 1: EARLY 35 KDA PROTEIN

Chain C: 





4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	77.61Å 89.30Å 136.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.49 – 2.70	Depositor
% Data completeness (in resolution range)	94.8 (29.49-2.70)	Depositor
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.202 , 0.258	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	6781	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: DTT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.39	6/2285 (0.3%)	1.07	10/3097 (0.3%)
1	B	1.33	3/2265 (0.1%)	1.05	15/3068 (0.5%)
1	C	1.36	4/2292 (0.2%)	1.05	7/3103 (0.2%)
All	All	1.36	13/6842 (0.2%)	1.06	32/9268 (0.3%)

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	57	THR	CA-C	-6.60	1.44	1.52
1	A	268	GLY	C-O	6.39	1.28	1.23
1	B	198	ALA	CA-C	-6.23	1.45	1.52
1	C	229	VAL	CA-C	-5.96	1.45	1.52
1	A	284	ASN	CA-C	-5.92	1.45	1.53
1	B	298	ILE	CA-C	-5.37	1.47	1.52
1	A	101	TYR	CA-C	-5.29	1.46	1.52
1	A	180	VAL	CA-C	-5.17	1.49	1.53
1	C	149	TYR	CA-C	-5.11	1.46	1.53
1	A	95	TYR	CA-C	-5.05	1.46	1.52
1	C	203	VAL	CA-C	-5.05	1.46	1.52
1	A	46	MET	CA-C	-5.04	1.46	1.52
1	C	263	LYS	CA-C	-5.02	1.48	1.53

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	180	VAL	N-CA-C	-8.06	99.57	107.55
1	A	125	THR	N-CA-C	7.55	122.92	112.04
1	A	50	SER	N-CA-C	7.23	121.75	113.15
1	C	185	GLU	N-CA-C	-6.75	101.61	110.53
1	B	180	VAL	CA-C-N	6.67	128.18	119.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	180	VAL	C-N-CA	6.67	128.18	119.84
1	B	125	THR	N-CA-C	6.48	121.31	113.41
1	A	79	GLU	N-CA-C	6.45	119.94	110.59
1	B	171	TYR	N-CA-C	6.17	118.33	109.14
1	C	50	SER	N-CA-C	5.98	120.27	113.15
1	B	180	VAL	N-CA-C	-5.90	101.71	107.55
1	C	217	LEU	N-CA-C	5.85	119.45	110.20
1	A	239	LYS	N-CA-C	5.80	119.13	110.14
1	B	239	LYS	N-CA-C	5.74	118.41	109.52
1	B	79	GLU	N-CA-C	5.64	118.86	110.52
1	B	222	SER	N-CA-C	-5.58	105.83	113.30
1	A	293	VAL	N-CA-C	-5.52	99.80	107.80
1	A	25	THR	N-CA-C	5.41	118.37	109.72
1	B	188	ASP	N-CA-C	5.38	117.15	111.28
1	C	122	HIS	N-CA-C	-5.37	106.59	112.72
1	B	217	LEU	N-CA-C	5.33	118.37	110.48
1	B	185	GLU	N-CA-C	-5.12	102.12	110.20
1	C	258	GLU	N-CA-C	-5.11	98.01	107.71
1	B	208	GLU	N-CA-C	5.10	116.52	111.07
1	C	257	SER	N-CA-C	5.07	121.61	110.80
1	A	120	LYS	N-CA-C	-5.05	105.77	111.28
1	B	172	ASN	CA-C-N	5.05	125.05	119.90
1	B	172	ASN	C-N-CA	5.05	125.05	119.90
1	A	171	TYR	N-CA-C	5.05	116.48	108.96
1	C	100	HIS	N-CA-C	5.03	119.10	112.92
1	A	20	GLN	N-CA-C	-5.02	101.57	109.25
1	B	25	THR	N-CA-C	5.00	117.59	109.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2238	0	2137	64	0
1	B	2220	0	2112	70	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2245	0	2161	71	0
2	A	8	0	9	0	0
2	B	8	0	9	0	0
2	C	8	0	9	1	0
3	A	13	0	0	1	0
3	B	25	0	0	1	0
3	C	16	0	0	1	0
All	All	6781	0	6437	204	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (204) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:298:ILE:HG22	1:C:299:LYS:H	1.12	1.12
1:A:23:LYS:HD3	1:A:23:LYS:H	1.32	0.94
1:C:34:ILE:HG21	1:C:43:VAL:HG11	1.52	0.92
1:A:34:ILE:HG21	1:A:43:VAL:HG11	1.53	0.90
1:C:13:GLN:NE2	1:C:68:LYS:HE2	1.89	0.87
1:C:298:ILE:HG22	1:C:299:LYS:N	1.90	0.85
1:A:118:ILE:O	1:A:121:SER:HB3	1.76	0.85
1:C:38:MET:HA	1:C:160:GLU:HG2	1.62	0.81
1:B:118:ILE:O	1:B:121:SER:HB3	1.82	0.79
1:A:23:LYS:HB2	1:A:24:GLN:NE2	1.97	0.79
1:C:178:VAL:HG23	1:C:297:THR:HG22	1.66	0.76
1:A:46:MET:HE3	1:A:111:LEU:HD21	1.68	0.75
1:A:219:LEU:HD22	1:A:229:VAL:HG13	1.66	0.75
1:A:48:ASN:HD22	1:A:292:ASN:HD21	1.33	0.75
1:C:298:ILE:CG2	1:C:299:LYS:H	1.97	0.75
1:B:34:ILE:HG21	1:B:43:VAL:HG11	1.68	0.75
1:B:14:THR:C	1:B:15:ILE:HD12	2.13	0.74
1:B:219:LEU:HD22	1:B:229:VAL:HG13	1.69	0.74
1:C:113:SER:C	1:C:114:LYS:HD2	2.14	0.73
1:C:254:TRP:O	1:C:256:LYS:N	2.22	0.72
1:C:211:GLU:HG3	1:C:231:TYR:OH	1.91	0.71
1:A:34:ILE:O	1:A:36:ASN:N	2.26	0.69
1:C:57:THR:HG22	1:C:58:ARG:O	1.94	0.68
1:B:102:SER:OG	1:B:122:HIS:HD2	1.76	0.68
1:C:60:ASN:OD1	1:C:62:ASN:ND2	2.28	0.67
1:B:46:MET:HE3	1:B:111:LEU:HD21	1.77	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:178:VAL:CG2	1:C:297:THR:HG22	2.25	0.66
1:B:78:LEU:HD21	1:B:241:MET:HE3	1.78	0.65
1:B:35:MET:HG2	1:B:155:LEU:HD21	1.78	0.65
1:B:15:ILE:HD12	1:B:15:ILE:N	2.12	0.65
1:B:66:ARG:HG2	1:B:66:ARG:HH11	1.62	0.64
1:C:14:THR:C	1:C:15:ILE:HD12	2.22	0.64
1:A:184:HIS:HE1	1:A:193:GLU:O	1.81	0.63
1:C:15:ILE:HD12	1:C:15:ILE:N	2.12	0.63
1:C:32:ASN:ND2	1:C:34:ILE:HG13	2.13	0.63
1:C:46:MET:HE2	1:C:141:LEU:CD1	2.29	0.62
1:C:178:VAL:HG23	1:C:297:THR:CG2	2.29	0.62
1:B:66:ARG:HH11	1:B:66:ARG:CG	2.13	0.61
1:C:48:ASN:HD22	1:C:292:ASN:HD21	1.48	0.61
1:B:126:ASP:O	1:B:130:ILE:HG13	2.00	0.61
1:C:13:GLN:HE22	1:C:68:LYS:HE2	1.65	0.61
1:C:251:GLU:HG2	1:C:259:LYS:CG	2.31	0.60
1:C:102:SER:OG	1:C:122:HIS:HD2	1.85	0.60
1:A:66:ARG:HG2	1:A:66:ARG:HH11	1.67	0.60
1:B:13:GLN:NE2	1:B:68:LYS:HE2	2.17	0.60
1:B:57:THR:HG22	1:B:58:ARG:O	2.01	0.59
1:A:23:LYS:HD3	1:A:23:LYS:N	2.11	0.59
1:C:118:ILE:O	1:C:121:SER:HB3	2.02	0.59
1:A:66:ARG:HH11	1:A:66:ARG:CG	2.16	0.58
1:A:205:PHE:HB2	1:A:271:TYR:CE2	2.38	0.58
1:B:46:MET:CE	1:B:111:LEU:HD21	2.32	0.58
1:A:112:LYS:HD2	1:A:142:VAL:HG11	1.85	0.58
1:B:46:MET:HE2	1:B:141:LEU:CD1	2.34	0.57
1:A:211:GLU:HG3	1:A:231:TYR:OH	2.04	0.57
1:A:66:ARG:NH1	1:A:66:ARG:HB3	2.20	0.57
1:C:46:MET:HE3	1:C:111:LEU:HD21	1.87	0.56
1:A:122:HIS:O	1:A:156:LYS:NZ	2.39	0.56
1:C:38:MET:HA	1:C:160:GLU:CG	2.34	0.56
1:C:113:SER:O	1:C:114:LYS:HD2	2.05	0.56
1:C:251:GLU:HG2	1:C:259:LYS:HG2	1.87	0.56
1:A:78:LEU:HD11	1:A:270:ILE:HD11	1.88	0.56
1:C:59:LYS:O	1:C:166:VAL:HB	2.06	0.56
1:B:68:LYS:O	1:B:71:PRO:HD2	2.06	0.55
1:A:85:GLN:HG3	1:A:86:MET:N	2.21	0.55
1:C:13:GLN:HE21	1:C:68:LYS:HE2	1.69	0.55
1:B:211:GLU:HG3	1:B:231:TYR:OH	2.07	0.55
1:A:23:LYS:CG	1:A:24:GLN:HE21	2.20	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:249:THR:HG22	1:A:250:THR:N	2.21	0.55
1:B:144:GLU:O	1:B:145:ARG:C	2.50	0.55
1:C:39:LEU:HD22	1:C:43:VAL:HG21	1.88	0.54
1:A:44:LEU:HD21	1:A:152:VAL:HG13	1.89	0.54
1:C:78:LEU:HD11	1:C:270:ILE:HD11	1.87	0.54
1:B:98:ASP:CG	1:B:99:GLU:N	2.65	0.54
1:B:178:VAL:HG23	1:B:297:THR:CG2	2.38	0.54
1:A:46:MET:CE	1:A:111:LEU:HD21	2.36	0.54
1:B:57:THR:HG22	1:B:58:ARG:N	2.22	0.54
1:B:51:GLY:HA3	1:B:172:ASN:O	2.07	0.54
1:C:66:ARG:HH11	1:C:66:ARG:HG2	1.73	0.54
1:A:211:GLU:HG2	1:A:215:GLN:OE1	2.08	0.53
1:C:201:ASP:OD1	1:C:201:ASP:C	2.51	0.53
1:B:102:SER:OG	1:B:122:HIS:CD2	2.60	0.53
1:A:178:VAL:HG23	1:A:297:THR:CG2	2.39	0.53
1:B:94:LYS:O	1:B:104:SER:HA	2.09	0.53
1:B:66:ARG:HB3	1:B:66:ARG:NH1	2.24	0.53
1:C:46:MET:HE2	1:C:141:LEU:HD12	1.91	0.53
1:A:39:LEU:HD22	1:A:43:VAL:HG21	1.90	0.52
1:A:102:SER:OG	1:A:122:HIS:HD2	1.93	0.52
1:B:82:TYR:O	1:B:84:ASP:N	2.41	0.52
1:B:294:ILE:HD11	3:B:307:HOH:O	2.09	0.52
1:C:102:SER:OG	1:C:122:HIS:CD2	2.62	0.52
1:C:93:ILE:HG22	1:C:95:TYR:CE1	2.45	0.52
1:B:20:GLN:HA	1:B:26:ARG:HG2	1.92	0.52
1:A:38:MET:SD	1:B:204:GLN:HG3	2.50	0.52
1:C:20:GLN:HA	1:C:26:ARG:HG2	1.92	0.52
1:C:44:LEU:HD22	1:C:46:MET:HG3	1.90	0.51
1:C:46:MET:HA	1:C:151:ALA:O	2.09	0.51
1:A:15:ILE:HD12	1:A:15:ILE:N	2.26	0.51
1:B:224:LYS:O	1:B:227:GLU:HG2	2.11	0.51
1:A:57:THR:HG22	1:A:58:ARG:N	2.25	0.50
1:A:214:VAL:HG21	1:A:242:ILE:HG22	1.92	0.50
1:C:251:GLU:HG2	1:C:259:LYS:HG3	1.93	0.50
1:B:68:LYS:NZ	1:B:72:ASP:OD2	2.45	0.50
1:B:255:GLY:C	1:B:257:SER:H	2.20	0.50
1:C:66:ARG:HH11	1:C:66:ARG:CG	2.24	0.50
1:C:220:PRO:HG3	1:C:284:ASN:O	2.11	0.50
1:B:219:LEU:HD22	1:B:229:VAL:CG1	2.41	0.49
1:B:201:ASP:OD1	1:B:201:ASP:C	2.55	0.49
1:B:34:ILE:O	1:B:36:ASN:N	2.46	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:255:GLY:O	1:C:256:LYS:C	2.56	0.49
1:A:220:PRO:HG3	1:A:284:ASN:O	2.13	0.48
1:C:256:LYS:O	1:C:257:SER:HB2	2.13	0.48
1:B:178:VAL:HG23	1:B:297:THR:HG22	1.96	0.48
1:B:211:GLU:O	1:B:215:GLN:HB2	2.14	0.48
1:C:46:MET:CE	1:C:111:LEU:HD21	2.43	0.48
1:A:144:GLU:O	1:A:145:ARG:C	2.56	0.48
1:A:93:ILE:HG22	1:A:95:TYR:CE1	2.48	0.48
1:B:22:ASP:C	1:B:22:ASP:OD2	2.55	0.48
1:B:35:MET:HE2	1:B:165:GLN:O	2.13	0.48
1:C:184:HIS:HE1	1:C:193:GLU:O	1.97	0.48
1:A:219:LEU:HD22	1:A:229:VAL:CG1	2.40	0.48
1:A:126:ASP:O	1:A:130:ILE:HG13	2.14	0.47
1:B:224:LYS:HE3	1:B:250:THR:CG2	2.45	0.47
1:C:104:SER:HB3	1:C:122:HIS:NE2	2.29	0.47
1:A:51:GLY:HA3	1:A:172:ASN:O	2.13	0.47
1:C:17:ARG:HB3	1:C:29:VAL:HB	1.97	0.47
1:B:37:THR:O	1:B:160:GLU:HG2	2.15	0.47
1:C:35:MET:HG2	1:C:155:LEU:HD21	1.97	0.46
1:C:22:ASP:C	1:C:22:ASP:OD2	2.57	0.46
1:B:15:ILE:N	1:B:15:ILE:CD1	2.77	0.46
1:B:143:ASP:OD1	1:B:144:GLU:N	2.49	0.46
1:B:205:PHE:HB2	1:B:271:TYR:CE2	2.51	0.46
1:B:211:GLU:HG2	1:B:215:GLN:OE1	2.16	0.45
1:C:57:THR:HG22	1:C:58:ARG:N	2.30	0.45
1:C:211:GLU:O	1:C:212:GLU:C	2.57	0.45
1:A:18:ASP:OD2	1:A:26:ARG:NE	2.46	0.45
1:A:115:PHE:O	1:A:119:LEU:HD13	2.16	0.45
1:B:98:ASP:CG	1:B:99:GLU:H	2.23	0.45
1:C:269:PHE:CD2	1:C:280:VAL:HG22	2.52	0.45
1:B:120:LYS:HE3	1:B:130:ILE:CD1	2.47	0.45
1:C:294:ILE:HD11	3:C:331:HOH:O	2.17	0.45
1:A:46:MET:HA	1:A:151:ALA:O	2.17	0.45
1:A:21:VAL:O	1:A:22:ASP:HB3	2.17	0.45
1:B:59:LYS:O	1:B:166:VAL:HB	2.17	0.44
1:B:66:ARG:CG	1:B:66:ARG:NH1	2.78	0.44
1:C:41:LYS:HB2	1:C:42:PRO:CD	2.47	0.44
1:A:249:THR:CG2	1:A:250:THR:N	2.80	0.44
1:B:224:LYS:HE3	1:B:250:THR:HG22	1.98	0.44
1:A:215:GLN:HA	1:A:244:LYS:HE3	1.98	0.44
1:B:46:MET:HE2	1:B:141:LEU:HD13	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:32:ASN:HD21	1:C:34:ILE:HG13	1.80	0.44
1:C:35:MET:HE2	1:C:165:GLN:O	2.17	0.44
1:C:66:ARG:HB3	1:C:66:ARG:NH1	2.33	0.44
1:A:81:ASP:OD1	1:A:81:ASP:C	2.61	0.44
1:B:32:ASN:ND2	1:B:34:ILE:HG13	2.33	0.44
1:C:101:TYR:C	1:C:101:TYR:CD1	2.95	0.44
1:B:34:ILE:O	1:B:37:THR:N	2.42	0.44
1:A:281:LYS:HE2	3:A:343:HOH:O	2.18	0.43
1:B:133:TYR:O	1:B:137:CYS:HB3	2.18	0.43
1:B:206:ASP:CG	1:B:209:GLN:HG2	2.43	0.43
1:A:34:ILE:C	1:A:36:ASN:N	2.76	0.43
1:B:48:ASN:HD22	1:B:292:ASN:HD21	1.66	0.43
1:A:53:ILE:O	1:A:94:LYS:HE3	2.18	0.43
1:C:125:THR:O	1:C:125:THR:HG22	2.18	0.43
1:A:57:THR:HG22	1:A:58:ARG:O	2.19	0.43
1:B:39:LEU:CD1	1:B:155:LEU:HB3	2.49	0.42
1:B:103:VAL:CG1	1:B:104:SER:N	2.81	0.42
1:B:38:MET:HA	1:B:160:GLU:HG2	2.00	0.42
1:C:44:LEU:HD21	1:C:152:VAL:HG13	1.99	0.42
1:A:94:LYS:O	1:A:104:SER:HA	2.18	0.42
1:C:51:GLY:HA2	1:C:174:ILE:HG12	2.00	0.42
1:A:103:VAL:HA	1:A:152:VAL:O	2.19	0.42
1:A:135:LYS:HE2	1:A:136:TYR:CE2	2.54	0.42
1:A:143:ASP:OD2	1:A:143:ASP:C	2.60	0.42
1:C:184:HIS:ND1	1:C:192:TYR:HB3	2.34	0.42
1:C:219:LEU:HD22	1:C:229:VAL:HG13	2.01	0.42
1:A:178:VAL:HG23	1:A:297:THR:HG22	2.01	0.42
1:B:158:GLY:N	1:B:160:GLU:OE2	2.45	0.42
1:C:251:GLU:CG	1:C:259:LYS:HG2	2.49	0.42
1:A:143:ASP:OD2	1:A:144:GLU:N	2.53	0.41
1:B:48:ASN:HD21	1:B:141:LEU:HA	1.85	0.41
1:B:172:ASN:HA	1:B:173:PRO:HD3	1.88	0.41
1:C:172:ASN:HA	1:C:173:PRO:HD3	1.89	0.41
1:B:58:ARG:HA	1:B:166:VAL:O	2.20	0.41
1:A:43:VAL:O	1:A:154:VAL:HA	2.20	0.41
1:A:192:TYR:CE1	1:A:290:ASN:HB2	2.55	0.41
1:C:137:CYS:SG	2:C:3137:DTT:H42	2.61	0.41
1:A:34:ILE:O	1:A:35:MET:C	2.63	0.41
1:A:51:GLY:HA2	1:A:174:ILE:HG12	2.02	0.41
1:C:68:LYS:NZ	1:C:72:ASP:OD2	2.48	0.41
1:A:66:ARG:CG	1:A:66:ARG:NH1	2.79	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:184:HIS:ND1	1:A:192:TYR:HB3	2.35	0.41
1:B:195:ASP:HA	1:B:282:LEU:O	2.21	0.41
1:B:209:GLN:NE2	1:B:294:ILE:O	2.51	0.41
1:B:44:LEU:HD22	1:B:46:MET:HG3	2.02	0.41
1:C:144:GLU:O	1:C:145:ARG:C	2.64	0.41
1:C:249:THR:HG22	1:C:250:THR:N	2.35	0.40
1:A:172:ASN:HA	1:A:173:PRO:HD3	1.94	0.40
1:B:46:MET:HA	1:B:151:ALA:O	2.21	0.40
1:A:23:LYS:CB	1:A:24:GLN:HE21	2.34	0.40
1:A:23:LYS:CB	1:A:24:GLN:NE2	2.76	0.40
1:A:53:ILE:HD12	1:A:105:CYS:HB2	2.03	0.40
1:B:101:TYR:CD1	1:B:101:TYR:C	2.99	0.40
1:B:78:LEU:HD13	1:B:243:TYR:CZ	2.56	0.40
1:C:298:ILE:O	1:C:299:LYS:CB	2.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	279/298 (94%)	252 (90%)	23 (8%)	4 (1%)	9	23
1	B	277/298 (93%)	252 (91%)	22 (8%)	3 (1%)	11	29
1	C	278/298 (93%)	247 (89%)	25 (9%)	6 (2%)	5	14
All	All	834/894 (93%)	751 (90%)	70 (8%)	13 (2%)	7	20

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	35	MET
1	A	257	SER
1	B	35	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	253	SER
1	C	256	LYS
1	C	35	MET
1	C	255	GLY
1	A	225	ASN
1	C	39	LEU
1	C	257	SER
1	B	34	ILE
1	C	181	PRO
1	A	34	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	241/280 (86%)	229 (95%)	12 (5%)	22	48
1	B	239/280 (85%)	229 (96%)	10 (4%)	26	55
1	C	246/280 (88%)	236 (96%)	10 (4%)	27	56
All	All	726/840 (86%)	694 (96%)	32 (4%)	25	53

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	LYS
1	A	24	GLN
1	A	38	MET
1	A	44	LEU
1	A	66	ARG
1	A	137	CYS
1	A	146	ASN
1	A	155	LEU
1	A	213	PHE
1	A	218	ILE
1	A	219	LEU
1	A	254	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	24	GLN
1	B	44	LEU
1	B	54	ARG
1	B	66	ARG
1	B	99	GLU
1	B	160	GLU
1	B	203	VAL
1	B	215	GLN
1	B	219	LEU
1	B	294	ILE
1	C	24	GLN
1	C	44	LEU
1	C	66	ARG
1	C	137	CYS
1	C	160	GLU
1	C	203	VAL
1	C	208	GLU
1	C	215	GLN
1	C	218	ILE
1	C	241	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	13	GLN
1	A	24	GLN
1	A	32	ASN
1	A	36	ASN
1	A	48	ASN
1	A	85	GLN
1	A	122	HIS
1	A	161	ASN
1	A	225	ASN
1	B	13	GLN
1	B	32	ASN
1	B	48	ASN
1	B	106	GLN
1	B	122	HIS
1	B	225	ASN
1	B	261	ASN
1	C	13	GLN
1	C	24	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	32	ASN
1	C	48	ASN
1	C	62	ASN
1	C	100	HIS
1	C	107	ASN
1	C	122	HIS
1	C	164	ASN
1	C	184	HIS
1	C	225	ASN
1	C	292	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	DTT	C	3137	1	7,7,7	2.34	3 (42%)	4,8,8	1.30	1 (25%)
2	DTT	A	1137	1	7,7,7	2.20	3 (42%)	4,8,8	1.48	1 (25%)
2	DTT	B	2137	1	7,7,7	2.13	2 (28%)	4,8,8	1.29	1 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DTT	C	3137	1	-	4/8/8/8	-
2	DTT	A	1137	1	-	2/8/8/8	-
2	DTT	B	2137	1	-	4/8/8/8	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	3137	DTT	C4-S4	4.06	1.89	1.81
2	B	2137	DTT	C4-S4	3.89	1.89	1.81
2	A	1137	DTT	C4-S4	3.88	1.89	1.81
2	C	3137	DTT	C3-C2	3.77	1.62	1.53
2	A	1137	DTT	C3-C2	3.55	1.61	1.53
2	B	2137	DTT	C3-C2	3.49	1.61	1.53
2	C	3137	DTT	C1-C2	2.18	1.57	1.51
2	A	1137	DTT	C1-C2	2.10	1.57	1.51

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1137	DTT	O3-C3-C2	2.73	115.30	109.57
2	C	3137	DTT	O3-C3-C2	2.27	114.33	109.57
2	B	2137	DTT	O3-C3-C2	2.26	114.31	109.57

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1137	DTT	S1-C1-C2-O2
2	A	1137	DTT	S1-C1-C2-C3
2	B	2137	DTT	S1-C1-C2-O2
2	B	2137	DTT	S1-C1-C2-C3
2	B	2137	DTT	C2-C3-C4-S4
2	B	2137	DTT	O3-C3-C4-S4
2	C	3137	DTT	S1-C1-C2-O2
2	C	3137	DTT	S1-C1-C2-C3
2	C	3137	DTT	C2-C3-C4-S4
2	C	3137	DTT	O3-C3-C4-S4

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	3137	DTT	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.