



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 03:55 AM UTC

PDB ID : 4I3R / pdb_00004i3r
Title : Crystal structure of the outer domain of HIV-1 gp120 in complex with VRC-PG04 space group P3221
Authors : Joyce, M.G.; Biertumpfel, C.; Nabel, G.J.; Kwong, P.D.
Deposited on : 2012-11-26
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	G	190	69% 27% .
2	H	228	68% 29% .
3	L	208	69% 27% .

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 4874 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Outer domain of HIV-1 gp120 (KER2018 OD4.2.2).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	G	190	Total	C	N	O	S	0	1	0
			1464	900	264	291	9			

- Molecule 2 is a protein called Heavy chain of VRC-PG04 Fab.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	228	Total	C	N	O	S	0	0	0
			1732	1097	300	329	6			

- Molecule 3 is a protein called Light chain of VRC-PG04 Fab.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	L	208	Total	C	N	O	S	0	0	0
			1621	1019	275	320	7			

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			14	8	1	5		
4	G	1	Total	C	N	O	0	0
			11	7	1	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	G	3	Total	O	0	0
			3	3		
5	L	1	Total	O	0	0
			1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Outer domain of HIV-1 gp120 (KER2018 OD4.2.2)



- Molecule 2: Heavy chain of VRC-PG04 Fab



- Molecule 3: Light chain of VRC-PG04 Fab



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	158.91Å 158.91Å 80.27Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	43.65 – 3.00 43.65 – 3.00	Depositor EDS
% Data completeness (in resolution range)	97.2 (43.65-3.00) 96.9 (43.65-3.00)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	0.15	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.46 (at 3.01Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.1_1168)	Depositor
R, R_{free}	0.183 , 0.245 0.188 , 0.249	Depositor DCC
R_{free} test set	1380 reflections (5.84%)	wwPDB-VP
Wilson B-factor (Å ²)	81.8	Xtriage
Anisotropy	0.296	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 85.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.031 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4874	wwPDB-VP
Average B, all atoms (Å ²)	95.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	G	0.59	0/1489	0.99	1/2020 (0.0%)
2	H	0.57	0/1777	0.99	7/2421 (0.3%)
3	L	0.55	0/1658	0.92	3/2246 (0.1%)
All	All	0.57	0/4924	0.97	11/6687 (0.2%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	128	SER	N-CA-C	8.79	122.50	112.57
2	H	127	SER	N-CA-C	8.42	120.37	111.03
1	G	433	GLY	N-CA-C	-6.73	106.03	115.32
3	L	3	VAL	N-CA-C	-5.88	107.08	112.96
2	H	60	SER	CA-C-N	5.84	125.31	119.24
2	H	60	SER	C-N-CA	5.84	125.31	119.24
2	H	190	GLY	N-CA-C	-5.25	107.27	114.67
3	L	50	ALA	N-CA-C	-5.20	99.73	110.80
2	H	32	THR	N-CA-C	5.18	117.16	107.99
2	H	56	VAL	N-CA-C	5.08	116.22	108.80
3	L	7	SER	N-CA-C	5.04	114.10	108.25

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	1464	0	1414	34	0
2	H	1732	0	1696	36	0
3	L	1621	0	1582	32	0
4	G	53	0	46	8	0
5	G	3	0	0	0	0
5	L	1	0	0	0	0
All	All	4874	0	4738	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:339:ASN:HD22	4:G:903:NAG:C1	1.39	1.27
3:L:213:GLU:N	3:L:213:GLU:OE1	2.02	0.92
2:H:82(A):ARG:HG3	2:H:82(A):ARG:HH11	1.34	0.92
3:L:147:GLN:HE21	3:L:154:LEU:HD13	1.38	0.87
1:G:339:ASN:CG	4:G:903:NAG:C1	2.53	0.81
4:G:902:NAG:O3	4:G:902:NAG:H83	1.84	0.77
2:H:71:ARG:HH21	2:H:71:ARG:HG3	1.50	0.74
2:H:82(A):ARG:HG3	2:H:82(A):ARG:NH1	1.99	0.73
2:H:7:SER:HB3	2:H:21:SER:H	1.54	0.72
2:H:38:ARG:HB3	2:H:48:ILE:HD11	1.74	0.69
2:H:130:SER:HB3	2:H:131:THR:HB	1.75	0.68
1:G:301:ASN:OD1	1:G:302:ASN:ND2	2.28	0.65
2:H:94:ARG:HD3	2:H:102:LEU:HD12	1.79	0.64
1:G:335:ARG:HE	1:G:414:ILE:HG13	1.65	0.61
1:G:372:THR:HG22	1:G:373:THR:HG23	1.84	0.60
2:H:6:GLN:O	2:H:105:ARG:NH2	2.35	0.59
2:H:200:HIS:ND1	2:H:203:SER:OG	2.35	0.59
2:H:19:ARG:HG3	2:H:81:ASP:OD1	2.03	0.59
3:L:85:ARG:HD2	3:L:103:ARG:HB2	1.85	0.59
3:L:55:ALA:HB3	3:L:58:ILE:HG13	1.85	0.58
1:G:295:ASN:OD1	1:G:446:GLN:HG3	2.03	0.58
1:G:257:THR:HG21	1:G:260:LEU:HD23	1.85	0.58
1:G:395:TRP:CE3	1:G:400:ALA:HB2	2.39	0.58
1:G:334:ASN:OD1	4:G:902:NAG:N2	2.37	0.58
1:G:395:TRP:HA	1:G:400:ALA:HA	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:371:ILE:HD13	2:H:53:THR:HB	1.88	0.55
1:G:368:ASP:OD2	2:H:71:ARG:NH1	2.32	0.55
1:G:474:ASP:OD2	1:G:476[B]:ARG:NE	2.38	0.54
2:H:52:LYS:HG3	2:H:55:ALA:HB3	1.89	0.54
3:L:50:ALA:HB2	3:L:53:LYS:HD2	1.89	0.53
2:H:123:PRO:HD3	2:H:209:LYS:HE2	1.91	0.53
3:L:18:THR:HB	3:L:76:THR:HA	1.89	0.53
1:G:350:ARG:NH2	1:G:395(A):ASN:O	2.42	0.53
3:L:211:ARG:HH21	3:L:211:ARG:HB3	1.76	0.50
1:G:334:ASN:HA	1:G:413:ASP:HB3	1.93	0.50
1:G:298:ARG:HG3	1:G:304:GLN:HG3	1.94	0.50
1:G:403:ASP:OD1	1:G:403:ASP:N	2.44	0.50
3:L:54:ARG:NH2	3:L:60:ASP:HA	2.27	0.50
1:G:282:LYS:HE2	2:H:98:TYR:CZ	2.47	0.49
4:G:902:NAG:H83	4:G:902:NAG:C3	2.41	0.49
2:H:66:ARG:NH2	2:H:86:ASP:OD2	2.45	0.48
3:L:158:ASN:HB2	3:L:179:LEU:HD12	1.94	0.48
2:H:36:TRP:CZ3	2:H:92:CYS:HB3	2.49	0.48
2:H:47:TRP:CE3	3:L:96:GLU:HB2	2.49	0.47
3:L:105:GLU:HG2	3:L:106:ILE:N	2.29	0.47
2:H:71:ARG:HG3	2:H:71:ARG:NH2	2.22	0.47
1:G:460:SER:C	1:G:462:SER:H	2.23	0.47
1:G:339:ASN:CB	4:G:903:NAG:C1	2.93	0.47
2:H:65:GLN:OE1	2:H:82(A):ARG:NH2	2.48	0.47
1:G:265:LEU:HD11	1:G:291:PRO:HG3	1.97	0.46
1:G:335:ARG:HE	1:G:335:ARG:HB2	1.53	0.46
2:H:40:ALA:O	2:H:43:GLN:HB2	2.15	0.46
3:L:201:LEU:HD13	3:L:205:VAL:HG23	1.98	0.46
1:G:382:PHE:CD1	1:G:421:LYS:HB2	2.52	0.45
2:H:132:SER:HB2	3:L:116:PHE:CE2	2.52	0.45
3:L:104:LEU:HD12	3:L:104:LEU:HA	1.66	0.45
3:L:78:MET:HE1	3:L:104:LEU:HD23	1.97	0.45
3:L:211:ARG:HB3	3:L:211:ARG:NH2	2.31	0.45
3:L:140:TYR:CD1	3:L:141:PRO:HA	2.52	0.45
1:G:347:ILE:HG13	1:G:348:GLN:N	2.32	0.45
2:H:200:HIS:CD2	2:H:202:PRO:HD2	2.52	0.45
4:G:901:NAG:O7	4:G:901:NAG:O3	2.30	0.45
3:L:8:PRO:O	3:L:102:THR:HG23	2.17	0.45
3:L:30:TYR:CE1	3:L:69:LYS:HG3	2.52	0.45
2:H:28:ILE:HD13	2:H:28:ILE:HA	1.88	0.44
1:G:350:ARG:HA	1:G:353:TRP:O	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:339:ASN:HB3	4:G:903:NAG:C1	2.46	0.44
3:L:37:GLN:HB2	3:L:47:LEU:HD11	2.00	0.44
1:G:290:LYS:HA	1:G:291:PRO:HD3	1.87	0.43
2:H:18:VAL:HG21	2:H:109:ILE:HD13	2.00	0.43
2:H:127:SER:C	2:H:129:LYS:HA	2.43	0.43
3:L:119:PRO:HB3	3:L:209:PHE:CE2	2.54	0.43
2:H:100(A):GLY:O	3:L:32:HIS:HD2	2.01	0.43
1:G:416:LEU:HA	1:G:417:PRO:HD2	1.92	0.43
2:H:152:VAL:HG22	2:H:198:VAL:HG22	2.01	0.43
2:H:94:ARG:NH1	2:H:101:ASP:OD2	2.50	0.43
2:H:119:PRO:HB3	2:H:145:TYR:HB3	2.01	0.43
3:L:108:ARG:HE	3:L:108:ARG:HB2	1.62	0.43
2:H:52(A):THR:O	2:H:71:ARG:NE	2.48	0.43
3:L:188:LYS:HB3	3:L:188:LYS:HE2	1.80	0.43
3:L:113:PRO:HB3	3:L:139:PHE:CD2	2.54	0.42
1:G:437:PRO:HA	1:G:438:PRO:HD3	1.84	0.42
3:L:108:ARG:HG3	3:L:140:TYR:CD2	2.54	0.42
3:L:163:VAL:HG12	3:L:164:THR:O	2.20	0.42
2:H:162:GLY:O	2:H:182:VAL:HA	2.20	0.42
3:L:21:LEU:HD23	3:L:73:LEU:HD23	2.00	0.42
3:L:65:SER:OG	3:L:66:GLN:N	2.53	0.42
2:H:80:MET:HE2	2:H:80:MET:HB3	1.95	0.42
3:L:146:VAL:HG22	3:L:196:VAL:HG22	2.01	0.41
1:G:304:GLN:HB2	1:G:418:CYS:HB2	2.01	0.41
1:G:431:GLY:HA3	1:G:432:SER:HA	1.63	0.41
2:H:130:SER:HA	2:H:131:THR:HA	1.88	0.41
3:L:105:GLU:HG3	3:L:173:TYR:OH	2.20	0.41
1:G:299:PRO:HD2	1:G:303:THR:O	2.20	0.41
2:H:151:THR:OG1	2:H:199:ASN:HB3	2.21	0.41
1:G:257:THR:OG1	1:G:258:GLN:N	2.53	0.40
1:G:480:ARG:HB3	1:G:480:ARG:HH11	1.86	0.40
2:H:26:GLU:HB2	2:H:76:PHE:CZ	2.56	0.40
3:L:140:TYR:CG	3:L:141:PRO:HA	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	189/190 (100%)	169 (89%)	19 (10%)	1 (0%)	24	60
2	H	226/228 (99%)	221 (98%)	4 (2%)	1 (0%)	30	65
3	L	206/208 (99%)	196 (95%)	10 (5%)	0	100	100
All	All	621/626 (99%)	586 (94%)	33 (5%)	2 (0%)	36	70

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	477	ASP
2	H	126	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	166/165 (101%)	149 (90%)	17 (10%)	7	29
2	H	192/193 (100%)	169 (88%)	23 (12%)	5	22
3	L	182/182 (100%)	159 (87%)	23 (13%)	4	20
All	All	540/540 (100%)	477 (88%)	63 (12%)	5	23

All (63) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	278	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	G	335	ARG
1	G	339	ASN
1	G	347	ILE
1	G	357	THR
1	G	372	THR
1	G	385	CYS
1	G	390	LEU
1	G	401	SER
1	G	402	ILE
1	G	403	ASP
1	G	415	THR
1	G	419	ARG
1	G	421	LYS
1	G	450	THR
1	G	464	THR
1	G	480	ARG
2	H	2	VAL
2	H	4	LEU
2	H	7	SER
2	H	25	SER
2	H	28	ILE
2	H	60	SER
2	H	65	GLN
2	H	68	SER
2	H	70	THR
2	H	71	ARG
2	H	99	THR
2	H	113	SER
2	H	126	PRO
2	H	135	THR
2	H	138	LEU
2	H	148	GLU
2	H	159	LEU
2	H	161	SER
2	H	187	SER
2	H	189	LEU
2	H	193	THR
2	H	203	SER
2	H	212	GLU
3	L	2	ILE
3	L	3	VAL
3	L	13	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	L	14	SER
3	L	18	THR
3	L	21	LEU
3	L	27	SER
3	L	52	SER
3	L	61	ARG
3	L	63	SER
3	L	65	SER
3	L	72	THR
3	L	74	THR
3	L	104	LEU
3	L	107	ARG
3	L	108	ARG
3	L	133	VAL
3	L	145	LYS
3	L	154	LEU
3	L	191	VAL
3	L	203	SER
3	L	210	ASN
3	L	213	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	G	339	ASN
2	H	164	HIS
3	L	147	GLN
3	L	189	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	NAG	G	900	1	14,14,15	0.58	0	17,19,21	1.35	1 (5%)
4	NAG	G	902	1	14,14,15	0.36	0	17,19,21	0.87	0
4	NAG	G	901	1	14,14,15	0.29	0	17,19,21	0.57	0
4	NAG	G	903	1	11,11,15	0.63	0	12,14,21	1.87	3 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	G	900	1	-	3/6/23/26	0/1/1/1
4	NAG	G	902	1	-	5/6/23/26	0/1/1/1
4	NAG	G	901	1	-	1/6/23/26	0/1/1/1
4	NAG	G	903	1	-	2/4/15/26	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	G	903	NAG	C5-O5-C1	4.43	116.19	110.02
4	G	900	NAG	C1-O5-C5	3.86	117.36	112.19
4	G	903	NAG	C4-C3-C2	-2.58	109.20	110.89
4	G	903	NAG	O7-C7-C8	-2.04	118.43	122.05

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	G	902	NAG	C8-C7-N2-C2
4	G	902	NAG	O7-C7-N2-C2
4	G	903	NAG	C8-C7-N2-C2
4	G	903	NAG	O7-C7-N2-C2
4	G	902	NAG	O5-C5-C6-O6
4	G	902	NAG	C4-C5-C6-O6
4	G	900	NAG	C8-C7-N2-C2
4	G	900	NAG	O7-C7-N2-C2
4	G	900	NAG	O5-C5-C6-O6
4	G	901	NAG	O5-C5-C6-O6
4	G	902	NAG	C3-C2-N2-C7

There are no ring outliers.

3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	902	NAG	3	0
4	G	901	NAG	1	0
4	G	903	NAG	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	G	190/190 (100%)	-0.20	2 (1%) 78 57	54, 91, 188, 210	1 (0%)
2	H	228/228 (100%)	-0.46	1 (0%) 88 76	48, 92, 140, 227	0
3	L	208/208 (100%)	-0.56	1 (0%) 87 72	47, 82, 144, 165	0
All	All	626/626 (100%)	-0.41	4 (0%) 85 69	47, 89, 158, 227	1 (0%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	476[A]	ARG	6.0
2	H	215	SER	2.3
3	L	214	CYS	2.1
1	G	402	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	NAG	G	900	14/15	0.06	0.15	153,165,170,170	0
4	NAG	G	901	14/15	0.66	0.18	117,163,180,182	0
4	NAG	G	903	11/15	0.78	0.17	129,141,163,164	0
4	NAG	G	902	14/15	0.81	0.17	138,155,171,174	0

6.5 Other polymers [i](#)

There are no such residues in this entry.