



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 7, 2026 – 12:52 AM UTC

PDB ID : 1I43 / pdb_00001i43
Title : CYSTATHIONINE GAMMA-SYNTHASE IN COMPLEX WITH THE INHIBITOR PPCA
Authors : Steegborn, C.; Laber, B.; Messerschmidt, A.; Huber, R.; Clausen, T.
Deposited on : 2001-02-19
Resolution : 3.10 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	1539 (3.10-3.10)
Ramachandran outliers	187476	1467 (3.10-3.10)
Sidechain outliers	187428	1467 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	445	56% 29% • 11%
1	B	445	49% 34% 6% 11%
1	C	445	52% 32% 5% 11%
1	D	445	52% 31% 6% 11%
1	E	445	49% 34% 6% 11%
1	F	445	50% 33% 6% 11%
1	G	445	50% 35% • 11%
1	H	445	51% 32% 6% 11%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	I	445	
1	J	445	
1	K	445	
1	L	445	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PLP	C	500	-	X	-	-
2	PLP	D	500	-	X	-	-
2	PLP	F	500	-	X	-	-
2	PLP	H	500	-	X	-	-
3	PMC	F	605	-	X	-	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 36624 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYSTATHIONINE GAMMA-SYNTHASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	396	Total	C	N	O	S	0	0	0
			3023	1928	513	566	16			
1	B	396	Total	C	N	O	S	0	0	0
			3023	1928	513	566	16			
1	C	396	Total	C	N	O	S	0	0	0
			3023	1928	513	566	16			
1	D	396	Total	C	N	O	S	0	0	0
			3023	1928	513	566	16			
1	E	396	Total	C	N	O	S	0	0	0
			3023	1928	513	566	16			
1	F	396	Total	C	N	O	S	0	0	0
			3023	1928	513	566	16			
1	G	396	Total	C	N	O	S	0	0	0
			3023	1928	513	566	16			
1	H	396	Total	C	N	O	S	0	0	0
			3023	1928	513	566	16			
1	I	396	Total	C	N	O	S	0	0	0
			3023	1928	513	566	16			
1	J	396	Total	C	N	O	S	0	0	0
			3023	1928	513	566	16			
1	K	396	Total	C	N	O	S	0	0	0
			3023	1928	513	566	16			
1	L	396	Total	C	N	O	S	0	0	0
			3023	1928	513	566	16			

- Molecule 2 is PYRIDOXAL-5'-PHOSPHATE (CCD ID: PLP) (formula: C₈H₁₀NO₆P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	C	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	D	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	E	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	F	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	G	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	H	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	I	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	J	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	K	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
2	L	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 3 is 3-(PHOSPHONOMETHYL)PYRIDINE-2-CARBOXYLIC ACID (CCD ID: PMC) (formula: C₇H₈NO₅P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			14	7	1	5	1		
3	B	1	Total	C	N	O	P	0	0
			14	7	1	5	1		
3	C	1	Total	C	N	O	P	0	0
			14	7	1	5	1		
3	D	1	Total	C	N	O	P	0	0
			14	7	1	5	1		
3	E	1	Total	C	N	O	P	0	0
			14	7	1	5	1		
3	F	1	Total	C	N	O	P	0	0
			14	7	1	5	1		
3	G	1	Total	C	N	O	P	0	0
			14	7	1	5	1		
3	H	1	Total	C	N	O	P	0	0
			14	7	1	5	1		
3	I	1	Total	C	N	O	P	0	0
			14	7	1	5	1		
3	J	1	Total	C	N	O	P	0	0
			14	7	1	5	1		
3	K	1	Total	C	N	O	P	0	0
			14	7	1	5	1		
3	L	1	Total	C	N	O	P	0	0
			14	7	1	5	1		




• Molecule 1: CYSTATHIONINE GAMMA-SYNTHASE

Chain C: 52% 32% 5% 11%




• Molecule 1: CYSTATHIONINE GAMMA-SYNTHASE

Chain D: 52% 31% 6% 11%





• Molecule 1: CYSTATHIONINE GAMMA-SYNTHASE

Chain E:  49% 34% 6% 11%





- Molecule 1: CYSTATHIONINE GAMMA-SYNTHASE


Chain F:  50% 33% 6% 11%



- Molecule 1: CYSTATHIONINE GAMMA-SYNTHASE


Chain G:  50% 35% 11%






• Molecule 1: CYSTATHIONINE GAMMA-SYNTASE


Chain H: 51% 32% 6% 11%



• Molecule 1: CYSTATHIONINE GAMMA-SYNTASE


Chain I: 50% 34% 11%






• Molecule 1: CYSTATHIONINE GAMMA-SYNTASE


Chain J: 51% 32% 5% 11%




• Molecule 1: CYSTATHIONINE GAMMA-SYNTASE

Chain K: 49% 33% 6% 11%





• Molecule 1: CYSTATIONINE GAMMA-SYNTHASE



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	309.60Å 170.10Å 162.10Å 90.00° 90.03° 90.00°	Depositor
Resolution (Å)	20.00 – 3.10	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-3.10)	Depositor
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, R_{free}	0.236 , 0.268	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	36624	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PMC, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/3082	0.81	4/4179 (0.1%)
1	B	0.36	0/3082	0.81	4/4179 (0.1%)
1	C	0.37	0/3082	0.80	5/4179 (0.1%)
1	D	0.37	0/3082	0.80	4/4179 (0.1%)
1	E	0.36	0/3082	0.81	4/4179 (0.1%)
1	F	0.34	0/3082	0.80	5/4179 (0.1%)
1	G	0.36	0/3082	0.80	5/4179 (0.1%)
1	H	0.34	0/3082	0.81	4/4179 (0.1%)
1	I	0.37	0/3082	0.82	8/4179 (0.2%)
1	J	0.34	0/3082	0.80	4/4179 (0.1%)
1	K	0.35	0/3082	0.81	5/4179 (0.1%)
1	L	0.35	0/3082	0.79	3/4179 (0.1%)
All	All	0.36	0/36984	0.81	55/50148 (0.1%)

There are no bond length outliers.

The worst 5 of 55 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	75	ASP	N-CA-C	-7.91	103.70	112.72
1	A	73	VAL	N-CA-C	7.79	119.50	109.30
1	B	75	ASP	N-CA-C	-7.33	104.36	112.72
1	E	73	VAL	N-CA-C	7.01	118.48	109.30
1	B	73	VAL	N-CA-C	6.98	118.80	109.37

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3023	0	3052	113	0
1	B	3023	0	3052	117	0
1	C	3023	0	3052	111	0
1	D	3023	0	3052	108	0
1	E	3023	0	3052	134	0
1	F	3023	0	3052	114	0
1	G	3023	0	3052	116	0
1	H	3023	0	3052	123	0
1	I	3023	0	3052	125	0
1	J	3023	0	3052	116	0
1	K	3023	0	3052	120	0
1	L	3023	0	3052	125	0
2	A	15	0	6	0	0
2	B	15	0	6	1	0
2	C	15	0	6	0	0
2	D	15	0	6	0	0
2	E	15	0	7	0	0
2	F	15	0	6	1	0
2	G	15	0	7	0	0
2	H	15	0	6	1	0
2	I	15	0	6	0	0
2	J	15	0	6	0	0
2	K	15	0	6	0	0
2	L	15	0	7	0	0
3	A	14	0	5	0	0
3	B	14	0	5	0	0
3	C	14	0	5	0	0
3	D	14	0	5	1	0
3	E	14	0	5	1	0
3	F	14	0	5	0	0
3	G	14	0	5	0	0
3	H	14	0	5	0	0
3	I	14	0	5	0	0
3	J	14	0	5	0	0
3	K	14	0	5	1	0
3	L	14	0	5	1	0
All	All	36624	0	36759	1328	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

The worst 5 of 1328 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:376:PHE:HB2	1:I:445:ILE:HD11	1.21	1.12
1:C:376:PHE:HB2	1:C:445:ILE:HD11	1.40	1.03
1:F:241:THR:HG22	1:F:243:LEU:H	1.32	0.95
1:A:241:THR:HG22	1:A:243:LEU:H	1.32	0.94
1:K:241:THR:HG22	1:K:243:LEU:H	1.30	0.93

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	394/445 (88%)	355 (90%)	37 (9%)	2 (0%)	24	57
1	B	394/445 (88%)	364 (92%)	25 (6%)	5 (1%)	9	35
1	C	394/445 (88%)	353 (90%)	37 (9%)	4 (1%)	12	41
1	D	394/445 (88%)	363 (92%)	27 (7%)	4 (1%)	12	41
1	E	394/445 (88%)	354 (90%)	35 (9%)	5 (1%)	9	35
1	F	394/445 (88%)	356 (90%)	35 (9%)	3 (1%)	16	47
1	G	394/445 (88%)	357 (91%)	33 (8%)	4 (1%)	12	41
1	H	394/445 (88%)	363 (92%)	28 (7%)	3 (1%)	16	47
1	I	394/445 (88%)	354 (90%)	37 (9%)	3 (1%)	16	47
1	J	394/445 (88%)	354 (90%)	37 (9%)	3 (1%)	16	47
1	K	394/445 (88%)	359 (91%)	30 (8%)	5 (1%)	9	35
1	L	394/445 (88%)	356 (90%)	34 (9%)	4 (1%)	12	41
All	All	4728/5340 (88%)	4288 (91%)	395 (8%)	45 (1%)	12	41

5 of 45 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	188	ASP
1	C	188	ASP
1	D	188	ASP
1	E	188	ASP
1	F	188	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	327/364 (90%)	276 (84%)	51 (16%)	2	12
1	B	327/364 (90%)	271 (83%)	56 (17%)	2	10
1	C	327/364 (90%)	273 (84%)	54 (16%)	2	11
1	D	327/364 (90%)	272 (83%)	55 (17%)	2	10
1	E	327/364 (90%)	276 (84%)	51 (16%)	2	12
1	F	327/364 (90%)	272 (83%)	55 (17%)	2	10
1	G	327/364 (90%)	278 (85%)	49 (15%)	3	13
1	H	327/364 (90%)	274 (84%)	53 (16%)	2	11
1	I	327/364 (90%)	278 (85%)	49 (15%)	3	13
1	J	327/364 (90%)	276 (84%)	51 (16%)	2	12
1	K	327/364 (90%)	274 (84%)	53 (16%)	2	11
1	L	327/364 (90%)	272 (83%)	55 (17%)	2	10
All	All	3924/4368 (90%)	3292 (84%)	632 (16%)	2	11

5 of 632 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	I	396	VAL
1	K	428	VAL
1	J	93	SER
1	I	377	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	J	420	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 65 such sidechains are listed below:

Mol	Chain	Res	Type
1	K	211	ASN
1	L	63	HIS
1	E	420	ASN
1	E	343	GLN
1	L	211	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PMC	C	602	-	14,14,14	2.82	8 (57%)	20,20,20	1.74	5 (25%)
2	PLP	J	500	1	15,15,16	3.66	6 (40%)	21,22,23	2.33	8 (38%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PLP	L	500	1	15,15,16	3.33	6 (40%)	21,22,23	2.43	8 (38%)
3	PMC	G	606	-	14,14,14	2.53	8 (57%)	20,20,20	1.67	5 (25%)
3	PMC	A	600	-	14,14,14	2.73	9 (64%)	20,20,20	1.75	5 (25%)
3	PMC	E	604	-	14,14,14	2.80	7 (50%)	20,20,20	1.80	5 (25%)
3	PMC	I	608	-	14,14,14	2.57	8 (57%)	20,20,20	1.66	5 (25%)
2	PLP	D	500	1	15,15,16	4.42	6 (40%)	21,22,23	2.62	10 (47%)
3	PMC	J	609	-	14,14,14	2.54	9 (64%)	20,20,20	1.67	5 (25%)
3	PMC	K	610	-	14,14,14	2.67	8 (57%)	20,20,20	1.73	5 (25%)
2	PLP	F	500	1	15,15,16	4.20	6 (40%)	21,22,23	2.44	10 (47%)
3	PMC	L	611	-	14,14,14	2.59	8 (57%)	20,20,20	1.67	5 (25%)
2	PLP	A	500	1	15,15,16	3.91	5 (33%)	21,22,23	2.50	10 (47%)
2	PLP	G	500	1	15,15,16	3.68	6 (40%)	21,22,23	2.40	9 (42%)
3	PMC	B	601	-	14,14,14	2.67	8 (57%)	20,20,20	1.70	5 (25%)
2	PLP	K	500	1	15,15,16	4.16	5 (33%)	21,22,23	2.62	10 (47%)
3	PMC	F	605	-	14,14,14	2.66	9 (64%)	20,20,20	1.74	6 (30%)
2	PLP	I	500	1	15,15,16	3.95	5 (33%)	21,22,23	2.38	10 (47%)
2	PLP	E	500	1	15,15,16	3.59	6 (40%)	21,22,23	2.41	9 (42%)
2	PLP	H	500	1	15,15,16	4.29	7 (46%)	21,22,23	2.51	10 (47%)
2	PLP	B	500	1	15,15,16	4.29	5 (33%)	21,22,23	2.53	10 (47%)
3	PMC	H	607	-	14,14,14	2.63	8 (57%)	20,20,20	1.72	5 (25%)
2	PLP	C	500	1	15,15,16	3.68	6 (40%)	21,22,23	2.48	11 (52%)
3	PMC	D	603	-	14,14,14	2.49	7 (50%)	20,20,20	1.67	5 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PMC	C	602	-	-	3/9/9/9	0/1/1/1
2	PLP	J	500	1	-	2/6/6/8	0/1/1/1
2	PLP	L	500	1	-	2/6/6/8	0/1/1/1
3	PMC	G	606	-	-	3/9/9/9	0/1/1/1
3	PMC	A	600	-	-	3/9/9/9	0/1/1/1
3	PMC	E	604	-	-	5/9/9/9	0/1/1/1
3	PMC	I	608	-	-	3/9/9/9	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLP	D	500	1	-	2/6/6/8	0/1/1/1
3	PMC	J	609	-	-	3/9/9/9	0/1/1/1
3	PMC	K	610	-	-	3/9/9/9	0/1/1/1
2	PLP	F	500	1	-	2/6/6/8	0/1/1/1
3	PMC	L	611	-	-	4/9/9/9	0/1/1/1
2	PLP	A	500	1	-	2/6/6/8	0/1/1/1
2	PLP	G	500	1	-	2/6/6/8	0/1/1/1
3	PMC	B	601	-	-	3/9/9/9	0/1/1/1
2	PLP	K	500	1	-	2/6/6/8	0/1/1/1
3	PMC	F	605	-	-	3/9/9/9	0/1/1/1
2	PLP	I	500	1	-	2/6/6/8	0/1/1/1
2	PLP	E	500	1	-	2/6/6/8	0/1/1/1
2	PLP	H	500	1	-	2/6/6/8	0/1/1/1
2	PLP	B	500	1	-	2/6/6/8	0/1/1/1
3	PMC	H	607	-	-	3/9/9/9	0/1/1/1
2	PLP	C	500	1	-	2/6/6/8	0/1/1/1
3	PMC	D	603	-	-	4/9/9/9	0/1/1/1

The worst 5 of 166 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	500	PLP	C5-C4	13.67	1.55	1.40
2	D	500	PLP	C5-C4	13.30	1.55	1.40
2	F	500	PLP	C5-C4	13.21	1.55	1.40
2	I	500	PLP	C5-C4	13.16	1.55	1.40
2	H	500	PLP	C5-C4	13.03	1.55	1.40

The worst 5 of 176 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	500	PLP	C2A-C2-C3	6.34	128.22	120.80
2	L	500	PLP	C2A-C2-C3	6.24	128.10	120.80
2	E	500	PLP	C2A-C2-C3	6.22	128.08	120.80
2	F	500	PLP	C2A-C2-C3	6.21	128.07	120.80
2	A	500	PLP	C2A-C2-C3	6.21	128.06	120.80

There are no chirality outliers.

5 of 64 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	500	PLP	C4-C5-C5A-O4P
2	A	500	PLP	C6-C5-C5A-O4P
2	B	500	PLP	C4-C5-C5A-O4P
2	B	500	PLP	C6-C5-C5A-O4P
2	C	500	PLP	C4-C5-C5A-O4P

There are no ring outliers.

7 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	604	PMC	1	0
3	K	610	PMC	1	0
2	F	500	PLP	1	0
3	L	611	PMC	1	0
2	H	500	PLP	1	0
2	B	500	PLP	1	0
3	D	603	PMC	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.