



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 6, 2026 – 02:18 PM UTC

PDB ID : 3I4D / pdb_00003i4d
Title : Photosynthetic reaction center from rhodobacter sphaeroides 2.4.1
Authors : Fujii, R.; Adachi, S.; Roszak, A.W.; Gardiner, A.T.; Cogdell, R.J.; Isaacs, N.W.; Koshihara, S.; Hashimoto, H.
Deposited on : 2009-07-01
Resolution : 2.01 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	10052 (2.00-2.00)
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	281	8% 92% 7% .
2	M	307	11% 90% 8% ..
3	H	260	5% 80% 10% . 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	GOL	H	736	-	-	-	X
10	GOL	L	727	-	-	-	X
10	GOL	M	741	-	-	X	X
12	HTO	H	752	-	-	-	X
12	HTO	L	753	-	-	-	X
13	LDA	L	920	-	-	-	X
13	LDA	L	921	-	-	X	-
13	LDA	M	916	-	-	-	X
13	LDA	M	918	-	-	-	X

2 Entry composition [i](#)

There are 19 unique types of molecules in this entry. The entry contains 8406 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	281	Total	C	N	O	S	0	2	0
			2246	1516	358	364	8			


- Molecule 2 is a protein called Reaction center protein M chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	M	302	Total	C	N	O	S	0	5	0
			2451	1635	402	402	12			

- Molecule 3 is a protein called Reaction center protein H chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	239	Total	C	N	O	S	0	6	0
			1876	1199	324	343	10			

- Molecule 4 is BACTERIOCHLOROPHYLL A (CCD ID: BCL) (formula: $C_{55}H_{74}MgN_4O_6$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
4	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
4	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
4	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0

- Molecule 5 is BACTERIOPHEOPHYTIN A (CCD ID: BPH) (formula: $C_{55}H_{76}N_4O_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	L	1	Total	C	N	O	0	0
			65	55	4	6		
5	M	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 6 is UBIQUINONE-10 (CCD ID: U10) (formula: $C_{59}H_{90}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	L	1	Total	C	O	0	1
			84	80	4		
6	M	1	Total	C	O	0	1
			94	90	4		

- Molecule 7 is UBIQUINONE-1 (CCD ID: UQ1) (formula: $C_{14}H_{18}O_4$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	L	1	Total	C	O	0	0
			18	14	4		

- Molecule 8 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	L	1	Total	O	P	0	0
			5	4	1		
8	L	1	Total	O	P	0	0
			5	4	1		
8	L	1	Total	O	P	0	0
			5	4	1		
8	L	1	Total	O	P	0	0
			5	4	1		
8	M	1	Total	O	P	0	0
			5	4	1		
8	M	1	Total	O	P	0	0
			5	4	1		
8	H	1	Total	O	P	0	0
			5	4	1		

- Molecule 9 is 1,4-DIETHYLENE DIOXIDE (CCD ID: DIO) (formula: C₄H₈O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	L	1	Total	C	O	0	0
			6	4	2		

- Molecule 10 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	L	1	Total	C	O	0	0
			6	3	3		
10	L	1	Total	C	O	0	0
			6	3	3		
10	L	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	L	1	Total	C	O	0	0
			6	3	3		
10	L	1	Total	C	O	0	0
			6	3	3		
10	L	1	Total	C	O	0	0
			6	3	3		
10	L	1	Total	C	O	0	0
			6	3	3		
10	L	1	Total	C	O	0	0
			6	3	3		
10	L	1	Total	C	O	0	0
			6	3	3		
10	L	1	Total	C	O	0	0
			6	3	3		
10	M	1	Total	C	O	0	0
			6	3	3		
10	M	1	Total	C	O	0	0
			6	3	3		
10	M	1	Total	C	O	0	0
			6	3	3		
10	M	1	Total	C	O	0	0
			6	3	3		
10	M	1	Total	C	O	0	0
			6	3	3		
10	H	1	Total	C	O	0	0
			6	3	3		
10	H	1	Total	C	O	0	0
			6	3	3		
10	H	1	Total	C	O	0	0
			6	3	3		
10	H	1	Total	C	O	0	0
			6	3	3		
10	H	1	Total	C	O	0	0
			6	3	3		
10	H	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	H	1	Total	C	O	0	0
			6	3	3		
10	H	1	Total	C	O	0	0
			6	3	3		

- Molecule 11 is (2R,3S)-heptane-1,2,3-triol (CCD ID: HT3) (formula: C₇H₁₆O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	L	1	Total	C	O	0	0
			10	7	3		

- Molecule 12 is HEPTANE-1,2,3-TRIOL (CCD ID: HTO) (formula: C₇H₁₆O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	L	1	Total	C	O	0	0
			10	7	3		
12	H	1	Total	C	O	0	0
			10	7	3		

- Molecule 13 is LAURYL DIMETHYLAMINE-N-OXIDE (CCD ID: LDA) (formula: $C_{14}H_{31}NO$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
13	L	1	Total	C	N	O	0	0
			16	14	1	1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
13	L	1	Total	C	N	O	0	0
			16	14	1	1		
13	L	1	Total	C	N	O	0	0
			16	14	1	1		
13	L	1	Total	C	N	O	0	0
			16	14	1	1		
13	L	1	Total	C	N	O	0	0
			16	14	1	1		
13	L	1	Total	C	N	O	0	0
			16	14	1	1		
13	L	1	Total	C	N	O	0	0
			16	14	1	1		
13	L	1	Total	C	N	O	0	0
			16	14	1	1		
13	L	1	Total	C	N	O	0	0
			16	14	1	1		
13	M	1	Total	C	N	O	0	0
			16	14	1	1		
13	M	1	Total	C	N	O	0	0
			16	14	1	1		
13	M	1	Total	C	N	O	0	0
			16	14	1	1		
13	M	1	Total	C	N	O	0	0
			16	14	1	1		
13	M	1	Total	C	N	O	0	0
			16	14	1	1		
13	H	1	Total	C	N	O	0	0
			16	14	1	1		
13	H	1	Total	C	N	O	0	0
			16	14	1	1		
13	H	1	Total	C	N	O	0	0
			16	14	1	1		
13	H	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 14 is FE (III) ION (CCD ID: FE) (formula: Fe).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	M	1	Total Fe 1 1	0	0

- Molecule 15 is SPHEROIDENE (CCD ID: SPO) (formula: $C_{41}H_{60}O$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	M	1	Total C O 42 41 1	0	0


- Molecule 16 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	M	1	Total K 1 1	0	0
16	H	1	Total K 1 1	0	0

- Molecule 17 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
17	M	1	Total Cl 1 1	0	0

- Molecule 18 is CARDIOLIPIN (CCD ID: CDL) (formula: $C_{81}H_{156}O_{17}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
18	M	1	Total	C	O	P	0	0
			81	62	17	2		


- Molecule 19 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	L	145	Total	O	0	0
			145	145		
19	M	150	Total	O	0	0
			150	150		
19	H	258	Total	O	0	0
			258	258		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Reaction center protein L chain



- Molecule 2: Reaction center protein M chain



- Molecule 3: Reaction center protein H chain



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	138.80Å 138.80Å 184.57Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	30.25 – 2.01 30.25 – 2.01	Depositor EDS
% Data completeness (in resolution range)	90.9 (30.25-2.01) 90.9 (30.25-2.01)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.39 (at 2.01Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.181 , 0.207 0.206 , 0.225	Depositor DCC
R_{free} test set	6134 reflections (4.95%)	wwPDB-VP
Wilson B-factor (Å ²)	34.2	Xtriage
Anisotropy	0.068	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 78.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.013 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8406	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.71% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, K, DIO, LDA, UQ1, CDL, CL, BPH, HTO, HT3, U10, BCL, SPO, FE, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	L	1.17	5/2334 (0.2%)	0.96	0/3194
2	M	1.09	1/2543 (0.0%)	0.97	0/3469
3	H	1.16	2/1925 (0.1%)	0.98	0/2616
All	All	1.14	8/6802 (0.1%)	0.97	0/9279

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	245	ALA	CA-CB	5.70	1.62	1.53
1	L	80	LEU	C-O	-5.49	1.17	1.24
1	L	133	LEU	C-O	-5.32	1.17	1.24
1	L	225	GLY	N-CA	5.12	1.50	1.45
1	L	210	ASP	C-O	-5.12	1.18	1.24

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	2246	0	2203	26	0
2	M	2451	0	2369	22	0
3	H	1876	0	1882	21	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	L	132	0	148	2	0
4	M	132	0	148	10	0
5	L	65	0	75	0	0
5	M	65	0	76	3	0
6	L	84	0	70	12	0
6	M	94	0	102	7	0
7	L	18	0	18	4	0
8	H	5	0	0	0	0
8	L	20	0	0	1	0
8	M	10	0	0	0	0
9	L	6	0	8	0	0
10	H	54	0	72	2	0
10	L	72	0	96	1	0
10	M	30	0	40	4	0
11	L	10	0	16	0	0
12	H	10	0	16	1	0
12	L	10	0	16	0	0
13	H	64	0	124	4	0
13	L	176	0	341	23	0
13	M	96	0	186	6	0
14	M	1	0	0	0	0
15	M	42	0	60	1	0
16	H	1	0	0	0	0
16	M	1	0	0	0	0
17	M	1	0	0	0	0
18	M	81	0	106	3	0
19	H	258	0	0	1	0
19	L	145	0	0	2	0
19	M	150	0	0	0	0
All	All	8406	0	8172	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 109 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:L:502[B]:U10:H502	2:M:86:LEU:HD11	1.25	1.14
6:L:502[B]:U10:C50	2:M:86:LEU:HD11	1.89	1.02
1:L:235:LEU:HA	13:L:921:LDA:HM21	1.47	0.94
10:L:724:GOL:H2	3:H:241:LEU:HD13	1.56	0.88

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:245:ALA:HB3	3:H:246:PRO:HD3	1.54	0.86

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	281/281 (100%)	276 (98%)	5 (2%)	0	100	100
2	M	305/307 (99%)	299 (98%)	5 (2%)	1 (0%)	36	35
3	H	243/260 (94%)	238 (98%)	2 (1%)	3 (1%)	10	6
All	All	829/848 (98%)	813 (98%)	12 (1%)	4 (0%)	24	21

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	H	245	ALA
2	M	195	ASN
3	H	246	PRO
3	H	11	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	222/220 (101%)	217 (98%)	5 (2%)	44	49
2	M	241/240 (100%)	238 (99%)	3 (1%)	63	70
3	H	200/208 (96%)	195 (98%)	5 (2%)	42	45
All	All	663/668 (99%)	650 (98%)	13 (2%)	51	54

5 of 13 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	M	114	LEU
3	H	60	LYS
3	H	248	ARG
3	H	220[B]	LYS
3	H	231	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
2	M	28	ASN
3	H	44	ASN
3	H	52	ASN
3	H	68	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 75 ligands modelled in this entry, 4 are monoatomic - leaving 71 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
8	PO4	L	703	-	4,4,4	1.22	1 (25%)	6,6,6	1.11	0
15	SPO	M	600	-	41,41,41	1.05	3 (7%)	47,50,50	1.64	11 (23%)
8	PO4	L	708	-	4,4,4	1.07	0	6,6,6	0.55	0
13	LDA	H	901	-	13,15,15	2.46	2 (15%)	14,17,17	0.46	0
10	GOL	M	737	-	5,5,5	0.35	0	5,5,5	0.40	0
8	PO4	M	704	-	4,4,4	0.97	0	6,6,6	1.25	1 (16%)
10	GOL	L	723	-	5,5,5	0.47	0	5,5,5	0.88	0
10	GOL	L	731	-	5,5,5	0.76	0	5,5,5	0.77	0
13	LDA	L	914	-	13,15,15	1.92	2 (15%)	14,17,17	0.69	0
13	LDA	M	916	-	13,15,15	2.15	2 (15%)	14,17,17	0.47	0
18	CDL	M	800	-	80,80,99	1.16	4 (5%)	86,92,111	1.24	7 (8%)
13	LDA	L	902	-	13,15,15	2.16	2 (15%)	14,17,17	0.77	1 (7%)
8	PO4	L	706	-	4,4,4	0.98	0	6,6,6	1.13	0
4	BCL	M	601	-	69,74,74	1.26	6 (8%)	79,115,115	1.66	18 (22%)
10	GOL	L	727	-	5,5,5	0.48	0	5,5,5	0.72	0
10	GOL	H	729	-	5,5,5	0.36	0	5,5,5	0.51	0
10	GOL	H	736	-	5,5,5	0.42	0	5,5,5	0.28	0
10	GOL	H	738	-	5,5,5	0.39	0	5,5,5	0.24	0
13	LDA	M	912	-	13,15,15	2.17	2 (15%)	14,17,17	0.53	0
13	LDA	H	909	-	13,15,15	2.20	2 (15%)	14,17,17	0.48	0
8	PO4	H	709	-	4,4,4	0.97	0	6,6,6	0.98	0
10	GOL	H	721	-	5,5,5	0.16	0	5,5,5	0.94	0
10	GOL	L	722	-	5,5,5	0.42	0	5,5,5	0.74	0
10	GOL	H	743	-	5,5,5	0.61	0	5,5,5	0.89	0
10	GOL	H	735	-	5,5,5	0.60	0	5,5,5	0.67	0
10	GOL	L	728	-	5,5,5	0.41	0	5,5,5	0.23	0
10	GOL	L	744	-	5,5,5	0.68	0	5,5,5	0.61	0
10	GOL	H	746	-	5,5,5	0.60	0	5,5,5	0.57	0
10	GOL	M	726	-	5,5,5	0.55	0	5,5,5	0.55	0
13	LDA	L	921	-	13,15,15	2.32	2 (15%)	14,17,17	0.80	1 (7%)
13	LDA	H	910	-	13,15,15	2.02	2 (15%)	14,17,17	0.78	0
4	BCL	M	603	-	69,74,74	1.32	6 (8%)	79,115,115	1.44	12 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	GOL	M	740	-	5,5,5	0.53	0	5,5,5	0.22	0
13	LDA	M	907	-	13,15,15	2.32	2 (15%)	14,17,17	0.86	0
13	LDA	M	911	-	13,15,15	2.41	2 (15%)	14,17,17	0.54	0
5	BPH	M	401	-	59,70,70	1.37	6 (10%)	59,101,101	2.27	13 (22%)
6	U10	M	501[A]	-	63,63,63	2.26	26 (41%)	78,79,79	1.52	14 (17%)
4	BCL	L	602	-	69,74,74	1.27	5 (7%)	79,115,115	1.24	9 (11%)
13	LDA	M	918	-	13,15,15	2.22	2 (15%)	14,17,17	0.70	0
10	GOL	H	739	-	5,5,5	0.47	0	5,5,5	0.36	0
10	GOL	H	745	-	5,5,5	0.44	0	5,5,5	0.46	0
13	LDA	M	903	-	13,15,15	2.31	2 (15%)	14,17,17	1.22	1 (7%)
12	HTO	L	753	-	9,9,9	0.56	0	10,10,10	1.67	2 (20%)
13	LDA	L	919	-	13,15,15	2.35	2 (15%)	14,17,17	0.69	0
6	U10	L	502[A]	-	63,63,63	2.29	23 (36%)	78,79,79	1.58	15 (19%)
5	BPH	L	402	-	59,70,70	1.50	7 (11%)	59,101,101	1.78	12 (20%)
13	LDA	L	920	-	13,15,15	2.24	2 (15%)	14,17,17	0.51	0
9	DIO	L	711	-	6,6,6	0.44	0	6,6,6	0.73	0
7	UQ1	L	503	-	18,18,18	2.19	7 (38%)	24,25,25	2.08	6 (25%)
8	PO4	L	705	-	4,4,4	0.95	0	6,6,6	1.14	0
10	GOL	M	741	-	5,5,5	0.54	0	5,5,5	1.58	1 (20%)
10	GOL	M	742	-	5,5,5	0.50	0	5,5,5	0.65	0
10	GOL	L	724	-	5,5,5	0.59	0	5,5,5	0.40	0
10	GOL	L	730	-	5,5,5	0.47	0	5,5,5	0.69	0
11	HT3	L	751	-	9,9,9	1.00	1 (11%)	10,10,10	1.69	4 (40%)
10	GOL	L	725	-	5,5,5	0.45	0	5,5,5	1.10	0
13	LDA	L	905	-	13,15,15	2.17	2 (15%)	14,17,17	0.44	0
10	GOL	L	733	-	5,5,5	0.43	0	5,5,5	0.71	0
12	HTO	H	752	-	9,9,9	0.49	0	10,10,10	1.36	1 (10%)
13	LDA	H	906	-	13,15,15	2.35	2 (15%)	14,17,17	0.37	0
6	U10	M	501[B]	-	63,63,63	2.30	25 (39%)	78,79,79	1.31	10 (12%)
10	GOL	L	732	-	5,5,5	0.42	0	5,5,5	0.41	0
13	LDA	L	908	-	13,15,15	1.93	2 (15%)	14,17,17	0.58	0
4	BCL	L	604	-	69,74,74	1.17	4 (5%)	79,115,115	1.69	20 (25%)
10	GOL	L	734	-	5,5,5	0.23	0	5,5,5	0.54	0
13	LDA	L	917	-	13,15,15	2.00	2 (15%)	14,17,17	0.57	0
6	U10	L	502[B]	-	63,63,63	2.28	24 (38%)	78,79,79	1.45	14 (17%)
13	LDA	L	904	-	13,15,15	2.26	2 (15%)	14,17,17	0.44	0
13	LDA	L	913	-	13,15,15	2.23	2 (15%)	14,17,17	0.40	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
8	PO4	M	707	-	4,4,4	1.07	0	6,6,6	1.17	1 (16%)
13	LDA	L	915	-	13,15,15	2.10	2 (15%)	14,17,17	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	SPO	M	600	-	-	3/47/47/47	-
13	LDA	H	901	-	-	5/13/13/13	-
10	GOL	M	737	-	-	2/4/4/4	-
10	GOL	L	723	-	-	2/4/4/4	-
10	GOL	L	731	-	-	0/4/4/4	-
13	LDA	L	914	-	-	6/13/13/13	-
13	LDA	M	916	-	-	7/13/13/13	-
18	CDL	M	800	-	-	36/91/91/110	-
13	LDA	L	902	-	-	6/13/13/13	-
10	GOL	L	727	-	-	4/4/4/4	-
4	BCL	M	601	-	-	13/41/137/137	-
10	GOL	H	729	-	-	2/4/4/4	-
10	GOL	H	736	-	-	2/4/4/4	-
10	GOL	H	738	-	-	2/4/4/4	-
13	LDA	H	909	-	-	6/13/13/13	-
10	GOL	H	721	-	-	1/4/4/4	-
10	GOL	L	722	-	-	2/4/4/4	-
10	GOL	H	743	-	-	0/4/4/4	-
10	GOL	H	735	-	-	2/4/4/4	-
9	DIO	L	711	-	-	-	0/1/1/1
10	GOL	L	728	-	-	0/4/4/4	-
10	GOL	L	744	-	-	2/4/4/4	-
10	GOL	H	746	-	-	3/4/4/4	-
10	GOL	M	726	-	-	2/4/4/4	-
13	LDA	L	921	-	-	9/13/13/13	-
13	LDA	H	910	-	-	8/13/13/13	-
4	BCL	M	603	-	-	1/41/137/137	-
10	GOL	M	740	-	-	4/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	LDA	M	907	-	-	5/13/13/13	-
13	LDA	M	911	-	-	5/13/13/13	-
5	BPH	M	401	-	-	8/37/105/105	0/5/6/6
6	U10	M	501[A]	-	-	12/63/87/87	0/1/1/1
4	BCL	L	602	-	-	1/41/137/137	-
13	LDA	M	918	-	-	5/13/13/13	-
10	GOL	H	739	-	-	2/4/4/4	-
10	GOL	H	745	-	-	4/4/4/4	-
13	LDA	M	903	-	-	5/13/13/13	-
12	HTO	L	753	-	-	5/10/10/10	-
13	LDA	L	919	-	-	4/13/13/13	-
6	U10	L	502[A]	-	-	14/63/87/87	0/1/1/1
5	BPH	L	402	-	-	3/37/105/105	0/5/6/6
7	UQ1	L	503	-	-	4/9/33/33	0/1/1/1
10	GOL	M	742	-	-	2/4/4/4	-
10	GOL	M	741	-	-	1/4/4/4	-
13	LDA	L	905	-	-	4/13/13/13	-
11	HT3	L	751	-	-	5/10/10/10	-
10	GOL	L	724	-	-	4/4/4/4	-
10	GOL	L	730	-	-	2/4/4/4	-
13	LDA	L	920	-	-	3/13/13/13	-
10	GOL	L	725	-	-	3/4/4/4	-
13	LDA	M	912	-	-	8/13/13/13	-
10	GOL	L	733	-	-	3/4/4/4	-
12	HTO	H	752	-	-	1/10/10/10	-
13	LDA	H	906	-	-	6/13/13/13	-
6	U10	M	501[B]	-	-	11/63/87/87	0/1/1/1
10	GOL	L	732	-	-	1/4/4/4	-
13	LDA	L	908	-	-	8/13/13/13	-
4	BCL	L	604	-	-	3/41/137/137	-
10	GOL	L	734	-	-	2/4/4/4	-
13	LDA	L	917	-	-	9/13/13/13	-
6	U10	L	502[B]	-	-	17/63/87/87	0/1/1/1
13	LDA	L	904	-	-	7/13/13/13	-
13	LDA	L	913	-	-	10/13/13/13	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	LDA	L	915	-	-	2/13/13/13	-

The worst 5 of 190 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	L	502[A]	U10	C7-C8	-7.92	1.38	1.50
6	L	502[B]	U10	C7-C8	-7.92	1.38	1.50
13	L	921	LDA	O1-N1	-7.17	1.24	1.42
13	M	903	LDA	O1-N1	-6.83	1.25	1.42
13	H	901	LDA	O1-N1	-6.81	1.25	1.42

The worst 5 of 174 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	M	401	BPH	C4D-CHA-CBD	-9.48	103.91	108.45
5	L	402	BPH	C4D-CHA-CBD	-7.43	104.89	108.45
5	M	401	BPH	O2D-CGD-CBD	7.10	118.75	110.95
6	L	502[A]	U10	C50-C49-C51	5.81	125.32	115.23
6	M	501[A]	U10	C30-C29-C31	5.41	124.61	115.23

There are no chirality outliers.

5 of 319 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	M	401	BPH	C11-C12-C13-C15
6	L	502[A]	U10	C28-C29-C31-C32
6	L	502[A]	U10	C30-C29-C31-C32
6	L	502[B]	U10	C28-C29-C31-C32
6	L	502[B]	U10	C30-C29-C31-C32

There are no ring outliers.

31 monomers are involved in 76 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
15	M	600	SPO	1	0
8	L	708	PO4	1	0
13	H	901	LDA	2	0
13	L	914	LDA	1	0
18	M	800	CDL	3	0
13	L	902	LDA	4	0
4	M	601	BCL	6	0


Continued on next page...



Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	H	729	GOL	1	0
10	H	738	GOL	1	0
13	L	921	LDA	11	0
13	H	910	LDA	1	0
4	M	603	BCL	4	0
5	M	401	BPH	3	0
6	M	501[A]	U10	1	0
4	L	602	BCL	1	0
13	M	918	LDA	2	0
13	M	903	LDA	4	0
13	L	919	LDA	4	0
6	L	502[A]	U10	7	0
7	L	503	UQ1	4	0
10	M	741	GOL	4	0
10	L	724	GOL	1	0
13	L	905	LDA	2	0
12	H	752	HTO	1	0
13	H	906	LDA	1	0
6	M	501[B]	U10	6	0
13	L	908	LDA	1	0
4	L	604	BCL	1	0
13	L	917	LDA	2	0
6	L	502[B]	U10	5	0
13	L	915	LDA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














Ligand UQ1 L 503



Ligand U10 M 501 (B)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	L	281/281 (100%)	0.48	22 (7%) 19 18	14, 35, 57, 81	2 (0%)
2	M	302/307 (98%)	0.71	35 (11%) 9 8	15, 40, 64, 83	5 (1%)
3	H	239/260 (91%)	0.60	14 (5%) 28 27	18, 39, 52, 98	6 (2%)
All	All	822/848 (96%)	0.60	71 (8%) 16 15	14, 38, 60, 98	13 (1%)

The worst 5 of 71 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	M	1	ALA	6.7
3	H	245	ALA	6.2
3	H	10	PHE	5.8
1	L	279	ILE	5.6
1	L	277	GLY	5.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
10	GOL	M	741	6/6	0.56	0.49	35,41,42,44	6
13	LDA	L	904	16/16	0.61	0.36	43,50,83,85	16
10	GOL	L	727	6/6	0.67	0.43	55,56,60,60	6
12	HTO	L	753	10/10	0.68	0.50	50,57,58,58	10
7	UQ1	L	503	18/18	0.69	0.27	44,55,60,61	18
10	GOL	H	739	6/6	0.71	0.38	57,62,62,62	6
13	LDA	M	918	16/16	0.71	0.43	42,57,77,85	16
13	LDA	L	908	16/16	0.73	0.34	44,54,87,88	16
13	LDA	L	920	16/16	0.74	0.43	47,70,102,104	16
13	LDA	M	916	16/16	0.74	0.41	47,56,79,89	16
12	HTO	H	752	10/10	0.74	0.52	62,66,67,68	10
10	GOL	H	745	6/6	0.75	0.32	60,60,61,61	6
13	LDA	L	921	16/16	0.75	0.37	44,60,88,99	16
13	LDA	L	902	16/16	0.75	0.27	42,56,83,83	16
13	LDA	L	913	16/16	0.75	0.36	46,55,81,82	16
13	LDA	H	909	16/16	0.75	0.25	46,56,80,83	16
10	GOL	H	736	6/6	0.76	0.48	61,62,62,62	6
11	HT3	L	751	10/10	0.77	0.33	53,56,58,58	10
10	GOL	L	731	6/6	0.77	0.32	52,55,56,57	6
10	GOL	L	744	6/6	0.77	0.34	44,45,46,49	6
18	CDL	M	800	81/100	0.78	0.33	32,52,69,72	81
10	GOL	H	729	6/6	0.79	0.32	50,57,59,61	6
13	LDA	H	906	16/16	0.79	0.28	48,57,68,72	16
13	LDA	M	903	16/16	0.79	0.25	46,52,73,82	16
10	GOL	H	746	6/6	0.79	0.34	49,52,54,55	6
10	GOL	H	735	6/6	0.80	0.24	48,53,54,56	6
10	GOL	L	725	6/6	0.80	0.32	41,55,59,61	6
10	GOL	L	730	6/6	0.80	0.36	56,62,64,66	6
13	LDA	L	917	16/16	0.80	0.28	34,52,77,82	16
13	LDA	L	905	16/16	0.81	0.29	41,54,85,89	16
13	LDA	L	919	16/16	0.82	0.30	46,58,86,93	16
10	GOL	H	743	6/6	0.82	0.27	40,52,53,58	6
10	GOL	M	737	6/6	0.82	0.28	62,66,68,70	6
13	LDA	M	912	16/16	0.83	0.32	47,64,94,108	16
13	LDA	L	915	16/16	0.83	0.24	44,59,85,94	16
13	LDA	H	910	16/16	0.83	0.35	39,55,79,88	16
8	PO4	L	708	5/5	0.83	0.33	65,66,67,67	5
8	PO4	H	709	5/5	0.84	0.19	61,61,63,63	5
6	U10	L	502[A]	63/63	0.84	0.20	26,47,58,59	63
6	U10	L	502[B]	63/63	0.84	0.20	26,55,59,62	63
10	GOL	L	733	6/6	0.85	0.30	51,52,52,53	6
10	GOL	L	734	6/6	0.85	0.25	54,56,59,62	6
13	LDA	L	914	16/16	0.85	0.31	41,54,82,85	16

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	PO4	L	706	5/5	0.85	0.20	53,57,59,60	5
10	GOL	M	726	6/6	0.86	0.24	52,53,54,55	6
10	GOL	M	740	6/6	0.86	0.36	59,60,60,61	6
8	PO4	L	705	5/5	0.87	0.15	47,51,54,56	5
10	GOL	L	732	6/6	0.87	0.36	56,57,57,57	6
13	LDA	M	907	16/16	0.88	0.23	40,47,64,65	16
13	LDA	M	911	16/16	0.88	0.33	45,58,92,102	16
10	GOL	L	724	6/6	0.88	0.15	39,41,42,45	6
10	GOL	L	728	6/6	0.89	0.23	59,62,63,63	6
8	PO4	M	707	5/5	0.89	0.21	48,53,55,58	5
8	PO4	M	704	5/5	0.90	0.11	56,58,67,67	5
10	GOL	H	738	6/6	0.90	0.21	42,45,48,49	6
10	GOL	M	742	6/6	0.90	0.28	55,56,57,57	6
10	GOL	L	722	6/6	0.91	0.12	47,51,56,62	0
13	LDA	H	901	16/16	0.91	0.13	45,52,63,70	0
10	GOL	H	721	6/6	0.92	0.13	42,44,49,49	0
6	U10	M	501[B]	63/63	0.93	0.14	24,40,67,71	31
10	GOL	L	723	6/6	0.93	0.14	39,47,50,55	6
15	SPO	M	600	42/42	0.93	0.11	34,39,74,89	0
6	U10	M	501[A]	63/63	0.93	0.14	24,38,68,69	31
4	BCL	M	601	66/66	0.94	0.11	28,34,103,107	0
8	PO4	L	703	5/5	0.94	0.09	55,62,65,66	0
5	BPH	M	401	65/65	0.94	0.10	29,34,85,86	0
4	BCL	L	602	66/66	0.95	0.08	24,29,39,44	0
9	DIO	L	711	6/6	0.95	0.10	51,52,53,55	6
16	K	H	700	1/1	0.95	0.09	48,48,48,48	0
4	BCL	M	603	66/66	0.95	0.08	27,31,52,63	0
16	K	M	701	1/1	0.96	0.19	57,57,57,57	0
5	BPH	L	402	65/65	0.96	0.07	23,28,39,40	0
17	CL	M	702	1/1	0.96	0.21	47,47,47,47	0
4	BCL	L	604	66/66	0.96	0.07	24,29,53,57	0
14	FE	M	500	1/1	0.99	0.03	28,28,28,28	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around UQ1 L 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CDL M 800:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around U10 L 502 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around U10 L 502 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around U10 M 501 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SPO M 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around U10 M 501 (A):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL M 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BPH M 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL L 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCL M 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPH L 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around BCL L 604:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.