



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 17, 2026 – 10:57 PM UTC

PDB ID : 4I4T / pdb_00004i4t
Title : Crystal structure of tubulin-RB3-TTL-Zampanolide complex
Authors : Prota, A.E.; Steinmetz, M.O.
Deposited on : 2012-11-28
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7662 (1.80-1.80)
Clashscore	190562	8479 (1.80-1.80)
Ramachandran outliers	187476	8391 (1.80-1.80)
Sidechain outliers	187428	8390 (1.80-1.80)
RSRZ outliers	180081	7663 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	450	
1	C	450	
2	B	445	
2	D	445	
3	E	143	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	F	384	4% 84% 9% • 7%

2 Entry composition

There are 15 unique types of molecules in this entry. The entry contains 37713 atoms, of which 17968 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha-1B chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	447	Total	C	H	N	O	S	0	17	0
			7106	2266	3537	599	679	25			
1	C	440	Total	C	H	N	O	S	0	24	0
			7045	2249	3503	588	678	27			

- Molecule 2 is a protein called Tubulin beta-2B chain.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	420	Total	C	H	N	O	S	0	22	0
			6753	2149	3350	569	656	29			
2	D	431	Total	C	H	N	O	S	0	8	0
			6752	2151	3330	580	662	29			

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
3	E	123	Total	C	H	N	O	S	0	7	0
			2131	649	1082	188	206	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	3	MET	ILE	cloning artifact	UNP P63043
E	4	ALA	SER	cloning artifact	UNP P63043


- Molecule 4 is a protein called Tubulin Tyrosine ligase, TTL.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
4	F	357	Total	C	H	N	O	S	0	11	0
			5964	1914	2991	508	536	15			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	379	HIS	-	expression tag	UNP E1BQ43
F	380	HIS	-	expression tag	UNP E1BQ43
F	381	HIS	-	expression tag	UNP E1BQ43
F	382	HIS	-	expression tag	UNP E1BQ43
F	383	HIS	-	expression tag	UNP E1BQ43
F	384	HIS	-	expression tag	UNP E1BQ43

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (CCD ID: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	H	N	O	P	0	0
			42	10	10	5	14	3		
5	C	1	Total	C	H	N	O	P	0	0
			42	10	10	5	14	3		

- Molecule 6 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Mg	0	0
			1	1		
6	B	1	Total	Mg	0	0
			1	1		
6	C	1	Total	Mg	0	0
			1	1		
6	D	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	F	2	Total	Mg	0	0
			2	2		


- Molecule 7 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	2	Total	Ca	0	0
			2	2		
7	B	1	Total	Ca	0	0
			1	1		
7	C	1	Total	Ca	0	0
			1	1		

- Molecule 8 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	Cl	0	0
			1	1		

- Molecule 9 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	A	1	Total	C	H	O	0	0
			14	3	8	3		
9	A	1	Total	C	H	O	0	0
			14	3	8	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	A	1	Total	C	H	O	0	0
			14	3	8	3		
9	B	1	Total	C	H	O	0	0
			14	3	8	3		
9	B	1	Total	C	H	O	0	0
			14	3	8	3		
9	F	1	Total	C	H	O	0	0
			14	3	8	3		
9	F	1	Total	C	H	O	0	0
			14	3	8	3		

- Molecule 10 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
10	B	1	Total 38	C 10	H 10	N 5	O 11	P 2	0	0
10	D	1	Total 38	C 10	H 10	N 5	O 11	P 2	0	0

- Molecule 11 is TYROSINE (CCD ID: TYR) (formula: $C_9H_{11}NO_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
11	B	1	Total	C	H	N	O	0	0
			24	9	11	1	3		


- Molecule 12 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $C_6H_{13}NO_4S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
12	B	1	Total	C	H	N	O	S	0	0
			25	6	13	1	4	1		


- Molecule 13 is (2Z,4E)-N-[(S)-[(1S,2E,5S,8E,10Z,17S)-3,11-dimethyl-19-methylidene-7,13-dioxo-6,21-dioxabicyclo[15.3.1]henicosa-2,8,10-trien-5-yl](hydroxy)methyl]hexa-2,4-dienamide

(CCD ID: ZPN) (formula: C₂₉H₃₉NO₆).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
13	D	1	Total	C	H	N	O	0	0
			74	29	38	1	6		

- Molecule 14 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (CCD ID: ACP) (formula: C₁₁H₁₈N₅O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
14	F	1	Total	C	H	N	O	0	0
			48	11	17	5	12		


- Molecule 15 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	A	316	Total 316	O 316	0	0
15	B	235	Total 235	O 235	0	0
15	C	417	Total 417	O 417	0	0
15	D	265	Total 265	O 265	0	0
15	E	81	Total 81	O 81	0	0
15	F	208	Total 208	O 208	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha-1B chain




- Molecule 1: Tubulin alpha-1B chain




- Molecule 2: Tubulin beta-2B chain





- Molecule 2: Tubulin beta-2B chain







• Molecule 3: Stathmin-4



• Molecule 4: Tubulin Tyrosine ligase, TTL



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	104.77Å 158.64Å 179.24Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	79.32 – 1.80 79.32 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.8 (79.32-1.80) 99.7 (79.32-1.80)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.39 (at 1.80Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.3_928)	Depositor
R, R_{free}	0.171 , 0.204 0.168 , 0.200	Depositor DCC
R_{free} test set	13945 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	33.1	Xtriage
Anisotropy	0.169	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 48.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	37713	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, MES, CL, GTP, ACP, GOL, MG, ZPN, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/3698	0.72	0/5015
1	C	0.59	2/3695 (0.1%)	0.77	2/5020 (0.0%)
2	B	0.53	0/3549	0.74	2/4805 (0.0%)
2	D	0.47	0/3521	0.70	0/4771
3	E	0.43	0/1079	0.62	0/1433
4	F	0.49	2/3076 (0.1%)	0.72	3/4157 (0.1%)
All	All	0.52	4/18618 (0.0%)	0.73	7/25201 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	386[A]	GLU	N-CA	7.64	1.55	1.46
1	C	386[B]	GLU	N-CA	7.64	1.55	1.46
4	F	86[A]	GLU	N-CA	6.90	1.55	1.46
4	F	86[B]	GLU	N-CA	6.90	1.55	1.46

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	86[A]	GLU	N-CA-C	-8.70	102.67	113.28
4	F	86[B]	GLU	N-CA-C	-8.70	102.67	113.28
1	C	386[A]	GLU	N-CA-C	-7.41	103.21	111.28
1	C	386[B]	GLU	N-CA-C	-7.41	103.21	111.28
4	F	330	ILE	CB-CA-C	-5.77	104.92	111.55
2	B	196[A]	GLU	CA-C-O	-5.32	113.52	120.00
2	B	196[B]	GLU	CA-C-O	-5.32	113.52	120.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3569	3537	3524	45	0
1	C	3542	3503	3480	32	0
2	B	3403	3350	3330	44	0
2	D	3422	3330	3321	28	0
3	E	1049	1082	1077	10	0
4	F	2973	2991	2978	35	0
5	A	32	10	12	0	0
5	C	32	10	12	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	F	2	0	0	0	0
7	A	2	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
8	A	1	0	0	0	0
9	A	18	24	24	2	0
9	B	12	16	16	2	0
9	F	12	16	16	1	0
10	B	28	10	12	0	0
10	D	28	10	12	0	0
11	B	13	11	8	0	0
12	B	12	13	13	5	0
13	D	36	38	38	2	0
14	F	31	17	14	1	0
15	A	316	0	0	7	0
15	B	235	0	0	9	0
15	C	417	0	0	6	0
15	D	265	0	0	7	0
15	E	81	0	0	2	0
15	F	208	0	0	2	0
All	All	19745	17968	17887	185	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (185) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:234:ILE:HG21	1:C:302[B]:MET:SD	2.07	0.94
2:D:241[B]:CYS:SG	15:D:792:HOH:O	2.30	0.89
2:B:241[B]:CYS:SG	15:B:768:HOH:O	2.31	0.88
1:C:234:ILE:HD13	1:C:302[A]:MET:SD	2.21	0.81
2:B:253[A]:ARG:NH1	12:B:507:MES:O2S	2.17	0.77
1:A:46:ASP:OD1	15:A:868:HOH:O	2.04	0.74
3:E:44:ASP:OD2	15:E:258:HOH:O	2.07	0.73
1:A:339:ARG:O	15:A:815:HOH:O	2.08	0.71
2:B:253[A]:ARG:NH2	12:B:507:MES:O2S	2.23	0.71
1:C:249:ASN:OD1	1:C:356[A]:ASN:ND2	2.24	0.70
1:C:270:ALA:HB3	1:C:302[B]:MET:SD	2.31	0.69
1:C:4[A]:CYS:SG	1:C:136:LEU:HG	2.32	0.69
1:A:22:GLU:OE1	15:A:816:HOH:O	2.11	0.68
1:A:209[A]:ILE:HD11	1:A:302[A]:MET:SD	2.34	0.68
1:A:105[B]:ARG:CD	1:A:411:GLU:OE1	2.42	0.68
2:B:424:ASN:HB3	15:B:826:HOH:O	1.95	0.67
1:C:346:TRP:CZ3	1:C:347[B]:CYS:SG	2.88	0.66
1:A:229[B]:ARG:NH1	15:A:816:HOH:O	2.28	0.66
2:B:422:GLU:OE2	15:B:801:HOH:O	2.15	0.64
4:F:128:ARG:NH2	4:F:174:ASP:OD1	2.30	0.64
2:D:88:ARG:NH1	15:D:806:HOH:O	2.33	0.62
1:A:105[B]:ARG:HD3	1:A:411:GLU:OE1	2.00	0.61
2:B:202:TYR:CZ	2:B:238[B]:VAL:HG11	2.35	0.61
1:A:336:LYS:HG3	3:E:24:LEU:HD13	1.82	0.61
2:B:97:SER:HB2	15:B:823:HOH:O	1.99	0.60
4:F:310:GLN:NE2	15:F:946:HOH:O	2.33	0.60
1:C:181[B]:VAL:HG12	15:D:611:HOH:O	2.00	0.60
1:A:450:GLU:OE1	4:F:333:ASN:HB3	2.01	0.60
1:A:209[B]:ILE:CD1	1:A:231:ILE:HD11	2.32	0.59
2:B:192:HIS:O	2:B:195[B]:VAL:HG22	2.02	0.58
1:C:286:LEU:HB2	15:C:905:HOH:O	2.02	0.58
1:A:450:GLU:OXT	4:F:202:ARG:NH2	2.36	0.58
1:A:90:GLU:O	1:A:121:ARG:HD2	2.04	0.57
4:F:101:TYR:CE1	4:F:179:VAL:HG22	2.39	0.57
4:F:206:LEU:HD23	4:F:353[A]:VAL:CG2	2.34	0.57
2:B:264:ARG:NH2	2:B:431[A]:GLU:OE2	2.37	0.57
2:B:253[A]:ARG:CZ	12:B:507:MES:O2S	2.54	0.56
3:E:108[B]:ASN:ND2	15:E:271:HOH:O	2.39	0.55
1:C:356[B]:ASN:ND2	15:C:651:HOH:O	2.41	0.54
1:A:411:GLU:OE2	9:A:506:GOL:C3	2.55	0.54
1:A:335:ILE:HG23	1:A:339:ARG:HG3	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105[B]:ARG:HG2	1:A:411:GLU:HG3	1.90	0.54
1:C:209:ILE:HD11	1:C:302[A]:MET:SD	2.48	0.53
2:D:318:ILE:N	2:D:318:ILE:HD12	2.24	0.53
2:B:19:LYS:HB3	2:B:232:SER:OG	2.08	0.53
2:B:158:ARG:CZ	12:B:507:MES:H21	2.39	0.53
1:C:361:THR:HG23	15:C:1012:HOH:O	2.08	0.53
1:C:248:LEU:HD12	1:C:357:TYR:OH	2.10	0.52
1:C:356[B]:ASN:ND2	1:C:358[B]:GLN:OE1	2.43	0.52
13:D:503:ZPN:H81	13:D:503:ZPN:C4	2.40	0.51
4:F:206:LEU:HD23	4:F:353[A]:VAL:HG21	1.91	0.51
2:D:141:LEU:HD12	2:D:172:MET:SD	2.51	0.51
4:F:206:LEU:CD2	4:F:353[A]:VAL:CG2	2.89	0.51
1:C:292:THR:HG22	1:C:335:ILE:CD1	2.41	0.51
1:C:270:ALA:CB	1:C:302[B]:MET:SD	2.99	0.51
2:D:284:ARG:HD3	2:D:290:GLU:OE2	2.11	0.51
2:B:124:LYS:HD3	2:B:124:LYS:C	2.35	0.50
1:C:181[B]:VAL:HG11	1:C:404:PHE:CZ	2.47	0.50
4:F:292:ARG:NH1	4:F:296[B]:MET:SD	2.85	0.50
2:B:288:VAL:HB	2:B:289:PRO:HD3	1.94	0.50
2:D:106:GLY:O	2:D:111:GLY:HA3	2.12	0.50
4:F:277[A]:THR:HG22	4:F:278:THR:H	1.77	0.50
4:F:371:PRO:HA	4:F:372:THR:C	2.37	0.49
1:A:450:GLU:CG	4:F:333:ASN:HB3	2.42	0.49
2:B:387:LEU:HD23	2:B:387:LEU:C	2.38	0.49
4:F:296[A]:MET:SD	9:F:704:GOL:H2	2.52	0.49
1:C:93:ILE:HD11	1:C:121:ARG:HG3	1.92	0.49
2:B:205:ASP:OD1	2:B:207:GLU:N	2.45	0.49
4:F:310:GLN:CD	15:F:946:HOH:O	2.55	0.49
2:B:192:HIS:CD2	15:B:825:HOH:O	2.64	0.49
4:F:371:PRO:CA	4:F:372:THR:HB	2.42	0.48
2:B:211:ASP:OD2	15:B:803:HOH:O	2.20	0.48
4:F:18:SER:O	4:F:22:LEU:HD22	2.13	0.48
2:B:199:ASP:C	2:B:200:GLU:HG3	2.38	0.48
9:B:505:GOL:H2	15:B:802:HOH:O	2.14	0.48
1:C:172:TYR:CE2	1:C:391:LEU:HD22	2.49	0.48
2:D:31:ASP:HB2	2:D:32:PRO:CD	2.45	0.47
1:A:102:ASN:HB3	1:A:105[B]:ARG:HG3	1.97	0.47
1:A:36:MET:HB3	1:A:61:HIS:CE1	2.50	0.47
1:C:133:GLN:NE2	15:C:964:HOH:O	2.44	0.47
1:C:251[B]:ASP:OD2	15:C:692:HOH:O	2.20	0.47
2:D:124:LYS:C	2:D:124:LYS:HD3	2.39	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:203:CYS:SG	2:D:384[B]:ILE:HD11	2.55	0.47
3:E:137:LYS:HA	3:E:140:LYS:HD2	1.97	0.47
1:A:413:MET:CE	1:A:418:PHE:CE1	2.98	0.47
2:B:31:ASP:HB2	2:B:32:PRO:CD	2.45	0.47
2:B:192:HIS:ND1	15:B:826:HOH:O	2.34	0.47
2:B:295[B]:MET:CG	2:B:377:PHE:HB2	2.44	0.47
2:D:171:VAL:HA	2:D:204:ILE:O	2.15	0.47
4:F:220[A]:VAL:HG12	4:F:263:PHE:CE1	2.50	0.47
2:D:67:LEU:N	2:D:67:LEU:HD12	2.30	0.46
2:B:106:GLY:O	2:B:111:GLY:HA3	2.16	0.46
1:A:105[B]:ARG:HD2	1:A:411:GLU:OE1	2.16	0.46
2:D:2:ARG:NH1	2:D:130:ASP:OD2	2.48	0.46
2:B:6:HIS:CD2	2:B:21:TRP:HE1	2.34	0.46
2:D:241[B]:CYS:SG	15:D:682:HOH:O	2.61	0.46
1:A:298:PRO:HA	1:A:301:GLN:CD	2.40	0.46
2:D:172:MET:HG3	2:D:387:LEU:HD11	1.98	0.46
2:D:175:PRO:HA	2:D:178:SER:HB2	1.97	0.46
1:A:336:LYS:HG3	3:E:24:LEU:CD1	2.45	0.46
3:E:72:LEU:O	3:E:76:ARG:HG2	2.16	0.45
4:F:8:ASP:OD2	4:F:44:ARG:NH1	2.49	0.45
1:A:285:GLN:HG3	1:A:372[B]:GLN:NE2	2.31	0.45
1:A:76:ASP:OD1	1:A:79:ARG:NH1	2.46	0.45
4:F:371:PRO:HA	4:F:372:THR:HB	1.98	0.45
2:B:69:ASP:O	2:B:94:PHE:HA	2.16	0.45
4:F:318:ASP:OD2	14:F:703:ACP:O3G	2.35	0.45
2:B:205:ASP:OD1	2:B:207:GLU:CB	2.65	0.45
1:C:275:VAL:HG13	1:C:368:LEU:HD21	1.99	0.45
1:A:411:GLU:OE2	9:A:506:GOL:H31	2.16	0.45
1:C:183:GLU:N	1:C:184:PRO:CD	2.80	0.44
1:A:88:HIS:HE1	15:A:737:HOH:O	2.00	0.44
1:A:192:HIS:CG	1:A:421:ALA:HA	2.52	0.44
1:A:450:GLU:HG3	4:F:333:ASN:HB3	1.99	0.44
2:B:264:ARG:HE	2:B:431[A]:GLU:CD	2.25	0.44
1:C:151[B]:SER:HA	1:C:194[B]:THR:HG22	1.98	0.44
1:C:221:ARG:HG3	2:D:325:MET:HG3	1.99	0.44
2:D:113:GLU:HG3	15:D:822:HOH:O	2.17	0.44
4:F:101:TYR:CD1	4:F:179:VAL:HG22	2.53	0.44
2:D:15:GLN:HG2	15:D:808:HOH:O	2.18	0.44
1:A:254:GLU:HG2	1:A:258:ASN:ND2	2.33	0.44
2:B:177:VAL:HG21	2:B:210:TYR:HB2	2.00	0.43
2:B:318:ILE:HD12	2:B:318:ILE:N	2.33	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:147[B]:SER:OG	2:D:190:SER:OG	2.29	0.43
2:B:2:ARG:NH1	2:B:130:ASP:OD2	2.51	0.43
2:D:387:LEU:C	2:D:387:LEU:HD23	2.42	0.43
2:B:202:TYR:CZ	2:B:238[B]:VAL:CG1	3.01	0.43
3:E:92:ASN:O	3:E:96:MET:HG2	2.18	0.43
4:F:257:GLU:HG2	4:F:260:ASN:HA	2.01	0.43
3:E:81:GLU:HA	3:E:84[B]:GLN:HG2	2.00	0.43
2:D:1:MET:N	2:D:131:CYS:SG	2.67	0.43
2:B:141:LEU:HD12	2:B:172:MET:SD	2.58	0.43
2:D:1:MET:HB2	2:D:133:GLN:HG2	2.00	0.43
4:F:18:SER:O	4:F:22:LEU:CD2	2.68	0.42
13:D:503:ZPN:H31	13:D:503:ZPN:H61	1.84	0.42
1:A:88:HIS:HB2	1:A:89:PRO:HD2	2.00	0.42
1:A:83:TYR:O	1:A:86:LEU:HB2	2.20	0.42
2:B:199:ASP:CG	12:B:507:MES:H32	2.45	0.42
1:C:71:GLU:HG2	1:C:98:ASP:HB3	2.01	0.42
1:C:367:ASP:OD1	15:C:861:HOH:O	2.22	0.42
1:A:25:CYS:SG	1:A:86:LEU:HD21	2.60	0.42
1:A:357:TYR:CE1	3:E:17:GLY:HA2	2.55	0.42
1:A:441:GLU:HB2	4:F:73:ARG:HG3	2.02	0.42
2:B:276:THR:CG2	2:B:277:SER:N	2.83	0.42
1:C:192:HIS:CG	1:C:421:ALA:HA	2.55	0.42
1:C:233:GLN:HG3	1:C:368:LEU:CD1	2.49	0.42
4:F:371:PRO:N	4:F:372:THR:HB	2.35	0.42
1:A:283:HIS:HE1	15:A:617:HOH:O	2.03	0.41
1:A:441:GLU:HB2	4:F:73:ARG:CG	2.50	0.41
2:B:56:ALA:HB3	2:B:60:LYS:HB2	2.02	0.41
2:D:88:ARG:NH1	2:D:90:ASP:HB2	2.34	0.41
2:D:136:GLN:HA	2:D:167:ASN:O	2.20	0.41
4:F:214:TYR:CE2	4:F:353[B]:VAL:HG11	2.55	0.41
1:A:450:GLU:CD	4:F:333:ASN:HB3	2.45	0.41
2:B:191:VAL:O	2:B:195[A]:VAL:HG23	2.20	0.41
1:C:392:ASP:OD1	1:C:429:GLU:OE1	2.38	0.41
3:E:6:MET:SD	3:E:24:LEU:CD2	3.08	0.41
2:B:400:ARG:HG3	2:B:401:ARG:HG2	2.02	0.41
1:C:167:LEU:HG	1:C:200:CYS:HB3	2.02	0.41
1:A:413:MET:HE2	1:A:418:PHE:CE1	2.56	0.41
2:B:195[B]:VAL:HG21	15:B:826:HOH:O	2.21	0.41
2:B:31:ASP:OD1	2:B:31:ASP:C	2.64	0.41
1:C:104:ALA:HB2	1:C:413:MET:SD	2.61	0.41
2:D:163:ASP:O	2:D:253:ARG:NH2	2.54	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:325:MET:HE2	15:D:851:HOH:O	2.20	0.41
4:F:371:PRO:HA	4:F:372:THR:O	2.21	0.41
1:A:105[B]:ARG:NH2	15:A:873:HOH:O	2.52	0.41
1:A:209[A]:ILE:HG23	1:A:230:LEU:HD23	2.02	0.41
2:B:298:SER:H	9:B:504:GOL:HO2	1.67	0.41
1:A:312:TYR:CD2	1:A:315[B]:CYS:SG	3.14	0.40
2:B:205:ASP:OD1	2:B:207:GLU:HB3	2.21	0.40
2:D:31:ASP:HB2	2:D:32:PRO:HD2	2.04	0.40
1:A:450:GLU:HG3	4:F:333:ASN:CG	2.45	0.40
4:F:128:ARG:NH2	4:F:174:ASP:CG	2.80	0.40
4:F:141:GLY:O	4:F:142:ARG:HB2	2.22	0.40
4:F:148:ILE:O	4:F:148:ILE:HG23	2.22	0.40
2:B:16[A]:ILE:HD11	2:B:138[A]:THR:HB	2.03	0.40
2:B:172:MET:HG3	2:B:387:LEU:HD11	2.04	0.40
2:D:82:PRO:O	2:D:83:PHE:HB2	2.21	0.40
1:A:84:ARG:HG2	1:A:85:GLN:N	2.37	0.40
1:A:209[A]:ILE:CD1	1:A:302[A]:MET:SD	3.07	0.40
2:B:223:THR:O	2:B:227:LEU:HD13	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	460/450 (102%)	448 (97%)	12 (3%)	0	100	100
1	C	462/450 (103%)	448 (97%)	13 (3%)	1 (0%)	43	31
2	B	438/445 (98%)	432 (99%)	6 (1%)	0	100	100
2	D	437/445 (98%)	429 (98%)	8 (2%)	0	100	100
3	E	126/143 (88%)	126 (100%)	0	0	100	100
4	F	362/384 (94%)	352 (97%)	7 (2%)	3 (1%)	16	6

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	2285/2317 (99%)	2235 (98%)	46 (2%)	4 (0%)	43 31

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	2	ARG
4	F	155	ALA
4	F	88	SER
4	F	154	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	392/378 (104%)	388 (99%)	4 (1%)	68 64
1	C	395/378 (104%)	392 (99%)	3 (1%)	73 70
2	B	386/383 (101%)	384 (100%)	2 (0%)	81 80
2	D	380/383 (99%)	378 (100%)	2 (0%)	81 80
3	E	117/127 (92%)	116 (99%)	1 (1%)	70 67
4	F	330/342 (96%)	327 (99%)	3 (1%)	70 67
All	All	2000/1991 (100%)	1985 (99%)	15 (1%)	76 70

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	84	ARG
1	A	86	LEU
1	A	381	THR
1	A	450	GLU
2	B	371[A]	LEU
2	B	371[B]	LEU
1	C	297	GLU
1	C	326	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	391	LEU
2	D	1	MET
2	D	39	ASP
3	E	53	LYS
4	F	22	LEU
4	F	307	LEU
4	F	310	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	GLN
1	A	85	GLN
1	A	88	HIS
1	A	101	ASN
1	A	258	ASN
1	A	301	GLN
2	B	349	ASN
1	C	11	GLN
1	C	15	GLN
1	C	85	GLN
1	C	285	GLN
1	C	372	GLN
2	D	15	GLN
2	D	91	ASN
2	D	247	GLN
2	D	331	GLN
3	E	92	ASN
3	E	103	GLN
4	F	104	ASN
4	F	333	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 26 ligands modelled in this entry, 11 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
13	ZPN	D	503	2	36,37,37	0.79	1 (2%)	35,48,48	1.76	5 (14%)
5	GTP	C	501	6	33,34,34	0.92	1 (3%)	50,54,54	1.39	6 (12%)
5	GTP	A	501	6	33,34,34	1.35	5 (15%)	50,54,54	1.64	6 (12%)
12	MES	B	507	-	12,12,12	2.40	1 (8%)	15,16,16	1.11	1 (6%)
9	GOL	F	705	-	5,5,5	0.40	0	5,5,5	0.19	0
9	GOL	F	704	-	5,5,5	0.37	0	5,5,5	0.30	0
10	GDP	B	501	6	29,30,30	1.24	4 (13%)	45,47,47	1.73	10 (22%)
9	GOL	B	504	-	5,5,5	0.48	0	5,5,5	0.77	0
11	TYR	B	506	-	12,13,13	0.72	1 (8%)	13,17,17	0.74	1 (7%)
10	GDP	D	501	6	29,30,30	1.31	4 (13%)	45,47,47	1.72	6 (13%)
9	GOL	A	508	-	5,5,5	0.36	0	5,5,5	0.54	0
9	GOL	B	505	-	5,5,5	0.31	0	5,5,5	0.59	0
9	GOL	A	507	-	5,5,5	0.35	0	5,5,5	0.27	0
9	GOL	A	506	-	5,5,5	0.13	0	5,5,5	0.53	0
14	ACP	F	703	6	31,33,33	1.44	7 (22%)	47,52,52	1.99	14 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	ZPN	D	503	2	-	7/41/53/53	0/1/2/2
5	GTP	C	501	6	-	7/22/38/38	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GTP	A	501	6	-	5/22/38/38	0/3/3/3
12	MES	B	507	-	-	5/6/14/14	0/1/1/1
9	GOL	F	705	-	-	2/4/4/4	-
9	GOL	F	704	-	-	1/4/4/4	-
10	GDP	B	501	6	-	5/16/32/32	0/3/3/3
9	GOL	B	504	-	-	4/4/4/4	-
11	TYR	B	506	-	-	4/8/8/8	0/1/1/1
10	GDP	D	501	6	-	3/16/32/32	0/3/3/3
9	GOL	A	508	-	-	2/4/4/4	-
9	GOL	B	505	-	-	2/4/4/4	-
9	GOL	A	507	-	-	2/4/4/4	-
9	GOL	A	506	-	-	2/4/4/4	-
14	ACP	F	703	6	-	2/19/38/38	0/3/3/3

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	B	507	MES	C8-S	-8.17	1.66	1.77
14	F	703	ACP	C5-C4	3.58	1.45	1.39
14	F	703	ACP	C5-N7	-3.08	1.33	1.39
5	A	501	GTP	C6-N1	-3.00	1.33	1.38
10	D	501	GDP	C6-N1	-2.95	1.33	1.38
13	D	503	ZPN	C20-N20	2.78	1.47	1.43
5	A	501	GTP	C5-N7	-2.78	1.33	1.39
10	B	501	GDP	C6-N1	-2.74	1.33	1.38
10	D	501	GDP	C5-N7	-2.69	1.33	1.39
5	A	501	GTP	PG-O3G	-2.64	1.45	1.54
5	A	501	GTP	C4-N9	-2.61	1.31	1.38
14	F	703	ACP	C4-N9	-2.60	1.32	1.37
10	D	501	GDP	C5-C4	2.57	1.45	1.38
5	A	501	GTP	C5-C4	2.47	1.45	1.38
10	D	501	GDP	C4-N9	-2.47	1.31	1.38
10	B	501	GDP	C5-C4	2.38	1.45	1.38
14	F	703	ACP	PG-O1G	-2.33	1.45	1.50
10	B	501	GDP	C4-N9	-2.30	1.32	1.38
10	B	501	GDP	PA-O3A	2.28	1.62	1.59
14	F	703	ACP	PG-O2G	2.21	1.59	1.55
11	B	506	TYR	OXT-C	-2.11	1.23	1.30
14	F	703	ACP	C5-C6	2.04	1.46	1.41
5	C	501	GTP	C2-N3	2.00	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	F	703	ACP	C8-N9	-2.00	1.34	1.37

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	D	503	ZPN	O19-C19-C18	6.06	122.19	107.01
10	D	501	GDP	C5-C4-N3	-5.71	119.31	128.39
14	F	703	ACP	C5-C4-N3	-5.69	118.89	126.72
5	A	501	GTP	C5-C4-N3	-5.63	119.44	128.39
10	D	501	GDP	C2-N3-C4	4.85	120.66	112.30
14	F	703	ACP	N3-C4-N9	4.83	135.39	127.17
5	A	501	GTP	C2-N3-C4	4.77	120.52	112.30
10	B	501	GDP	C5-C4-N3	-4.63	121.02	128.39
5	A	501	GTP	N9-C4-N3	4.34	134.62	125.95
10	D	501	GDP	N9-C4-N3	4.12	134.19	125.95
13	D	503	ZPN	C3-C4-C5	-4.06	121.98	127.69
10	B	501	GDP	C2-N3-C4	3.99	119.18	112.30
14	F	703	ACP	C2-N3-C4	3.97	121.53	111.83
14	F	703	ACP	N3-C2-N1	-3.96	122.58	128.58
10	B	501	GDP	N9-C4-N3	3.91	133.76	125.95
14	F	703	ACP	PB-O3A-PA	-3.90	119.65	132.37
5	C	501	GTP	C5-C4-N3	-3.83	122.30	128.39
10	D	501	GDP	C6-C5-N7	3.59	136.83	130.29
5	C	501	GTP	C2-N3-C4	3.41	118.16	112.30
5	A	501	GTP	C6-C5-N7	3.28	136.25	130.29
13	D	503	ZPN	O1'-C1'-N20	-3.20	118.26	122.44
10	B	501	GDP	C6-C5-N7	3.12	135.97	130.29
14	F	703	ACP	C4-N9-C8	2.91	108.80	105.74
10	B	501	GDP	O6-C6-C5	-2.86	118.97	126.53
13	D	503	ZPN	C19-O19-C1	2.84	121.69	117.50
5	C	501	GTP	N9-C8-N7	-2.74	108.32	113.40
10	D	501	GDP	C4-C5-N7	-2.73	106.35	110.67
14	F	703	ACP	C4-C5-N7	-2.70	107.49	110.58
14	F	703	ACP	PA-O5'-C5'	-2.59	106.50	121.35
5	C	501	GTP	C8-N7-C5	2.56	108.81	104.26
11	B	506	TYR	OXT-C-O	-2.44	118.54	124.08
10	B	501	GDP	O2B-PB-O3A	2.41	112.70	104.64
5	A	501	GTP	C4-C5-N7	-2.40	106.86	110.67
10	B	501	GDP	C8-N9-C4	2.37	110.47	106.03
5	A	501	GTP	O6-C6-C5	-2.32	120.41	126.53
14	F	703	ACP	O2A-PA-O1A	2.23	122.83	112.44
14	F	703	ACP	C5-N7-C8	2.22	106.95	103.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	F	703	ACP	O3G-PG-O1G	-2.17	106.79	112.39
10	B	501	GDP	N9-C8-N7	-2.15	109.41	113.40
13	D	503	ZPN	O19-C1-O1	-2.13	119.93	123.34
14	F	703	ACP	O4'-C4'-C3'	2.13	109.38	105.15
14	F	703	ACP	C6-C5-N7	2.13	136.19	132.09
10	D	501	GDP	O6-C6-C5	-2.12	120.93	126.53
5	C	501	GTP	O3B-PB-O1B	2.05	116.87	110.70
14	F	703	ACP	N9-C8-N7	-2.04	111.05	113.94
12	B	507	MES	C6-O1-C2	2.03	116.46	109.88
5	C	501	GTP	C4-C5-N7	-2.03	107.45	110.67
10	B	501	GDP	C5-C6-N1	2.03	118.41	113.25
10	B	501	GDP	O4'-C1'-N9	-2.00	103.82	108.36

There are no chirality outliers.

All (53) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	C5'-O5'-PA-O3A
5	A	501	GTP	C5'-O5'-PA-O1A
5	A	501	GTP	C5'-O5'-PA-O2A
5	C	501	GTP	PB-O3B-PG-O3G
5	C	501	GTP	C5'-O5'-PA-O3A
5	C	501	GTP	C5'-O5'-PA-O1A
5	C	501	GTP	C5'-O5'-PA-O2A
9	A	506	GOL	O1-C1-C2-O2
9	A	506	GOL	O1-C1-C2-C3
9	B	504	GOL	O1-C1-C2-O2
9	B	504	GOL	O1-C1-C2-C3
9	B	504	GOL	C1-C2-C3-O3
9	B	505	GOL	O1-C1-C2-C3
10	B	501	GDP	C5'-O5'-PA-O3A
10	B	501	GDP	C5'-O5'-PA-O1A
10	B	501	GDP	C5'-O5'-PA-O2A
10	D	501	GDP	C5'-O5'-PA-O3A
10	D	501	GDP	C5'-O5'-PA-O1A
10	D	501	GDP	C5'-O5'-PA-O2A
12	B	507	MES	C8-C7-N4-C5
12	B	507	MES	C7-C8-S-O1S
12	B	507	MES	C7-C8-S-O2S
13	D	503	ZPN	C18-C19-C20-O20
9	A	507	GOL	O1-C1-C2-O2
11	B	506	TYR	OXT-C-CA-N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
9	A	507	GOL	O1-C1-C2-C3
9	A	508	GOL	O1-C1-C2-C3
9	F	705	GOL	O1-C1-C2-C3
9	B	504	GOL	O2-C2-C3-O3
9	F	705	GOL	O1-C1-C2-O2
13	D	503	ZPN	O1-C1-O19-C19
12	B	507	MES	C7-C8-S-O3S
11	B	506	TYR	CA-CB-CG-CD1
9	B	505	GOL	O1-C1-C2-O2
13	D	503	ZPN	C17-C18-C19-O19
11	B	506	TYR	CA-CB-CG-CD2
9	A	508	GOL	O1-C1-C2-O2
11	B	506	TYR	O-C-CA-N
13	D	503	ZPN	O7-C7-C8-C9
5	A	501	GTP	PB-O3B-PG-O3G
13	D	503	ZPN	C11-C10-C9-C8
13	D	503	ZPN	C17-C18-C19-C20
14	F	703	ACP	O4'-C4'-C5'-O5'
9	F	704	GOL	O1-C1-C2-O2
12	B	507	MES	C8-C7-N4-C3
13	D	503	ZPN	C18-C19-C20-N20
5	C	501	GTP	PB-O3A-PA-O1A
5	C	501	GTP	PB-O3A-PA-O2A
10	B	501	GDP	PB-O3A-PA-O2A
5	C	501	GTP	C4'-C5'-O5'-PA
10	B	501	GDP	C4'-C5'-O5'-PA
5	A	501	GTP	PB-O3A-PA-O1A
14	F	703	ACP	C3'-C4'-C5'-O5'


There are no ring outliers.

7 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
13	D	503	ZPN	2	0
12	B	507	MES	5	0
9	F	704	GOL	1	0
9	B	504	GOL	1	0
9	B	505	GOL	1	0
9	A	506	GOL	2	0
14	F	703	ACP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,


bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






Ligand GTP C 501



Ligand GTP A 501







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	447/450 (99%)	-0.19	15 (3%)	48	48	17, 41, 77, 142	17 (3%)
1	C	440/450 (97%)	-0.44	7 (1%)	70	71	14, 32, 60, 91	23 (5%)
2	B	420/445 (94%)	-0.13	8 (1%)	66	66	15, 43, 79, 117	23 (5%)
2	D	431/445 (96%)	-0.21	3 (0%)	84	85	19, 43, 79, 120	14 (3%)
3	E	123/143 (86%)	0.31	4 (3%)	49	49	20, 56, 99, 120	7 (5%)
4	F	357/384 (92%)	0.15	17 (4%)	35	34	22, 55, 111, 129	11 (3%)
All	All	2218/2317 (95%)	-0.15	54 (2%)	59	60	14, 43, 84, 142	95 (4%)

All (54) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	444	GLY	5.5
2	B	438	ALA	4.9
2	D	1	MET	4.7
4	F	125	THR	4.6
3	E	143	ALA	4.5
1	C	1	MET	4.0
3	E	28	SER	4.0
4	F	105	LEU	3.8
1	C	440	VAL	3.8
4	F	371	PRO	3.7
4	F	155	ALA	3.5
1	A	450	GLU	3.4
1	C	340	SER	3.4
4	F	157	GLY	3.4
2	B	277	SER	3.3
1	A	262	TYR	3.2
1	A	442	GLY	3.2
1	A	448	GLY	3.2
2	B	1	MET	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	276	THR	3.0
1	C	285	GLN	3.0
2	B	286	LEU	2.9
1	A	365	GLY	2.9
4	F	380	HIS	2.8
2	D	39	ASP	2.8
4	F	382	HIS	2.7
4	F	381	HIS	2.7
4	F	237	THR	2.6
2	B	248	LEU	2.6
1	C	284[A]	GLU	2.6
1	A	338	LYS	2.6
1	A	282	TYR	2.6
4	F	177	GLY	2.5
4	F	383	HIS	2.5
1	A	437	VAL	2.5
1	A	362	VAL	2.4
2	B	355	VAL	2.4
1	A	440	VAL	2.4
3	E	22	VAL	2.4
2	B	57	THR	2.3
1	A	283	HIS	2.3
4	F	384	HIS	2.3
4	F	255[A]	ARG	2.3
4	F	44	ARG	2.2
4	F	130	VAL	2.2
1	A	337	THR	2.1
1	C	286	LEU	2.1
4	F	362	ALA	2.1
2	D	283	TYR	2.1
3	E	6	MET	2.1
1	A	179	THR	2.1
1	A	88	HIS	2.1
4	F	137	ARG	2.1
1	C	341	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	MG	F	701	1/1	0.71	0.23	68,68,68,68	0
11	TYR	B	506	13/13	0.84	0.20	72,94,112,113	0
9	GOL	A	506	6/6	0.86	0.14	29,65,85,87	0
9	GOL	A	507	6/6	0.86	0.15	53,107,124,134	0
9	GOL	F	705	6/6	0.86	0.18	55,84,101,116	0
6	MG	D	502	1/1	0.86	0.19	62,62,62,62	0
9	GOL	B	505	6/6	0.87	0.17	55,85,113,120	0
9	GOL	F	704	6/6	0.87	0.16	50,87,105,109	0
9	GOL	A	508	6/6	0.89	0.13	37,58,70,70	0
14	ACP	F	703	31/31	0.89	0.11	42,56,93,104	0
7	CA	B	503	1/1	0.91	0.11	76,76,76,76	0
12	MES	B	507	12/12	0.92	0.11	35,51,67,72	0
9	GOL	B	504	6/6	0.92	0.11	45,63,96,111	0
7	CA	A	505	1/1	0.93	0.18	80,80,80,80	0
6	MG	F	702	1/1	0.94	0.07	38,38,38,38	0
10	GDP	D	501	28/28	0.95	0.08	33,37,46,49	0
8	CL	A	504	1/1	0.95	0.09	56,56,56,56	0
13	ZPN	D	503	36/36	0.96	0.07	29,39,73,81	0
7	CA	A	503	1/1	0.97	0.08	44,44,44,44	0
5	GTP	A	501	32/32	0.98	0.05	21,26,33,34	0
6	MG	A	502	1/1	0.98	0.10	27,27,27,27	0
10	GDP	B	501	28/28	0.98	0.05	22,27,36,37	0
6	MG	C	502	1/1	0.98	0.10	23,23,23,23	0
7	CA	C	503	1/1	0.99	0.04	39,39,39,39	0
6	MG	B	502	1/1	0.99	0.13	21,21,21,21	0
5	GTP	C	501	32/32	0.99	0.04	16,22,27,30	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ACP F 703:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GDP D 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ZPN D 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GTP A 501:**


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around GDP B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.