



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 08:47 AM UTC

PDB ID : 5I43 / pdb_00005i43
Title : Crystal structure of the catalytic domain of MMP-12 in complex with a selective sugar-conjugated triazole-linked carboxylate chelator water-soluble inhibitor (DC32).
Authors : Stura, E.A.; Rosalia, L.; Cuffaro, D.; Tepshi, L.; Ciccone, L.; Rossello, A.
Deposited on : 2016-02-11
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	159	4% 88% 9% ..
1	B	159	4% 90% 8% .
1	C	159	4% 92% 7% ..
1	D	159	3% 92% 7% .

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 6013 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Macrophage metalloelastase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	157	Total	C	N	O	S	0	1	0
			1245	793	220	229	3			
1	B	159	Total	C	N	O	S	0	2	0
			1260	801	220	235	4			
1	C	158	Total	C	N	O	S	0	3	0
			1268	807	226	232	3			
1	D	158	Total	C	N	O	S	0	3	0
			1262	803	221	235	3			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	105	MET	-	initiating methionine	UNP P39900
A	171	ASP	PHE	engineered mutation	UNP P39900
A	219	GLN	GLU	engineered mutation	UNP P39900
B	105	MET	-	initiating methionine	UNP P39900
B	171	ASP	PHE	engineered mutation	UNP P39900
B	219	GLN	GLU	engineered mutation	UNP P39900
C	105	MET	-	initiating methionine	UNP P39900
C	171	ASP	PHE	engineered mutation	UNP P39900
C	219	GLN	GLU	engineered mutation	UNP P39900
D	105	MET	-	initiating methionine	UNP P39900
D	171	ASP	PHE	engineered mutation	UNP P39900
D	219	GLN	GLU	engineered mutation	UNP P39900

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Zn	0	0
			2	2		
2	B	2	Total	Zn	0	0
			2	2		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	C	2	Total	Zn	0	0
			2	2		
2	D	2	Total	Zn	0	0
			2	2		

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total	Ca	0	0
			3	3		
3	B	3	Total	Ca	0	0
			3	3		
3	C	3	Total	Ca	0	0
			3	3		
3	D	3	Total	Ca	0	0
			3	3		

- Molecule 4 is (2R)-2-[(1-{3-[(2R,3R,4R,5S,6R)-3-(acetylamino)-4,5-bis(acetyloxy)-6-[(acetyloxy)methyl]tetrahydro-2H-pyran-2-yl}oxy)propyl]-1H-1,2,3-triazol-4-yl)methyl](biphenyl-4-ylsulfonyl)amino]-3-methylbutanoic acid (non-preferred name) (CCD ID: 67M) (formula: C₃₇H₄₇N₅O₁₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			56	37	5	13	1		
4	B	1	Total	C	N	O	S	0	0
			56	37	5	13	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	C	1	Total	C	N	O	S	0	0
			56	37	5	13	1		
4	D	1	Total	C	N	O	S	0	0
			56	37	5	13	1		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	C	1	Total 4	C 2	O 2	0	0
5	C	1	Total 4	C 2	O 2	0	0
5	D	1	Total 4	C 2	O 2	0	0
5	D	1	Total 4	C 2	O 2	0	0
5	D	1	Total 4	C 2	O 2	0	0
5	D	1	Total 4	C 2	O 2	0	0
5	D	1	Total 4	C 2	O 2	0	0
5	D	1	Total 4	C 2	O 2	0	0

- Molecule 6 is DIMETHYL SULFOXIDE (CCD ID: DMS) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	O	S	0	0
			4	2	1	1		
6	C	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 7 is S-1,2-PROPANEDIOL (CCD ID: PGO) (formula: $C_3H_8O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O		
			5	3	2	0	0
7	C	1	Total	C	O		
			5	3	2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	C	1	Total	C	O	0	0
			5	3	2		
7	C	1	Total	C	O	0	0
			5	3	2		
7	C	1	Total	C	O	0	0
			5	3	2		
7	D	1	Total	C	O	0	0
			5	3	2		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	143	Total	O	0	2
			145	145		
8	B	139	Total	O	0	1
			140	140		
8	C	146	Total	O	0	1
			147	147		
8	D	167	Total	O	0	5
			172	172		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Macrophage metalloelastase



- Molecule 1: Macrophage metalloelastase



- Molecule 1: Macrophage metalloelastase



- Molecule 1: Macrophage metalloelastase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	64.03Å 63.66Å 79.03Å 90.00° 103.03° 90.00°	Depositor
Resolution (Å)	44.56 – 1.95 44.56 – 1.95	Depositor EDS
% Data completeness (in resolution range)	99.8 (44.56-1.95) 99.8 (44.56-1.95)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	0.17	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.99 (at 1.95Å)	Xtrriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.200 , 0.233 0.210 , 0.237	Depositor DCC
R_{free} test set	2264 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	20.5	Xtrriage
Anisotropy	0.181	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 60.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6013	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 47.66 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.6126e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: PGO, 67M, CA, ZN, EDO, DMS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.38	4/1282 (0.3%)	1.14	2/1736 (0.1%)
1	B	1.37	6/1296 (0.5%)	1.12	2/1752 (0.1%)
1	C	1.46	6/1306 (0.5%)	1.11	2/1768 (0.1%)
1	D	1.42	4/1299 (0.3%)	1.12	0/1759
All	All	1.41	20/5183 (0.4%)	1.12	6/7015 (0.1%)

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	213	PHE	N-CA	-8.19	1.36	1.46
1	A	173	ALA	C-O	6.89	1.32	1.23
1	D	218	HIS	N-CA	6.49	1.54	1.46
1	C	217	VAL	C-O	6.32	1.31	1.24
1	A	217	VAL	C-O	6.26	1.31	1.24
1	D	130	VAL	C-O	-6.20	1.17	1.24
1	C	218	HIS	N-CA	5.85	1.53	1.46
1	B	108	VAL	C-O	-5.83	1.17	1.23
1	B	134	ILE	C-O	5.78	1.30	1.24
1	C	126	ASN	C-O	5.78	1.30	1.23
1	B	162	VAL	C-O	-5.77	1.18	1.24
1	C	259	GLN	C-O	-5.55	1.17	1.24
1	D	214	LEU	N-CA	5.44	1.53	1.46
1	C	218	HIS	C-O	5.39	1.30	1.24
1	A	136	LYS	C-O	5.28	1.30	1.24
1	C	250	LEU	C-O	-5.18	1.17	1.23
1	B	142	SER	N-CA	5.11	1.52	1.46
1	B	197	PHE	CA-C	5.05	1.58	1.52
1	D	126	ASN	C-O	5.04	1.29	1.23
1	B	120	ASN	CA-C	-5.02	1.46	1.52

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	208	GLY	N-CA-C	-7.86	102.48	112.54
1	A	207	SER	N-CA-C	7.13	121.57	113.01
1	B	122	THR	N-CA-C	-6.18	102.26	109.93
1	C	194	ASP	N-CA-C	-5.63	102.15	110.48
1	C	209	GLY	N-CA-C	-5.48	100.18	113.18
1	B	141	TRP	N-CA-C	5.01	116.55	111.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1245	0	1179	11	0
1	B	1260	0	1184	5	0
1	C	1268	0	1199	4	0
1	D	1262	0	1190	6	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
3	A	3	0	0	0	0
3	B	3	0	0	0	0
3	C	3	0	0	0	0
3	D	3	0	0	0	0
4	A	56	0	0	1	0
4	B	56	0	0	0	0
4	C	56	0	0	0	0
4	D	56	0	0	0	0
5	A	40	0	60	1	0
5	B	20	0	30	0	0
5	C	8	0	12	0	0
5	D	24	0	36	0	0
6	B	4	0	6	0	0
6	C	4	0	6	0	0
7	B	5	0	8	0	0
7	C	20	0	32	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	D	5	0	8	0	0
8	A	145	0	0	7	0
8	B	140	0	0	1	0
8	C	147	0	0	0	1
8	D	172	0	0	6	1
All	All	6013	0	4950	27	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (27) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:106:GLY:N	8:D:401:HOH:O	2.00	0.92
1:D:222:HIS:CD2	8:D:428[B]:HOH:O	2.23	0.91
1:A:165[A]:ARG:NH1	8:A:401:HOH:O	2.09	0.86
1:A:172:HIS:NE2	8:A:402:HOH:O	2.13	0.80
1:D:222:HIS:HD2	8:D:428[B]:HOH:O	1.61	0.78
1:C:256[A]:ARG:HH11	1:C:256[A]:ARG:HG3	1.58	0.69
1:A:206:HIS:CG	1:A:207:SER:N	2.65	0.64
1:A:206:HIS:CG	1:A:207:SER:H	2.19	0.60
1:C:241[B]:LYS:NZ	8:D:557[B]:HOH:O	2.38	0.56
1:B:259:GLN:O	1:B:263[B]:GLY:N	2.42	0.53
1:A:222:HIS:CD2	8:A:436:HOH:O	2.63	0.50
1:B:253:ASP:OD1	1:B:256:ARG:NH1	2.44	0.49
1:C:252:ALA:HB1	1:C:256[A]:ARG:NH1	2.31	0.46
1:B:229:SER:OG	1:B:253:ASP:OD2	2.33	0.45
1:A:109:TRP:HA	5:A:309:EDO:H12	1.98	0.45
1:D:241[A]:LYS:HE3	8:D:526:HOH:O	2.17	0.45
1:D:249:ARG:NH2	8:D:409:HOH:O	2.49	0.44
1:C:241[B]:LYS:NZ	1:C:241[B]:LYS:HB3	2.32	0.44
1:A:127:ARG:NH2	8:A:416:HOH:O	2.51	0.44
1:A:172:HIS:CD2	8:A:402:HOH:O	2.67	0.44
1:B:140:VAL:HG22	8:B:517:HOH:O	2.17	0.43
1:A:206:HIS:CE1	1:A:208:GLY:H	2.38	0.42
4:A:306:67M:O52	4:A:306:67M:C54	2.67	0.42
1:B:241:LYS:HE2	1:B:241:LYS:HB2	1.82	0.41
1:A:127:ARG:HD2	8:A:416:HOH:O	2.21	0.41
1:D:122:THR:HA	1:D:199:GLU:OE1	2.21	0.41
1:A:245:ILE:HB	8:A:442:HOH:O	2.21	0.41

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:C:459:HOH:O	8:D:507:HOH:O[2_657]	2.13	0.07

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	156/159 (98%)	153 (98%)	3 (2%)	0	100	100
1	B	158/159 (99%)	153 (97%)	5 (3%)	0	100	100
1	C	159/159 (100%)	152 (96%)	7 (4%)	0	100	100
1	D	159/159 (100%)	151 (95%)	8 (5%)	0	100	100
All	All	632/636 (99%)	609 (96%)	23 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	128/128 (100%)	123 (96%)	5 (4%)	28	18
1	B	129/128 (101%)	125 (97%)	4 (3%)	35	26
1	C	130/128 (102%)	126 (97%)	4 (3%)	35	26
1	D	130/128 (102%)	129 (99%)	1 (1%)	73	74

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	517/512 (101%)	503 (97%)	14 (3%)	40	32

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	142	SER
1	A	206	HIS
1	A	241	LYS
1	A	253	ASP
1	B	108	VAL
1	B	122	THR
1	B	241	LYS
1	B	249	ARG
1	C	136	LYS
1	C	191	ILE
1	C	241[A]	LYS
1	C	241[B]	LYS
1	D	108	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	119	ASN
1	A	120	ASN
1	B	126	ASN
1	C	119	ASN
1	C	120	ASN
1	D	112	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 55 ligands modelled in this entry, 20 are monoatomic - leaving 35 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	EDO	A	316	-	3,3,3	0.28	0	2,2,2	0.12	0
7	PGO	C	310	-	4,4,4	0.63	0	4,4,4	0.66	0
5	EDO	D	311	-	3,3,3	0.50	0	2,2,2	0.19	0
5	EDO	A	308	-	3,3,3	0.32	0	2,2,2	0.24	0
5	EDO	A	309	-	3,3,3	0.54	0	2,2,2	0.04	0
5	EDO	B	310	-	3,3,3	0.49	0	2,2,2	0.07	0
5	EDO	B	308	-	3,3,3	0.71	0	2,2,2	0.17	0
7	PGO	C	311	-	4,4,4	0.79	0	4,4,4	0.29	0
5	EDO	A	311	-	3,3,3	0.48	0	2,2,2	0.15	0
4	67M	B	301	2	57,59,59	2.38	13 (22%)	79,83,83	2.28	27 (34%)
5	EDO	D	312	-	3,3,3	0.45	0	2,2,2	0.13	0
5	EDO	D	309	-	3,3,3	0.44	0	2,2,2	0.37	0
5	EDO	D	310	-	3,3,3	0.21	0	2,2,2	1.01	0
5	EDO	A	314	-	3,3,3	0.31	0	2,2,2	0.55	0
6	DMS	C	309	-	3,3,3	0.68	0	3,3,3	0.42	0
5	EDO	D	307	-	3,3,3	0.64	0	2,2,2	0.74	0
6	DMS	B	312	-	3,3,3	0.48	0	3,3,3	0.81	0
5	EDO	A	313	-	3,3,3	0.47	0	2,2,2	0.39	0
7	PGO	B	313	-	4,4,4	0.89	0	4,4,4	0.73	0
5	EDO	B	311	-	3,3,3	0.63	0	2,2,2	0.24	0
5	EDO	A	312	-	3,3,3	0.46	0	2,2,2	0.39	0
5	EDO	A	310	-	3,3,3	0.44	0	2,2,2	0.04	0
5	EDO	C	308	-	3,3,3	0.59	0	2,2,2	0.24	0
5	EDO	A	307	-	3,3,3	0.84	0	2,2,2	0.57	0
5	EDO	D	308	-	3,3,3	0.39	0	2,2,2	0.60	0
5	EDO	A	315	-	3,3,3	0.76	0	2,2,2	0.30	0
5	EDO	C	307	-	3,3,3	0.92	0	2,2,2	0.13	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	EDO	B	309	-	3,3,3	0.49	0	2,2,2	0.10	0
4	67M	D	301	2	57,59,59	2.22	11 (19%)	79,83,83	2.53	26 (32%)
7	PGO	C	312	-	4,4,4	0.63	0	4,4,4	0.65	0
4	67M	A	306	2	57,59,59	2.27	12 (21%)	79,83,83	2.29	26 (32%)
4	67M	C	301	2	57,59,59	2.30	10 (17%)	79,83,83	2.43	26 (32%)
7	PGO	C	313	-	4,4,4	0.73	0	4,4,4	0.61	0
7	PGO	D	313	-	4,4,4	0.64	0	4,4,4	0.75	0
5	EDO	B	307	-	3,3,3	0.57	0	2,2,2	0.25	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	316	-	-	0/1/1/1	-
7	PGO	C	310	-	-	0/2/2/2	-
5	EDO	D	311	-	-	0/1/1/1	-
5	EDO	A	308	-	-	1/1/1/1	-
5	EDO	A	309	-	-	1/1/1/1	-
5	EDO	B	310	-	-	0/1/1/1	-
5	EDO	B	308	-	-	1/1/1/1	-
7	PGO	C	311	-	-	2/2/2/2	-
5	EDO	A	311	-	-	1/1/1/1	-
4	67M	B	301	2	-	14/56/76/76	0/4/4/4
5	EDO	D	312	-	-	1/1/1/1	-
5	EDO	D	309	-	-	0/1/1/1	-
5	EDO	D	310	-	-	0/1/1/1	-
5	EDO	A	314	-	-	1/1/1/1	-
5	EDO	D	307	-	-	0/1/1/1	-
5	EDO	A	313	-	-	0/1/1/1	-
7	PGO	B	313	-	-	1/2/2/2	-
5	EDO	B	311	-	-	1/1/1/1	-
5	EDO	A	312	-	-	1/1/1/1	-
5	EDO	A	310	-	-	1/1/1/1	-
5	EDO	C	308	-	-	1/1/1/1	-
5	EDO	A	307	-	-	0/1/1/1	-
5	EDO	D	308	-	-	1/1/1/1	-
5	EDO	A	315	-	-	0/1/1/1	-
5	EDO	C	307	-	-	1/1/1/1	-
5	EDO	B	309	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	67M	D	301	2	-	13/56/76/76	0/4/4/4
7	PGO	C	312	-	-	0/2/2/2	-
4	67M	A	306	2	-	11/56/76/76	0/4/4/4
4	67M	C	301	2	-	13/56/76/76	0/4/4/4
7	PGO	C	313	-	-	2/2/2/2	-
7	PGO	D	313	-	-	0/2/2/2	-
5	EDO	B	307	-	-	1/1/1/1	-

All (46) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	301	67M	C10-S13	-9.45	1.63	1.76
4	B	301	67M	C10-S13	-9.28	1.64	1.76
4	A	306	67M	C10-S13	-8.80	1.64	1.76
4	D	301	67M	C10-S13	-8.48	1.65	1.76
4	C	301	67M	N26-N27	6.84	1.43	1.32
4	A	306	67M	O45-C46	6.46	1.49	1.35
4	D	301	67M	N26-N27	6.04	1.41	1.32
4	B	301	67M	O45-C46	5.91	1.48	1.35
4	C	301	67M	O49-C50	5.90	1.48	1.35
4	D	301	67M	O45-C46	5.88	1.48	1.35
4	B	301	67M	O49-C50	5.82	1.48	1.35
4	B	301	67M	S13-N16	-5.64	1.54	1.63
4	A	306	67M	N26-N27	5.57	1.41	1.32
4	C	301	67M	O45-C46	5.49	1.47	1.35
4	B	301	67M	N26-N27	5.44	1.40	1.32
4	A	306	67M	O49-C50	5.44	1.47	1.35
4	A	306	67M	S13-N16	-5.34	1.55	1.63
4	D	301	67M	O49-C50	5.31	1.47	1.35
4	D	301	67M	S13-N16	-5.17	1.55	1.63
4	B	301	67M	O15-S13	4.31	1.48	1.43
4	C	301	67M	N28-N27	4.17	1.41	1.34
4	C	301	67M	S13-N16	-4.10	1.57	1.63
4	D	301	67M	C03-C02	3.69	1.45	1.38
4	A	306	67M	N28-N27	3.15	1.39	1.34
4	A	306	67M	O41-C42	3.11	1.48	1.33
4	C	301	67M	C08-C09	3.03	1.43	1.38
4	B	301	67M	C08-C09	3.02	1.43	1.38
4	D	301	67M	O33-C34	3.02	1.45	1.40
4	B	301	67M	C03-C02	2.91	1.43	1.38
4	C	301	67M	O41-C42	2.88	1.47	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	301	67M	O14-S13	-2.86	1.40	1.43
4	A	306	67M	O19-C18	-2.84	1.21	1.30
4	B	301	67M	C37-C36	2.84	1.58	1.52
4	A	306	67M	C11-C10	2.72	1.43	1.38
4	B	301	67M	C29-C25	2.58	1.40	1.36
4	B	301	67M	O41-C42	2.58	1.45	1.33
4	D	301	67M	C11-C10	2.39	1.42	1.38
4	C	301	67M	O15-S13	2.36	1.46	1.43
4	B	301	67M	N28-N27	2.33	1.38	1.34
4	B	301	67M	O33-C34	2.30	1.44	1.40
4	D	301	67M	O41-C42	2.27	1.44	1.33
4	A	306	67M	C29-C25	2.25	1.40	1.36
4	D	301	67M	C05-C06	2.23	1.42	1.38
4	A	306	67M	C12-C11	2.23	1.42	1.38
4	D	301	67M	N28-N27	2.22	1.38	1.34
4	A	306	67M	C12-C07	2.08	1.43	1.39

All (105) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	306	67M	O45-C46-C48	8.51	126.26	111.09
4	C	301	67M	O15-S13-O14	-7.43	108.00	119.59
4	D	301	67M	C56-C54-N53	7.35	128.31	116.12
4	B	301	67M	C36-C35-N53	6.87	121.87	110.91
4	C	301	67M	O19-C18-C17	6.85	123.27	111.92
4	D	301	67M	O45-C46-C48	6.76	123.15	111.09
4	D	301	67M	O19-C18-C17	6.45	122.61	111.92
4	D	301	67M	O14-S13-N16	6.24	117.88	106.97
4	B	301	67M	O15-S13-O14	-5.83	110.50	119.59
4	B	301	67M	C36-O49-C50	5.55	126.35	117.72
4	D	301	67M	O55-C54-C56	-5.39	112.45	122.05
4	B	301	67M	O45-C46-C48	5.22	120.40	111.09
4	A	306	67M	O49-C50-C51	5.20	120.36	111.09
4	D	301	67M	C35-N53-C54	5.18	135.23	123.11
4	C	301	67M	O45-C46-C48	5.14	120.26	111.09
4	C	301	67M	O41-C40-C38	5.07	119.11	108.41
4	C	301	67M	O49-C50-C51	4.93	119.89	111.09
4	C	301	67M	N28-N27-N26	-4.85	102.66	107.02
4	D	301	67M	C34-C35-N53	4.76	118.90	110.92
4	C	301	67M	C34-C35-N53	4.72	118.83	110.92
4	A	306	67M	C40-O41-C42	4.59	128.40	117.08
4	A	306	67M	O49-C36-C37	4.58	117.36	108.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	306	67M	O14-S13-N16	4.51	114.86	106.97
4	B	301	67M	O49-C50-C51	4.43	118.99	111.09
4	B	301	67M	C24-C25-N26	4.39	129.53	121.75
4	D	301	67M	O15-S13-O14	-4.34	112.81	119.59
4	D	301	67M	O15-S13-C10	-4.26	102.81	108.10
4	B	301	67M	O49-C36-C37	4.21	116.62	108.25
4	A	306	67M	C36-C35-N53	4.15	117.53	110.91
4	A	306	67M	O19-C18-C17	4.12	118.74	111.92
4	D	301	67M	N28-N27-N26	-4.03	103.40	107.02
4	C	301	67M	O20-C18-C17	-4.00	117.66	123.45
4	B	301	67M	C34-C35-N53	-3.94	104.30	110.92
4	D	301	67M	O15-S13-N16	3.93	113.84	106.97
4	D	301	67M	O49-C50-C51	3.91	118.06	111.09
4	C	301	67M	O14-S13-C10	3.91	112.96	108.10
4	D	301	67M	O19-C18-O20	-3.85	115.35	124.08
4	A	306	67M	C11-C10-S13	3.74	123.45	119.73
4	C	301	67M	O14-S13-N16	3.73	113.50	106.97
4	C	301	67M	C24-C25-C29	-3.71	123.51	129.89
4	B	301	67M	C24-C25-C29	-3.69	123.53	129.89
4	B	301	67M	C30-N28-C29	3.64	135.64	128.83
4	C	301	67M	C24-C25-N26	3.64	128.20	121.75
4	A	306	67M	O45-C46-O47	-3.64	115.97	122.99
4	D	301	67M	C11-C10-S13	3.60	123.31	119.73
4	C	301	67M	O39-C38-C40	3.43	113.50	106.69
4	A	306	67M	O15-S13-O14	-3.43	114.24	119.59
4	A	306	67M	O45-C37-C36	3.35	114.92	108.25
4	D	301	67M	O14-S13-C10	-3.32	103.97	108.10
4	D	301	67M	C36-C35-N53	-3.29	105.66	110.91
4	B	301	67M	O39-C38-C37	3.25	116.45	109.72
4	B	301	67M	C40-O41-C42	3.25	125.10	117.08
4	C	301	67M	O49-C50-O52	-3.20	116.82	122.99
4	A	306	67M	O19-C18-O20	-3.19	116.83	124.08
4	A	306	67M	C30-N28-C29	3.19	134.79	128.83
4	C	301	67M	O55-C54-C56	-3.16	116.43	122.05
4	B	301	67M	O19-C18-C17	3.16	117.15	111.92
4	A	306	67M	C37-C36-C35	-3.13	104.70	110.55
4	B	301	67M	O14-S13-C10	3.10	111.96	108.10
4	A	306	67M	C21-C17-N16	3.03	117.98	112.83
4	B	301	67M	C11-C10-C09	-2.93	116.64	120.47
4	D	301	67M	O45-C46-O47	-2.85	117.48	122.99
4	C	301	67M	C36-C37-C38	2.85	116.42	110.58
4	B	301	67M	C36-C37-C38	2.79	116.29	110.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	301	67M	O45-C46-O47	-2.76	117.65	122.99
4	B	301	67M	C30-N28-N27	-2.76	115.23	120.78
4	C	301	67M	C31-C30-N28	-2.75	103.82	111.90
4	C	301	67M	C34-C35-C36	-2.75	104.94	109.92
4	A	306	67M	C08-C09-C10	2.73	122.10	119.44
4	A	306	67M	C30-N28-N27	-2.73	115.30	120.78
4	A	306	67M	C34-C35-C36	-2.69	105.05	109.92
4	A	306	67M	O15-S13-C10	-2.67	104.79	108.10
4	C	301	67M	C08-C09-C10	2.61	121.98	119.44
4	B	301	67M	O15-S13-C10	2.59	111.32	108.10
4	A	306	67M	O14-S13-C10	2.58	111.31	108.10
4	D	301	67M	C24-C25-N26	2.55	126.27	121.75
4	B	301	67M	C11-C10-S13	2.54	122.25	119.73
4	D	301	67M	C40-O41-C42	2.54	123.34	117.08
4	D	301	67M	C34-O39-C38	2.53	118.67	113.72
4	C	301	67M	C03-C02-C01	-2.53	117.66	120.54
4	A	306	67M	N28-N27-N26	-2.52	104.76	107.02
4	C	301	67M	C11-C10-S13	2.50	122.22	119.73
4	B	301	67M	O39-C38-C40	-2.48	101.78	106.69
4	B	301	67M	O41-C42-C44	2.48	122.90	112.38
4	B	301	67M	C25-C29-N28	2.48	108.80	105.33
4	D	301	67M	C36-O49-C50	2.47	121.56	117.72
4	C	301	67M	C37-O45-C46	-2.47	113.88	117.72
4	B	301	67M	O55-C54-C56	-2.46	117.67	122.05
4	D	301	67M	C25-C29-N28	2.41	108.70	105.33
4	D	301	67M	C10-S13-N16	-2.39	103.19	107.36
4	D	301	67M	C40-C38-C37	2.37	119.06	113.35
4	B	301	67M	O14-S13-N16	2.37	111.11	106.97
4	B	301	67M	C05-C06-C01	2.34	123.20	120.54
4	D	301	67M	C37-O45-C46	2.34	121.35	117.72
4	C	301	67M	O19-C18-O20	-2.21	119.06	124.08
4	B	301	67M	C12-C11-C10	2.20	121.58	119.44
4	A	306	67M	O39-C34-O33	2.18	115.20	110.04
4	B	301	67M	O45-C46-O47	-2.17	118.80	122.99
4	C	301	67M	O39-C34-O33	-2.16	104.95	110.04
4	A	306	67M	C11-C10-C09	-2.14	117.67	120.47
4	A	306	67M	O45-C37-C38	2.12	112.43	108.19
4	A	306	67M	C36-O49-C50	-2.10	114.46	117.72
4	A	306	67M	O41-C42-C44	2.06	121.12	112.38
4	D	301	67M	C09-C10-S13	-2.02	117.73	119.73
4	C	301	67M	O55-C54-N53	2.01	125.53	121.98

There are no chirality outliers.

All (69) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	306	67M	C51-C50-O49-C36
4	A	306	67M	O47-C46-O45-C37
4	A	306	67M	C35-C34-O33-C32
4	A	306	67M	N28-C30-C31-C32
4	B	301	67M	C37-C36-O49-C50
4	B	301	67M	C48-C46-O45-C37
4	C	301	67M	C51-C50-O49-C36
4	C	301	67M	C48-C46-O45-C37
4	C	301	67M	O47-C46-O45-C37
4	C	301	67M	C35-C34-O33-C32
4	C	301	67M	O39-C34-O33-C32
4	D	301	67M	C34-C35-N53-C54
4	D	301	67M	C48-C46-O45-C37
4	D	301	67M	O47-C46-O45-C37
4	D	301	67M	C35-C34-O33-C32
4	D	301	67M	N28-C30-C31-C32
7	C	313	PGO	O1-C1-C2-C3
7	C	313	PGO	O1-C1-C2-O2
4	A	306	67M	O52-C50-O49-C36
4	A	306	67M	C48-C46-O45-C37
4	B	301	67M	C51-C50-O49-C36
4	B	301	67M	O47-C46-O45-C37
4	C	301	67M	O52-C50-O49-C36
4	C	301	67M	O39-C38-C40-O41
4	B	301	67M	C56-C54-N53-C35
4	B	301	67M	O52-C50-O49-C36
4	D	301	67M	O55-C54-N53-C35
4	A	306	67M	O43-C42-O41-C40
4	D	301	67M	O43-C42-O41-C40
4	D	301	67M	C44-C42-O41-C40
4	C	301	67M	C30-C31-C32-O33
4	B	301	67M	O43-C42-O41-C40
4	C	301	67M	C44-C42-O41-C40
4	D	301	67M	C56-C54-N53-C35
4	B	301	67M	C38-C37-O45-C46
4	A	306	67M	C44-C42-O41-C40
4	B	301	67M	O55-C54-N53-C35
4	B	301	67M	C44-C42-O41-C40
4	D	301	67M	O39-C34-O33-C32
4	C	301	67M	O43-C42-O41-C40
5	D	308	EDO	O1-C1-C2-O2
4	B	301	67M	N16-C24-C25-C29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	C	311	PGO	O1-C1-C2-O2
4	B	301	67M	C36-C37-O45-C46
5	A	311	EDO	O1-C1-C2-O2
4	B	301	67M	N16-C24-C25-N26
4	D	301	67M	O39-C38-C40-O41
5	B	308	EDO	O1-C1-C2-O2
7	C	311	PGO	O1-C1-C2-C3
4	C	301	67M	C37-C38-C40-O41
7	B	313	PGO	O1-C1-C2-O2
4	C	301	67M	C18-C17-C21-C23
4	A	306	67M	C34-C35-N53-C54
4	C	301	67M	C34-C35-N53-C54
4	A	306	67M	N16-C17-C18-O20
5	A	314	EDO	O1-C1-C2-O2
5	D	312	EDO	O1-C1-C2-O2
5	A	308	EDO	O1-C1-C2-O2
5	A	310	EDO	O1-C1-C2-O2
5	B	307	EDO	O1-C1-C2-O2
5	C	307	EDO	O1-C1-C2-O2
4	A	306	67M	N16-C17-C18-O19
5	A	309	EDO	O1-C1-C2-O2
5	C	308	EDO	O1-C1-C2-O2
4	D	301	67M	C18-C17-C21-C22
4	D	301	67M	C31-C30-N28-N27
5	A	312	EDO	O1-C1-C2-O2
5	B	311	EDO	O1-C1-C2-O2
4	B	301	67M	N16-C17-C18-O20


There are no ring outliers.


2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	309	EDO	1	0
4	A	306	67M	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring

in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	B	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B	262:TYR	C	263[B]:GLY	N	3.38

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	157/159 (98%)	0.33	6 (3%)	44	50	13, 23, 46, 66	1 (0%)
1	B	159/159 (100%)	0.38	6 (3%)	44	50	11, 23, 42, 88	2 (1%)
1	C	158/159 (99%)	0.24	7 (4%)	39	45	12, 20, 40, 72	3 (1%)
1	D	158/159 (99%)	0.28	5 (3%)	50	56	11, 21, 45, 68	3 (1%)
All	All	632/636 (99%)	0.31	24 (3%)	44	50	11, 21, 43, 88	9 (1%)

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	107	PRO	4.8
1	A	113	TYR	4.4
1	D	107	PRO	4.2
1	C	106	GLY	4.1
1	A	208	GLY	3.8
1	B	263[A]	GLY	3.8
1	D	263	GLY	3.7
1	C	208	GLY	3.0
1	D	113	TYR	2.9
1	B	107	PRO	2.9
1	B	208	GLY	2.8
1	D	208	GLY	2.8
1	D	106	GLY	2.7
1	B	105	MET	2.6
1	B	106	GLY	2.6
1	A	206	HIS	2.6
1	C	206[A]	HIS	2.4
1	C	110	ARG	2.4
1	C	263	GLY	2.3
1	A	165[A]	ARG	2.2
1	C	113	TYR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	253	ASP	2.1
1	C	112	HIS	2.0
1	A	110	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	EDO	A	315	4/4	0.69	0.20	41,41,44,47	0
5	EDO	A	307	4/4	0.70	0.17	46,47,49,55	0
5	EDO	D	308	4/4	0.72	0.23	47,57,64,77	0
7	PGO	B	313	5/5	0.73	0.14	50,51,52,54	0
5	EDO	D	309	4/4	0.75	0.27	76,77,78,79	0
6	DMS	B	312	4/4	0.77	0.19	61,64,69,80	0
7	PGO	C	313	5/5	0.78	0.17	40,41,46,52	0
5	EDO	D	307	4/4	0.79	0.15	37,39,47,54	0
5	EDO	A	311	4/4	0.80	0.14	52,53,56,59	0
5	EDO	A	310	4/4	0.80	0.19	48,53,60,62	0
5	EDO	B	310	4/4	0.80	0.12	51,53,53,57	0
5	EDO	D	310	4/4	0.81	0.17	37,41,43,44	0
5	EDO	A	313	4/4	0.81	0.13	49,50,50,50	0
6	DMS	C	309	4/4	0.81	0.22	61,64,64,65	0
4	67M	A	306	56/56	0.81	0.17	21,51,102,108	0
5	EDO	A	309	4/4	0.81	0.15	39,42,45,47	0
5	EDO	B	309	4/4	0.82	0.13	53,58,59,61	0
5	EDO	D	311	4/4	0.82	0.14	37,43,45,49	0
5	EDO	B	308	4/4	0.83	0.14	39,44,47,51	0
7	PGO	D	313	5/5	0.83	0.18	58,59,59,63	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	EDO	C	307	4/4	0.84	0.12	28,29,29,29	0
7	PGO	C	311	5/5	0.84	0.13	45,47,47,50	0
7	PGO	C	312	5/5	0.84	0.14	56,56,58,60	0
5	EDO	C	308	4/4	0.84	0.12	47,48,49,53	0
4	67M	B	301	56/56	0.84	0.19	19,75,129,138	0
5	EDO	A	308	4/4	0.85	0.16	55,55,57,59	0
5	EDO	B	311	4/4	0.85	0.14	27,33,39,46	0
4	67M	C	301	56/56	0.86	0.18	18,50,103,115	0
4	67M	D	301	56/56	0.87	0.16	22,45,94,109	0
7	PGO	C	310	5/5	0.87	0.12	53,54,57,60	0
5	EDO	A	316	4/4	0.88	0.11	36,40,44,49	0
5	EDO	A	312	4/4	0.89	0.12	37,43,45,49	0
5	EDO	B	307	4/4	0.90	0.11	34,41,43,43	0
5	EDO	A	314	4/4	0.90	0.11	38,38,40,42	0
5	EDO	D	312	4/4	0.91	0.10	39,39,40,42	0
3	CA	C	306	1/1	0.98	0.03	16,16,16,16	0
3	CA	A	304	1/1	0.99	0.02	16,16,16,16	0
3	CA	A	305	1/1	0.99	0.04	16,16,16,16	0
3	CA	B	305	1/1	0.99	0.02	20,20,20,20	0
3	CA	B	306	1/1	0.99	0.02	19,19,19,19	0
3	CA	C	304	1/1	0.99	0.04	16,16,16,16	0
3	CA	A	303	1/1	0.99	0.02	19,19,19,19	0
3	CA	D	305	1/1	0.99	0.02	16,16,16,16	0
3	CA	D	306	1/1	1.00	0.02	16,16,16,16	0
2	ZN	A	301	1/1	1.00	0.02	17,17,17,17	0
2	ZN	A	302	1/1	1.00	0.02	17,17,17,17	0
2	ZN	B	302	1/1	1.00	0.03	20,20,20,20	0
3	CA	B	304	1/1	1.00	0.02	21,21,21,21	0
2	ZN	B	303	1/1	1.00	0.02	18,18,18,18	0
2	ZN	C	302	1/1	1.00	0.02	16,16,16,16	0
2	ZN	C	303	1/1	1.00	0.01	16,16,16,16	0
3	CA	C	305	1/1	1.00	0.04	16,16,16,16	0
2	ZN	D	302	1/1	1.00	0.02	16,16,16,16	0
3	CA	D	304	1/1	1.00	0.03	17,17,17,17	0
2	ZN	D	303	1/1	1.00	0.01	17,17,17,17	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 67M A 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 67M B 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 67M C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 67M D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.