



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:19 PM UTC

PDB ID : 5I4A / pdb_00005i4a
Title : X-ray crystal structure of Marinitoga piezophila Argonaute in complex with 5' OH guide RNA
Authors : Doxzen, K.W.; Kaya, E.; Knoll, K.R.; Wilson, R.C.; Strutt, S.C.; Kranzusch, P.J.; Doudna, J.A.
Deposited on : 2016-02-11
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1452 (1.94-1.94)
Clashscore	190562	1494 (1.94-1.94)
Ramachandran outliers	187476	1479 (1.94-1.94)
Sidechain outliers	187428	1479 (1.94-1.94)
RSRZ outliers	180081	1453 (1.94-1.94)
RNA backbone	3983	1010 (2.30-1.58)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	642	
1	C	642	
2	B	21	
2	D	21	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 11805 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Argonaute protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	631	Total	C	N	O	S	0	0	0
			5311	3492	836	976	7			
1	C	635	Total	C	N	O	S	0	0	0
			5353	3523	841	982	7			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP H2J4R4
A	-1	ALA	-	expression tag	UNP H2J4R4
A	0	ASN	-	expression tag	UNP H2J4R4
A	1	ALA	-	expression tag	UNP H2J4R4
C	-2	GLY	-	expression tag	UNP H2J4R4
C	-1	ALA	-	expression tag	UNP H2J4R4
C	0	ASN	-	expression tag	UNP H2J4R4
C	1	ALA	-	expression tag	UNP H2J4R4

- Molecule 2 is a RNA chain called RNA (5'-R(*UP*AP*UP*AP*CP*AP*AP*CP*CP*UP*AP*CP*UP*U)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	14	Total	C	N	O	P	0	0	0
			220	95	26	86	13			
2	D	13	Total	C	N	O	P	0	0	0
			217	95	30	81	11			

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	306	Total	O	0	0
			306	306		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	25	Total 25	O 25	0	0
3	C	353	Total 353	O 353	0	0
3	D	20	Total 20	O 20	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Argonaute protein




• Molecule 1: Argonaute protein



● Molecule 2: RNA (5'-R(*UP*AP*UP*AP*CP*AP*AP*CP*CP*UP*AP*CP*UP*U)-3')



● Molecule 2: RNA (5'-R(*UP*AP*UP*AP*CP*AP*AP*CP*CP*UP*AP*CP*UP*U)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	50.88Å 75.42Å 102.22Å 110.87° 90.55° 90.09°	Depositor
Resolution (Å)	48.33 – 1.95 48.33 – 1.95	Depositor EDS
% Data completeness (in resolution range)	95.8 (48.33-1.95) 93.7 (48.33-1.95)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.52 (at 1.95Å)	Xtriage
Refinement program	PHENIX 1.10_2155	Depositor
R, R_{free}	0.216 , 0.239 0.211 , 0.231	Depositor DCC
R_{free} test set	2016 reflections (2.01%)	wwPDB-VP
Wilson B-factor (Å ²)	29.9	Xtriage
Anisotropy	0.128	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 31.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.319 for h,-k,-l 0.026 for -h,k,-k-l 0.022 for -h,-k,k+l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11805	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.16	1/5438 (0.0%)	0.33	0/7330
1	C	0.15	0/5484	0.32	0/7396
2	B	0.22	0/240	0.62	0/368
2	D	0.24	0/237	0.50	0/365
All	All	0.16	1/11399 (0.0%)	0.34	0/15459

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	609	THR	C-O	-5.87	1.18	1.24

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5311	0	5342	93	1
1	C	5353	0	5388	84	1
2	B	220	0	110	10	0
2	D	217	0	116	12	0
3	A	306	0	0	26	1
3	B	25	0	0	1	0
3	C	353	0	0	15	1
3	D	20	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	11805	0	10956	186	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (186) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:200:TYR:HD1	1:A:202:GLU:OE2	1.48	0.96
1:A:271:LYS:NZ	3:A:707:HOH:O	2.05	0.90
1:A:438:GLU:OE1	3:A:702:HOH:O	1.92	0.88
1:A:200:TYR:CD1	1:A:202:GLU:OE2	2.27	0.88
1:A:290:GLU:OE1	3:A:703:HOH:O	1.93	0.87
1:C:470:LEU:O	3:C:701:HOH:O	1.91	0.87
1:C:133:LYS:NZ	2:D:10:U:OP1	2.08	0.86
1:A:502:GLU:OE2	3:A:704:HOH:O	1.93	0.85
1:A:572:THR:HG22	1:A:574:LEU:H	1.39	0.85
1:A:283:LYS:NZ	3:A:701:HOH:O	1.92	0.85
1:C:555:LYS:NZ	3:C:703:HOH:O	2.03	0.84
2:D:21:U:OP1	3:D:101:HOH:O	1.98	0.82
1:A:475:HIS:NE2	1:A:492:GLU:OE2	2.13	0.81
2:B:21:U:O3'	3:B:101:HOH:O	1.97	0.81
1:C:193:ASN:N	3:C:710:HOH:O	2.16	0.79
1:C:78:GLU:OE1	3:C:702:HOH:O	2.00	0.77
1:A:271:LYS:O	3:A:705:HOH:O	2.03	0.75
1:A:25:GLU:OE1	3:A:706:HOH:O	2.05	0.75
1:A:114:GLU:OE1	1:A:236:LYS:NZ	2.20	0.74
1:C:300:SER:HB2	1:C:352:PRO:HG3	1.69	0.73
1:C:455:LYS:NZ	1:C:479:GLU:OE1	2.21	0.73
1:C:194:GLN:OE1	3:C:705:HOH:O	2.06	0.73
1:A:448:SER:OG	3:A:708:HOH:O	2.08	0.71
1:C:46:ASP:N	3:C:713:HOH:O	2.24	0.71
1:C:288:LYS:NZ	3:C:706:HOH:O	2.08	0.70
1:A:593:GLU:OE2	3:A:709:HOH:O	2.09	0.70
1:A:471:TYR:HB2	1:A:499:LYS:HG3	1.73	0.70
1:A:436:ASP:O	3:A:710:HOH:O	2.09	0.69
1:A:580:GLU:OE2	3:A:711:HOH:O	2.10	0.69
1:A:454:ARG:O	3:A:712:HOH:O	2.10	0.69
1:C:239:LYS:O	3:C:707:HOH:O	2.11	0.67
1:C:580:GLU:OE1	3:C:709:HOH:O	2.12	0.66
1:C:8:ILE:HD13	1:C:88:LEU:HD21	1.77	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:526:ILE:HG22	1:A:530:ILE:HD11	1.78	0.66
1:A:333:SER:O	3:A:713:HOH:O	2.14	0.66
1:A:405:GLU:OE1	3:A:714:HOH:O	2.14	0.66
1:C:276:ARG:NH2	1:C:277:TYR:OH	2.29	0.66
1:C:400:LEU:HD12	1:C:403:LYS:HE3	1.79	0.65
1:C:572:THR:HB	1:C:615:LYS:HE3	1.78	0.65
1:C:35:ARG:HB3	1:C:35:ARG:NH1	2.12	0.65
1:C:102:TYR:HB2	1:C:110:ILE:HB	1.80	0.64
1:C:560:LYS:NZ	3:C:704:HOH:O	2.04	0.64
1:A:575:ASN:ND2	3:A:722:HOH:O	2.31	0.64
1:C:532:TYR:O	1:C:535:THR:OG1	2.14	0.63
1:A:554:LEU:HD22	1:A:559:ILE:HD11	1.81	0.63
1:C:456:THR:HG21	1:C:485:ASN:OD1	1.99	0.62
1:A:8:ILE:HD13	1:A:88:LEU:HD21	1.81	0.62
1:A:170:ILE:HG23	1:A:171:LYS:HD2	1.81	0.62
1:A:530:ILE:HD13	1:A:539:LEU:HD21	1.80	0.62
1:A:69:VAL:HG12	1:A:71:LYS:H	1.65	0.61
2:D:20:U:H2'	2:D:21:U:H4'	1.82	0.61
1:A:534:ASP:N	3:A:726:HOH:O	2.35	0.59
1:A:5:LEU:HD21	1:A:548:ILE:HG12	1.85	0.59
1:A:615:LYS:NZ	2:B:5:C:OP1	2.35	0.59
1:A:77:GLU:OE2	1:A:81:LYS:HG2	2.03	0.59
1:A:102:TYR:HB2	1:A:110:ILE:HB	1.83	0.59
1:A:15:LYS:HE3	1:A:17:LEU:HD21	1.84	0.58
1:A:44:SER:OG	1:A:45:ASN:N	2.37	0.58
1:A:486:LEU:HD21	1:A:526:ILE:HG12	1.85	0.57
1:A:582:LYS:HZ2	1:A:584:LEU:HD23	1.69	0.57
1:A:582:LYS:NZ	1:A:584:LEU:HD23	2.19	0.57
1:C:1:ALA:HB3	1:C:256:LEU:HD23	1.85	0.57
1:A:199:ALA:HB3	2:B:21:U:O2'	2.05	0.56
1:C:435:GLU:OE1	3:C:711:HOH:O	2.18	0.56
1:A:499:LYS:NZ	3:A:704:HOH:O	2.31	0.56
1:C:344:LYS:HG2	1:C:344:LYS:O	2.06	0.56
1:A:486:LEU:CD2	1:A:526:ILE:HG12	2.37	0.55
1:C:76:LYS:HB2	1:C:79:GLU:HG3	1.88	0.55
1:A:527:LYS:HG2	1:A:537:TYR:OH	2.07	0.55
1:C:77:GLU:OE2	1:C:81:LYS:HE3	2.07	0.54
1:C:10:ILE:HD11	1:C:84:PHE:CZ	2.43	0.54
1:C:10:ILE:HD11	1:C:84:PHE:HZ	1.73	0.54
1:C:131:LYS:NZ	2:D:9:C:OP1	2.39	0.54
1:C:6:TYR:CD1	1:C:145:ILE:HD13	2.43	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:261:LYS:NZ	3:C:708:HOH:O	2.12	0.54
1:A:400:LEU:HD12	1:A:403:LYS:HE3	1.89	0.53
1:C:269:LYS:HG2	1:C:274:GLU:HG2	1.91	0.53
1:C:153:SER:HB3	1:C:206:PHE:HB2	1.90	0.53
1:A:291:GLN:NE2	3:A:723:HOH:O	2.32	0.53
1:A:471:TYR:OH	1:A:492:GLU:OE1	2.17	0.53
1:C:481:ASN:HB3	1:C:484:MET:HE2	1.91	0.53
1:C:5:LEU:HD21	1:C:548:ILE:HG12	1.91	0.53
1:C:436:ASP:OD1	1:C:437:LYS:NZ	2.34	0.52
1:A:561:LEU:HD11	1:A:567:ILE:HD11	1.91	0.52
1:A:16:ARG:NH1	1:A:51:GLU:OE2	2.39	0.52
2:B:11:A:O2'	2:B:12:C:O5'	2.23	0.52
1:A:167:LEU:HD12	1:A:188:ILE:HG22	1.92	0.52
1:A:198:VAL:HG11	1:A:204:TYR:CE1	2.45	0.52
1:C:471:TYR:HB2	1:C:499:LYS:HG3	1.92	0.52
1:C:261:LYS:HG2	1:C:557:TRP:CE3	2.45	0.52
2:D:20:U:H2'	2:D:21:U:C4'	2.39	0.51
1:A:481:ASN:HB3	1:A:484:MET:HE2	1.91	0.51
1:A:631:TYR:OH	3:A:716:HOH:O	2.18	0.51
1:C:167:LEU:HG	1:C:178:TYR:HB2	1.92	0.51
1:A:276:ARG:HD3	3:A:762:HOH:O	2.09	0.51
1:C:478:LEU:HD13	1:C:488:ILE:HD12	1.93	0.51
1:A:531:SER:HA	1:A:535:THR:HG22	1.93	0.50
1:C:136:ASN:ND2	1:C:140:GLU:O	2.42	0.50
1:A:76:LYS:HB2	1:A:79:GLU:HG3	1.93	0.50
1:A:271:LYS:HB2	1:A:286:PHE:O	2.11	0.50
1:A:474:LYS:NZ	1:A:629:THR:O	2.45	0.50
1:A:13:LYS:HD2	1:A:54:ASP:OD2	2.11	0.50
1:A:303:LYS:HD3	1:A:307:GLU:OE2	2.11	0.50
1:A:310:LYS:NZ	1:A:314:GLU:OE2	2.44	0.50
1:C:35:ARG:HB3	1:C:35:ARG:HH11	1.76	0.50
1:A:31:ARG:HH12	2:B:20:U:H5'	1.77	0.49
1:A:491:LYS:N	1:A:491:LYS:HD3	2.27	0.49
1:C:200:TYR:HD1	2:D:21:U:HO3'	1.61	0.49
1:A:597:GLU:OE1	3:A:715:HOH:O	2.18	0.49
1:C:209:THR:OG1	2:D:7:A:OP2	2.13	0.49
1:A:7:LYS:NZ	1:A:140:GLU:OE1	2.41	0.49
1:A:583:ILE:HG13	1:A:592:ILE:HG23	1.95	0.49
1:A:167:LEU:HG	1:A:178:TYR:HB2	1.94	0.48
1:A:526:ILE:HA	1:A:529:PHE:CE2	2.49	0.48
1:A:592:ILE:O	1:A:596:ILE:HG12	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:474:LYS:NZ	1:C:629:THR:O	2.47	0.47
1:C:170:ILE:HG13	1:C:171:LYS:HD2	1.96	0.47
1:C:518:ARG:HG3	1:C:520:ILE:HD11	1.96	0.47
1:C:91:TYR:OH	1:C:246:LYS:HD3	2.15	0.47
1:C:282:PHE:CZ	1:C:413:LYS:HB3	2.50	0.47
1:C:57:PHE:HA	3:C:715:HOH:O	2.14	0.47
1:C:211:ARG:HB3	2:D:7:A:OP2	2.15	0.46
1:C:271:LYS:HB2	1:C:286:PHE:O	2.14	0.46
1:A:388:ARG:HD2	1:A:631:TYR:CE2	2.50	0.46
2:D:8:C:H5''	2:D:9:C:OP2	2.15	0.46
2:B:4:A:H2'	2:B:5:C:O4'	2.15	0.46
1:C:340:ASP:OD2	1:C:343:THR:HG23	2.16	0.46
1:C:179:ILE:HD13	1:C:195:ILE:HG23	1.97	0.46
1:A:282:PHE:CZ	1:A:413:LYS:HB3	2.50	0.46
1:C:177:PRO:HD2	1:C:189:ASP:HB3	1.98	0.46
1:C:18:TYR:CZ	1:C:71:LYS:HE2	2.51	0.46
1:C:167:LEU:HD12	1:C:188:ILE:HG22	1.98	0.45
1:C:563:GLU:OE1	3:C:704:HOH:O	2.21	0.45
1:C:536:LYS:HB3	1:C:588:THR:HA	1.97	0.45
1:C:541:GLU:OE2	1:C:584:LEU:HD11	2.16	0.45
1:A:106:GLY:HA3	2:B:9:C:H5'	1.97	0.45
1:A:168:TYR:HE1	1:A:173:GLY:HA2	1.81	0.45
1:A:319:LYS:HG2	3:A:870:HOH:O	2.17	0.45
1:C:76:LYS:HD3	1:C:79:GLU:OE2	2.16	0.44
1:A:518:ARG:NH2	2:B:12:C:OP1	2.48	0.44
1:C:474:LYS:HD2	1:C:626:VAL:HG12	2.00	0.44
1:A:279:LYS:HE3	3:A:783:HOH:O	2.17	0.44
1:A:522:ASP:O	1:A:526:ILE:HG13	2.17	0.44
1:A:447:LEU:HD12	1:A:458:LEU:HD13	1.99	0.44
1:A:340:ASP:O	1:A:344:LYS:N	2.51	0.44
1:A:519:PHE:CD1	1:A:584:LEU:HD12	2.53	0.44
1:C:386:LEU:O	1:C:390:PHE:HB2	2.17	0.44
1:A:536:LYS:NZ	3:A:743:HOH:O	2.51	0.43
1:A:376:LEU:O	3:A:717:HOH:O	2.21	0.43
1:C:56:ASP:OD1	1:C:58:GLN:NE2	2.51	0.43
1:A:44:SER:HB2	3:A:904:HOH:O	2.18	0.43
1:A:479:GLU:HB2	1:A:484:MET:HE1	1.99	0.43
1:C:362:PHE:O	1:C:365:GLN:HG3	2.19	0.43
1:C:442:TYR:CD1	1:C:602:LEU:HD11	2.54	0.43
1:A:185:ILE:HG13	1:A:185:ILE:O	2.19	0.43
1:A:386:LEU:O	1:A:390:PHE:HB2	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:SER:HB3	1:A:206:PHE:HB2	2.01	0.42
1:C:401:LYS:HB3	1:C:401:LYS:HE2	1.80	0.42
1:C:500:TYR:CG	1:C:508:PRO:HG3	2.54	0.42
1:C:530:ILE:C	1:C:532:TYR:H	2.27	0.42
1:C:1:ALA:N	3:C:736:HOH:O	2.50	0.42
1:A:270:PHE:HB3	1:A:285:SER:O	2.20	0.41
2:B:9:C:H5''	2:B:10:U:OP1	2.20	0.41
1:A:105:LYS:O	2:B:8:C:O2'	2.33	0.41
1:C:286:PHE:HB2	1:C:289:ASN:HB2	2.01	0.41
1:A:4:ASN:O	1:A:144:SER:HA	2.20	0.41
1:A:377:ASP:HA	1:A:401:LYS:HE2	2.02	0.41
1:C:10:ILE:CG2	1:C:55:ILE:HD11	2.50	0.41
1:C:237:ILE:HB	1:C:238:PRO:HD3	2.02	0.41
1:C:343:THR:O	1:C:344:LYS:HB3	2.20	0.41
1:C:4:ASN:O	1:C:144:SER:HA	2.20	0.41
1:A:431:LEU:HB2	1:A:434:MET:HB2	2.02	0.41
1:A:475:HIS:HE2	1:A:492:GLU:CD	2.19	0.41
1:C:7:LYS:O	1:C:248:THR:OG1	2.31	0.41
1:C:418:LYS:NZ	2:D:3:U:OP1	2.47	0.41
1:C:520:ILE:HG22	1:C:520:ILE:O	2.20	0.41
1:C:215:LYS:HB2	1:C:215:LYS:HE3	1.78	0.41
1:C:554:LEU:HD13	1:C:559:ILE:HD11	2.02	0.41
2:D:4:A:H2'	2:D:5:C:O4'	2.21	0.41
1:C:125:ASN:OD1	1:C:154:LYS:HG3	2.21	0.40
1:A:529:PHE:CD1	1:A:529:PHE:C	2.99	0.40
1:C:204:TYR:OH	2:D:21:U:O2	2.39	0.40
1:C:592:ILE:O	1:C:596:ILE:HG12	2.21	0.40
1:C:396:LEU:HG	1:C:398:PRO:HD3	2.04	0.40
1:A:407:ILE:HA	1:A:412:ILE:HD11	2.04	0.40
1:A:456:THR:N	1:A:478:LEU:O	2.54	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76:LYS:NZ	1:C:252:GLU:OE1[1_565]	1.86	0.34
3:A:901:HOH:O	3:C:887:HOH:O[1_556]	2.01	0.19

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	621/642 (97%)	597 (96%)	24 (4%)	0	100	100
1	C	629/642 (98%)	609 (97%)	19 (3%)	1 (0%)	43	37
All	All	1250/1284 (97%)	1206 (96%)	43 (3%)	1 (0%)	48	41

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	522	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	592/600 (99%)	577 (98%)	15 (2%)	42	29
1	C	596/600 (99%)	581 (98%)	15 (2%)	42	29
All	All	1188/1200 (99%)	1158 (98%)	30 (2%)	42	29

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	ARG
1	A	62	LYS
1	A	70	GLU
1	A	100	ASP
1	A	170	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	258	ASP
1	A	288	LYS
1	A	368	ASP
1	A	450	ASP
1	A	460	ILE
1	A	491	LYS
1	A	507	SER
1	A	527	LYS
1	A	587	ASN
1	A	628	LEU
1	C	73	GLU
1	C	195	ILE
1	C	236	LYS
1	C	246	LYS
1	C	252	GLU
1	C	255	GLN
1	C	258	ASP
1	C	264	ILE
1	C	344	LYS
1	C	361	GLU
1	C	392	ASP
1	C	460	ILE
1	C	480	LEU
1	C	482	GLU
1	C	574	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	207	ASN
1	A	369	ASN
1	A	510	ASN
1	A	564	ASN
1	A	587	ASN
1	C	42	GLN
1	C	66	GLN
1	C	194	GLN
1	C	369	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	B	10/21 (47%)	3 (30%)	1 (10%)
2	D	9/21 (42%)	3 (33%)	0
All	All	19/42 (45%)	6 (31%)	1 (5%)

All (6) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	B	6	A
2	B	7	A
2	B	21	U
2	D	7	A
2	D	9	C
2	D	21	U

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	B	11	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	631/642 (98%)	-1.19	0 100 100	17, 41, 64, 74	0
1	C	635/642 (98%)	-1.24	0 100 100	16, 38, 63, 75	0
2	B	14/21 (66%)	-1.11	0 100 100	27, 70, 89, 90	0
2	D	13/21 (61%)	-1.06	0 100 100	26, 65, 86, 93	0
All	All	1293/1326 (97%)	-1.21	0 100 100	16, 40, 65, 93	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.