



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 20, 2026 – 08:05 AM UTC

PDB ID : 6I4Z / pdb_00006i4z
Title : Crystal structure of the disease-causing P453L mutant of the human dihydroliipoamide dehydrogenase
Authors : Szabo, E.; Wilk, P.; Torocsik, B.; Weiss, M.S.; Adam-Vizi, V.; Ambrus, A.
Deposited on : 2018-11-12
Resolution : 2.34 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.34 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3031 (2.36-2.32)
Clashscore	190562	3127 (2.36-2.32)
Ramachandran outliers	187476	3095 (2.36-2.32)
Sidechain outliers	187428	3095 (2.36-2.32)
RSRZ outliers	180081	3033 (2.36-2.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	496	16% 81%12%5%
1	B	496	2% 75%18%5%
1	C	496	21% 84%10%5%
1	D	496	15% 74%19%5%
1	E	496	2% 77%18%5%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	496	
1	G	496	
1	H	496	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	506	-	-	X	-
3	SO4	E	502	-	-	X	-
3	SO4	G	503	-	-	X	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 57894 atoms, of which 28801 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydrolipoyl dehydrogenase, mitochondrial.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	472	Total	C	H	N	O	S	0	1	0
			7087	2215	3573	607	673	19			
1	B	472	Total	C	H	N	O	S	0	1	0
			7086	2215	3572	607	673	19			
1	C	472	Total	C	H	N	O	S	0	0	0
			7075	2211	3567	607	671	19			
1	D	472	Total	C	H	N	O	S	0	0	0
			7075	2211	3567	607	671	19			
1	E	472	Total	C	H	N	O	S	0	1	0
			7086	2215	3572	607	673	19			
1	F	472	Total	C	H	N	O	S	0	0	0
			7075	2211	3567	607	671	19			
1	G	472	Total	C	H	N	O	S	0	0	0
			7076	2211	3568	607	671	19			
1	H	472	Total	C	H	N	O	S	0	0	0
			7075	2211	3567	607	671	19			

There are 184 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-21	MET	-	initiating methionine	UNP P09622
A	-20	ALA	-	expression tag	UNP P09622
A	-19	SER	-	expression tag	UNP P09622
A	-18	TRP	-	expression tag	UNP P09622
A	-17	SER	-	expression tag	UNP P09622
A	-16	HIS	-	expression tag	UNP P09622
A	-15	PRO	-	expression tag	UNP P09622
A	-14	GLN	-	expression tag	UNP P09622
A	-13	PHE	-	expression tag	UNP P09622
A	-12	GLU	-	expression tag	UNP P09622
A	-11	LYS	-	expression tag	UNP P09622
A	-10	GLY	-	expression tag	UNP P09622
A	-9	ALA	-	expression tag	UNP P09622

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-8	LEU	-	expression tag	UNP P09622
A	-7	GLU	-	expression tag	UNP P09622
A	-6	VAL	-	expression tag	UNP P09622
A	-5	LEU	-	expression tag	UNP P09622
A	-4	PHE	-	expression tag	UNP P09622
A	-3	GLN	-	expression tag	UNP P09622
A	-2	GLY	-	expression tag	UNP P09622
A	-1	PRO	-	expression tag	UNP P09622
A	0	GLY	-	expression tag	UNP P09622
A	453	LEU	PRO	engineered mutation	UNP P09622
B	-21	MET	-	initiating methionine	UNP P09622
B	-20	ALA	-	expression tag	UNP P09622
B	-19	SER	-	expression tag	UNP P09622
B	-18	TRP	-	expression tag	UNP P09622
B	-17	SER	-	expression tag	UNP P09622
B	-16	HIS	-	expression tag	UNP P09622
B	-15	PRO	-	expression tag	UNP P09622
B	-14	GLN	-	expression tag	UNP P09622
B	-13	PHE	-	expression tag	UNP P09622
B	-12	GLU	-	expression tag	UNP P09622
B	-11	LYS	-	expression tag	UNP P09622
B	-10	GLY	-	expression tag	UNP P09622
B	-9	ALA	-	expression tag	UNP P09622
B	-8	LEU	-	expression tag	UNP P09622
B	-7	GLU	-	expression tag	UNP P09622
B	-6	VAL	-	expression tag	UNP P09622
B	-5	LEU	-	expression tag	UNP P09622
B	-4	PHE	-	expression tag	UNP P09622
B	-3	GLN	-	expression tag	UNP P09622
B	-2	GLY	-	expression tag	UNP P09622
B	-1	PRO	-	expression tag	UNP P09622
B	0	GLY	-	expression tag	UNP P09622
B	453	LEU	PRO	engineered mutation	UNP P09622
C	-21	MET	-	initiating methionine	UNP P09622
C	-20	ALA	-	expression tag	UNP P09622
C	-19	SER	-	expression tag	UNP P09622
C	-18	TRP	-	expression tag	UNP P09622
C	-17	SER	-	expression tag	UNP P09622
C	-16	HIS	-	expression tag	UNP P09622
C	-15	PRO	-	expression tag	UNP P09622
C	-14	GLN	-	expression tag	UNP P09622
C	-13	PHE	-	expression tag	UNP P09622

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-12	GLU	-	expression tag	UNP P09622
C	-11	LYS	-	expression tag	UNP P09622
C	-10	GLY	-	expression tag	UNP P09622
C	-9	ALA	-	expression tag	UNP P09622
C	-8	LEU	-	expression tag	UNP P09622
C	-7	GLU	-	expression tag	UNP P09622
C	-6	VAL	-	expression tag	UNP P09622
C	-5	LEU	-	expression tag	UNP P09622
C	-4	PHE	-	expression tag	UNP P09622
C	-3	GLN	-	expression tag	UNP P09622
C	-2	GLY	-	expression tag	UNP P09622
C	-1	PRO	-	expression tag	UNP P09622
C	0	GLY	-	expression tag	UNP P09622
C	453	LEU	PRO	engineered mutation	UNP P09622
D	-21	MET	-	initiating methionine	UNP P09622
D	-20	ALA	-	expression tag	UNP P09622
D	-19	SER	-	expression tag	UNP P09622
D	-18	TRP	-	expression tag	UNP P09622
D	-17	SER	-	expression tag	UNP P09622
D	-16	HIS	-	expression tag	UNP P09622
D	-15	PRO	-	expression tag	UNP P09622
D	-14	GLN	-	expression tag	UNP P09622
D	-13	PHE	-	expression tag	UNP P09622
D	-12	GLU	-	expression tag	UNP P09622
D	-11	LYS	-	expression tag	UNP P09622
D	-10	GLY	-	expression tag	UNP P09622
D	-9	ALA	-	expression tag	UNP P09622
D	-8	LEU	-	expression tag	UNP P09622
D	-7	GLU	-	expression tag	UNP P09622
D	-6	VAL	-	expression tag	UNP P09622
D	-5	LEU	-	expression tag	UNP P09622
D	-4	PHE	-	expression tag	UNP P09622
D	-3	GLN	-	expression tag	UNP P09622
D	-2	GLY	-	expression tag	UNP P09622
D	-1	PRO	-	expression tag	UNP P09622
D	0	GLY	-	expression tag	UNP P09622
D	453	LEU	PRO	engineered mutation	UNP P09622
E	-21	MET	-	initiating methionine	UNP P09622
E	-20	ALA	-	expression tag	UNP P09622
E	-19	SER	-	expression tag	UNP P09622
E	-18	TRP	-	expression tag	UNP P09622
E	-17	SER	-	expression tag	UNP P09622

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-16	HIS	-	expression tag	UNP P09622
E	-15	PRO	-	expression tag	UNP P09622
E	-14	GLN	-	expression tag	UNP P09622
E	-13	PHE	-	expression tag	UNP P09622
E	-12	GLU	-	expression tag	UNP P09622
E	-11	LYS	-	expression tag	UNP P09622
E	-10	GLY	-	expression tag	UNP P09622
E	-9	ALA	-	expression tag	UNP P09622
E	-8	LEU	-	expression tag	UNP P09622
E	-7	GLU	-	expression tag	UNP P09622
E	-6	VAL	-	expression tag	UNP P09622
E	-5	LEU	-	expression tag	UNP P09622
E	-4	PHE	-	expression tag	UNP P09622
E	-3	GLN	-	expression tag	UNP P09622
E	-2	GLY	-	expression tag	UNP P09622
E	-1	PRO	-	expression tag	UNP P09622
E	0	GLY	-	expression tag	UNP P09622
E	453	LEU	PRO	engineered mutation	UNP P09622
F	-21	MET	-	initiating methionine	UNP P09622
F	-20	ALA	-	expression tag	UNP P09622
F	-19	SER	-	expression tag	UNP P09622
F	-18	TRP	-	expression tag	UNP P09622
F	-17	SER	-	expression tag	UNP P09622
F	-16	HIS	-	expression tag	UNP P09622
F	-15	PRO	-	expression tag	UNP P09622
F	-14	GLN	-	expression tag	UNP P09622
F	-13	PHE	-	expression tag	UNP P09622
F	-12	GLU	-	expression tag	UNP P09622
F	-11	LYS	-	expression tag	UNP P09622
F	-10	GLY	-	expression tag	UNP P09622
F	-9	ALA	-	expression tag	UNP P09622
F	-8	LEU	-	expression tag	UNP P09622
F	-7	GLU	-	expression tag	UNP P09622
F	-6	VAL	-	expression tag	UNP P09622
F	-5	LEU	-	expression tag	UNP P09622
F	-4	PHE	-	expression tag	UNP P09622
F	-3	GLN	-	expression tag	UNP P09622
F	-2	GLY	-	expression tag	UNP P09622
F	-1	PRO	-	expression tag	UNP P09622
F	0	GLY	-	expression tag	UNP P09622
F	453	LEU	PRO	engineered mutation	UNP P09622
G	-21	MET	-	initiating methionine	UNP P09622

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
G	-20	ALA	-	expression tag	UNP P09622
G	-19	SER	-	expression tag	UNP P09622
G	-18	TRP	-	expression tag	UNP P09622
G	-17	SER	-	expression tag	UNP P09622
G	-16	HIS	-	expression tag	UNP P09622
G	-15	PRO	-	expression tag	UNP P09622
G	-14	GLN	-	expression tag	UNP P09622
G	-13	PHE	-	expression tag	UNP P09622
G	-12	GLU	-	expression tag	UNP P09622
G	-11	LYS	-	expression tag	UNP P09622
G	-10	GLY	-	expression tag	UNP P09622
G	-9	ALA	-	expression tag	UNP P09622
G	-8	LEU	-	expression tag	UNP P09622
G	-7	GLU	-	expression tag	UNP P09622
G	-6	VAL	-	expression tag	UNP P09622
G	-5	LEU	-	expression tag	UNP P09622
G	-4	PHE	-	expression tag	UNP P09622
G	-3	GLN	-	expression tag	UNP P09622
G	-2	GLY	-	expression tag	UNP P09622
G	-1	PRO	-	expression tag	UNP P09622
G	0	GLY	-	expression tag	UNP P09622
G	453	LEU	PRO	engineered mutation	UNP P09622
H	-21	MET	-	initiating methionine	UNP P09622
H	-20	ALA	-	expression tag	UNP P09622
H	-19	SER	-	expression tag	UNP P09622
H	-18	TRP	-	expression tag	UNP P09622
H	-17	SER	-	expression tag	UNP P09622
H	-16	HIS	-	expression tag	UNP P09622
H	-15	PRO	-	expression tag	UNP P09622
H	-14	GLN	-	expression tag	UNP P09622
H	-13	PHE	-	expression tag	UNP P09622
H	-12	GLU	-	expression tag	UNP P09622
H	-11	LYS	-	expression tag	UNP P09622
H	-10	GLY	-	expression tag	UNP P09622
H	-9	ALA	-	expression tag	UNP P09622
H	-8	LEU	-	expression tag	UNP P09622
H	-7	GLU	-	expression tag	UNP P09622
H	-6	VAL	-	expression tag	UNP P09622
H	-5	LEU	-	expression tag	UNP P09622
H	-4	PHE	-	expression tag	UNP P09622
H	-3	GLN	-	expression tag	UNP P09622
H	-2	GLY	-	expression tag	UNP P09622

Continued on next page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-1	PRO	-	expression tag	UNP P09622
H	0	GLY	-	expression tag	UNP P09622
H	453	LEU	PRO	engineered mutation	UNP P09622

- # FAD

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		
3	H	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	124	Total	O	0	0
			124	124		
4	B	32	Total	O	0	0
			32	32		
4	C	120	Total	O	0	0
			120	120		
4	D	28	Total	O	0	0
			28	28		
4	E	41	Total	O	0	0
			41	41		
4	F	33	Total	O	0	0
			33	33		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	G	40	Total	O	0	0
			40	40		
4	H	34	Total	O	0	0
			34	34		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial




- Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial




- Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial




• Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial




• Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial






- Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial

Chain F: 12% 79% 15% 5%




- Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial

Chain G: 14% 75% 19% 5%



- Molecule 1: Dihydrolipoyl dehydrogenase, mitochondrial

Chain H: 13% 81% 13% 5%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	55.56Å 123.39Å 158.41Å 105.95° 91.31° 90.00°	Depositor
Resolution (Å)	46.57 – 2.34 46.57 – 2.34	Depositor EDS
% Data completeness (in resolution range)	96.6 (46.57-2.34) 96.6 (46.57-2.34)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.30 (at 2.34Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.227 , 0.249 0.231 , 0.253	Depositor DCC
R_{free} test set	2468 reflections (1.50%)	wwPDB-VP
Wilson B-factor (Å ²)	40.2	Xtriage
Anisotropy	0.314	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 52.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.104 for h,-k,-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	57894	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/3571	0.58	0/4821
1	B	0.55	2/3571 (0.1%)	0.57	2/4821 (0.0%)
1	C	0.58	0/3562	0.60	0/4809
1	D	0.49	0/3562	0.58	0/4809
1	E	0.42	0/3571	0.52	0/4821
1	F	0.48	2/3562 (0.1%)	0.53	2/4809 (0.0%)
1	G	0.46	0/3562	0.55	1/4809 (0.0%)
1	H	0.50	2/3562 (0.1%)	0.52	2/4809 (0.0%)
All	All	0.51	6/28523 (0.0%)	0.56	7/38508 (0.0%)

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	281	ARG	CZ-NH2	-13.17	1.16	1.33
1	H	51	ILE	CA-CB	13.13	1.61	1.54
1	F	255	ASP	CG-OD1	-10.73	1.04	1.25
1	B	139	ILE	CG1-CD1	-8.88	1.17	1.51
1	F	139	ILE	CG1-CD1	-6.16	1.27	1.51

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	281	ARG	NE-CZ-NH1	8.82	130.32	121.50
1	F	255	ASP	CB-CG-OD2	8.22	137.32	118.40
1	H	82	ARG	NE-CZ-NH2	7.81	126.23	119.20
1	B	281	ARG	NH1-CZ-NH2	-6.09	111.38	119.30
1	H	82	ARG	NE-CZ-NH1	-5.98	115.52	121.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3514	3573	3572	47	0
1	B	3514	3572	3572	76	0
1	C	3508	3567	3566	33	0
1	D	3508	3567	3566	104	0
1	E	3514	3572	3572	68	0
1	F	3508	3567	3566	56	0
1	G	3508	3568	3566	83	0
1	H	3508	3567	3566	45	0
2	A	53	31	31	0	0
2	B	53	31	31	1	0
2	C	53	31	31	1	0
2	D	53	31	31	1	0
2	E	53	31	31	2	0
2	F	53	31	31	0	0
2	G	53	31	31	1	0
2	H	53	31	31	4	0
3	A	25	0	0	2	0
3	B	10	0	0	0	0
3	C	30	0	0	2	0
3	D	20	0	0	0	0
3	E	15	0	0	4	0
3	F	10	0	0	1	0
3	G	15	0	0	2	0
3	H	10	0	0	1	0
4	A	124	0	0	1	0
4	B	32	0	0	3	0
4	C	120	0	0	1	0
4	D	28	0	0	2	0
4	E	41	0	0	3	0
4	F	33	0	0	3	0
4	G	40	0	0	0	0
4	H	34	0	0	1	0
All	All	29093	28801	28794	483	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 483 close contacts within the same asymmetric unit are listed below, sorted by

their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:259:GLU:HG2	1:F:266:ALA:HA	1.48	0.92
1:D:176:LYS:HD3	1:D:177:VAL:N	1.91	0.86
1:D:176:LYS:HD3	1:D:177:VAL:H	1.41	0.84
1:D:128:THR:HG22	1:D:138:VAL:HG22	1.63	0.80
1:E:164:THR:HG23	1:E:165:ILE:HD12	1.65	0.79

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	471/496 (95%)	464 (98%)	7 (2%)	0	100	100
1	B	471/496 (95%)	464 (98%)	7 (2%)	0	100	100
1	C	470/496 (95%)	461 (98%)	9 (2%)	0	100	100
1	D	470/496 (95%)	459 (98%)	11 (2%)	0	100	100
1	E	471/496 (95%)	459 (98%)	12 (2%)	0	100	100
1	F	470/496 (95%)	461 (98%)	9 (2%)	0	100	100
1	G	470/496 (95%)	459 (98%)	11 (2%)	0	100	100
1	H	470/496 (95%)	458 (97%)	12 (3%)	0	100	100
All	All	3763/3968 (95%)	3685 (98%)	78 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	373/390 (96%)	354 (95%)	19 (5%)	21	26
1	B	373/390 (96%)	356 (95%)	17 (5%)	24	31
1	C	372/390 (95%)	358 (96%)	14 (4%)	29	38
1	D	372/390 (95%)	355 (95%)	17 (5%)	24	31
1	E	373/390 (96%)	359 (96%)	14 (4%)	29	38
1	F	372/390 (95%)	360 (97%)	12 (3%)	34	44
1	G	372/390 (95%)	361 (97%)	11 (3%)	36	47
1	H	372/390 (95%)	364 (98%)	8 (2%)	45	58
All	All	2979/3120 (96%)	2867 (96%)	112 (4%)	29	38

5 of 112 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	81	VAL
1	H	290	GLU
1	E	162	GLU
1	H	275	LEU
1	G	274	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 38 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	126	GLN
1	H	143	ASN
1	G	143	ASN
1	H	38	ASN
1	H	352	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

35 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	H	503	-	4,4,4	0.14	0	6,6,6	0.21	0
3	SO4	C	504	-	4,4,4	0.28	0	6,6,6	0.13	0
3	SO4	B	502	-	4,4,4	0.20	0	6,6,6	0.12	0
3	SO4	H	502	-	4,4,4	0.22	0	6,6,6	0.10	0
3	SO4	G	503	-	4,4,4	0.24	0	6,6,6	0.10	0
3	SO4	A	504	-	4,4,4	0.31	0	6,6,6	0.09	0
3	SO4	D	504	-	4,4,4	0.31	0	6,6,6	0.10	0
3	SO4	C	503	-	4,4,4	0.20	0	6,6,6	0.12	0
3	SO4	C	507	-	4,4,4	0.29	0	6,6,6	0.15	0
3	SO4	G	504	-	4,4,4	0.29	0	6,6,6	0.19	0
2	FAD	C	501	-	58,58,58	0.64	1 (1%)	85,89,89	0.55	0
3	SO4	E	502	-	4,4,4	0.25	0	6,6,6	0.13	0
3	SO4	C	505	-	4,4,4	0.17	0	6,6,6	0.10	0
3	SO4	E	504	-	4,4,4	0.33	0	6,6,6	0.11	0
3	SO4	C	506	-	4,4,4	0.43	0	6,6,6	0.28	0
2	FAD	G	501	-	58,58,58	0.47	1 (1%)	85,89,89	0.48	1 (1%)
2	FAD	A	501	-	58,58,58	0.46	0	85,89,89	0.42	0
2	FAD	F	501	-	58,58,58	0.44	0	85,89,89	0.41	0
2	FAD	D	501	-	58,58,58	0.48	0	85,89,89	0.42	0
3	SO4	F	503	-	4,4,4	0.74	0	6,6,6	1.29	0
3	SO4	C	502	-	4,4,4	0.35	0	6,6,6	0.29	0
3	SO4	D	503	-	4,4,4	0.22	0	6,6,6	0.12	0
3	SO4	G	502	-	4,4,4	0.25	0	6,6,6	0.21	0
2	FAD	E	501	-	58,58,58	0.44	0	85,89,89	0.44	0
3	SO4	A	505	-	4,4,4	0.28	0	6,6,6	0.16	0
2	FAD	B	501	-	58,58,58	0.74	1 (1%)	85,89,89	0.40	0
3	SO4	A	506	-	4,4,4	0.26	0	6,6,6	0.13	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	A	503	-	4,4,4	0.31	0	6,6,6	0.16	0
3	SO4	E	503	-	4,4,4	0.26	0	6,6,6	0.19	0
3	SO4	D	505	-	4,4,4	0.25	0	6,6,6	0.18	0
3	SO4	B	503	-	4,4,4	0.30	0	6,6,6	0.17	0
3	SO4	A	502	-	4,4,4	0.23	0	6,6,6	0.35	0
2	FAD	H	501	-	58,58,58	0.62	3 (5%)	85,89,89	0.44	1 (1%)
3	SO4	F	502	-	4,4,4	0.24	0	6,6,6	0.19	0
3	SO4	D	502	-	4,4,4	0.24	0	6,6,6	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FAD	E	501	-	-	3/34/50/50	0/6/6/6
2	FAD	B	501	-	-	2/34/50/50	0/6/6/6
2	FAD	G	501	-	-	3/34/50/50	0/6/6/6
2	FAD	A	501	-	-	2/34/50/50	0/6/6/6
2	FAD	F	501	-	-	2/34/50/50	0/6/6/6
2	FAD	D	501	-	-	2/34/50/50	0/6/6/6
2	FAD	C	501	-	-	2/34/50/50	0/6/6/6
2	FAD	H	501	-	-	3/34/50/50	0/6/6/6

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	FAD	P-O3P	4.72	1.64	1.59
2	C	501	FAD	P-O3P	2.89	1.62	1.59
2	H	501	FAD	P-O3P	2.64	1.62	1.59
2	H	501	FAD	P-O2P	-2.12	1.45	1.55
2	H	501	FAD	C1'-C2'	2.01	1.55	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	G	501	FAD	C4'-C3'-C2'	-2.69	109.09	113.57
2	H	501	FAD	C4'-C3'-C2'	2.15	117.14	113.57

There are no chirality outliers.

5 of 19 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	H	501	FAD	C5'-O5'-P-O1P
2	G	501	FAD	O4B-C4B-C5B-O5B
2	G	501	FAD	C3B-C4B-C5B-O5B
2	G	501	FAD	O4'-C4'-C5'-O5'
2	E	501	FAD	O4B-C4B-C5B-O5B


There are no ring outliers.


14 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	503	SO4	1	0
3	G	503	SO4	2	0
3	C	507	SO4	1	0
2	C	501	FAD	1	0
3	E	502	SO4	3	0
3	C	506	SO4	1	0
2	G	501	FAD	1	0
2	D	501	FAD	1	0
3	F	503	SO4	1	0
2	E	501	FAD	2	0
2	B	501	FAD	1	0
3	A	506	SO4	2	0
3	E	503	SO4	1	0
2	H	501	FAD	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.










Ligand FAD F 501






Ligand FAD E 501







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	472/496 (95%)	0.20	4 (0%) 82 85	23, 39, 66, 94	1 (0%)
1	B	472/496 (95%)	1.13	81 (17%) 4 4	31, 70, 111, 142	1 (0%)
1	C	472/496 (95%)	0.30	8 (1%) 69 73	25, 40, 67, 89	0
1	D	472/496 (95%)	1.26	105 (22%) 2 2	31, 73, 119, 150	0
1	E	472/496 (95%)	1.16	72 (15%) 5 6	33, 68, 105, 137	1 (0%)
1	F	472/496 (95%)	1.14	58 (12%) 8 9	40, 67, 104, 133	0
1	G	472/496 (95%)	1.12	67 (14%) 6 7	35, 67, 109, 138	0
1	H	472/496 (95%)	1.10	65 (13%) 6 7	34, 65, 106, 141	0
All	All	3776/3968 (95%)	0.93	460 (12%) 8 10	23, 62, 107, 150	3 (0%)

The worst 5 of 460 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	288	GLY	5.5
1	E	160	ILE	5.2
1	D	130	THR	5.1
1	B	119	GLY	5.0
1	G	264	GLY	4.8

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.


6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	G	504	5/5	0.51	0.15	94,94,96,96	0
3	SO4	C	506	5/5	0.68	0.20	56,63,70,70	0
3	SO4	B	502	5/5	0.68	0.15	97,98,98,100	0
3	SO4	G	503	5/5	0.69	0.14	90,105,107,108	0
3	SO4	A	506	5/5	0.71	0.14	75,88,90,90	0
3	SO4	F	503	5/5	0.71	0.14	50,53,57,57	5
3	SO4	G	502	5/5	0.72	0.15	89,89,92,93	0
3	SO4	D	504	5/5	0.73	0.15	82,83,85,85	0
3	SO4	E	503	5/5	0.73	0.14	105,105,106,108	0
3	SO4	E	504	5/5	0.74	0.11	84,84,86,87	0
3	SO4	D	505	5/5	0.76	0.15	51,53,56,57	5
3	SO4	E	502	5/5	0.76	0.12	80,97,99,99	0
3	SO4	D	502	5/5	0.77	0.13	100,100,101,101	0
3	SO4	B	503	5/5	0.79	0.12	96,97,98,99	0
3	SO4	C	502	5/5	0.81	0.16	66,66,67,67	0
3	SO4	C	507	5/5	0.81	0.14	41,42,44,46	5
3	SO4	A	505	5/5	0.82	0.13	80,82,83,83	0
3	SO4	F	502	5/5	0.82	0.12	83,84,84,85	0
3	SO4	D	503	5/5	0.82	0.10	98,98,98,99	0
3	SO4	H	502	5/5	0.86	0.10	90,91,93,93	0
3	SO4	C	504	5/5	0.87	0.13	82,82,84,84	0
2	FAD	D	501	53/53	0.88	0.13	42,64,81,84	0
3	SO4	C	503	5/5	0.88	0.14	74,75,76,77	0
2	FAD	B	501	53/53	0.89	0.12	42,58,74,78	0
2	FAD	H	501	53/53	0.90	0.11	39,55,67,71	0
3	SO4	H	503	5/5	0.90	0.10	49,53,55,60	5
3	SO4	A	503	5/5	0.91	0.11	64,64,65,67	0
2	FAD	F	501	53/53	0.91	0.10	36,54,68,76	0
2	FAD	E	501	53/53	0.91	0.12	28,56,84,88	0
2	FAD	G	501	53/53	0.92	0.10	29,53,66,68	0
3	SO4	A	504	5/5	0.93	0.08	65,67,70,72	0
3	SO4	C	505	5/5	0.93	0.09	73,74,76,78	0
3	SO4	A	502	5/5	0.95	0.09	47,48,49,51	0
2	FAD	C	501	53/53	0.95	0.08	17,26,36,38	0
2	FAD	A	501	53/53	0.95	0.08	15,26,34,40	0




The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around FAD B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD H 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD F 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD E 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around FAD G 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD C 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.